EDINBURGH JOURNAL OF BOTANY 74 (3): 379–394 (2017)
© Trustees of the Royal Botanic Garden Edinburgh (2017)
doi: 10.1017/S0960428617000300

GENERAL INDEX TO VOLUME 74 (2017)

Note: main entries are **emboldened**; *signifies the page range of keywords; pages with illustrations (Fig.), maps and reviews (Rev.) are indicated, tables are not annotated separately. An italic *n* after a page number refers to a footnote.

Aakia J.R.Grande, 34
  tuerckheimii (Hack.) J.R.Grande, 44, 62
Achnanthidium, 106 Rev.
Acmopyle Pilg., 300
  pancheri (Brongn. & Gris.) Pilg., 319
Acroceras, 46
  zizanioides, 39, 45–46 & Fig.
Agapetes
  kudukii, 167
Agarista
  glaberrima (Sleumer) Judd, 21, 24, 31 App.
Agathis Salisb., 300
  robusta (C.Moore ex F.Muell.) F.M.Bailey, 346, 359–360
Agrostis
  stolonifera L., 301
Ahrends, A., 299–343
Alchornea
  triplinervia (Spreng.) Müll.Arg., 21, 25, 31 App.
Algae, 366–368 Rev.
Alnus
  glutinosa (L.) Gaertn., 320
Alpinia Roxb., 141
Amended descriptions
  in *Begonia*, 111–122, 217–228
Amla, 283
Amomum Roxb., 141
  cevuga Seem., 141–148* [146 Fig.]
  vigneaui Rech., 146
Amphirosellinia, 251 Rev.
Anacardiaceae, 30 App.
Anderson, C., 77–94
Anderson, W.R., 77–94
Andropogon L., 34, 40 & Fig., 51–52 & Fig., 62
  bicornis L., 40*n*, 62
  bourgeaei Hack., 51*n*–52*n*, 62
  gerardi Vitman, 52*n*, 62
  glomeratus (Walter) Britton, Sterns & Poggenb., 40*n*, 62
  gyrans Ashe, 52*n*, 63
  lateralis Nees, 51*n*–52*n*, 63
  leucostachyus Kunth, 51*n*, 63
  selloanus (Hack.) Hack., 51*n*, 63
  virgatus Desv. ex Ham., 40 & Fig., 63
  virginicus L., 40*n*, 51–52*n*, 63
Annonaceae, 20, 30 App.
Anthaenantia
  lanata (Kunth) Benth., 43–44 & Fig., 63
Anthephora
  hermaphrodita (L.) Kuntze, 49–50 & Fig., 63
Apidae, 284
Apocynaceae, 30 App.
Aquifoliaceae, 30 App.
Araucaria Juss., 123–139*, 300, 319
  sect. *Eutacta* (Link) Endl., 123–139*
  biramulata J.Buchholz, 124, 136
  columnaris (G.Forst.) Hook., 124*n*
  cunninghamii Mudie, 123
  'Goro form', 124–125
  goroensis R.R.Mill & Ruhsam, 123–139 [**125**, 126–127 Figs, 128 Map, 129 Fig.]
  heterophylla (Salisb.) Franco, 123
  humboldtensis J.Buchholz, 124, 136
  intermedia Vieill., 134
  laubenfelsii Corbasson, 124, 136
  lavoixii Silba, 124*n*
  mackeei Silba, 124*n*
  montana Brongn. & Gris, 124, 136
  muelleri (Carrière) Brongn. & Gris, 123–139 [128 Map, **132**]
  neocookii Silba, 124*n*
  rulei F.Muell., 123–125, 130–136
    var. *grandifolia* Muell., 132–134
Araucariaceae, 123–139, 300
Argent, G., 163–168
Aristida L., 41 & Fig., 63
  appressa Vasey, 63
  capillacea Lam., 63
  gibbosa (Nees) Kunth, 63
  hamulosa Henrard, 63
  longifolia Trin., 63
  megapotamica Spreng., 34, 67
  purpurascens Poir., 63

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

recurvata Kunth, 63
setifolia Kunth, 63
ternipes Cav., 41*n*–42, 63
tincta Trin. & Rupr., 63
torta (Nees) Kunth, 63
Arnica, 281–297
Artemisia
herba-alba Asso, 320
Arunachal Pradesh, India, 255–263*
Arundinella Raddi, 41–42 & Fig., 63
berteroniana (Schult.) Hitchc. & Chase, 63
deppeana Nees ex Steud., 63
Aspidosperma
olivaceum Müll.Arg., 21, 24, 30 App.
Asplenium, 1–2
adiantoides Lam., 1
falcatum Lam., 1–4*
macrophyllum Sw., 1–4*
oxyphyllum Kunze, 1–4*
polypodon, 2
Asteraceae, 15, 20, 24, 26, 30 App., 167, 281–297
Astrocystis, 251 Rev.
Atlantic forest ecosystems, 15–32* [17 Map, 18 Figs]
Aulacoseira
acicularis, 104 Rev.
pusilloides, 104 Rev.
singularis, 104 Rev.
spathulata, 104 Rev.
Aureanophyceae, 367 Rev.
Autotrophic fungi, 366 Rev.
Axonopus P.Beauv., 54 Fig., 56, 59, 63
aureus P.Beauv., 53–54 & Fig., 59*n*, 63
ciliatifolius Swallen, 59*n*, 63
compressus (Sw.) P.Beauv., 56*n*, 59*n*, 63
fissifolius (Raddi) Kuhlm., 56*n*, 63
poiophyllus Chase, 56*n*, 59*n*, 63
purpusii (Mez) Chase, 56*n*, 59*n*, 63

Bacillariophyceae, 367 Rev.
Barcodes for *Retrophyllum*, 375 Errata
Bau, B.B., 141–148
Begonia L., 111–112, 115, 149–161*, 199, 217–220
sect. *Alicida* C.B.Clarke, 149
sect. *Apterobegonia* Warb., 149–161*
sect. *Baryandra* A.DC., 149
sect. *Begonia*, 199–215*, 200
sect. *Cyathocnemis* (Klotzsch) A.DC., 200
sect. *Diploclinium* (Lindl.) A.DC., 149–161*
sect. *Eupetalum* (Lindl.) A.DC., 111–122*, 217–218
B. octopetala group, 218
sect. *Huszia* (Klotzsch) A.DC., 218
sect. *Knesebeckia* (Klotzsch) A.DC., 179–198*, 217–228*
B. maynensis group, 181, 196 Map
sect. *Lepsia* (Klotzsch) A.DC., 200–201
sect. *Parvibegonia* A.DC., 153
sect. *Quadriperigonia* Ziesenh., 111–122*
sect. *Reichenheimia* (Klotzsch) A.DC., 149
sect. *Ruizopavonia* A.DC., 199–215*
B. tiliifolia group, 199–201, 213 Map
acerifolia Kunth, 217–228* [**221**]
albomaculata auct. non C.DC., L.B.Sm. & B.G.Schub., 201
albomaculata auct. non C.DC., L.B.Sm. & Wassh., 201
albomaculata C.DC., 179–198* [**181**, 182 Fig., 196 Map], 199–215*
alicida C.B.Clarke, 153
alnifolia A.DC., 200
arrogans Irmsch., 188
berniceana L.B.Sm. & Wassh., 185
boreoharlingii Tebbitt & Moonlight, 199–201, **204**–207 [205 Fig.], 213 Map
botryoides Moonlight & Tebbitt, 199–204 [**201**, 202 Fig.], 213 Map
chemillenensis Moonlight, 179–181, **185**–189 [186–187 Figs], 194, 196–197 [196 Map]
cremnophila Tebbitt, 111–122*
curtisii Ridl., 153
delicatula Parish ex C.B.Clarke, 150, 156
discreta Craib, 150, 153
dolabrifera C.DC., 221, 226
erythrocarpa A.DC., 217–228*
erythrothrix Tebbitt & Moonlight, 111–112, **116**–119 [117 Fig., 118 Map]
exposita Phutthai & M.Hughes, 149–153 [**150**, 151 Fig., 152 Map]
foliosa Kunth, 200
griseocaulis Irmsch., 221
harlingii L.B.Sm. & Wassh., 199–215* [**211**, 212 Fig., 213 Map]
hydrophylloides L.B.Sm. & B.G.Schub., 217–228* [**220**]
incarnata Link & Otto, 181
lobato-peltata Irmsch., 222
longimaculata Irmsch, 179–198*

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

ludwigii Irmsch., 217–228*
lutea L.B.Sm. & B.G.Schub., 111–112
macbrideana Irmsch., 222
mayasiana L.B.Sm. & B.G.Schub., 179–198*
maynensis A.DC., 179–198* [**190**, 191 Fig., 196 Map], 200
pengchingii Phutthai & M.Hughes, 149, 152–155 [152 Map, **153**, 154 Fig.]
pennellii L.B.Sm. & B.G.Schub., 222
subsp. *lobato-ovata* Irmsch., 222
var. *longiloba* Irmsch., 222
forma *macrantha* Irmsch., 222
phutthaii M.Hughes, 149, 152 Map, **156–**158 [157 Fig.]
pluvialis L.B.Sm. & Wassh., 185
pluvialis L.B.Sm. ex S.F.Sm. & Wassh., 185
polypetala, 227
pseudopleiopetala Tebbitt, 219
pseudosubperfoliata Phutthai & M.Hughes, 149, 152 Map, **158–**160 [159 Fig.]
putii Craib, 150
rabilii Craib, 158
scorpiocaulis Moonlight & Tebbitt, 179, 181, **194–**197 [195 Fig., 196 Map]
scorpioides, 181
soluta Craib, 150, 153
speculum Moonlight & Tebbitt, 111–116 [**112**, 113–114 Figs], 118 Map, 121
subperfoliata Parish ex Kurz, 158, 160
thyrsoidea Irmsch., 111–122* [**119**, 118 Map]
tiliifolia auct. non C.DC., 204
tiliifolia C.DC., 179–180, 199–215* [**207**, 213 Map]
triramosa Irmsch., 217–228*
vellata L.B.Sm. & B.G.Schub., 217–228* [**226**]
xerophyta L.B.Sm. & Wassh., 217–228*
Begoniaceae, 111–122, 149–161, 179, 217–228
Belford, George, 167
Belize, 33–75*
Bell, N., 109–110
Betulaceae, 320
Bhutan, 95–101*
Eastern, 255–263*
Biddulphia, 365 Rev.
Bignoniaceae, 26, 30 App.
Biremis, 104 Rev.
Blepharocalyx
salicifolius (Kunth) O.Berg, 21, 31 App.
Blindow, Irmgard, 366 Rev.
Blue-green algae, 366–367 Rev.
Bolidophyceae, 367 Rev.
Bolivia, 217–228*
Book reviews
Diatoms and the Continuing Relevance of Morphology to Studies on Taxonomy, Systematics and Biogeography. Celebrating the Work and Impact of Patricia A. Sims on the Occasion of her 80th Birthday (J. Witkowski, D. Williams & J.P. Kociolek eds), 365–366
Diatoms of the United States 1. Taxonomy, Ultrastructure and Descriptions of New Species and Other Rarely Reported Taxa from Lake Sediments in the Western USA (J.P. Kociolek *et al.* eds), 103–108
Nepal: an Introduction to the Natural History, Ecology and Human Environment of the Himalayas. A Companion to the Flora of Nepal (G. Miehe, C. Pendry & R. Chaudhary eds), 370–373
Rosellinia – a World Monograph (L.E.Petrini), 251–253
Syllabus of Plant Families. A. Engler's Syllabus der Pflanzenfamilien, 13th edition. Part 2/1: Photoautotrophic Eukaryotic Algae. Glaucocystophyta, Cryptophyta, Dinophyta/Dinozoa, Haptophyta, Heterokontophyta/Ochrophyta, Chlorarachniophyta/Cercozoa, Euglenophyta/Euglenozoa, Chlorophyta, Streptophyta p.p. (W. Frey ed.), 366–370
Bosque de Protección de Alto Mayo (BPAM), Peru, 115
Bothriochloa Kuntze, 52 Fig., 57, 63
bladhii (Retz.) S.T.Blake, 40–41 & Fig., 63
pertusa (L.) A.Camus, 52, 57, 64
Bougainville Island, Papua New Guinea, 141–148
Bouteloua Lag., 34, 64
repens (Kunth) Scribner & Merr., 57, 64
scabra (Kunth) Columbus, 51, 64
Brazil, 77, 87, 179–198*
central, 281–297
south-eastern, 15–32 [17 Map, 18 Figs]
Brown algae, 367–368 Rev.
Bryophytes, 367 Rev.
Byrsonima
variabilis A.Juss., 20–21, 24, 31 App.

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Cabralea
canjerana (Vell.) Mart., 22, 31 App.
Calea, 22, 30 App.
Cambodia, 5
Campos rupestres, 16–17, 25, 283, 286 Map
Candeias, 15, 24, 26
Capsicum
annuum L., 320
Carex, 96–99
sect. *Phacocystis* Dumort., 95–101*
sect. *Praelongae*, 99
drukyulensis (Noltie) Jim.Mejías & Noltie, 95–101 [**97**]
eleusinoides Turcz. ex Kunth, 95–98
fucata, 100
humbertiana Ohwi, 95–98
minxianica Y.C.Yang, 96–98
nigra (L.) Reichard, 95–97
subsp. *drukyulensis* Noltie, 95–98 [96 Fig.]
subsp. *nigra*, 96 Fig.
notha, 100
orbicularis, 99
Carvalho, F.A., 15–32
Case study
in Podocarpaceae, 299–343
Casuarinaceae, 131
Celastraceae, 30 App.
Cenchrus L., 34, 49–51 & Fig., 64
brownii Roem. & Schult., 50*n*, 64
echinatus L., 50*n*, 64
incertus M.A.Curtis, 50*n*, 64
nervosus (Nees) Kuntze, 51*n*, 64
polystachios (L.) Morrone, 51*n*, 64
purpureus (Schumach.) Morrone, 51*n*, 64
Central America, 77
Central Brazil, 281–297
Cercis, 300
Cercozoa, 367 Rev.
Cerrado, 281–297
Chamaecrista
cathartica (Mart.) H.S.Irwin & Barneby, 21, 31 App.
Chamaecyparis
obtusa (Siebold & Zucc.) Endl., 346
Charophyceae, 366 Rev.
Chaudhary, Ram, 371 Rev.
Checklist
of Poaceae in Belize, 33–75*
Chlorarachniophyta, 366–367 Rev.
Chloris Sw., 53 & Fig., 64
barbata Sw., 64
ciliata Sw., 34, 72
inflata Link, 64
radiata (L.) Sw., 64
Chlorophyta, 366 Rev.
Chrysomerophyceae, 367 Rev.
Chrysophyceae, 367 Rev.
Chrysopogon
zizanioides (L.) Roberty, 56 & Fig., 64
Clerck, Olivier de, 366 Rev.
Clethra
scabra Pers., 21, 30 App.
Clethraceae, 30 App.
Climate, 299–343*
Clugston, J.A.R., 299–343
Clusia
criuva Cambess., 21, 30 App.
Clusiaceae, 30 App.
Cocconeis, 106 Rev.
Coleataenia Griseb., 34, 48, 64
rigidula (Bosc ex Nees) LeBlond, 47–48, 64
stenodes (Griseb.) Soreng, 48, 64
tenera (Beyr. ex Trin.) Soreng, 64
Colombia, 77, 87, 90, 199–215*, 217–228*
Conservation
of Atlantic forests, 15–32
Cornaceae, 300
Cornus, 300
Costa Rica, 199–215*
Cox, Eileen, 366 Rev., 369 Rev.
Craticula
lowei, 104 Rev.
Cryofracture, 345–364*
Cryptochloa, 37 Fig.
strictiflora (E.Fourn.) Swallen, 38, 64
Cryptophyta, 366–367 Rev.
Cucumis
sativa L., 320
Cultivated grasses
in Belize, 62–72
Cultivation, 299–343*
Cunoniaceae, 31 App.
Cupania
ludowigii Somner & Ferrucci, 22, 32 App.
Cupressaceae, 301
Curcuma
subgen. *Hitcheniopsis*, 245–250*
gracillima Gagnep., 245–250*
larsenii Maknoi & Jenjitt., 245–250*
parviflora Wall., 245–250*
prasina Škorničk., **245–**250 [247–248 Figs]

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

pygmaea Škorničk. & Šída f., 245–250*
thorelii Gagnep., 245
Cuticular micromorphology, 299–343*
Cuzco Region, Peru, 111
Cyclotella
fourtanierae, 104 Rev.
Cymbopogon
citratus (DC.) Stapf, 64
Cynodon Rich., 53–54 & Fig., 64
dactylon (L.) Pers., 64
nlemfuensis Vanderyst, 64
Cyperaceae, 95–101
Cyphonanthus Zuloaga & Morrone, 34
discrepans (Döll) Zuloaga & Morrone, 47, 64

Dacrycarpus (Endl.) de Laub., 300
Dacrydium Sol. ex Lamb., 300
araucarioides Brongn. & Gris, 131
Dactyloctenium
aegyptium (L.) Willd., 53 & Fig., 64
Demography, 281–297*
Diagnostic key
to Poaceae of Belize, 33–75*
Diatoms, 369 Rev.
Dichanthelium (Hitchc. & Chase) Gould, 44, 48, 64
aciculare (Desv. ex Poir.) Gould & C.A.Clarke, 44*n*, 64
acuminatum (Sw.) Gould & C.A.Clarke, 44*n*, 64
dichotomum (L.) Gould, 44*n*, 48*n*, 64
ensifolium (Baldwin ex Elliott) Gould, 48*n*, 65
portoricense (Desv. ex Ham.) B.F.Hansen & Wunderlin, 44*n*, 65
sciurotoides (Zuloaga & Morrone) Davidse, 44*n*, 65
sphaerocarpon (Elliott) Gould, 44*n*, 48*n*, 65
strigosum (Muhl. ex Elliott) Freckmann, 44 & *n*, 48 & *n*, 65
viscidellum (Scribn.) Gould, 44*n*, 48*n*, 65
Dichanthium
annulatum (Forssk.) Stapf, 52 & Fig., 65
Dicranopteris, 173
Dictyochophyceae, 367 Rev.
Didissandra C.B.Clarke, 230, 233–236
elongata (Jack) C.B.Clarke, 230
subsp. *minor* (Ridl.) A.Weber & B.L.Burtt, 230, 234–236
Digitaria Haller, 54–56 & Figs, 59, 65
cayoensis Swallen, 55*n*, 65
ciliaris (Retz.) Koeler, 55*n*, 59*n*, 65
fuscescens (J. Presl) Henrard, 55*n*, 65
horizontalis Willd., 55*n*, 59*n*, 65
insularis (L.) Fedde, 59*n*, 65
multiflora Swallen, 59*n*, 65
setigera Roth, 55*n*, 59*n*, 65
Dinebra Jacq., 34
panicea
subsp. *mucronata* (Michx.) P.M.Peterson & N.Snow, 58, 65
Dinoflagellates, 369 Rev.
Dinophyta, 366–367 Rev.
Diplachne P.Beauv., 34
fusca
subsp. *uninervia* (J.Presl) P.M.Peterson & N.Snow, 58, 65
Distichlis
spicata (L.) Greene, 42, 65
Diversity
of Atlantic forests, 15–32
Dracophyllum
ramosum Pancher ex Brongn. & Gris, 131

Eastern Bhutan, 255–263
Echinochloa P.Beauv., 60, 65
colona (L.) Link, 60 & Fig., 65
crus-pavonis (Kunth) Schult., 60 Fig., 65
polystachya (Kunth) Hitchc., 60 Fig., 65
Echinolaena Desv., 49, 53 Fig., 65
gracilis Swallen, 54–55, 65
standleyi (Hitchc.) Stieber, 58, 60, 65
Ecosystems
Atlantic forest, 15–32*
Ecuador, 179–198*, 199–215*, 217–228*
Elasticity analysis, 290
Eleusine
indica (L.) Gaertn., 53–54 & Fig., 65
Endemism
in *Araucaria*, 123–139*
in *Begonia*, 111, 119, 149, 153, 155–156, 160, 179–198
in *Curcuma*, 245, 249
in *Etlingera*, 141
Entoleuca, 251 Rev.
Environment, 299–343*
Eolimna, 106 Rev.
vanlandinghamii, 105–106 Rev.
Epistomal chamber, 345–364*

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Eragrostis Wolf, 41–42 & Fig., 65
acutiflora (Kunth) Nees, 65
amabilis (L.) Wight & Arn., 66
atrovirens (Desf.) Trin. ex Steud., 65
bahiensis Schrad. ex Schult., 66
ciliaris (L.) R.Br., 38–39 & Fig., 66
contrerasii R.W.Pohl, 66
elliottii S.Watson, 66
excelsa Griseb., 34, 66
gangetica (Roxb.) Steud., 66
hirta E.Fourn., 66
hypnoides (Lam.) Britton, Sterns & Poggenb., 66
maypurensis (Kunth) Steud., 66
polytricha Nees, 45–46, 66
prolifera (Sw.) Steud., 66
rufescens Schrad. ex Schult., 66
unioloides (Retz.) Nees ex Steud., 66
Eremanthus
erythropappus (DC.) MacLeish, 15, 20–21, 24, 26, 30 App.
incanus (Less.) Less., 15, 20–21, 24, 26, 30 App.
Ericaceae, 20, 31 App., 131, 163–168*, 265–279
Eriocaulaceae, 5–6
Eriocaulon L., 5–13*
alatum Lecomte, 5–**7**
australe Lecomte, 6, 10
cinereum, 8
gracile Bong., 9
gracile Mart., 9
hamiltonianum Mart., 5–9 [**7**]
hookerianum Stapf, 5, **8**–9
infirmum Steud., 5–6, **9**
lanigerum Lecomte, 5–6, **9**–10
nautiliforme Lecomte, 5–6, **10**–11
nepalense Prescott ex Bong., 7
nigrum Lecomte, 5–6, **11**
odoratum Dalzell, 10
quinquangulare L., 5, **11**–12
sexangulare
var. *australe* (R.Br.) Praj. & J.Parn., 10
siamense Moldenke
var. *macrophyllum* Praj. & J.Parn., 10
ubonense Lecomte, 5–6, 10–**11**
zollingerianum Körn., 7, 10
Eriochloa
punctata (L.) Desv. ex Ham., 58, 66
Eriochrysis
cayennensis P.Beauv., 38–39 & Fig., 66
Erythroxylaceae, 31 App.
Erythroxylum
amplifolium Baill., 31 App.
amplifolium (Mart.) O.E.Schulz, 21, 24, 31 App.
Espeletia, 252 Rev.
Etlingera Giseke, 141–148
australasica (R.M.Sm.) R.M.Sm., 141
cevuga (Seem.) R.M.Sm., 141–142, 145–147 [146 Fig.]
frederikii A.D.Poulsen, 141–147 [**142**, 143–144 Figs]
Eugenia, 21–22, 31 App.
bimarginata DC., 21, 32 App.
handroana D.Legrand, 22, 32 App.
involucrata DC., 21, 32 App.
modesta DC., 20–21, 24, 32 App.
widgrenii Sond. ex O.Berg, 22, 25, 32 App.
Euglenophyta, 366 Rev.
Eukaryota, 368 Rev.
Euphorbiaceae, 20, 31 App.
Eustachys, 53
petraea (Sw.) Desv., 53, 66
Eustigmatophyceae, 366–367 Rev.
Eutacta
muelleri Carrière, 132–134
rulei, 133
Eutassa Salisb., 123
latifolia de Laub., 123, 132–135
muelleri (Carrière) de Laub., 132
rulei (F.Muell.) de Laub., 134
Evenness (*J*), 15, 19–20, 24
Exploitation, 15
Extinction
proneness in *Lychnophora* population, 281–297 [292 Fig.]

Fabaceae, 20, 22, 31 App., 300
Falcatifolium de Laub., 300
Fire scars, *see* Wildfires
FirstView, 109
Flora of Cambodia, Laos and Vietnam, 5–13
Flora of Nepal, 370–373 Rev.
Flora of Thailand, 5–13
Florin ring, 345–346, 350, 352
Fonseca, C.R., 15–32
Forest structure, diversity and conservation, 15–32
Frequency distribution, 20, 23
Frey, Wolfgang, 366–370 Rev.

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Fungi, 366–367 Rev.

Gardner, M.F., 123–139
Gaylussacia
densa Cham., 21, 31 App.
Geitler, Lothar, 365 Rev.
Gesneriaceae, 188, 229–243
subfam. Didymocarpoideae, 229
tribe Trichosporeae, 229
subtribe Didissandrinae, 233
subtribe Loxocarpinae, 229, 233
Ginger, 141–148*
Giroldo, A.B., 281–297
Glaucocystophyta, 366 Rev.
Global Administrative Areas, GADM database, 307
Global Biodiversity Information Facility (GBIF), 302
Goro Plateau, New Caledonia, 124, 126, 130–131
Gramineae, 33–75*
Grasses
of Belize, 33–75
Green algae, 366–367 Rev.
Guadua, 36 Fig.
longifolia (E.Fourn.) R.W.Pohl, 36, 66
Guatteria
australis A.St.-Hil., 21, 30 App.
Gymnopogon
spicatus (Spreng.) Kuntze, 56–57 & Fig., 66
Gymnostoma
deplancheanum (Miq.) L.A.S.Johnson, 131
Gynerium
sagittatum (Aubl.) P.Beauv., 36 & Fig., 66

Hackelochloa
granularis (L.) Kuntze, 68
Halamphora
stoermeri, 104 Rev.
reimeri, 104 Rev.
americana, 104 Rev.
Hammada
scoparia (Pomel) Iljin, 320
Handroanthus
albus (Cham.) Mattos, 22, 26, 30 App.
Haptophyta, 366–367 Rev.
Harvesting
of *Lychnophora*, 281–297 [285 Fig.]
Hasle, Grethe, 365 Rev.
Heterokontobionta, 366 Rev.
Heterokontophyta, 366–367 Rev.
Heteropogon
contortus (L.) P.Beauv. ex Roem. & Schult., 50–51 & Fig., 66
High altitude rocky complex, 15–32*
Himalayas, 95–101, 370–373 Rev.
Himatanthus
drasticus (Mart.) Plumel, 282
Hofbauer, Wolfgang, 366 Rev.
Hollingsworth, P.M., 123–139
Homolepis
aturensis (Kunth) Chase, 45 & Fig., 66
Honduras, 77–94*
Hughes, M., 149–161, 179–198, 199–215
Hymenachne
amplexicaulis (Rudge) Nees, 38–39 & Fig., 66
Hyparrhenia Andersson ex E.Fourn., 40 & Fig., 50, 52, 66
bracteata (Humb. & Bonpl. ex Willd.) Stapf, 66
rufa (Nees) Stapf, 66
Hypericaceae, 20, 31 App.
Hypogynium Nees, 34, 62
virgatum (Desv. ex Ham.) Dandy, 63
Hyptis
monticola Mart. ex Benth., 21, 31 App.

Ichnanthus P.Beauv., 45–46 & Fig., 49, 57–58, 66
calvescens (Nees ex Trin.) Döll, 66
dasycoleus Tutin, 66
inconstans (Trin. ex Nees) Döll, 66
lanceolatus Scribn. & J.G.Sm., 58*n*, 66
mexicanus E.Fourn., 66
nemoralis (Schrad.) Hitchc. & Chase, 56, 58*n*, 67
nemorosus (Sw.) Döll, 67
pallens (Sw.) Munro ex Benth., 67
tenuis (J.Presl & C.Presl) Hitchc. & Chase, 67
Identification
of Poaceae in Belize, 33–75*
Ilex
subcordata Reissek, 22, 30 App.
Illustrated generic key
to Poaceae of Belize, 33–75
Imperata Cirillo, 38–39 & Fig., 67
brasiliensis Trin., 67
contracta (Kunth) Hitchc., 67

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

India, 255–263
Northeast, 265–279*
Indonesia, 169–178
International Union for Conservation of Nature (IUCN) categories, 217–228*
in *Araucaria*, 123, 131, 135
in *Begonia*, 111, 115, 119–121, 150, 153, 155, 158, 160, 183, 189, 192, 197, 204, 207–208, 213, 221, 223, 227
in *Curcuma*, 248
in *Etlingera*, 141–148*
in *Ornithoboea*, 239–240
in *Paphiopedilum*, 173, 177
in *Rhododendron*, 166
International Union for Conservation of Nature (IUCN) conservation assessment of *Roscoea*, 255–263*
Isachne R.Br., 35, 42–43 & Fig., 67
arundinacea (Sw.) Griseb., 67
polygonoides (Lam.) Döll, 67
pubescens Swallen, 67
Ischaemum
latifolium (Spreng.) Kunth, 50–51 & Fig., 57, 67
Ixophorus
unisetus (J.Presl) Schltdl., 60 & Fig., 67

James, S.A., 163–168
Jarava Ruiz & Pav., 34
megapotamica (Spreng.) Peñail., 41, 67
Jeffree, C.E., 299–343, 345–364
Jiménez-Mejías, P., 95–101

Kaisupeea B.L.Burtt, 233
herbacea (C.B.Clarke) B.L.Burtt, 230, 234–236
orthocarpa B.L.Burtt, 230, 234–236
Kalanchoe
fedtschenkoi Raym.-Hamet & H.Perrier, 320
Karsten, Georg, 369 Rev.
Kawai, Hiroshi, 366 Rev.
Kelly, M., 365–366 Rev.
Keys
to *Araucaria* (large leaved), 135–136
to *Asplenium*, 3
to *Begonia maynensis* group, 181
to *Begonia tiliifolia* group, 201
to *Carex* sect. *Phacocystis*, 99–100
to Poaceae of Belize, 33–75
to *Rhododendron formosum* complex, 268
to *Roscoea*, 262
to *Tetrapterys*, 80, 82, 85, 91, 94
Khaya
senegalensis (Desv.) A.Juss., 282
Köppen climate classification, 284
Kuduk, M., 167

Ladenbergia
hexandra (Pohl) Klotzsch, 21, 32 App.
Læssøe, T., 251–253 Rev.
Lamanonia
cuneata (Cambess.) Kuntze, 21, 31 App.
Lamiaceae, 20, 31 App.
Laos, 5
Lasiacis (Griseb.) Hitchc., 43 & Fig., 67
divaricata (L.) Hitchc., 67
grisebachii (Nash) Hitchc., 67
nigra Davidse, 67
oaxacensis (Steud.) Hitchc., 67
procerrima (Hack.) Hitchc., 67
rugelii (Griseb.) Hitchc., 67
ruscifolia (Kunth) Hitchc., 67
scabrior Hitchc., 67
sloanei (Griseb.) Hitchc., 67
sorghoidea (Desv. ex Ham.) Hitchc. & Chase, 67
Lauraceae, 20, 22, 24, 31 App.
Leaf cuticular micromorphology
in *Podocarpus*, 299–343
Lectotypification
in *Begonia*, 111, 121, 180
in *Eriocaulon*, 5–13
Leersia Sw., 41–42 & Fig., 67
hexandra Sw., 67
ligularis Trin., 67
Lefkovitch matrix, 287
Leliaert, Frederik, 366 Rev.
Leong-Škorničková, J., 245–250
Leptochloa P.Beauv., 34, 56
mucronata (Michx.) Kunth, 65
uninervia (J.Presl) Hitchc. & Chase, 65
virgata (L.) P.Beauv., 56–57 & Fig., 67
Leptocoryphium
lanatum (Kunth) Nees, 63
Life table response experiment (LTRE), 281–297* [292 Fig.]
Lima, V.V.F., 281–297
Limestone, 229–243*
Liquidambar, 82

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

List
of Poaceae in Belize, 62–72
Lithachne
pauciflora (Sw.) P.Beauv., 37–38 & Fig., 67
Lopez-Bautista, Juan, 366 Rev.
Louisiella C.E.Hubb. & J.Léonard, 34
elephantipes (Nees ex Trin.) Zuloaga, 47, 68
Lychnophora, 283
ericoides Mart., 281–297 [285 Fig., 286 Map]
Lycopersicon
esculentum Mill., 320

MacGregor, Sir William, 167
Macropeplus
schwackeanus (Perkins) I.Santos & Peixoto, 21, 31 App.
Mae Hong Son Province, Thailand, 229–243*
Malpighiaceae, 31 App., 77–94*
Malvaceae, 31 App.
Mann, D.G., 103–108 Rev., 366–370 Rev.
Mantiqueira mountain complex, 15–32
Mao, A.A., 265–279
Maprounea
guianensis Aubl., 22, 31 App.
Maquis vegetation,131
Matayba
marginata Radlk., 21, 32 App.
Matrix population models (MPMs), 281–297*
Maytenus
urbaniana Loes., 21, 30 App.
Medeiros, M.B., 281–297
Megathyrsus (Pilg.) B.K.Simon & S.W.L.Jacobs, 34
maximus (Jacq.) B.K.Simon & S.W.L.Jacobs, 44, 47 & Fig., 68
Melastomataceae, 20, 24, 31 App.
Meliaceae, 31 App.
Melinis P.Beauv., 34, 68
minutiflora P.Beauv., 41–42 & Fig., 68
repens (Willd.) Zizka, 43–44 & Fig., 68
Merostachys
pauciflora Swallen, 36, 68
Mesoamerica, 33–75*
Mesosetum Steud., 54, 68
blakei Swallen, 68
filifolium F.T.Hubb., 68
Metasequoia
glyptostroboides Hu & W.C.Cheng, 301
Metazoa, 368 Rev.
Metusala, D., 169–178
Mexico, 77–94*
Miconia, 22, 31 App.
urophylla DC., 22, 31 App.
Micromorphology
of *Podocarpus* cuticle, 299–343*
Middleton, D.J., 229–243, 245–250
Miehe, Georg, 371–372 Rev.
Miehe, Sabine, 372 Rev.
Mill, R.R., 109, 123–139, 299–343, 345–364, 375 Errata
Minas Gerais, Brazil, 15–32 [17 Map, 18 Figs]
Mnesithea
granularis (L.) de Koning & Sosef, 50–51 & Fig., 68
Monimiaceae, 31 App.
Monkey puzzle, 123–139
Moonlight, P.W., 111–122, 179–198, 199–215
Morronea Zuloaga & Scataglini, 34, 47–48, 68
cayoensis (Swallen) Zuloaga & Scataglini, 68
parviglumis (Hack.) Zuloaga & Scataglini, 47–48, 68
Mount Yule, Papua New Guinea, 163, 167
Mountain landscapes, 15–32
Muelleria
spauldingiae Bahls, 105 Rev.
spauldingiae Kociolek, 104–105 Rev.
Muhlenbergia
tenella (Kunth) Trin., 42, 68
Multistemmed individuals, 15–32*
Myrcia
guianensis (Aubl.) DC., 21, 32 App.
hartwegiana (O.Berg) Kiaersk., 21, 32 App.
mutabilis (O.Berg) N.Silveira, 21, 32 App.
pulchra (O.Berg) Kiaersk., 21, 24, 32 App.
splendens (Sw.) DC., 21, 32 App.
venulosa DC., 21, 32 App.
Myrsine, 22, 32 App.
gardneriana A.DC., 21, 32 App.
lancifolia Mart., 21, 32 App.
umbellata Mart., 21, 32 App.
Myrtaceae, 20, 22, 24, 31–32 App.

Nakayama, Takeshi, 366 Rev.
Navicula, 106 Rev.
cerevisiae, 104 Rev., 106 Rev.
Neidium
limnophilum, 104 Rev.
hamiltonii, 104 Rev.
Nemania, 251 Rev.
Nepal, 370–373 Rev.

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Neustupa, Jiři, 366 Rev.
New Caledonia, 123–139* [128 Map]
New Guinea, 141–148*
New species
  of *Araucaria*, 123–139*
  of *Begonia*, 149–161*, 179–198, 199–215
  of *Carex*, 95–101
  of *Curcuma*, 245–250
  of *Etlingera*, 141–148
  of *Ornithoboea*, 229–243
  of *Paphiopedilum*, 169–178
  of *Rhododendron*, 163–168*
  of *Roscoea*, 255–263*
  of *Tetrapterys*, 77–94
New synonyms
  in *Araucaria*, 123–139*
  in *Begonia*, 217–228
New taxa
  in *Ornithoboea*, 229–243
New variety
  in *Ornithoboea*, 229–243
Newman, M.F., 5–13, 109, 255–263
Nicolaia, 142
Nitzschia, 106 Rev.
  americana D.Bennett & Kociolek, 104–106 Rev.
  americana Hasle, 105 Rev.
  destituta, 105 Rev.
  fonticola, 106 Rev.
Noltie, H.J., 95–101
Nomenclature
  of *Araucaria*, 123–139
  of *Eriocaulon*, 5–13*
Non-timber forest products (NTFPs), 282, 284
Noronha, S.E. de, 281–297
Northeast India, 265–279*
Nupela
  monoraphida, 104 Rev.

Ocellochloa Zuloaga & Morrone, 34, 61, 68
  pulchella (Raddi) Zuloaga & Morrone, 68
  stolonifera (Poir.) Zuloaga & Morrone, 61 Fig., 68
Ochnaceae, 32 App.
Ocotea
  tristis (Nees & Mart.) Mez, 21, 24, 31 App.
Olyra L., 37 & Fig., 68
  glaberrima Raddi, 68
  latifolia L., 68
Oomycete fungi, 366 Rev.
Oplismenus P.Beauv., 56–57 & Fig., 68
  burmannii (Retz.) P.Beauv., 68
  hirtellus (L.) P.Beauv., 68
Orchidaceae, 169–178
  subfam. Cypripedioideae, 169–178
Ornithoboea C.B.Clarke, 229–243
  arachnoidea (Diels) Craib, 230, 234–236
  barbanthera B.L.Burtt, 231, 234–236
  flexuosa (Ridl.) B.L.Burtt, 231, 234–236
  grandiflora D.J.Middleton, 229, 231, 234–239 [**237**, 238 Fig.]
  lacei Craib, 237, 239
  maxwellii S.M.Scott, 229, 231
    var. *maxwellii*, 231, 235–237, 239–240, 242
    var. **minutiflora** D.J.Middleton, 229, 231, 234–236, **239**–242 [241 Fig.]
  occulta B.L.Burtt, 231, 234–236
  pseudoflexuosa B.L.Burtt, 232, 234–236
  puglisiae S.M.Scott, 232–236
  wildeana Craib, 232, 234–237, 239
Oryza L., 68
  alta Swallen, 34, 68
  latifolia Desv., 41–42 & Fig., 68
  sativa L., 68
Ouratea
  semiserrata (Mart. & Nees) Engl., 21, 32 App.

Palmophyllales, 366 Rev.
Panama, 199–215*
Panicum L., 34, 45–48, 69
  altum Hitchc. & Chase, 48 & *n*, 69
  amarum Elliott, 48 & *n*, 69
  aquaticum Poir., 48*n*, 69
  bartlettii Swallen, 48*n*, 69
  caricoides Nees ex Trin., 48*n*, 69
  cayennense Lam., 48*n*, 69
  cayoense Swallen, 68
  cyanescens Nees ex Trin., 48*n*, 69
  discrepans Döll, 64
  elephantipes Nees ex Trin., 68
  ghiesbreghtii E.Fourn., 48*n*, 69
  haenkeanum J.Presl, 45*n*, 69
  hirsutum Sw., 48 & *n*, 69
  hirtum Lam., 44–45*n* & Fig., 69
  hylaeicum Mez, 70
  laxum Sw., 72
  maximum Jacq., 68
  parvifolium Lam., 47–48*n* & Fig., 69
  parviglume Hack., 68
  pilosum Sw., 71

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

polygonatum Schrad., 71
pulchellum Raddi, 68
repens L., 48*n*, 69
rigidulum Bosc ex Nees, 64
rudgei Roem. & Schult., 45*n* & Fig., 69
sellowii Nees, 45*n*, 47*n*, 69
stagnatile Hitchc. & Chase, 62, 69
stenodes Griseb., 64
stoloniferum Poir., 68
tenerum Beyr. ex Trin., 64
trichanthum Nees, 44–45*n*, 48*n*, 69
trichidiachne Döll, 48 & *n*, 69
trichoides Sw., 45*n*, 47*n* Fig., 69
tuerckheimii Hack., 62
Paphia
kudukii (Veldkamp) P.F.Stevens, 167
Paphiopedilum Pfitzer, 169–178* [177 Fig.]
sect. *Barbata* (Kraenzl.) V.A.Albert & Börge Pett., 169–178*
sect. *Cochlopetalum* Hallier f. ex Pfitzer, 169
sect. *Pardalopetalum* Hallier f. ex Pfitzer, 169
barbatum (Lindl.) Pfitzer, 169, 173, 177 & Fig.
braemii H.Mohr, 169
bullenianum (Rchb.f.) Pfitzer, 169
bungebelangi Metusala, **173–**177 [175–176 Figs]
inamorii P.J.Cribb & A.Lamb, 169
javanicum (Reinw. ex Lindl.) Pfitzer, 169–170, 173, 177–178 [177 Fig.]
liemianum (Fowlie) K.Karas. & K.Saito, 169
lowii (Lindl.) Stein, 169
lunatum Metusala, **170–**173 [171–172 Figs]
nataschae Braem, 169
primulinum M.W.Wood & P.Taylor, 169
robinsonianum Cavestro, 169
superbiens (Rchb.f.) Stein, 169
tonsum (Rchb.f.) Stein, 169, 173, 177 Fig.
victoria-mariae (Sander ex Mast.) Rolfe, 169
victoria-regina (Sander) M.W.Wood, 169
Papua New Guinea, 141–148, 163–168*
Papuacalia
yuleensis Veldkamp, 167
Paraboea, 237
Parasitaxus de Laub., 300
Parnell, J.A.N., 5–13
Paspalidium Stapf, 34, 71
geminatum (Forssk.) Stapf, 71
Paspalum L., 54–56 & Figs, 59–61 & Fig., 69
arundinaceum Poir., 59*n*, 69
blodgettii Chapm., 55*n*, 59*n*, 69
botterii (E.Fourn.) Chase, 59*n*, 61*n*, 69
caespitosum Flüggé, 59*n*, 69
clavuliferum C.Wright, 55*n*, 69
conjugatum P.J.Bergius, 56*n*, 69
corcovadense Raddi, 55*n*–56*n*, 59*n*, 69
coryphaeum Trin., 59*n*, 69
decumbens Sw., 55*n*, 69
fasciculatum Willd. Ex Flüggé, 59*n*, 69
fimbriatum Kunth, 55*n*, 61*n*, 69
humboldtianum Flüggé, 55*n*–56*n*, 59*n*, 69
langei (E.Fourn.) Nash, 55*n*, 59*n*, 69
laxum Lam., 55*n*, 59*n*, 70
ligulare Nees, 55*n*, 59*n*, 70
lineare Trin., 56*n*, 70
microstachyum J.Presl, 59*n*, 70
millegrana Schrad., 59*n*, 70
minus E.Fourn., 56*n*, 70
multicaule Poir., 56*n*, 70
notatum Flüggé, 56*n*, 70
nutans Lam., 55*n*–56*n*, 70
orbiculatum Poir., 56*n*, 59*n*, 70
paniculatum L., 59*n*, 70
peckii F.T.Hubb., 55*n*, 59*n*, 70
pectinatum Nees ex Trin., 54–55 & Fig., 58–59*n*, 70
pictum Ekman, 55*n*, 59*n*, 70
pilosum Lam., 54 Fig., 70
plicatulum Michx., 55*n*, 59*n*, 70
pulchellum Kunth, 56*n*, 58–59*n*, 70
repens P.J.Bergius, 59*n*, 70
serpentinum Hochst. ex Steud., 56*n*, 70
setaceum Michx., 55*n*, 70
urvillei Steud., 59*n*, 70
vaginatum Sw., 56*n*, 59*n*, 70
virgatum L., 59*n*, 70
Pavonia
viscosa A.St.-Hil., 22, 31 App.
Pelagophyceae, 367 Rev.
Pendry, Colin, 371 Rev.
Pennisetum Rich., 34, 39 Fig., 64
nervosum (Nees) Trin., 64
purpureum Schumach., 38, 64
setosum (Sw.) Rich., 64
Pentaphylacaceae, 32 App.
Pentarrhaphis Kunth, 34, 64
scabra Kunth, 64
Pera
glabrata (Schott) Poepp. ex Baill., 21, 32 App.
Peraceae, 32 App.
Pérez, Á.J., 199–215

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Peridiniaceae, 369 Rev.
Peristomatal chamber, 346
Persea
rufotomentosa Nees & Mart., 21, 31 App.
rufotomentosa Nees & C.Mart., 31 App.
willdenovii Kosterm., 22, 31 App.
Peru, 77, 87, 111–122*, 179–198*, 217–228*
Phaeophyceae, 366–367 Rev.
Phaeothamniophyceae, 367 Rev.
Pharus P.Browne, 37 & Fig., 70
latifolius L., 70
parvifolius Nash, 70
vittatus Lem., 70
Philippines, 1–4*
Phragmipedium
kovachii J.T. Atwood, Dalström & Ric. Fernández, 115
peruvianum Christenson, 115
Phragmites
australis (Cav.) Trin. ex Steud., 41–42 & Fig., 70
Phu Wua Wildlife Sanctuary, Thailand, 245–250*
Phutthai, T., 149–161
Phyllanthus
emblica L., 283
indofischeri Bennet, 283
Phytolaccaceae, 32 App.
Phytosociology, 20–23
Picea
pungens Engelm., 346
Picophagea, 367 Rev.
Pinaceae, 359
Pinguiophyceae, 367 Rev.
Pinus L., 359
edulis Engelm., 320
strobus L., 360
Placoneis
potapovae, 104 Rev.
Planothidium, 106 Rev.
Poaceae, 33–75, 301
Podocarpaceae, 131, 299–343, 345–364*, 375 Errata
Podocarpus L'Hér. ex Pers., 109, 299–343*, 345–364*
subgen. *Foliolatus* de Laub., 345–347, 354, 359–360
subgen. *Podocarpus*, 345–347, 359–361
sect. *Australis* de Laub., 345, 347
sect. *Foliolatus* de Laub., 345, 347
sect. *Globulus* de Laub., 345, 347–348
sect. *Gracilis*, 348
sect. *Longifoliolatus* de Laub., 345, 347–348
sect. *Polystachyus* de Laub., 347
sect. *Scytopodium* de Laub., 300
beecherae de Laub., 345, 347–350, 352 Fig., 354–361
chinensis (Roxb.) Wall. ex Forbes, 345, 347, 349, 352, 354, 356 Fig., 360
decipiens N.E.Gray, 345, 347–357 [353 Fig., 355 Fig.], 359–362
elongatus (Sol.) L'Hér. ex Pers., 319
epiphyticus de Laub. & Silba, 348–349
insularis de Laub., 345, 347, 349, 352, 354–355 [355 Fig.], 360
latifolius (Thunb.) R.Br. ex Mirb., 348
macrophyllus (Thunb.) Sweet, 345, 347, 349, 352–353, 356 Fig., 359–360
var. *maki* Siebold & Zucc., 348–349
milanjianus Rendle, 345, 347, 349, 352, 354, 356 Fig., 360
neriifolius D.Don, 348
nivalis Hook., 345, 347, 349–352, 354–359 [354 Fig.], 361–362
novae-caledoniae Vieill., 348
orarius R.R.Mill. & Whiting, 346, 360
pilgeri Foxw., 345, 348–349, 352, 354, 356 Fig., 360
rubens de Laub., 345, 347, 349–352 [351 Fig.], 354–355, 357, 359–361
salignus D.Don, 299, 301–304, 306–308 [306 Fig.], 310–318 [310 Fig.], 321, 335 App., 343 App.
teysmannii Miq., 345, 347–349, 352–353, 355 Fig., 360
Population growth rate, 281–297*
Poulsen, A.D., 141–148
Prajaksood, A., 5–13
Primulaceae, 20, 24, 32 App.
Principal components analysis, 299–343* [314 Fig., 317 Fig.]
Proteaceae, 300
Protozoa, 367 Rev.
Prumnopitys Phil., 300, 299–343*
andina (Poepp. ex Endl.) de Laub., 299, 301–309 [305 Fig., 309 Fig.], 311–321, 326 App., 343 App.
ferruginoides (Compton) de Laub., 318
ladei (F.M.Bailey) de Laub, 318
standleyi (J.Buchholz & N.E.Gray) de Laub., 318

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Prunus
armeniaca L., 320
Pseudobrickellia
angustissima (Spreng. ex Baker) R.M.King & H.Rob., 21, 24, 26, 30 App.
Psidium
firmum O.Berg, 22, 32 App.
Publication of *EJB*, 109–110
Puglisi, C., 229–243
Pulchella
porcata, 104 Rev.

Quartzite soils, 15–32 [18 Figs]

R, 299–343*
Raphidophyceae, 367 Rev.
Reassessment of status
of *Rhododendrum* taxa, 265–279
Reaumuria
negevensis Zohary & Danin, 320
Recircumscription
of *Begonia acerifolia*, 217–228
Red algae, 366–367 Rev.
Reinsch, Paul Friedrich, 365 Rev.
Remijia
ferruginea (A.St.-Hil.) DC., 22, 32 App.
Resende, F.O., 281–297
Retrophyllum, 109, 375 Errata
minus (Carrière) C.N.Page, 375 Errata
Reviers, Bruno de, 366 Rev.
Rhabdothamnopsis Hemsl., 233
sinensis Hemsl., 232, 234–236
Rhipidocladum
bartlettii (McClure) McClure, 36, 70
Rhododendron L., 163–168*, 265
subgen. *Vireya*, 163–168*
sect. *Hadranthe*, 166
sect. *Schistanthe*, 167
subsect. *Euvireya*, 167
subsect. *Maddenia*, 265–279*
alticola Sleumer, 166
formosum Wall., 265–279* [**268**, 269–270 Figs, 277 Fig.]
var. *inaequale* C.B.Clarke, 265–266, 271
var. *inaequale* (Hutch.) Cullen, 271
var. *salicifolium* C.B.Clarke, 265–266, 274
gibsonii Paxton, 266, 268
haematophthalmum Sleumer, 163, 166–167
inaequale Hutch., 265–279* [**271**, 272–273 Figs, 277 Fig.]
iteophyllum Hutch., 265–279* [**274**, 275–277 Figs]
scabridibracteatum Sleumer, 167
stanleyi S.James & Argent, **163–**168 [164–165 Figs]
Rhynchelytrum Nees, 34, 68
repens (Willd.) C.E.Hubb., 68
Ribeiro, J.H.C., 15–32
Ribeiro-Silva, S., 281–297
Rocky complex
high altitude, 15–32*
Roscoea Sm., 255–263*
alpina Royle, 262
bhutanica Ngamr., 262
megalantha Tosh.Yoshida & R.Yangzom, 255–263 [**256**, 258–259 Figs, 260 Map, 261 Fig.]
purpurea auctt. non Sm., 257
purpurea Sm., 255–256, 260, 262
forma *alba* Cowley, 256–257, 262
Rosellinia, 251–253 Rev.
beccariana, 252 Rev.
boukokoae, 252 Rev.
britannica L.E.Petrini, 252 Rev.
canzacotoana, 252 Rev.
carrollii, 252 Rev.
gigantea, 252 Rev.
mammaeformis, 252 Rev.
marcucciana Ces., 252 Rev.
markhamiae, 252 Rev.
megalosperma, 252 Rev.
pepo, 252 Rev.
subiculata, 252 Rev.
thelena, 252 Rev.
Rottboellia, 49
cochinchinensis (Lour.) Clayton, 49–50 & Fig., 70
Rousseau, Florence, 366 Rev.
Roy, D.K., 265–279
Rubiaceae, 20, 32 App.
Rugoloa Zuloaga, 34, 62, 70
hylaeica (Mez) Zuloaga, 62, 70
pilosa (Sw.) Zuloaga, 71
polygonata (Schrad.) Zuloaga, 61 Fig., 71
Ruhsam, M., 123–139
Rushforth, K., 265–279

Saccharomyces
cerevisiae, 104 Rev.

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Saccharum
officinarum L., 71
Sacciolepis
myuros (Lam.) Chase, 39, 71
SALGADO, A.E., 1–4
Sample size, 299–343*
San Martin Region, Peru, 111
Sapindaceae, 20, 32 App., 300
Savannah, 33–75*, 281–297
Saxegothaea Lindl., 300
SCHICKHOFF, U., 370–373 Rev.
Schizachyrium Nees, 40 & Fig., 52 & Fig., 71
brevifolium (Sw.) Nees ex Buse, 40, 71
glaziovii Peichoto, 34, 40*n*, 71
microstachyum (Desv. ex Ham.) Roseng., B.R.Arrill. & Izag., 40*n*, 71
sanguineum (Retz.) Alston, 71
tenerum Nees, 71
Schizocladiophyceae, 367 Rev.
Schudack, Michael, 366 Rev.
Scoliidae, 284
Scoliotropis, 104 Rev.
Scrub, 15–32*
Seguieria, 21, 32 App.
Selaginella, 188
Sellaphora, 106 Rev.
indistincta, 104 Rev.
Serra Negra, Brazil, 15–32 [17 Map, 18 Figs]
Setaria P.Beauv., 34, 37–39 & Figs, 71
geminata (Forssk.) Veldkamp, 58, 60–61 & Fig., 71
grisebachii E.Fourn., 38*n*, 71
palmifolia (J.Koenig) Stapf, 37*n*, 71
paniculifera (Steud.) E.Fourn. ex Hemsl., 71
parviflora (Poir.) Kerguélen, 38*n*, 71
poiretiana (Schult.) Kunth, 71
scandens Schrad., 38*n*, 71
sulcata Raddi, 37*n*, 71
tenacissima Schrad. ex Schult., 38*n*, 71
tenax (Rich.) Desv., 38*n*, 71
vulpiseta (Lam.) Roem. & Schult., 38*n*, 71
Shannon diversity index (*H′*), 15, 19–20, 24
Silberfeld, Thomas, 366 Rev.
Sims, Patricia A., 365–366 Rev.
Soils, quartzite, 15–32 [18 Figs]
Solanum
melongena L., 320
Solmsia
calophylla Baill., 131
Sorghastrum
setosum (Griseb.) Hitchc., 40 & Fig., 71
Sorghum Moench, 71
bicolor (L.) Moench, 71
halepense (L.) Pers., 40–41 & Fig., 71
SOULADETH, P., 5–13
South America, 77–94*
Southeast Asia, 1–4, 5–13*
Spartina Schreb., 34, 71
spartinae (Trin.) Merr. ex Hitchc., 72
Sporobolus R.Br., 34, 39 & Fig., 45–46 & Fig., 71
buckleyi Vasey, 46*n*, 71
cubensis Hitchc., 46*n*, 71
diandrus (Retz.) P.Beauv., 46*n*, 71
indicus (L.) R.Br., 39*n*, 71
jacquemontii Kunth, 39*n*, 46*n*, 71
spartinus (Trin.) P.M. Peterson & Saarela, 56 Fig., 58, 72
tenuissimus (Mart. ex Schrank) Kuntze, 46*n*, 72
virginicus (L.) Kunth, 39*n*, 72
Stapfochloa H.Scholz, 53, 34
ciliata (Sw.) P.M.Peterson, 53, 72
Stauroneis
edgarii, 104 Rev.
limnetica, 104 Rev.
Steinchisma Raf., 34
laxum (Sw.) Zuloaga, 35, 49, 61–62 & Fig., 72
Stenoendemism, 245, 249
Stenotaphrum
secundatum (Walter) Kuntze, 49–50 & Fig., 72
Stomata, 299–343*, 345–364*
in *Araucaria*, 123–139*
Stomatal antechamber, 345–364*
Stomatal complex, 345–364
Streptochaeta
sodiroana Hack., 49 & Fig., 72
Streptogyna
americana C.E.Hubb., 52–53 & Fig., 72
Streptophyta, 366 Rev.
Structure
of Atlantic forests, 15–32
Styphelia
pancheri (Brongn. & Gris) F.Muell., 131
SUDDEE, S., 229–243, 245–250
Sum of basal areas, 23
Sumatra, 169–178
Sundacarpus (J.T.Buchholz & N.E.Gray) C.N.Page, 359
Surirella

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

ruckiae, 104 Rev.
Sylvester, S.P., 33–75
Synchromophyceae, 367 Rev.
Syngonanthus
gracilis (Bong.) Ruhland, 9
Synurophyceae, 367 Rev.
Systematics, 109

Tak Province, Thailand, 229–243*
Tapirira
obtusa (Benth.) J.D.Mitch., 21, 30 App.
Taxonomic reliability
of leaf cuticle micromorphology, 299–343
Taxonomy, 109
of *Asplenium*, 1–4
of *Begonia*, 179–198, 199–215
of *Carex*, 95–101*
of *Etlingera*, 141–148*
Tebbitt, M.C., 111–122, 179–198, 199–215, 217–228
Ternstroemia
brasiliensis Cambess., 21, 32 App.
Tetrapterys Cav., 77–94*
subgen. *Tetrapterys*, 77
amazonica C.E.Anderson, 77, **85–**88 [86 Fig.]
andersonii C.E.Anderson, 77–80 [**78**, 79 Fig.]
anisoptera A.Juss., 93
argentea Bertol., 78, 80, 83, 85
callejasii W.R.Anderson, 77, **88–**91 [89 Fig.]
cotoneaster A.Juss., 82
crispa A.Juss., 85, 88
discolor (G.Mey.) DC., 85, 88, 91, 93
heterophylla (Griseb.) W.R.Anderson, 80, 82
mexicana Hook. & Arn., 80, 82
molinae W.R.Anderson, 77–78, 80, **83–**85 [84 Fig.]
rzedowskii W.R.Anderson, 77, **80–**82 [81 Fig.], 94
schiedeana Schltdl. & Cham., 78, 80
seemannii Triana & Planch., 91, 94
steyermarkii W.R.Anderson, 77, **91–**94 [92 Fig.]
Thailand, 5, 149–161*, 229–243, 245–250
Thalassiosira
khursevichiae, 104 Rev.
Thomas, P.I., 123–139
Thrasya Kunth, 54 & Fig., 72
campylostachya (Hack.) Chase, 72
trinitensis Mez, 72
Thymelaeaceae, 131
Tibouchina
estrellensis (Raddi) Cogn., 21, 31 App.
fissinervia Cogn., 31 App.
fissinervia (Schrank & Mart. ex DC.) Cogn., 21–22, 31 App.
Tracheophytes, 367 Rev.
Trachypogon
spicatus (L.f.) Kuntze, 50 & Fig., 72
Transient dynamics, 281–297*
Trembleya
parviflora (D.Don) Cogn., 20–21, 24, 31 App.
Trentepohliales, 366 Rev.
Triboun, P., 245–250
Trichomanes
adiantoides, 1
Tripsacum L., 49 & Fig., 72
andersonii J.R.Gray, 72
dactyloides (L.) L., 72
latifolium Hitchc., 72
Tropical mountains, 15
Typification
in *Araucaria*, 123–139*
in *Eriocaulon*, 5–13*

Ultramafic rocks, 123–139*
Ulvophyceae, 366 Rev.
Urochloa P.Beauv., 56, 61, 72
fasciculata (Sw.) R.D.Webster, 34, 72
fusca (Sw.) B.F.Hansen & Wunderlin, 39, 46–47 & Fig., 61*n*, 72
mutica (Forssk.) T.Q.Nguyen, 61*n* & Fig., 72
reptans (L.) Stapf, 59–60 & Fig., 72

Variation, 299–343*
Veldkamp, J.F., 167
Venezuela, 77
Verbesina
pseudoclaussenii D.J.N.Hind, 22, 26, 30 App.
Vetiveria
zizanioides (L.) Nash, 64
Vietnam, 5
Vismia
magnoliifolia Cham. & Schltdl., 21, 31 App.
parviflora Cham. & Schltdl., 22, 31 App.
parviflora Schltdl. & Cham., 31 App.

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press

Vitex
sellowiana Cham., 22, 31 App.

Wax plugs, 345–364*
Western Pacific, 141–148*
Whiting, M., 345–364
Wildfires, 281–297* [285 Fig., 293 Fig.]
Williams, David, 365 Rev.
Woody vegetation, structure and diversity, 15–32 [18 Figs]

Xanthophyceae, 367 Rev.
Xylopia
brasiliensis Spreng., 22, 25, 30 App.

Yangzom, R, 255–263
Yellow algae, 367 Rev.
Yoshida, T., 255–263

Zea
mays L., 72
Zingiberaceae, 141–148, 245–250, 255–263
subfam. Zingiberoideae, 255
tribe Alpinieae, 141–148*
tribe Zingibereae, 255
Zygophyllum
dumosum Boiss., 320

https://doi.org/10.1017/S0960428617000300 Published online by Cambridge University Press