Clays and Clay Minerals, Vol. 36, No. 6, 551–579, 1988.

COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX[1] VOLUME 36, 1988

F. A. MUMPTON

A

Acid Dissolution of Akaganéite and Lepidocrocite: The Effect on Crystal Morphology, by R. M. Cornell and R. Giovanoli 385
Acid precipitation
weathering of gneiss by 521
Acrylonitrile
polyacrylonitrile-kaolinite intercalation complex, XRD, thermal stability, IR, synthesis 343
polymerization between kaolinite layers 343
Activation energy
thermal decomposition of kaolin-DSMO intercalate 19
thermal decomposition of kaolin-N-methylformamide complex 19
Adsorption
chlorophenols, by alumina-, chromia-pillared montmorillonite 403
chlorophenols, by delaminated hydroxy-Al Laponite, delaminated alumina-pillared Laponite 403
chromate, on kaolinite, mechanism, isotherms 317
8-hydroxyquinoline, on montmorillonite, kaolinite, hematite, charcoal, alumina, silica gel, function of pH, time, concentration 61
fluazifop, on Al-, Cu-, Fe-saturated bentonites 354
nitromethylene heterocycle, on montmorillonite 159
MB, on hectorite, Barasym, Laponite, sepiolite 214
MB, thioflavin T, on montmorillonite 270
pentachlorophenol, on organo-clays, effect of hydrophobicity on 125
properties of montmorillonite, saponite as packing materials in liquid-column chromatography 530
pyridine, on palygorskite, effect on structural folding, OH protonation 364
$Ru(phen)_3^{2+}$, on montmorillonite, saponite 530
sulfate, on kaolinite, mechanism 317
take-up of hydroxy-Al by montmorillonite 397
water, n-octane, on kaolinite 455
Adsorption Properties of Montmorillonite and Synthetic Saponite as Packing Materials in Liquid-Column Chromatography, by Yuji Nakamura, Akihiko Yamagishi, Toschitake Iwamoto, and Makoto Koga 530
Adularia
AEM, K-diffusion during 498
AEM (see Analytical electron microscopy)
AINSWORTH, C. C. (with J. M. ZACHARA, C. E. COWAN, and R. L. SCHMIDT), Chromate Adsorption by Kaolinite 317
Akaganeite
acid dissolution, effect on crystal morphology 385
surface area, TEM, morphology 385
synthesis 385, 469
synthesis, effect of Mn oxides on 469
synthetic, XRD, differential IR 469
Alcohol
long spacing, use in calibrating linear localization XRD detector 187
wetting contact angle of water with alcohol-treated smectite, kaolinite, alumina, quartzite, marble 243
Allophane
hollow sphere, synthesis 11
hollow sphere, synthetic, noncrystalline, morphology, TEM, IR, NMR 11
ALPEROVITCH, N. (with I. SHAINBERG and R. KEREN), Effect of Magnesium on the Hydraulic Conductivity of Na-Smectite-Sand Mixtures 432
Alumina
noncrystalline, sorption of 8-hydroxyquinoline on, function of pH, time, concentration 61
Aluminum hydroxide (see also Boehmite, Diaspore, Gibbsite)
acid solubility 391
Gibbs free energy of formation 391
gibbsite synthesis, effect of seeding, rate of neutralization of $AlCl_3$ solutions 25
mechanisms of gibbsite crystallization from $AlCl_3$ solutions 25
weathering products from gneiss, by acid precipitation 521
XRD 391

[1] Items are indexed to the first page of the journal article in which they appear.

Copyright © 1988, The Clay Minerals Society

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Amesite
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Analcime
electron probe analysis 131
in altered basalts, genesis 131
zone, relation with I/S in Neogene sediments 337
Analysis and Implications of the Edge Structure of Dioctahedral Phyllosilicates, by G. N. White and L. W. Zelazny 141
Analytical Electron Microscopy and the Problem of Potassium Diffusion, by B. A. van der Plum, J. H. Lee, and D. R. Peacor 498
Analytical electron microscopy
adularia, K-diffusion during 498
biotite, Salton Sea geothermal field 1
chlorite, Salton Sea geothermal field 1
illite, Salton Sea geothermal field 1
K-bentonite 83
K-diffusion during, in adularia, muscovite 498
muscovite, K-diffusion during 498
shales, Salton Sea geothermal field 1
Anandite
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Annite
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Announcement
Meeting, Geology of Industrial Minerals Forum, 24th 96
25th annual meeting, The Clay Minerals Society 192
Asymmetric Zonation of a Thick Ordovician K-Bentonite Bed at Kinnekulle, Sweden, by A. M. Brusewitz 349
Authigenic Kaolinite and Dickite Associated with Metal Sulfide—Probable Indicators of a Regional Thermal Event, by W. D. Keller 153

B

BAILEY, S. W., X-ray Diffraction Identification of the Polytypes of Mica, Serpentine, and Chlorite 193
BANFIELD, J. F. (with R. A. EGGLETON), Transmission Electron Microscope Study of Biotite Weathering 47
BANIN, A. (with L. MARGULIES and H. ROZEN), Use of X-ray Powder Diffraction and Linear Dichroism Methods to Study the Orientation of Montmorillonite Clay Particles 476
Barasym
adsorption of MB on 214
CEC 214
visible spectroscopy 214
Basal spacings
alumina-montmorillonite PILC 403
chromia-montmorillonite PILC 403
montmorillonite, hydroxy-Al-, Fourier transform 397
montmorillonite-nitromethylene heterocycle complexes 159
montmorillonite, oxine-treated 61
montmorillonite-Ru(Phen)$_3^{2+}$ adduct 530
saponite-Ru(Phen)$_3^{2+}$ adduct 530
smectite, homoionic, treated with phenamiphos 284
vermiculite, function of interlayer lanthanide ion 68
Basalt
chemical composition 327
Entisol from, transformation of celadonite to Fe-rich smectite in 425
hisingerite in, hydrothermal treatment of 327
hydrothermally altered, celadonite in 425
Na-clay-zeolite assemblages in, genesis 131
Bauxite
hematite, goethite in, mineral analysis by thermodifferential XRD 176
kaolinization of 439
oolites, diaspore in, XRD, chemical composition 439
oolites in, kaolinization of 439
BEANE, R. E. (with Y.-C. YAU, D. R. PEACOR, E. J. ESSENE, and S. D. MCDOWELL), Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California 1
BEAUFORT, D. (with P. DUDOIGNON and A. MEUNIER), Hydrothermal and Supergene Alterations in the Granitic Cupola of Montebras, Creuse, France 505
BEAUFORT, D. (with F. RASSINEAUX, A. BOUCHET, T. MERCERON, and A. MEUNIER), Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals 187
Beidellite
edge-charge sites 141
BENSON, C. G. (with T. G. QUIN, G. J. LONG, STEPHEN MANN, and R. J. P. WILLIAMS), Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides 165
Bentonite (see also Montmorillonite, Smectite)
asymmetric zoning of I/S in 349
compressibility, relation with sonic velocity, density 94
Cu-, Fe-, Al-saturated, interaction with fluazifop 354
density, relation with sonic velocity, compressibility 94
-fluazifop complexes, IR, ESR 354

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

I/S from, XRD, chemical composition, K/Sr, K/Rb ratios 349
K-, lattice-fringe images 83
K-, XRD, SAD, TEM, AEM, electron microprobe analysis 83
sonic velocity, relation with compressibility, density 94
surface free energy from wetting contact angles 243
BEZIAT, ALAIN (with MICHEL DARDAINE and VICTOR GABIS), Effect of Compaction Pressure and Water Content on the Thermal Conductivity of Some Natural Clays 462
BIAŁOPIOTROWICZ, TOMASZ (with BRONISŁAW JAŃCZUK), Components of Surface Free Energy of Some Clay Minerals 243
Biotite
chemical composition 1, 47
Fe oxidation state in, photochemical analysis using 1,10-phenanthroline 379
platelet in weathered gneiss, EDX, TEM 521
Salton Sea geothermal field, AEM, HRTEM, XRF 1
Salton Sea geothermal field, depth zoning, texture 1
Salton Sea geothermal field, diagenesis, formation from smectite 1
weathering to vermiculite, kaolinite 47
XRD 47
Biotite/vermiculite interstratification
product of weathering of biotite in granodiorite 47
Birnessite
in Mn residua deposit, XRD, IR, chemical composition, TEM 448
stability in alkaline media 249
synthetic, XRD, TEM, SAD 249
transformation of hausmannite to, in alkaline media 249
XRD 249, 448
BLANCO, C. (with J. HERRERO, S. MENDIOROZ, and J. A. PAJARES), Infrared Studies of Surface Acidity and Reversible Folding in Palygorskite 364
Boehmite
acid solubility, Gibbs free energy of formation 391
-rich zone, in kaolinized bauxite, XRD, chemical composition 439
XRD 181, 391, 439
XRD, experimental, calculated, effect of crystallite size on 181
Book review
Chemistry of Clays and Clay Minerals, A. C. D. Newman, ed. 480
Proceedings of the Nordic Symposium, Clay Minerals—Modern Society, Uppsala, Sweden, Nov. 20–21, 1985, N. A. Shaikh and N. G. Wik, eds. 191
Thermodynamic Modeling of Geologic Materials: Minerals, Fluids and Melts, I. S. E. Carmichael and H. P. Eugster, eds. 190
Boron
-rich solutons, reaction with zeolites in basalt 131
BOSKI, T. (with A. J. HERBILLON), Quantitative Determination of Hematite and Goethite in Lateritic Bauxites by Thermodifferential X-ray Powder Diffraction 176
BOSQUET, J. (with D. TICHIT, F. FAJULA, F. FIGUERAS, B. DUCOURANT, G. MASCHERPA, and C. GUEGUEN), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369
BOUCHET, A. (with T. MERCERON, A. INOUE, and A. MEUNIER), Lithium-Bearing Donbassite and Tosudite from Echassières, Massif Central, France 39
BOUCHET, A. (with F. RASSINEAUX, D. BEAUFORT, T. MERCERON, and A. MEUNIER), Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals 187
BOWEN, L. H. (with D. A. REID, R. C. GRAHAM, S. B. EDINGER, and J. O. ERVIN), Celadonite and its Transformation to Smectite in An Entisol at Red Rock Canyon, Kern County, California 425
BOYD, S. A. (with SUN SHAOBAI, J.-F. LEE, and M. M. MORTLAND), Pentachlorophenol Sorption by Organo-Clays 125
BREEN, CHRISTOPHER (with SEAN LYNCH), Reexamination of the Kinetics of the Thermal Desorption of Dimethylsulfoxide and N-Methyl Formamide from a Greensplatt Kaolin 19
Brindley, George W., Lecture
1986, History of the Development of Clay Mineralogy, The, by R. E. Grim 97
1987, X-ray Diffraction Identification of the Polytypes of Mica, Serpentine, and Chlorite, by S. W. Bailey 193
BRUNTON, G. D., Density and Compressibility of Wyoming Bentonite Particles 94
BRUQUE, SABASTIÁN (with J. MAZA RODRÍGUEZ and A. JIMÉNEZ LÓPEZ), Interaction of Phenamiphos with Montmorillonite 284
BRUSEWITZ, A. M., Asymmetric Zonation of a Thick Ordovician K-Bentonite Bed at Kinnekulle, Sweden 349
BUHMANN, D., An Occurrence of Authigenic Nacrite 137
BUURMAN, P. (with E. L. MEIJER and J. H. VAN WIJCK), Weathering of Chlorite and Vermiculite in Ultramafic Rocks of Cabo Ortegal, Northwestern Spain 263

C

Cacoxenite
formation from iron oxyhydroxides 419

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

IR, XRD, chemical composition, visible-near IR 419
origin in Miocene sediments 419
Cacoxenite in Miocene Sediments of the Maryland Coastal Plain, by P. P. Hearn, Jr., Lucy McCartan, D. R. Soller, M. D. Krohn, and V. M. Gonzalez 419
Calcination (see also Thermal treatment)
sintering of hydroxy-Al-montmorillonite PILC, relation to microporosity 369
CARDILE, C. D., Tetrahedral Fe^{3+} in Ferrihydrite: ^{57}Fe Mössbauer Spectroscopic Evidence 537
CASES, J. M. (with Y. GRILLET, M. FRANCOIS, J. ROUQUEROL, and J. E. POIRIER), Modification of the Porous Structure and Surface Area of Sepiolite under Vacuum Thermal Treatment 233
Catalyst
book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
use of clays as, history of development of 97
Cation distribution
chlorite, estimation from corrected XRD intensities 359
Cation exchange
demixing of Ca, Na in smectite 73
Na, of zeolites in basalt 131
take-up of hydroxy-Al by montmorillonite 397
vermiculite, estimation of lanthanide ions by 68
Cation-exchange capacity (CEC)
Barasym 214
chlorite, from veins in serpentinite 263
Entisol, from hydrothermally altered basalt 425
hectorite 214
I/S in bentonite beds 349
Laponite 214
montmorillonite, Morocco 284
montmorillonite-Na 530
saponite, synthetic 530
smectite 284, 432, 530
vermiculite, from veins in serpentinite 263
CEC (see Cation-exchange capacity)
Celadonite
artificially weathered with Na-STB to remove K 425
calculated apparent unit-cell formula 141
edge-charge sites, relation to structure 141
formation during weathering of Fe-rich smectite in Entisol 425
in hydrothermally altered basalt, XRD, Mössbauer parameters SEM 425
Celadonite and its Transformation to Smectite in an Entisol at Red Rock Canyon, Kern County, California, by D. A. Reid, R. C. Graham, S. B. Edinger, L. H. Bowen, and J. O. Ervin 425
CENENS, J. (with R. A. SCHOONHEYDT), Visible Spectroscopy of Methylene Blue on Hectorite, Laponite B, and Barasym in Aqueous Suspensions 214
CERDA, C. M., Mobiliztion of Quartz-Fines in Porous Media 491
Charcoal
sorption of 8-hydroxyquinoline on, function of pH, time, concentration 61
Charge density
relation to dispersion, in smectite-sand mixtures 432
smectite 432
Chemical analysis (see Chemical composition)
Chemical composition
adularia, K-diffusion in 498
alteration zones in bauxite 439
basalt 327
bauxite, Yugoslavia 439
biotite 1, 47
biotite, Salton Sea geothermal field, XRF 1
biotite, from weathered granodiorite 47
book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
cacoxenite 419
chlorite, from veins in serpentinite 263
chlorite, Salton Sea geothermal field, XRF 1
dolomite rock 448, 521
donbassite 39
donbassite, Li-containing 39
fluazifop-Al-, Cr-, Fe-saturated montmorillonite complexes 354
gabbro 102
gneiss, sediments from weathered gneiss 521
granodiorite, fresh, weathered 47
heavy metals in chlorite, from corrected XRD intensities 359
hydroxy-Al-montmorillonite PILC 369
illite, Salton Sea geothermal field, XRF 1
iron oxidation states, photochemical analyses using 1,10-phenanthroline 379
I/S in bentonite beds 349
kaolinite, from weathered granodiorite 47
K-bentonite, AEM, electron microprobe analysis 83
mica/smectite 73
montmorillonite 73, 369, 530
montmorillonite, Na- 530
Mn wads from dolomite weathering residua 448
muscovite 498
muscovite vein in Mn wad 448
muscovite, K-diffusion in 498
saponite, ferruginous, in gabbro saprolite 102
saponite, synthetic 530
smectite 73
tosudite 39
tosudite, Li-containing 39
vermiculite, from veins in serpentinite 263
vermiculite, from weathered granodiorite 47
Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzer-

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

land, by Rudolf Giovanoli, J. L. Schnoor, Laura Sigg, Werner Stumm, and Jürg Zobrist 521
CHIBOWSKI, EMIL (with PIOTR STASZCZUK), Determination of Surface Free Energy of Kaolinite 455
Chlorophenol
adsorption by alumina-, chromia-pillared montmorillonite 403
adsorption by delaminated hydroxy-Al-Laponite, delaminated alumina-pillared Laponite 403
water solubility 403
Chlorite
distribution in fault gouges 277
donbassite, Li-donbassite, XRD, IR, chemical composition 39
estimation of heavy metal content, distribution in, from corrected XRD intensities 359
polytype identification by XRD, X-ray precession photographs 193
removal of hydroxy-Al during transformation of, to high-charge vermiculite 263
Salton Sea geothermal field, AEM, HRTEM, XRF 1
Salton Sea geothermal field, depth zoning, texture 1
Salton Sea geothermal field, formation from solution, diagenesis 1
tosudite, Li-tosudite, XRD, IR, chemical composition 39
weathering of, in veins in serpentinite 263
XRD, unit-cell parameters 193
Chromate Adsorption by Kaolinite, by J. M. Zachara, C. E. Cowan, R. L. Schmidt, and C. C. Ainsworth 317
Chromatography
liquid-column, adsorption properties of montmorillonite, saponite, as packing materials for 530
optical resolution of $Cr(acac)_3$, $Co(acac)_3$, 1,1′-binaphthol, 1,1′-binaphthylamine on montmorillonite-$Ru(phen)_3^{2+}$, saponite-$Ru(phen)_3^{2+}$ packing materials 530
Chromium
chromate adsorption on kaolinite, mechanism, isotherms, effect of surface complexation 317
volkonskoite-Cr-smectite nomenclature problem 540, 541
Clay Minerals Society, The
development of, history 97
George W. Brindley lecture, 1986 97
George W. Brindley lecture, 1987 193
membership application form 584
papers presented, 1988 annual meeting 580
25th annual meeting, announcement 192
Clinochlore
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Clinoptilolite
in altered basalt, morphology, electron microprobe analysis, genesis 131
Clintonite
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Cobalt
-exchanged sepiolite, EXAFS 382, 384
COHEN, E. (with L. MARGULIES and H. ROZEN), Photostabilization of a Nitromethylene Heterocycle Insecticide on the Surface of Montmorillonite 159
Colloid
colloidal forces between fines particle and sand grain 491
Colorimetry
micro-, adsorption of gases on sepiolite 233
Comments on the Classification of Trioctahedral 2:1 Phyllosilicates, by H. Suquet and H. Pézerat 184
Compaction pressure
effect of, on thermal conductivity of illite, smectite, palygorskite 462
Comparison of Clay and Zeolite Mineral Occurrences in Neogene Age Sediments from Several Deep Wells, by B. Velde and A. Iijima 337
Comparison of Experimental and Calculated X-ray Powder Diffraction Data for Boehmite by R. T. Tettenhorst and C. E. Corbató 181
Components of Surface Free Energy of Some Clay Minerals, by Bronisław Jańczuk and Tomasz Białopiotrowicz 243
Compressibility
bentonite, related to density, sonic velocity 94
Contact angle
wetting, of water, with alcohol-treated smectite, kaolinite, bentonite, quartzite, alumina, marble 243
wetting, used to calculate dispersion component of surface free energy of clays 243
Copper
-bentonite-fluazifop complex, IR, ESR, synthesis 354
CORBATÓ, C. E. (with R. T. TETTENHORST), Comparison of Experimental and Calculated X-ray Powder Diffraction Data for Boehmite 181
CORNELL, R. M. (with R. GIOVANOLI), Acid Dissolution of Akaganéite and Lepidocrocite: The Effect on Crystal Morphology 385
CORNELL, R. M. (with R. GIOVANOLI), Transformation of Hausmannite into Birnessite in Alkaline Media 249
Corrensite
in kaolinized granite, electron microprobe analysis, genesis DV
XRD of small quantities, using linear localization detector 187

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Corundum
acid solubility, Gibbs free energy of formation 391
XRD 391
Cowen, C. E. (with J. M. Zachara, R. L. Schmidt, and C. C. Ainsworth), Chromate Adsorption by Kaolinite 317
Cronstedtite
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Cross-linked smectite (see Pillared interlayer complex)
Crowder, C. E. (with J. M. Garcés, S. C. Rocke, and D. L. Hasha), Hypothetical Structure of Magadiite and Sodium Octosilicate and Structural Relationships between the Layered Alkali Metal Silicates and the Mordenite- and Pentasil-Group Zeolites 409
Crowley, J. K. (with Norma Vergo), Near-Infrared Reflectance Spectra of Mixtures of Kaolin-Group Minerals: Use in Clay Mineral Studies 310
Cryptomelane
effect on synthesis of iron oxyhydroxides 469
Crystal growth
edge structure of dioctahedral phyllosilicates 141
ferrihydrite, effect of Si, P on 165
goethite, effect of Si, P on 165
Crystal size
boehmite, effect of, on XRD pattern 181
goethite, effect of P, Si on 165
Crystal structure
ferrihydrite, 2-line, 6-line 111
folding in palygorskite, effect of pyridine adsorption 364
kaolinite, verification of triclinicity by neutron powder diffraction 225
magadiite, hypothetical 409
relation between layered alkali metal silicates and mordenite-, pentasil-group zeolites 409
sodium octosilicate, hypothetical 409
stacking order in Mg-vermiculite 481
vermiculite, Mg-, layer stacking in 481
Crystallization
ferrihydrite effect of P, Si on 165
gibbsite, effect of seeding, neutralization rate 25
from $AlCl_3$ solutions 25
goethite, effect of P, Si on 165
Curtis, C. D. (with W. D. Huff and J. A. Whiteman), Investigation of a K-Bentonite by X-ray Powder Diffraction and Analytical Transmission Electron Microscopy 83

D

Dachiardite
IR 409
structural relationship with magadiite 409
Dangić, Adam, Kaolinization of Bauxite: A Study of the Vlasenica Bauxite Area, Yugoslavia. II. Alteration of Oolites 439
Dardaine, Michel (with Alain Beziat and Victor Gabis), Effect of Compaction Pressure and Water Content on the Thermal Conductivity of Some Natural Clays 462
de Bussetti, S. G. (with E. A. Ferreiro and A. K. Helmy), Sorption of 8-Hydroxyquinoline by Some Clays and Oxides 61
De Kimpe, C. R. (with H. Kodama and J. Dejou), Ferrian Saponite in a Gabbro Saprolite at Mont Megantic, Quebec 102
de la Calle, Christina (with Hélène Suquet and C.-H. Pons), Stacking Order in a 14.40-Å Mg-Vermiculite 481
de Souza Santos, Helena (with Keiji Yada), Thermal Transformation of Talc as Studied by Electron-Optical Methods 289
Debye scattering equation
to calcualte XRD profiles of boehmite 181
Decarreau, A. (with A. Manceau), Extended X-ray Absorption Fine-Structure Study of Cobalt-Exchanged Sepiolite: Comment on a Paper by Y. Fukushima and T. Okamoto 382
Dehydroxylation
mechanism for talc 289
Dejou, J. (with H. Kodama and C. R. De Kimpe), Ferrian Saponite in a Gabbro Saprolite at Mont Megantic, Quebec 102
Delamination
montmorillonite, pore-size distribution, XRD, degree of ordering 147
montmorillonite, surface area, pore volume 147
montmorillonite, synthesis, in presence of hydroxy-Al, polyvinyl alcohol 147
Demixing
Ca, Na in dioctahedral smectite 73
Density
bentonite, relted to sonic velocity, compressibility 94
Density and Compressibility of Wyoming Bentonite Particles, by G. D. Brunton 94
Desorption (see al Adsorption)
DMSO, from kaoline intercalate, effect of thermal treatment, kinetics 19
N-methyl formamide, from kaolin intercalate, effect of thermal treatment, kinetics 19
Determination of Surface Free Energy of Kaolinite, by Emil Chibowski and Piotr Staszczuk 455
Diabase
intrusion into bentonite beds, influence on smectite content of I/S 349
Diagenesis
asymmetric zoning of an Ordovician K-bentonite 349
authigenic nacrite in shale 137

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

biotite, in Salton Sea geothermal field 1
chlorite, in Salton Sea geothermal field 1
illite, in Salton Sea geothermal field 1
K-bentonite 83, 349
relation of I/S to geothermal temperature 337
relation of I/S to zeolite content in Neogene sediments 337
shale, in Salton Sea geothermal field 1
sodic clay-zeolite assemblage, in basalt 131
texture changes due to, in Salton Sea geothermal field 1
Diaspore
acid solubility, Gibbs free energy of formation 391
oolites in bauxite, XRD, chemical composition 439
XRD 391, 439
zone, in kaolinized bauxite 439
Dickite
authigenic, association of metal sulfides as indicator of regional geothermal event 153
kaolin-group polytype, identification by XRD 193
-kaolinite mixtures, analysis by NIR 310
NIR 310
XRD, unit-cell parameters 193
Differential thermal analysis (DTA)
ferrihydrite, synthetic, 2-line, 6-line 111
kaolinite, water-wet 455
maghemite 31
montmorillonite-phenamiphos complex 284
phenamiphos 284
saponite, prepared from hisingerite 327
use in clay mineralogy, history 97
Diffusion
K, in adularia, muscovite, during AEM 498
Dimethyl sulfoxide (DMSO)
-adsorbed kaolin, TGA 19
desorption from kaolin, effect of thermal treatment, kinetics 19
Discriminant analysis
clay-mineral distribution in fault gouges 277
Dispersion
component, non-dispersion component of surface free energy of kaolinite 455
smectite, effect of Mg on 432
smectite-sand mixture, effect of Mg on 432
Dissolution
acid effect of, on morphology of akaganéite, lepidocrocite 285
acid, of corundum, aluminum hydroxides 391
reactions of minerals, ranked by ease of weathering 521
Distribution of Ca and Na Ions in Dioctahedral Smectites and Interstratified Dioctahedral Mica/Smectites, by Takashi Iwasaki and Takashi Watanabe 73
DMSO (see Dimethyl sulfoxide)
Dolomite
Mn weathering residua from, XRD, chemical composition, IR, TEM 448
rock, chemical composition 521
Donbassite
Li-bearing, XRD, chemical composition 39
occurrence in hydrothermal veins in granite 39
petrography of hydrothermal veins in granite 39
XRD, IR, chemical composition, thermal treatment 39
DTA (see Differential thermal analysis)
DUCOURANT, B. (with D. TICHIT, F. FAJULA, F. FIGUERAS, G. MASCHERPA, C. GUEGUEN, and J. BOSQUET), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369
DUDOIGNON, P. (with D. BEAUFORT and A. MEUNIER), Hydrothermal and Supergene Alterations in the Granitic Cupola of Montebras, Creuse, France 505

E

Edge structure
celadonite 141
muscovite 141
phengite 141
EDINGER, S. B. (with D. A. REID, R. C. GRAHAM, L. H. BOWEN, and J. O. ERVIN), Celadonite and its Transformation to Smectite in an Entisol at Red Rock Canyon, Kern County, California 425
EDX (see Energy dispersive X-ray spectroscopy)
Effect of Compaction Pressure and Water Content on the Thermal Conductivity of Some Natural Clays, by Alain Beziat, Michel Dardaine, and Victor Gabis 462
Effect of Magnesium on the Hydraulic Conductivity of Na-Smectite-Sand Mixtures, by I. Shainberg, N. Alperovitch, and R. Keren 432
EG (see Ethylene glycol)
EGGLETON, R. A. (with J. F. BANFIELD), Transmission Electron Microscope Study of Biotite Weathering 47
EGGLETON, R. A. (with R. W. FITZPATRICK), New Data and a Revised Structural Model for Ferrihydrite 111
8-Hydroxyquinoline
dimensions of molecule, estimated from XRD data 61
sorption on montmorillonite, kaolinite, hematite, alumina, silica gel, charcoal, function of pH, time, concentration 61
-treated montmorillonite, XRD 61
Electron Transfer Processes between Hydroquinone and Hausmannite (Mn_3O_4), by K.-H. Kung and M. B. McBride 297

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Electron Transfer Processes between Hydroquinone and Iron Oxides, by K.-H. Kung and M. B. McBride 303
Electron density
map, vermiculite 481
Electron diffraction (see Selected area electron diffraction)
Electron microprobe analysis
analcime, in altered basalt 131
biotite, in kaolinized granite 505
gmelinite, in altered basalt 131
herschelite, in altered basalt 131
heulandite, in altered basalt 131
illite-kaolinite-I/S assemblage in greisenized granite 505
in altered basalt 131
kaolinite-goethite mixture in altered granite 505
lepidolite, in albite-muscovite granite 505
muscovite, in albite-muscovite granite, kaolinized granite 505
phengite, in kaolinized granite 505
phillipsite, in altered basalt 131
saponite, in altered basalt 131
saponite, prepared hydrothermally from hisingerite 327
smectite vein material in altered granite DV
Electron spin resonance (ESR)
fluazifop-Cu-, Al-, Fe-saturated bentonite complexes 354
hausmannite-hydroquinone reaction, study of 297
iron oxide-hydroquinone reaction, study of 303
Mn oxides 469
Electron transfer
processes between hydroquinone and hausmannite 297
processes between hydroquinone and iron oxides 303
Electronic adsorption
$Ru(phen)_3^{2+}$-montmorillonite 530
$Ru(phen)_3^{2+}$-saponite 530
Electrophoresis
montmorillonite-MB, -thioflavin complexes 270
Energy-dispersive X-ray spectroscopy (EDX)
biotite, in weathered gneiss 521
ilmenite exsolution lamellae in magnetite 102
K-birnessite 249
magnetite, containing exsolution lamellae of ilmenite 102
quartz, coating material, in weathered gneiss 521
talc, lath-like 289
Enstatite
TEM, SAD 289
thermal decomposition of talc to 289
topotactic transformation of talc to 289
Entisol
chemical composition, XRD, Mössbauer parameters, CEC 425
formation of Fe-rich smectite in, from celadonite 425
Epistilbite
IR 409
Ervin, J. O. (with D. A. Reid, R. C. Graham, S. B. Edinger, and L. H. Bowen), Celadonite and its Transformation to Smectite in an Entisol at Red Rock Canyon, Kern County, California 425
Essene, E. J. (with Y.-C. Yau, D. R. Peacor, R. E. Beane, and S. D. McDowell), Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California 1
Estimation of Heavy Atom Content and Distribution in Chlorite Using Corrected X-ray Powder Diffraction Intensities, by J. R. Walker, M. M. Hluchy, and R. C. Reynolds, Jr. 359
Ethylene glycol (EG)
-expanded interstratified mica/smectite, XRD 258
Evidence for the Formation of Interlayer Polyacrylonitrile in Kaolinite, by Yoshiyuki Sugahara, Shigeo Satokawa, Kazuyuki Kuroda, and Chuzo Kato 343
EXAFS (see Extended X-ray absorption fine-structure spectroscopy)
Extended X-ray Absorption Fine-Structure Study of Cobalt-Exchanged Sepiolite: Comment on a Paper by Y. Fukushima and T. Okamoto, by A. Manceau and A. Decarreau 382
Extended X-ray Absorption Fine-Structure Study of Cobalt-Exchanged Sepiolite: Reply, by Yoshiaki Fukushima 384
Extended X-ray absorption fine-structure spectroscopy (EXAFS)
Co-exchanged sepiolite 382, 384

F

Fajula, F. (with D. Tichit, F. Figueras, B. Ducourant, G. Mascherpa, C. Gueguen, and J. Bosquet), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369
Fault gouge
clay-mineral distribution in, function of shearing 277
Feldspar (see individual minerals)
Feroxyhyte
synthesis, effect of Mn oxides on 467
synthetic, XRD, differential IR 467
Ferreiro, E. A. (with S. G. de Bussetti and A. K.

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

HELMY), Sorption of 8-Hydroxyquinoline by Some Clays and Oxides 61

Ferrian Saponite in a Gabbro Saprolite at Mont Mégantic, Quebec, by H. Kodama, C. R. De Kimpe, and J. Dejou 102

Ferrihydrite
- Mössbauer spectroscopy 165, 537
- P-containing, synthesis, crystal growth, Mössbauer spectroscopy 165
- Si-containing, synthesis, crystal growth, Mössbauer spectroscopy 165
- synthesis, XRD, HRTEM, magnetic susceptibility, DTA, TGA, surface area 111
- synthetic 2-line, 6-line, crystal structure 111
- tetrahedral Fe^{3+} in, evidence from Mössbauer spectroscopy 537

Fiber
- fibrous (lath-like) talc, thermal decomposition, TEM, topotactic relation with enstatite 289
- sepiolite, MB-adsorbed, visible spectroscopy 214
- sepiolite, modification of porous structure, surface area, by thermal treatment 233
- xonotlite, on hisingerite surface 327

FIGUERAS, F. (with D. TICHIT, F. FAJULA, B. DUCOURANT, G. MASCHERPA, C. GUEGUEN, and J. BOSQUET), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369

FITZPATRICK, R. W. (with R. A. EGGLETON), New Data and a Revised Structural Model for Ferrihydrite 111

Fluazifop
- Al-, Cu-, Fe-saturated bentonite complexes with, synthesis, IR, ESR 354

FOORD, E. E. (with H. C. STARKEY, J. E. TAGGART, JR., and D. R. SHAWE), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Reply 541

Fourier transform
- basal XRD spacings of hydroxy-Al-montmorillonite 397

FRANCOIS, M. (with Y. GRILLET, J. M. CASES, J. ROUQUEROL, and J. E. POIRIER), Modification of the Porous Structure and Surface Area of Sepiolite under Vacuum Thermal Treatment 233

Free energy
- Gibbs, acid solubility of diaspore 391
- surface, of clays, dispersion component from wetting contact angles 243
- surface, of kaolinite, dispersion, non-dispersion components from water, n-octane adsorption 455

FUKUSHIMA, YOSHIAKI, Extended X-ray Absorption Fine-Structure Study of Cobalt-Exchanged Sepiolite: Reply 384

G

Gabbro
- chemical composition 102
- saprolite, ferruginous smectite in, genesis, composition, IR, EDX, SEM, Mössbauer spectroscopy, TEM, SAD 102
- saprolite, petrography, EDX, SEM, mineralogical composition 102

GABIS, VICTOR (with ALAIN BEZIAT and MICHEL DARDAINE), Effect of Compaction Pressure and Water Content on the Thermal Conductivity of Some Natural Clays 462

GARCÉS, J. M. (with S. C. ROCKE, C. E. CROWDER, and D. L. HASHA), Hypothetical Structures of Magadiite and Sodium Octosilicate and Structural Relationships between the Layered Alkali Metal Silicates and the Mordenite- and Pentasil-Group Zeolites 409

Geotechnical properties
- bentonite, relation of sonic velocity to density, compressibility 94
- smectite-sand mixture, hydraulic conductivity 432

Geothermal
- event, regional, indicated by association of dickite, kaolinite with metal sulfides 153
- field, Salton Sea, diagenesis of chlorite, illite, biotite, smectite in 1
- field, Salton Sea, diagenesis of shale in 1
- temperature, relationship with I/S in Neogene sediments 337

GESSA, C. (with G. MICERA, A. PUSINO, and S. PETRETTO), Interaction of Fluazifop with Al-, Fe^{3+}-, and Cu^{2+}-Saturated Montmorillonite 354

Gibbsite
- acid solubility, Gibbs free energy of formation 391
- synthesis, effect of seeding, neutralization rate 25
- synthesis, from $AlCl_3$ solutions 25
- XRD 391

GIOVANOLI, R. (with R. M. CORNELL), Acid Dissolution of Akaganéite and Lepidocrocite: The Effect on Crystal Morphology 385

GIOVANOLI, R. (with R. M. CORNELL), Transformation of Hausmannite into Birnessite in Alkaline Media 249

GIOVANOLI, R. (with J. L. SCHNOOR, LAURA SIGG, WERNER STUMM, and JÜRG ZOBRIST), Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzerland 521

Gmelinite
- in altered basalt, morphology, electron microprobe analysis, genesis 131

Gneiss
- chemical composition 521

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

chemical weathering of, by acid precipitation 521
weathered, TEM, SEM, chemical composition 521
Goethite
electron transfer process with hydroquinone 303
impurity in nontronite, identification by Mössbauer spectra 376
oxidation of hydroquinone by 303
P-containing, synthesis, crystal growth, Mössbauer spectroscopy, TEM, EDX, microelectron diffraction 165
product of weathering of biotite, vermiculite in granodiorite 47
quantitative mineral analysis with hematite by thermodifferential XRD 176
Si-containing, synthesis, crystal growth, Mössbauer spectroscopy, TEM, EDX, microelectron diffraction 165
GONZALEZ, V. M. (with P. P. HEARN, JR., LUCY MCCARTAN, D. R. SOLLER, and M. D. KROHN), Cacoxenite in Miocene Sediments of the Maryland Coastal Plain 419
GRAHAM, R. C. (with D. A. REID, S. B. EDINGER, L. H. BOWEN, and J. O. ERVIN), Celadonite and its Transformation to Smectite in an Entisol at Red Rock Canyon, Kern County, California 425
Granite
granodiorite, goethite weathering product of biotite, vermiculite in 47
granodiorite, weathering of biotite in, to vermiculite 47
hydrothermal alteration zones, petrography, chemical composition 505
hydrothermal veins of tosudite, donbassite in 39
weathering products of, electron microprobe analysis 505
Greisen
weathering of, petrography, chemical composition 505
GRILLET, Y. (with J. M. CASES, M. FRANCOIS, J. ROUQUEROL, and J. E. POIRIER), Modification of the Porous Structure an Surface Area of Sepiolite under Vacuum Thermal Treatment 233
GRIM, R. E., The History of the Development of Clay Mineralogy 97
GUEGUEN, C. (with D. TICHIT, F. FAJULA, F. FIGUERAS, B. DUCOURANT, G. MASCHERPA, and J. BOSQUET), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369

H

Halloysite
hollow sphere, NMR, IR, TEM 11
-kaolinite mixtures, analysis by NIR 310
NIR 310
HASHA, D. L. (with J. M. GARCÉS, S. C. ROCKE, and C. E. CROWDER), Hypothetical Structures of Magadiite and Sodium Octosilicate and Structural Relationships between the Layered Alkali Metal Silicates and the Mordenite- and Pentasil-Group Zeolites 409
Hausmannite
effect on synthesis of iron oxyhydroxides 469
electron transfer process with hydroquinone 297
oxidation by hydroquinone 297
transformation to birnessite in alkaline media 249
XRD 249, 469
TEM 249
HAWKER, L. C. (with J. G. THOMPSON), Weathering Sequence and Alteration Products in the Genesis of the Graskop Manganese Residua, Republic of South Africa 448
HEARN, P. P., JR. (with LUCY MCCARTAN, D. R. SOLLER, M. D. KROHN, and V. M. GONZALEZ), Cacoxenite in Miocene Sediments of the Maryland Coastal Plain 419
Hectorite
adsorption of MB on 214
CEC 214
MB-adsorbed, visible spectroscopy 214
HELMY, A. K. (with E. A. FERREIRO and S. G. DE BUSSETTI), Sorption of 8-Hydroxyquinoline by Some Clays and Oxides 61
Hematite
adsorption of 8-hydroxyquinoline on, function of time, pH, concentration 61
effect of trace elements on maghemite-to-hematite transformation 31
electron transfer process with hydroquinone 303
oxidation of hydroquinone by 303
product of hydrothermal treatment of hisingerite 327
quantitative mineral analysis with goethite by thermodifferential XRD 176
trace-element substituted, IR, XRD, TEM, DTA, surface area 31
HERBILLON, A. J. (with T. BOSKI), Quantitative Determination of Hematite and Goethite in Lateritic Bauxites by Thermodifferential X-ray Powder Diffraction 176
HERRERO, J. (with C. BLANCO, S. MENDIOROZ, and J. A. PAJARES), Infrared Studies of Surface Acidity and Reversible Folding in Palygorskite 364
Herschelite
in altered basalt, elecron microprobe analysis, genesis 131
Heulandite
in altered basalt, morphology, electron microprobe analysis, genesis 131
HEWAT, A. W. (with R. A. YOUNG), Verification of the Triclinic Crystal Structure of Kaolinite 225

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

High-resolution transmission electron microscopy (HRTEM)
aluminosilicate, hollow spheres, synthetic 11
biotite, Salton Sea geothermal field 1
chlorite, Salton Sea geothermal field 1
ferrihydrite, synthetic, 2-line, 6-line 111
illite, Salton Sea geothermal field 1
shale, Salton Sea geothermal field 1
talc, thermal decomposition products of 289
Hinckley index
kaolinite, vs. IR band intensities 310
Hisingerite
hydrothermal treatment 327
IR 328
XRD 327
History
development of clay mineralogy 97
development of organo clays 97
use of clays as catalysts 97
use of DTA in clay mineralogy 97
History of the Development of Clay Mineralogy, The, by R. E. Grim 97
HLUCHY, M. M. (with J. R. WALKER and R. C. REYNOLDS, JR.), Estimation of Heavy Atom Content and Distribution in Chlorite Using Corrected X-ray Powder Diffraction Intensities 359
HRTEM (see High-resolution transmission electron microscopy)
HSU, P. H., Mechanism of Gibbsite Crystallization from Partially Neutralized Aluminum Chloride Solution 25
HUANG, P. M. (with G. S. R. KRISHNAMURTI), Influence of Manganese Oxide Minerals on the Formation of Iron Oxides 467
HUFF, W. D. (with J. A. WHITEMAN and C. D. CURTIS), Investigation of a K-Bentonite by X-ray Powder Diffraction and Analytical Transmission Electron Microscopy 83
Hydration energy
lanthanide ions, relation to uptake by vermiculite 68
Hydraulic conductivity
smectite-sand mixtures, effect of Mg on 432
smectite-sand mixtures, relation to charge density, salinity 432
Hydrolysis
lanthanide ions in interlayer space of vermiculite 68
Hydrophobicity
organo-clays, affect on adsorption of pentachlorophenol 125
Hydroquinone
electron transfer process with hausmannite 297
electron transfer process with iron oxides 303
oxidation by hausmannite 297
oxidation by iron oxides 303
Hydrothermal
alteration zones in granite, petrography, genesis 505
treatment of hisingerite 327
veins, dombassite, tosudite, in granite, petrography 39
Hydrothermal Alterations of Hisingerite Material from a Basalt Quarry near Geelong, Victoria, Australia, by Ahmad Shayan, J. V. Sanders, and C. J. Lancucki 327
Hydrothermal and Supergene Alterations in the Granitic Cupola of Montebras, Creuse, France, by P. Dudoignon, D. Beaufort, and A. Meunier 505
Hydroxy-Al
-Laponite, pentachlorophenol adsorption 403
-Laponite, synthesis, binding of chlorophenols 403
-montmorillonite PILC, decrease in microporosity with calcination 369
-montmorillonite PILC, sintering, thermal stability 369
-montmorillonite PILC, synthesis 369, 397
-montmorillonite PILC, synthesis, thermal stability, XRD 397
-montmorillonite PILC, XRD 369, 397
-montmorillonite PILC, XRD, IR, surface area, Mössbauer spectra, synthesis 369
-pillared montmorillonite, pore size, pore volume, surface area, XRD 147
removal of, from chlorite during formation of high-charge vermiculite 263
Hydroxyl
inner, in kaolinite, orientation determined by neutron powder diffraction 225
Hypothetical Structures of Magadiite and Sodium Octosilicate and Structural Relationships between the Layered Alkali Metal Silicates and the Mordenite- and Pentasil-Group Zeolites, by J. M. Garcés, S. C. Rocke, C. E. Crowder, and D. L. Hasha 409

I

IIDA, SHOZO (with KENZI SUZUKI, TOSHIAKI MORI, KAORU KAWASE, and HIROSHI SAKAMI), Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxy-aluminum Cations and Polyvinyl Alcohol 147
IIJIMA, A. (with B. VELDE), Comparison of Clay and Zeolite Mineral Occurrences in Neogene Age Sediments from Several Deep Wells 337
Illite
distribution in fault gouge 277
Salton Sea geothermal field, diagenesis, depth zoning, formation from I/S 1
Salton Sea geothermal field, texture, AEM, HRTEM, XRF 1
/smectite in K-bentonite, XRD, TEM, SAD 83

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

/smectite, relation to geothermal temperature 327
/smectite, relation to zeolite content in Neogene sediments 327
thermal conductivity, effect of compaction pressure, water content on 462
Illite/smectite interstratification (I/S)
demixing of Ca, Na in 73
depth zoning in Salton Sea geothermal field 1
-illite-kaolinite assemblages in greisenized granite, electron microprobe analysis, genesis 505
in bentonite beds, XRD, K/Sr, K/Rb ratios, chemical composition 349
in K-bentonite, XRD, TEM, SAD 83
relation of smectite layer percentage to geothermal temperature 337
relation of smectite layer percentage to zeolite content in Neogene sediments 337
smectite layer percentage across bentonite beds 349
XRD 83, 349
Ilmenite
exsolution lamellae in magnetite, EDX 102
Imogolite
synthetic, morphology by TEM 11
Industrial mineral
meeting announcement, Geology of Industrial Minerals Forum, 24th 96
Influence of Manganese Oxide Minerals on the Formation of Iron Oxides, by G. S. R. Krishnamurti and P. M. Huang 467
Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides, by T. G. Quin, G. J. Long, C. G. Benson, Stephen Mann, and R. J. P. Williams 165
Infrared spectroscopy (IR)
allophane 11
aluminosilicate, synthetic, hollow spheres 11
cryptomelane, differential 467
dachiardite 409
donbassite 39
epistilbite 409
fluazifop complexes with Cu-, Al-, Fe-saturated bentonite 354
Fourier-transform linear dichroism IR, used to study orientation of montmorillonite 476
halloysite, hollow sphere 11
hausmannite, before, after oxidation of hydroquinone 297
hausmannite, differential 467
hematite, after oxidation of hydroquinone 297
hematite, formed from maghemite 31
hisingerite, hydrothermally treated hisingerite 327
hydroxy-Al-montmorillonite PILC 369
kaolinite 343
kaolinite-polyacrylonitrile intercalation complex, thermally treated product 343
magadiite 409
maghemite 31
maghemite, partly altered to hematite 31
Mn oxides, differential 467
Mn oxides, in dolomite weathering residua 448
montmorillonite 369
montmorillonite-homoionic, treated with phenamiphos 284
montmorillonite-nitromethylene heterocycle complexes 159
NIR, kaolinite, dickite, halloysite 310
NIR, kaolinite-dickite mixtures 310
NIR, kaolinite-halloysite mixtures 310
palygorskite 364
palygorskite-pyridine adsorption complex 364
phenamiphos 284
pyrolusite, differential 467
smectite, ferruginous, in gabbro saprolite 102
sodium octosilicate 409
zeolite ZSM-5 409
Infrared Studies of Surface Acidity and Reversible Folding in Palygorskite, by C. Blanco, J. Herrero, S. Mendioroz, and J. A. Pajares 364
INOUE, A. (with T. MERCERON, A. BOUCHET, and A. MEUNIER), Lithium-Bearing Donbassite and Tosudite from Echassières, Massif Central, France 39
Insecticide (see also Pesticide)
nitromethylene heterocycle, photostabilization on montmorillonite surfaces 159
Instrumentation
linear localization X-ray detector, use of for small quantities of clay minerals 187
Interaction of Fluazifop with Al-, Fe^{2+}-, and Cu^{2+}-Saturated Montmorillonite, by G. Micera, A. Pusino, C. Gessa, and S. Petretto 354
Interaction of Phenamiphos with Montmorillonite, by J. Maza Rodríguez, A. Jímenez López, and Sabastían Bruque 284
Intercalation compound
kaolin-DMSO, kinetics of thermal decomposition 19
kaolin-N-methyl formamide, kinetics of thermal decomposition 19
kaolin-polyacrylonitrile complex, synthesis, XRD, IR, thermal stability 343
Interlayer cation
influence on interaction of fluazifop and bentonite 354
Interlayer relation of smectite layer percentage in I/S to zeolite content of Neogene sediments 337
Interstratification
biotite/vermiculite, from weathering biotite 47
Ca-smectite/Na-smectite segregations from Ca-, Na-exchanged smectite 73
illite/smectite, depth zoning in Salton Sea geothermal field 47

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

illite/smectite, in K-bentonite, XRD, TEM, SAD, chemical composition 83
mica/smectite, demixing of Ca, Na in 73
quantitative curves for mica/smectite by XRD 258
relation of smectite layer percentage in I/S to geothermal temperature 337
Investigation of a K-Bentonite by X-ray Powder Diffraction and Analytical Transmission Electron Microscopy, by W. D. Huff, J. A. Whiteman, and C. D. Curtis 83
IR (see Infrared spectroscopy)
Iron
book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
effect of acid dissolution of akaganéite, lepidocrocite on crystal morphology 385
effect of Si, P on Mössbauer spectra, crystal growth of goethite, ferrihydrite 165
effect of trace elements on maghemite-to-hematite transformation 31
electron transfer processes between iron oxides and hydroquinone 303
ferrihydrite, evidence for tetrahedral Fe^{3+}, by Mössbauer spectroscopy 537
ferrihydrite, synthetic, crystal structure, HRTEM, magnetic susceptibility, XRD, X-ray adsorption edge spectroscopy 111
hydroxides, weathering products of gneiss, by acid precipitation 505
mineral analysis of goethite, hematite by thermal differential XRD 176
oxidation of hydroquinone by iron oxides 303
oxidation state of, in ferruginous saponite, in gabbro saprolite 102
oxidation state, photochemical analysis using 1,10-phenanthroline 379
oxide impurities in nontronite, determined by Mössbauer spectroscopy 376
oxyhydroxides, conversion of cacoxenite 419
oxyhydroxides, synthesis, effect of Mn oxides on 469
oxyhydroxides, synthetic, XRD, differential IR 469
Iron sulfide
pyrrhotite, greigite, in vesicles in basalt 131
Isotope
ratios, K/Sr, K/Rb across bentonite beds vs. depth 349
IWAMOTO, TOSCHITAKE (with YUJI NAKAMURA, AKIHIKO YAMAGISHI, and MAKOTO KOGA), Adsorption Properties of Montmorillonite and Synthetic Saponite as Packing Materials in Liquid-Column Chromatography 530
IWASAKI, TAKASHI (with TAKASHI WATANABE), Distribution of Ca and Na Ions in Dioctahedral Smectites and Interstratified Dioctahedral Mica/Smectites 73

J

Jacobsite
-birnessite mixtures, XRD 249
TEM 249
JAŃCZUK, BRONISŁAW (with TOMASZ BIAŁOPIOTROWICZ), Components of Surface Free Energy of Some Clay Minerals 243
JIMÉNEZ LÓPEZ, A. (with J. MAZA RODRÍGUEZ and SABASTIÁN BRUQUE), Interaction of Phenamiphos with Montmorillonite 284

K

K-feldspar (see Feldspar)
KAKUTO, YASUKO (with KOJI WADA, MICHAEL WILSON, and S.-I. WADA), Synthesis and Characterization of a Hollow Spherical Form of Monolayer Aluminosilicate 11
Kaolin (see also Kaolinite)
-group, kaolinite, nacrite, dickite, XRD, unit-cell parameters 193
-group minerals, polytype identification by XRD, X-ray precession photographs 193
-group, nacrite, authigenic, in shale 137
kaolinization of bauxite oolites 439
kaolinization of granite 505
sorption of 8-hydroxyquinoline on, as function of pH, time, concentration 61
Kaolinite (see also Kaolin)
adsorption of chromate, sulfate 317
authigenic, association with metal sulfides as indicators of regional geothermal event 153
chromate adsorption on, mechanism, isotherms 317
-dickite mixtures, analysis by NIR 310
distribution in fault gouges 277
DMSO-adsorbed, kinetics of thermal decomposition 19
DMSO-adsorbed, TGA 19
edge-charge sites 141
-halloysite mixtures, analysis by NIR 310
-illite-I/S assemblage in altered granite, electron microprobe analysis, genesis 505
layers, polymerization of acrylonitrile between 343
N-methyl formamide-adsorbed, kinetics of thermal decomposition 19
N-methyl formamide-adsorbed, TGA 19
neutron powder diffraction 225
NIR 310
orientation of inner-OH in 225
-polyacrylonitrile intercalation complex, XRD, thermal stability, IR, synthesis 343

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

product of weathering of biotite, vermiculite 47
sulfate adsorption on, mechanism 317
surface area 317
surface free energy, determined from wetting contact angles 243
surface free energy, dispersion, nondispersion components 455
verification of triclinicity 225
water, n-octane adsorption, film pressure 455
XRD, unit-cell parameters 192
Kaolinization of Bauxite: A Study of the Vlasenica Bauxite Area, Yugoslavia. II. Alteration of Oolites, by Adam Dangić 439
KATO, CHUZO (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, and KAZUYUKI KURODA), Evidence for the Formation of Interlayer Polyacrylonitrile in Kaolinite 343
KAWASE, KAORU (with KENZI SUZUKI, TOSHIAKI MORI, HIROSHI SAKAMI, and SHOZO IIDA), Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxyaluminum Cations and Polyvinyl Alcohol 147
KELLER, W. D., Authigenic Kaolinite and Dickite Associated with Metal Sulfide—Probable Indicators of a Regional Thermal Event 153
KEREN, R. (with I. SHAINBERG and N. ALPEROVITCH), Effect of Magnesium on the Hydraulic Conductivity of Na-Smectite-Sand Mixtures 432
Kerolite
Co-exchanged, EXAFS 382, 384
Kinetics
conversion of hausmannite to birnessite 249
maghemite-hematite transformation 31
thermal decomposition of kaolin-DMSO, kaolin-N-methylformamide intercalates 19
KITTRICK, J. A. (with F. J. PERYEA), Relative Solubility of Corundum, Gibbsite, Boehmite, and Diaspore at Standard State Conditions 391
KLECK, W. D. (with W. S. WISE), Sodic Clay-Zeolite Assemblage in Basalt at Boron, California 131
KLIMA, K. (with G. RIEDMÜLLER and K. STATTEGGER), Statistical Analysis of Clay Mineral Assemblages in Fault Gouges 277
KODAMA, H. (with C. R. DE KIMPE and J. DEJOU), Ferrian Saponite in a Gabbro Saprolite at Mont Mégantic, Quebec 102
KODAMA, H. (with S. S. SINGH), Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex 397
KOGA, MAKOTO (with YUJI NAKAMURA, AKIHIKO YAMAGISHI, and TOSCHITAKE IWAMOTO), Adsorption Properties of Montmorillonite and Synthetic Saponite as Packing Materials in Liquid-Column Chromatography 530
KOMADEL, PETER (with P. R. LEAR and J. W. STUCKI), Mössbauer Spectroscopic Identification of Iron Oxides in Nontronite from Hohen Hagen, Federal Republic of Germany 376
KOMADEL, PETER (with J. W. STUCKI), Quantitative Assay of Minerals for Fe^{2+} and Fe^{3+} using 1,10-Phenanthroline. III. A Rapid Photochemical Method 379
KRISHNAMURTI, G. S. R. (with P. M. HUANG), Influence of Manganese Oxide Minerals on the Formation of Iron Oxides 467
KROHN, M. D. (with P. P. HEARN, JR., LUCY MCCARTAN, D. R. SOLLER, and V. M. GONZALEZ), Cacoxenite in Miocene Sediments of the Maryland Coastal Plain 419
KUNG, K.-H. (with M. B. MCBRIDE), Electron Transfer Processes between Hydroquinone and Hausmannite (Mn_3O_4) 297
KUNG, K.-H. (with M. B. MCBRIDE), Electron Transfer Processes between Hydroquinone and Iron Oxides 303
KURODA, KAZUYUKI (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, and CHUZO KATO), Evidence for the Formation of Interlayer Polyacrylonitrile in Kaolinite 343

L

LANCUCKI, C. J. (with AHMAD SHAYAN and J. V. SANDERS), Hydrothermal Alterations of Hisingerite Material from a Basalt Quarry near Geelong, Victoria, Australia 327
Lanthanides
-exchanged vermiculite, basal spacings, XRD, IR 68
uptake by vermiculite, relation to hydration energy 68
Laponite
adsorption of MB on 214
alumina-delaminated, preparation, binding of chlorophenols 403
alumina-delaminated, surface area, pentachlorophenol adsorption 403
CEC 214
hydroxy-Al, surface area, pentachlorophenol adsorption 403
MB-adsorbed, visible spectroscopy 214
surface area, pentachlorophenol adsorption 403
Lattice-fringe image
biotite, in weathered granodiorite 47
biotite, Salton Sea geothermal field 1
chlorite, Salton Sea geothermal field 1
ferrihydrite, 2-line, 6-line 111
goethite packets in kaolinite sheets 47
goethite, synthetic 165
illite, Salton Sea geothermal field 1
K-bentonite 83
mica units in K-bentonite 83
vermiculite, in weathered granodiorite 47

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Layer charge
basis of classification of 2:1 phyllosilicates 184
Layer stacking
vermiculite 481
LEAR, P. R. (with PETER KOMADEL and J. W. STUCKI), Mössbauer Spectroscopic Identification of Iron Oxides in Nontronite from Hohen Hagen, Federal Republic of Germany 376
LEE, J.-F. (with S. A. BOYD, SUN SHAOBAI, and M. M. MORTLAND), Pentachlorophenol Sorption by Organo-Clays 125
LEE, J. H. (with B. A. VAN DER PLUM and D. R. PEACOR), Analytical Electron Microscopy and the Problem of Potassium Diffusion 498
Lepidocrocite
acid dissolution, affect on crystal morphology 385
surface area, TEM, morphology 385
synthesis 385, 467
synthesis, effect of Mn oxides on 467
synthetic, XRD, differential IR 469
Lepidolite
in albite-muscovite granite, electron microprobe analysis, genesis 505
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Lewis acid sites
on surface of pyridine-adsorbed palygorskite 364
Linear dichroism, infrared
Fourier transform spectra, used to study orientation of montmorillonite 476
Lithium
donbassite, petrography of hydrothermal veins in granite 39
donbassite, XRD, IR, chemical composition, thermal treatment 39
lepidolite, in greisen, genesis, electron microprobe analysis 505
tosudite formation from lepidolite-rich greisen 505
tosudite, petrography of hydrothermal veins in granite 39
tosudite, XRD, IR, chemical composition 39
Lithium-Bearing Donbassite and Tosudite from Echassières, Massif Central, France, by T. Merceron, A. Inoue, A. Bouchet, and A. Meunier 39
LONG, G. J. (with T. G. QUIN, C. G. BENSON, STEPHEN MANN, and R. J. P. WILLIAMS), Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides 165
Loughlinite
Co-exchanged, EXAFS 382, 384
LYNCH, SEAN (with CHRISTOPHER BREEN), Reexamination of the Kinetics of the Thermal Desorption of Dimethylsulfoxide and N-Methyl Formamide from a Greensplatt Kaolin 19

M

MACKENZIE, R. C., Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Comment 540
Magadiite
structural relationships with mordenite-, pentasil-group zeolites 409
XRD, IR, synthesis 409
Maghemite
in nontronite, Mössbauer spectra 376
IR, XRD, TEM, DTA, surface area 31
-to-hematite transformation, effect of trace elements on particle size, surface area of products 31
Magnesium
effect on hydraulic conductivity of clay-sand mixtures 432
Magnetic properties
ferrihydrite, synthetic, 2-line, 6-line 111
ferrihydrite, synthetic, effect of Si, P on 165
goethite, synthetic, effect of Si, P on 165
NMR Workshop, The Clay Minerals Society, announcement 192
nontronite 376
Magnetic susceptibility
ferrihydrite, synthetic, 2-line, 6-line 111
Magnetite
dissolution in KOH 249
exsolution lamellae of ilmenite in, EDX 102
trace element-doped, transformation to maghemite 31
MANCEAU, A. (with A. DECARREAU), Extended X-ray Absorption Fine-Structure Study of Cobalt-Exchanged Sepiolite: Comment on a Paper by Y. Fukushima and T. Okamoto 382
Manganese
birnessite formation from hausmannite, followed by XRD, TEM 249
electron transfer processes between hausmannite and hydroquinone 297
oxidation of hydroquinone by hausmannite 297
oxides, effect on synthesis of iron oxyhydroxides 469
oxides, XRD, TEM, chemical composition, IR 448
residua deposit, weathering sequence in 448
transformation of hausmannite into birnessite in alkaline media 249
MANN, STEPHEN (with T. G. QUIN, G. J. LONG, C. G. BENSON, and R. J. P. WILLIAMS), Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides 165
MARGULIES, L. (with H. ROZEN and A. BANIN), Use of X-ray Powder Diffraction and Linear Dichroism

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Methods to Study the Orientation of Montmorillonite Clay Particles 476
MARGULIES, L. (with H. ROZEN and E. COHEN), Photostabilization of a Nitromethylene Heterocycle Insecticide on the Surface of Montmorillonite 159
MARGULIES, L. (with H. ROZEN and S. NIR), Model for Competitive Adsorption of Organic Cations on Clays 270
MASCHERPA, G. (with D. TICHIT, F. FAJULA, F. FIGUERAS, B. DUCOURANT, C. GUEGUEN, and J. BOSQUET), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369
MAZA RODRÍGUEZ, J. (with A. JIMÉNEZ LÓPEZ and SABASTIÁN BRUQUE), Interaction of Phenamiphos with Montmorillonite 284
MCBRIDE, M. B., book review, *Chemistry of Clays and Clay Minerals,* edited by A. C. D. Newman 480
MCBRIDE, M. B. (with K.-H. KUNG), Electron Transfer Processes between Hydroquinone and Hausmannite (Mn_3O_4) 297
MCBRIDE, M. B. (with K.-H. KUNG), Electron Transfer Processes between Hydroquinone and Iron Oxides 303
MCCARTAN, LUCY (with P. P. HEARN, JR., D. R. SOLLER, M. D. KROHN, and V. M. GONZALEZ), Cacoxenite in Miocene Sediments of the Maryland Coastal Plain 419
MCDOWELL, S. D. (with Y.-C. YAU, D. R. PEACOR, R. E. BEANE, and E. J. ESSENE), Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California 1
Mechanism of Gibbsite Crystallization from Partially Neutralized Aluminum Chloride Solution, by P. H. Hsu 25
Meeting announcement
Forum on the Geology of Industrial Minerals, 24th 96
The Clay Minerals Society, 25th annual 192
MEIJER, E. L. (with P. BUURMAN and J. H. VAN WIJCK), Weathering of Chlorite and Vermiculite in Ultramafic Rocks of Cabo Ortegal, Northwestern Spain 263
Membership, The Clay Minerals Society application form 584
MENDIOROZ, S. (with C. BLANCO, J. HERRERO, and J. A. PAJARES), Infrared Studies of Surface Acidity and Reversible Folding in Palygorskite 364
MERCERON, T. (with A. INOUE, A. BOUCHET, and A. MEUNIER), Lithium-Bearing Donbassite and Tosudite from Echassières, Massif Central, France 39
MERCERON, T. (with F. RASSINEAUX, D. BEAUFORT, A. BOUCHET, and A. MEUNIER), Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals 187
Methylene blue (MB)
adsorption on hectorite, Barasym, Laponite, sepiolite, visible spectroscopy of 214
adsorption on montmorillonite 270
-montmorillonite complex, microelectrophoresis 270
MEUNIER, A. (with P. DUDOIGNON and D. BEUFORT), Hydrothermal and Supergene Alterations in the Granitic Cupola of Montebras, Creuse, France 505
MEUNIER, A. (with T. MERCERON, A. INOUE, and A. BOUCHET), Lithium-Bearing Donbassite and Tosudite from Echassières, Massif Central, France 39
MEUNIER, A. (with F. RASSINEAUX, D. BEAUFORT, A. BOUCHET, and T. MERCERON), Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals 187
Mica (see also individual minerals)
celadonite, artificial weathering with Na-STB to remove K 425
celadonite, in hydrothermally altered basalt, XRD, Mössbauer parameters, SEM 425
celadonite, weathering to Fe-rich smectite in Entisol 425
Li-, in greisenized granite, electron microprobe analysis 505
phases, in greisenized granite, electron microprobe analysis 505
polytype identification by XRD, X-ray precession photographs 193
/smectite, quantitative curves by XRD 258
XRD, unit-cell parameters 193
MICERA, G. (with A. PUSINO, C. GESSA, and S. PETRETTO), Interaction of Fluazifop with Al-, Fe^{3+}-, and Cu^{2+}-Saturated Montmorillonite 354
Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California, by Y.-C. Yau, D. R. Peacor, R. E. Beane, E. J. Essene, and S. D. McDowell 1
Mineral analysis
chlorite-rich veins in serpentinite 263
fault gouge assemblages 277
hematite, goethite by thermodifferential XRD 176
kaolinite-dickite mixtures by NIR 310
kaolinite-halloysite mixtures by NIR 310
quantitative curves for mica/smectite, by XRD 258
Mixed layering (see Interstratification)
Mobilization of Quartz-Fines in Porous Media, by C. M. Cerda 491
Model for Competitive Adsorption of Organic Cations on Clays, by L. Margulies, H. Rozen, and S. Nir 270

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Modification of the Porous Structure and Surface Area of Sepiolite under Vacuum Thermal Treatment, by Y. Grillet, J. M. Cases, M. Francois, J. Rouquerol, and J. E. Poirier 233

Modified Clays for the Adsorption of Environmental Toxicants: Binding of Chlorophenols to Pillared, Delaminated, and Hydroxy-Interlayered Smectites, by R. C. Zielke and T. J. Pinnavaia 403

Montmorillonite (see also Bentonite, Smectite)
- acid-activated, history of development 97
- adsorption of 8-hydroxyquinoline, as function of pH, time, concentration 61
- adsorption of MB, thioflavin T on 270
- -Al-, Fe-, Cu-saturated, fluazifop complexes, synthesis, IR, ESR 354
- alumina-pillared, basal spacings, surface area, pentachlorophenol adsorption 403
- alumina-pillared, synthesis, binding of chlorophenols 403
- chromia-pillared, basal spacings, surface area, pentachlorophenol adsorption 403
- chromia-pillared, synthesis, binding of chlorophenols 403
- delaminated, synthesis in presence of hydroxy-Al, polyvinyl alcohol 147
- edge-charge sites 141
- exfoliated, surface area 403
- Fe oxidation state in, photochemical analysis using 1,10-phenanthroline 379
- -hydroxy-Al PILC, decrease in microporosity with calcination 369
- -hydroxy-Al PILC, pore size, pore volume, surface area 147
- -hydroxy-Al PILC, synthesis, sintering, thermal stability 369
- -hydroxy-Al PILC, synthesis, thermal stability, XRD 397
- -hydroxy-Al PILC, XRD, IR, Mössbauer spectra, surface area, chemical composition 369
- interaction with phenamiphos 284
- -MB, -thioflavin T complexes, microelectrophoresis 270
- -nitromethylene heterocycle complex, photostabilization by organic dyes 159
- organo-, history of development 97
- orientation, studied by XRD, Fourier-transform linear dichroism IR 476
- oxine-treated, XRD, basal spacings 61
- -phenamiphos complexes, IR, XRD, DTA 284
- polyvinyl alcohol-treated, pore size, pore volume 147
- saponite, in altered basalt, electron microprobe analysis, genesis 131
- surface free energy, from wetting contact angles 243
- XRD, IR, chemical composition, surface area 369

Mordenite
- -group zeolites, structural relationships with magadiite and sodium octosilicate 409

MORI, TOSHIAKI (with KENZI SUZUKI, KAORU KAWASE, HIROSHI SAKAMI, and SHOZO IIDA), Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxyaluminum Cations and Polyvinyl Alcohol 147

Morphology
- akaganéite, effect of acid dissolution on 385
- allophane, hollow spheres, TEM 11
- aluminosilicate, noncrystalline, hollow spheres, TEM 11
- birnessite 249
- celadonite, in hydrothermally altered basalt 425
- clinoptilolite, in altered basalt 131
- dickite, authigenic, SEM 153
- enstatite, thermal decomposition products of talc, TEM 289
- gmelinite, in altered basalt 131
- hausmannite 249
- heulandite, in altered basalt 131
- imogolite, tubes, TEM 11
- kaolinite, authigenic, SEM 153
- lepidocrocite, effect of acid dissolution on 385
- talc, thermal decomposition products, TEM 289

MORTLAND, M. M. (with S. A. BOYD, SUN SHAOBAI, and J.-F. LEE), Pentachlorophenol Sorption by Organo-Clays 125

Mössbauer Spectroscopic Identification of Iron Oxides in Nontronite from Hohen Hagen, Federal Republic of Germany, by P. R. Lear, Peter Komadel, and J. W. Stucki 376

Mössbauer spectroscopy
- Fe-rich smectite, derived from celadonite in Entisol 425
- ferrihydrite, evidence for tetrahedral Fe^{3+} in, by 537
- ferrihydrite, P-, Si-containing 165
- goethite, P-, Si-containing 165
- hydroxy-Al-montmorillonite PILC 369
- nontronite, iron oxide impurities in, by 376
- smectite, ferruginous 102

Muscovite
- AEM, K-diffusion during 498
- chemical composition 498
- edge-charge sites 141
- in albite-muscovite granite, genesis 505
- in kaolinized granite, genesis 505
- polytype identification by XRD, X-ray precession photographs 193
- XRD, unit-cell parameters 193

N

Nacrite
- authigenic, in shale, origin 137
- authigenic, in shale, XRD, TEM 137
- kaolin-group, polytype identification by XRD 193

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

XRD 137, 193
XRD, unit-cell parameters 193
NAKAMURA, YUJI (with AKIHIKO YAMAGISHI, TOSCHITAKE IWAMOTO, and MAKOTO KOGA), Adsorption Properties of Montmorillonite and Synthetic Saponite as Packing Materials in Liquid-Column Chromatography 530
Near-Infrared Reflectance Spectra of Mixtures of Kaolin-Group Minerals: Use in Clay Mineral Studies, by J. K. Crowley and Norma Vergo 310
Near-infrared reflectance spectroscopy (NIR)
kaolin-group minerals 310
structural disorder in kaolinite by 310
use in analysis of kaolinite-dickite, kaolinite-halloysite mixtures 310
Neutron powder diffraction
kaolinite, orientation of inner-OH in, by 225
kaolinite, verification of triclinicity 225
New Data and a Revised Structural Model for Ferrihydrite, by R. A. Eggleton and R. W. Fitzpatrick 111
NIR (see Near-infrared reflectance spectroscopy)
NIR, S. (with L. MARGULIES and H. ROZEN), Model for Competitive Adsorption of Organic Cations on Clays 270
Nitromethylene heterocycle
adsorbed on montmorillonite, photostabilization by organic dyes 159
N-methyl formamide
-adsorbed kaolin, TGA 19
desorption from kaolin, effect of thermal treatment, kinetics 19
NMR (see Nuclear magnetic resonance)
n-Octane
adsorption on kaolinite 455
film pressure on kaolinite 455
Nomenclature
classification of 2:1 phyllosilicates based on layer charge, swelling properties 184
saponite, based on layer charge, swelling properties 184
vermiculite, based on layer charge, swelling properties 184
volkonskoite-Cr-smectite problem 540, 541
volkonskoite, definition on basis of octahedral cations 540, 541
Nontronite
Fe oxidation state, photochemical analysis using 1,10-phenanthroline 379
formation from hisingerite in basalt 327
iron oxide impurities in, by Mössbauer spectra 376
Mössbauer spectra 376
Nordic Society for Clay Research
proceedings, 1985 symposium, book review 191
Nsutite
in Mn residua deposit, XRD, IR, TEM, chemical composition 448
Nuclear magnetic resonance (NMR)
allophane, synthetic 11
aluminosilicate, synthetic, noncrystalline, hollow spheres 11
halloysite, hollow spheres 11
magadiite, H- 409
magadiite, synthetic, natural 409
sodium octosilicate 409
workshop, The Clay Minerals Society, announcement 192
Nuclear wastes
uptake of lanthanides by vermiculite 68
Nucleation
of gibbsite, by seeding, from $AlCl_3$ solutions 25

O

1,10-Phenanthroline
Fe^{2+}, Fe^{3+} analysis using 379
Oolite
in bauxite, kaolinization of, thermodynamic models 439
in bauxite, XRD, chemical composition 439
Optical resolution
of $Cr(acac)_3$, $Co(acac)_3$, 1,1′-binaphthol, 1,1′-binaphthylamine on montmorillonite-Ru$(phen)_3^{2+}$ adduct 530
of $Cr(acac)_3$, $Co(acac)_3$, 1,1′-binaphthol, 1,1′-binaphthylamine on saponite-Ru$(phen)_3^{2+}$ adduct 530
Order-disorder
in kaolinite, by NIR 310
stacking order in vermiculite 481
Ore, metallic
association with authigenic dickite, kaolinite 153
Organo dye
stabilizers for nitromethylene heterocycle adsorbed on montmorillonite 159
Organoclay
adsorption of MB, thioflavin T on montmorillonite 270
adsorption of pentachlorophenol on 125
book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
history of development of 97
montmorillonite-MB, montmorillonite-thioflavin T complexes, microelectrophoresis 270
montmorillonite-nitromethylene heterocycle complexes, photostabilization by organic dyes 159
Organophosphorus
phenamiphos-montmorillonite complex, IR, XRD, DTA 284
Orientation
estimation of, in chlorite, from corrected XRD intensities 359
inner-OH in kaolinite, by neutron powder diffraction 225

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

montmorillonite, studied by XRD, Fourier-transform linear dichroism IR 476
Oxidation
hydroquinone, by hausmannite, electron transfer processes 297
hydroquinone, by iron oxides, electron transfer processes 303
iron, in gabbro saprolite 102
iron, photochemical analysis using 1,10-phenanthroline 379
state of iron in ferruginous saponite in gabbro saprolite 102
Oxine (see 8-Hydroxyquinoline)

P

PAJARES, J. A. (with C. BLANCO, J. HERRERO, and S. MENDIOROZ), Infrared Studies of Surface Acidity and Reversible Folding in Palygorskite 364
Palygorskite
IR, surface area, pore volume 364
pyridine adsorption on, effect of structural folding, OH protonation 364
surface acidity, relation to structural folding 364
thermal conductivity, effect of compaction pressure, water content on 462
Particle size
allophane 11
aluminosilicate, hollow sphere 11
hematite, by XRD line broadening, surface area, during formation from maghemite 31
imogolite 11
maghemite, by XRD line broadening, surface area, during transformation to hematite 31
PASTOR, PASCAL OLIVER (with ENRIQUE RODRÍGUEZ-CASTELLÓN and AURORA RODRÍGUEZ GARCIA), Uptake of Lanthanides by Vermiculite 68
PATTERSON, S. H., book review, *Proceedings of the Nordic Symposium, Clay Minerals—Modern Society, Uppsala, Sweden, Nov. 20–21, 1985,* edited by N. A. Shaikh and N. G. Wik 191
PEACOR, D. R. (with B. A. VAN DER PLUM and J. H. LEE), Analytical Electron Microscopy and the Problem of Potassium Diffusion 498
PEACOR, D. R. (with Y.-C. YAU, R. E. BEANE, E. J. ESSENE, and S. D. MCDOWELL), Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California 1
Pentachlorophenol
adsorption by alkyl-treated montmorillonite 126
Pentachlorophenol Sorption by Organo-Clays, by S. A. Boyd, Sun Shaobai, J.-F. Lee, and M. M. Mortland 125
PERYEA, F. J. (with J. A. KITTRICK), Relative Solubility of Corundum, Gibbsite, Boehmite, and Diaspore at Standard State Conditions 391
Pesticide (see also Insecticide)
fluazifop, interaction with Cu-, Al-, Fe-saturated bentonite 354
nitromethylene heterocycle, adsorbed on montmorillonite, photostabilization 159
phenamiphos, interaction with montmorillonite 284
PETRETTO, S. (with G. MICERA, A. PUSINO, and C. GESSA), Interaction of Fluazifop with Al-, Fe^{3+}-, and Cu^{2+}-Saturated Montmorillonite 354
Petrography
donbassite, tosudite vein in granite 39
gabbro 102
granite, hydrothermal alteration zones 505
greisen in granite 505
Mn wad from dolomite weathering residua 448
saprolite from gabbro 102
PÉZARET, H. (with H. SUQUET), Comments on the Classification of Trioctahedral 2:1 Phyllosilicates 184
Phase equilibria
book review, *Thermodynamic Modeling of Geological Materials, Minerals, Fluids and Melts,* I. S. E. Carmichael and H. P. Eugster, eds. 190
Phenamiphos
DTA 284
interaction with montmorillonite 284
IR 284
-montmorillonite complex, IR, XRD, DTA 284
Phengite
edge structure, calculated apparent unit-cell formula 141
in kaolinized granite, electron microprobe analysis, genesis 505
polytype identification by XRD, X-ray precession photographs 193
XRD, unit-cell parameters 193
Phosphorus
cacoxenite, IR, XRD, chemical composition 419
cacoxenite, origin in Miocene sediments 419
-containing ferrihydrite, Mössbauer spectroscopy 165
-containing ferrihydrite, synthesis 165
-containing goethite, synthesis, crystal growth 165
-containing goethite, TEM, EDX, microelectron diffraction, Mössbauer spectroscopy 165
Photochemistry
determination of Fe in nontronite, biotite, smectite, vermiculite 379
Photostabilization
nitromethylene heterocycle on montmorillonite, by organic dyes 159
Photostabilization of a Nitromethylene Heterocycle Insecticide on the Surface of Montmorillonite, by L. Margulies, H. Rozen, and E. Cohen 159
Phyllomanganate (see Birnessite)
PILC (see Pillared interlayer complex)

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Pillared interlayer complex (PILC)
alumina-montmorillonite, basal spacings, surface area, pentachlorophenol adsorption 403
alumina-montmorillonite, synthesis, binding of chlorophenols 403
chromia-montmorillonite, basal spacings, surface area, pentachlorophenol adsorption 403
chromia-montmorillonite, synthesis, binding of chlorophenols 403
hydroxy-Al-montmorillonite, decrease in microporosity with calcination 369
hydroxy-Al-montmorillonite, pore size, pore volume, surface area 147
hydroxy-Al-montmorillonite, synthesis, sintering, thermal stability 369
hydroxy-Al-montmorillonite, synthesis, XRD, thermal stability 397
hydroxy-Al-montmorillonite, XRD, IR, surface area, Mössbauer spectra, chemical composition 369
PINNAVAIA, T. J. (with R. C. ZIELKE), Modified Clays for the Adsorption of Environmental Toxicants: Binding of Chlorophenols to Pillared, Delaminated, and Hydroxy-Interlayered Smectites 403
POIRIER, J. E. (with Y. GRILLET, J. M. CASES, M. FRANCOIS, and J. ROUQUEROL), Modification of the Porous Structure and Surface Area of Sepiolite under Vacuum Thermal Treatment 233
Pollution
chemical weathering of gneiss by acid precipitation 521
pentachlorophenol adsorption by alumina-, chromia-pillared montmorillonite 403
pentachlorophenol adsorption by delaminated hydroxy-Al-Laponite, alumina-pillared Laponite 403
pentachlorophenol adsorption by organoclays 125
Polymerization
acrylonitrile, between kaolinite layers 343
Polytype
amesite, identification by XRD, X-ray precession photographs 193
anandite, identification by XRD, X-ray precession photographs 193
annite, identification by XRD, X-ray precession photographs 193
chlorite, identification by XRD, X-ray precession photographs 193
clinochlore, identification by XRD, X-ray precession photographs 193
cronstedtite, identification by XRD, X-ray precession photographs 193
identification by XRD, X-ray precession photographs 193
kaolin-group minerals, identification by XRD, X-ray precession photographs 193
lepidolite, identification by XRD, X-ray precession photographs 193
micas, identification by XRD, X-ray precession photographs 193
muscovite, identification by XRD, X-ray precession photographs 193
phengeite, identification by XRD, X-ray precession photographs 193
serpentine-group minerals, identification by XRD, X-ray precession photographs 193
Polyvinyl alcohol
-treated montmorillonite, surface area, pore size, pore volume, XRD 147
PONS, C.-H. (with CHRISTINA DE LA CALLE and HÉLÈNE SUQUET), Stacking Order in a 14.40-Å Mg-Vermiculite 481
Pore
deposition of quartz fines in, function of salinity 491
size, montmorillonite, -delaminated montmorillonite 147
Porosity
micro-, hydroxy-Al-montmorillonite PILC, decrease with calcination 369
porous media, deposition of quartz fines in, as function of salinity 491
porous media, mobilization of quartz fines in 491
sepiolite, function of outgassing temperature 233
Potassium
diffusion in adularia, muscovite during AEM 498
from shale, source for formation of I/S in bentonite beds 349
K-bentonite, XRD, TEM, SAD, AEM, electron microprobe analysis 83
Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxyaluminum Cations and Polyvinyl Alcohol, by Kenzi Suzuki, Toshiaki Mori, Kaoru Kawase, Hiroshi Sakami, and Shozo Iida 147
Protonation
MB^+ by Barasym, Laponite, hectorite 214
OH, in palygorskite, result of pyridine adsorption 364
PUSINO, A. (with G. MICERA, C. GESSA, and S. PETRETTO), Interaction of Fluazifop with Al-, Fe^{3+}-, and Cu^{2+}-Saturated Montmorillonite 354
Pyridine
adsorption on palygorskite, effect on structural folding, OH protonation 364
Pyrolusite
effect on synthesis of iron oxyhydroxides 469
XRD 469
Pyrophyllite
edge-charge sites 141

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Q

Quantitative Assay of Minerals for Fe^{2+} and Fe^{3+} using 1,10-Phenanthroline. III. A Rapid Photochemical Method, by Peter Komadel and J. W. Stucki 379

Quantitative Curves for Mica/Smectite Interstratifications by X-ray Powder Diffraction, by Katsutoshi Tomita, Hidewo Takahashi, and Takashi Watanabe 258

Quantitative Determination of Hematite and Goethite in Lateritic Bauxites by Thermodifferential X-ray Powder Diffraction, by T. Boski and A. J. Herbillon 176

Quartz
- coating on, in weathered gabbro, EDX 521
- fines grain, colloidal forces between, and sand media 491
- fines, mobilization of, in porous media 491

QUIN, T. G. (with G. J. LONG, C. G. BENSON, STEPHEN MANN, and R. J. P. WILLIAMS), Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides 165

R

Radioactive waste disposal (see Nuclear wastes)

RASSINEAUX, F. (with D. BEAUFORT, A. BOUCHET, T. MERCERON, and A. MEUNIER), Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals 187

Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex, by S. S. Singh and H. Kodama 397

Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Comment, by R. C. Mackenzie 540

Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Reply, by E. E. Foord, H. C. Starkey, J. E. Taggart, Jr., and D. R. Shawe 541

Reexamination of the Kinetics of the Thermal Desorption of Dimethylsulfoxide and N-Methyl Formamide from a Greensplatt Kaolin, by Christopher Breen and Sean Lynch 19

Referees
- technical, Volume 36, *Clays and Clay Minerals* 542

Reichweite structure
- quantitative curves for mica/smectite for various Reichweite values, by XRD 258

REID, D. A. (with R. C. GRAHAM, S. B. EDINGER, L. H. BOWEN, and J. O. ERVIN), Celadonite and its Transformation to Smectite in an Entisol at Red Rock Canyon, Kern County, California 425

Relative humidity (RH)
- effect on basal spacings of smectite, mica/smectite 73
- effect on swelling, layer stacking of 2:1 phyllosilicates 184

Relative Solubility of Corundum, Gibbsite, Boehmite, and Diaspore at Standard State Conditions, by F. J. Peryea and J. A. Kittrick 391

REYNOLDS, R. C., JR. (with J. R. WALKER and M. M. HLUCHY), Estimation of Heavy Atom Content and Distribution in Chlorite Using Corrected X-ray Powder Diffraction Intensities 359

RH (see Relative humidity)

Rheology
- components of surface free energy of kaolinite, bentonite, montmorillonite 243
- density, compressibility of Wyoming bentonite 94
- hydraulic conductivity of smectite-sand mixtures 243
- orientation of clay particles by XRD, linear dichroism 476
- studies during development of clay mineralogy 97
- surface free energy of kaolinite 455

RIEDMÜLLER, G. (with K. KLIMA and K. STATTEGGER), Statistical Analysis of Clay Mineral Assemblages in Fault Gouges 277

Rietveld structure refinement
- kaolinite, neutron powder diffraction 225

ROCKE, S. C. (with J. M. GARCÉS, C. E. CROWDER, and D. L. HASHA), Hypothetical Structures of Magadiite and Sodium Octosilicate and Structural Relationships between the Layered Alkali Metal Silicates and the Mordenite- and Pentasil-Group Zeolites 409

RODRÍGUEZ-CASTELLÓN, ENRIQUE (with PASCAL OLIVER PASTOR and AURORA RODRÍGUEZ GARCIA), Uptake of Lanthanides by Vermiculite 68

RODRÍGUEZ GARCIA, AURORA (with PASCAL OLIVER PASTOR and ENRIQUE RODRÍGUEZ-CASTELLÓN), Uptake of Lanthanides by Vermiculite 68

ROUQUEROL, J. (with Y. GRILLET, J. M. CASES, M. FRANCOIS, and J. E. POIRIER), Modification of the Porous Structure and Surface Area of Sepiolite under Vacuum Thermal Treatment 233

ROZEN, H. (with L. MARGULIES and A. BANIN), Use of X-ray Powder Diffraction and Linear Dichroism Methods to Study the Orientation of Montmorillonite Clay Particles 476

ROZEN, H. (with L. MARGULIES and E. COHEN), Photostabilization of a Nitromethylene Heterocycle Insecticide on the Surface of Montmorillonite 159

ROZEN, H. (with L. MARGULIES and S. NIR), Model for Competitive Adsorption of Organic Cations on Clays 270

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Ruthenium phenanthroline ($Ru(phen)_3^{2+}$)
-montmorillonite adduct, electronic absorption, basal spacings 530
-montmorillonite adduct, optical resolution of Cr(acac), Co(acac), 1,1′-binaphthol, 1,1′-binaphthylamine on 530
-saponite adduct, electronic absorption, basal spacings 530
-saponite adduct, optical resolution of Cr(acac), Co(acac), 1,1′-binaphthol, 1,1′-binaphthylamine on 530

S

SAD (see Selected area electron diffraction)
SAKAMI, HIROSHI (with KENZI SUZUKI, TOSHIAKI MORI, KAORU KAWASE, and SHOZO IIDA), Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxyaluminum Cations and Polyvinyl Alcohol 147
Salinity
effect on fines mobilization in porous media 491
effect on hydraulic conductivity of smectite-sand mixtures 432
effect on zeta potential of quartz fines 491
Sand
grain, colloidal forces between, and fines particle 491
media, zeta potential as a function of salinity 491
mobilization of fines particles in porous sand media 491
-smectite mixtures, effect of Mg on hydraulic conductivity of 432
SANDERS, J. V. (with AHMAD SHAYAN and C. J. LANCUCKI), Hydrothermal Alterations of Hisingerite Material from a Basalt Quarry near Geelong, Victoria, Australia 327
Saponite
adsorption properties as packing material in liquid-column chromatography 530
chemical composition 102, 131, 327
ferruginous, in gabbro saprolite, chemical composition, IR, EDX, SEM, TEM, SAD, Mössbauer spectra 102
ferruginous, in gabbro saprolite, genesis 102
from gabbro, oxidation of iron in 102
in altered basalt, electron microprobe analysis, genesis 131
nomenclature on basis of layer charge 184
product of hydrothermal treatment of hisingerite 327
-$Ru(phen)_3^{2+}$ adduct, electronic absorption, basal spacings 530
-$Ru(phen)_3^{2+}$ adduct, optical resolution of Cr(acac), Co(acac), 1,1′-binaphthol, 1,1′-binaphthylamine on 530
synthetic, chemical composition, CEC 530
TEM 102, 327
XRD, TEM, DTA, electron microprobe analysis 327
Saprolite
ferruginous saponite in, IR, EDX, TEM, SAD, chemical composition, electron microprobe analysis 102
from gabbro, ferruginous saponite in, genesis 102
from gabbro, petrography, EDX, SEM, mineralogical analysis 102
SATOKAWA, SHIGEO (with YOSHIYUKI SUGAHARA, KAZUYUKI KURODA, and CHUZO KATO), Evidence for the Formation of Interlayer Polyacrylonitrile in Kaolinite 343
Scanning electron microscopy (SEM)
celadonite, in hydrothermally altered basalt 425
dickite, authigenic 153
Fe-Ti-Mn phase in biotite cracks 47
feldspar, corroded, in weathered gneiss 521
gneiss, weathered 521
iron oxides with feldspar in gabbro saprolite 102
kaolinite, authigenic 153
magadiite, synthetic, natural 409
montmorillonite-chelate adducts, used as packing material in liquid-column chromatography 530
saponite-chelate adducts, used as packing material in liquid-column chromatography 530
smectite, ferruginous, in gabbro saprolite 102
sodium octosilicate 409
SCHMIDT, R. L. (with J. M. ZACHARA, C. E. COWAN, and C. C. AINSWORTH), Chromate Adsorption by Kaolinite 317
SCHNOOR, J. L. (with RUDOLF GIOVANOLI, LAURA SIGG, WERNER STUMM, and JÜRG ZOBRIST), Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzerland 521
SCHOONHEYDT, R. A. (with J. CENENS), Visible Spectroscopy of Methylene Blue on Hectorite, Laponite B, and Barasym in Aqueous Suspensions 214
Searlesite
in veins, crusts in basalt 131
Selected area electron diffraction (SAD)
birnessite, transformed to hausmannite 249
enstatite, thermal decomposition product of talc 289
I/S, smectite in K-bentonite 83
K-bentonite 183
microelectron diffraction of Si-, P-containing goethite 165
smectite, ferrugineous, in gabbro saprolite 102
talc, thermal decomposition products 289
SEM (see Scanning electron microscopy)
Sepiolite
adsorption of MB on 214
Co-exchanged, EXAFS 382, 384

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

immersion calorimetry in water 233
MB-adsorbed, visible spectroscopy 214
modification of porous structure, surface area by thermal treatment 233
reciprocal thermal analysis 233
specific surface area as function of outgassing temperature 233
Serpentine
-group minerals, polytype identification by XRD, X-ray precession photographs 193
-group minerals, XRD, unit-cell parameters 193
serpentinite, weathering of chlorite, vermiculite in veins in 263
SHAINBERG, I. (with N. ALPEROVITCH and R. KEREN), Effect of Magnesium on the Hydraulic Conductivity of Na-Smectite-Sand Mixtures 432
Shale
in Salton Sea geothermal field, AEM, HRTEM, XRF 1
in Salton Sea geothermal field, depth zoning of phyllosilicates in 1
nacrite, authigenic, in 137
source of K for I/S in bentonite beds 349
SHAOBAI, SUN (with S. A. BOYD, J.-F. LEE, and M. M. MORTLAND), Pentachlorophenol Sorption by Organo-Clays 125
SHAWE, D. R. (with E. E. FOORD, H. C. STARKEY, and J. E. TAGGART, JR.), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Reply 541
SHAYAN, AHMAD (with J. V. SANDERS and C. J. LANCUCKI), Hydrothermal Alterations of Hisingerite Material from a Basalt Quarry near Geelong, Victoria, Australia 327
Shearing
control of clay mineral formation in fault gouge 277
SIDHU, P. S., Transformation of Trace Element-Substituted Maghemite to Hematite 31
SIGG, LAURA (with RUDOLF GIOVANOLI, J. L. SCHNOOR, WERNER STUMM, and JÜRG ZOBRIST), Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzerland 521
Silica
gel, adsorption of 8-hydroxyquinoline, function of time, pH, concentration 61
Silicon
-containing ferrihydrite, synthesis, EDX, Mössbauer spectra 165
-containing goethite, synthesis, TEM, EDX, microelectron diffraction, Mössbauer spectra, crystal growth 165
SINGH, S. S. (with H. KODAMA), Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex 397
Sintering
in maghemite-hematite reaction, followed by TEM 31
Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species, by D. Tichit, F. Fajula, F. Figueras, B. Ducourant, G. Mascherpa, C. Gueguen, and J. Bosquet 369
Smectite (see also Bentonite, Montmorillonite)
alkyl-saturated, adsorption of pentachlorophenol 125
basal spacings, function of RH, Ca vs. Na content 73
Ca-Na-exchanged, demixing to Ca-, Na-smectite interstratifications 73
CEC 432
charge density 432
chemical composition, XRD 73
compressibility, relation with density, sonic velocity 94
Cr-, distinct from volkonskoite 540, 541
density, relation with sonic velocity, compressibility 94
dioctahedral, distribution, during demixing of Ca-Na-smectite 73
distribution in fault gouge 277
Fe-rich, derived from weathering of celadonite, XRD, Mössbauer spectra 425
/illite, in K-bentonite, TEM, XRD, SAD 83
/illite, in Salton Sea geothermal field, genesis 1
in chlorite-rich veins in serpentinite, CEC, chemical composition 263
in Salton Sea geothermal field, diagenesis, depth zoning, texture 1
layers, percentage in I/S across bentonite beds 349
layers, percentage in I/S, relation with geothermal temperature 337
layers, percentage in I/S, relation with zeolite content of Neogene sediments 337
/mica, quantitative curves by XRD 258
-sand mixture, effect of Mg on hydraulic conductivity of 432
sonic velocity, relation with density, compressibility 94
surface area 432
thermal conductivity, effect of compaction pressure, water content on 462
Sodic Clay-Zeolite Assemblage in Basalt at Boron, California, by W. S. Wise and W. D. Kleck 131
Sodium
alteration of zeolites in basalt 131
-clay-zeolite assemblage, genesis in altered basalt 131
Sodium octosilicate
IR, NMR, XRD, synthesis 409
structural relationships with mordenite-, pentasil-group zeolites 409

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Sodium tetraphenyl boron (Na-STB)
used to extract boron from celadonite 425
Soil
Entisol, from hydrothermally altered basalt, transformation of celadonite to Fe-rich smectite in 425
SOLLER, D. R. (with P. P. HEARN, JR., LUCY MCCARTAN, M. D. KROHN, and V. M. GONZALEZ), Cacoxenite in Miocene Sediments of the Maryland Coastal Plain 419
Sonic velocity
bentonite, relation to density, compressibility 94
Sorption of 8-Hydroxyquinoline by Some Clays and Oxides, by E. A. Ferreiro, S. G. de Bussetti, and A. K. Helmy 61
Source clays, CMS
Barasym 214
hectorite, SCa-1, MB adsorption on 214
kaolinite, KGa-1, chromate adsorption by 317
kaolinite, KGa-1, NIR 310
montmorillonite, SWy-1, adsorption of MB, thioflavin, Cs on 270
montmorillonite, SWy-1, orientation, by XRD, linear dichroism methods 476
montmorillonite, SWy-1, photostabilization of insecticide on 159
nontronite, NG-1, Fe analysis by photochemistry 379
nontronite, NG-1, Mössbauer spectra 376
nontronite, SWa-1, Fe analysis by photochemistry 379
Special clays, CMS (see Source clays, CMS)
Specific gravity (see Density)
Stability
diagram, feldspar-biotite-mica 1
thermal, PILC 369
Stacking Order in a 14.40-Å Mg-Vermiculite, by Christina de la Calle, Helene Suquet, and C.-H. Pons 481
STARKEY, H. C. (with E. E. FOORD, J. E. TAGGART, JR., and D. R. SHAWE), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Reply 541
STASZCZUK, PIOTR (with EMIL CHIBOWSKI), Determination of Surface Free Energy of Kaolinite 455
Statistical Analysis of Clay Mineral Assemblages in Fault Gouges, by K. Klima, G. Riedmüller, and K. Stattegger 277
STATTEGGER, K. (with K. KLIMA and G. RIEDMÜLLER), Statistical Analysis of Clay Mineral Assemblages in Fault Gouges 277
STOESSELL, R. K., book review, *Thermodynamic Modeling of Geologic Materials: Minerals, Fluids and Melts,* I. S. E. Carmichel and H. P. Eugster, eds. 190
Structural formula
allophane, synthetic 11
aluminosilicate, hollow sphere 11
cacoxenite 419
ferrian saponite 102
imogolite, synthetic 11
K-bentonite 83, 349
tosudite 39, 505
Structure (see Crystal structure)
STUCKI, J. W. (with P. R. LEAR and PETER KOMADEL), Mössbauer Spectroscopic Identification of Iron Oxides in Nontronite from Hohen Hagen, Federal Republic of Germany 376
STUCKI, J. W. (with PETER KOMADEL), Quantitative Assay of Minerals for Fe^{2+} and Fe^{3+} using 1,10-Phenanthroline. III. A Rapid Photochemical Method 379
STUMM, WERNER (with RUDOLF GIOVANOLI, J. L. SCHNOOR, LAURA SIGG, and JÜRG ZOBRIST), Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzerland 521
SUGAHARA, YOSHIYUKI (with SHIGEO SATOKAWA, KAZUYUKI KURODA, and CHUZO KATO), Evidence for the Formation of Interlayer Polyacrylonitrile in Kaolinite 343
Sulfate
adsorption on kaolinite, mechanism 317
SUQUET, H. (with H. PEZERAT), Comments on the Classification of Trioctahedral 2:1 Phyllosilicates 184
SUQUET, HÉLÈNE (with CHRISTINA DE LA CALLE and C.-H. PONS), Stacking Order in a 14.40-Å Mg-Vermiculite 481
Surface area
adsorption on kaolinite, mechanism 317
akaganeite, synthetic 385
ferrihydrite, synthetic, 2-line, 6-line 111
hematite, effect of heating on 31
hydroxy-Al-montmorillonite PILC 369
kaolinite 317
lepidocrocite, synthetic 385
maghemite, effect of heating on 31
maghemite, effect on transformation to hematite 31
magnetite, effect of heating on 31
montmorillonite 369
montmorillonite, hydroxy-Al pillared 147
montmorillonite, polyvinyl alcohol-treated 147
smectite 363, 432
specific, sepiolite, function of outgassing temperature 233
SUZUKI, KENZI (with TOSHIAKI MORI, KAORU KAWASE, HIROSHI SAKAMI, and SHOZO IIDA), Preparation of Delaminated Clay Having a Narrow Micropore Distribution in the Presence of Hydroxyaluminum Cations and Polyvinyl Alcohol 147
Swelling
function of RH in 2:1 phyllosilicates 184

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

relation with layer charge in 2:1 phyllosilicates 184
smectite, effect of Mg on, in smectite-sand mixtures 432
Synthesis
akaganéite, effect of Mn oxides on 469
allophane, hollow sphere 11
aluminosilicates, hollow sphere, noncrystalline 11
birnessite from hausmannite, in alkaline media 249
feroxyhyte, effect of Mn oxides on 469
ferrihydrite, 2-line, 6-line 111
ferrihydrite, Si-, P-containing 165
gibbsite, from $AlCl_3$ solutions 25
goethite, Si-, P-containing 165
hausmannite 297
hydroxy-Al-montmorillonite PILC 369, 397
iron oxides 303
kaolinite-polyacrylonitrile intercalation complex 343
lepidocrocite, effect of Mn oxides on 469
magadiite 409
sodium octosilicate 409
Synthesis and Characterization of a Hollow Spherical Form of Monolayer Aluminosilicate, by Koji Wada, Michael Wilson, Yasuo Kakuto, and S.-I. Wada 11

T

TAGGART, J. E., JR. (with E. E. FOORD, H. C. STARKEY, and D. R. SHAWE), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem: Reply 541
TAKAHASHI, HIDEWO (with KATSUTOSHI TOMITA and TAKASHI WATANABE), Quantitative Curves for Mica/Smectite Interstratifications by X-ray Powder Diffraction 258
Talc
dehydroxylation mechanism 289
TEM, EDX, SAD 289
thermal transformation to enstatite 289
topotactic transformation to enstatite 289
TEM (see Transmission electron microscopy)
Tetrahedral Fe^{3+} in Ferrihydrite: ^{57}Fe Mössbauer Spectroscopic Evidence, by C. M. Cardile 537
TETTENHORST, R. T. (with C. E. CORBATÓ), Comparison of Experimental and Calculated X-ray Powder Diffraction Data for Boehmite 181
Texture
biotite, Salton Sea geothermal field, by HRTEM 1
chlorite, Salton Sea geothermal field, by HRTEM 1
illite, Salton Sea geothermal field, by HRTEM 1
shale, Salton Sea geothermal field, by HRTEM 1
TGA (see Thermal gravimetric analysis)
Thermal Transformation of Talc as Studied by Electron-Optical Methods, by Helena de Souza Santos and Keiji Yada 289
Thermal conductivity
illite, effect of compaction pressure, water content, thermal treatment on 462
palygorskite, effect of compaction pressure, water content, thermal treatment on 462
smectite, effect of compaction pressure, water content, thermal treatment on 462
Thermal gravimetric analysis (TGA)
ferrihydrite, synthetic, 2-line, 6-line 111
kaolin, DMSO-adsorbed 19
kaolin, N-methyl formamide-adsorbed 19
kaolinite, water-wet 455
saponite, prepared from hisingerite 327
Thermal treatment
allophane, synthetic, hollow sphere 11
book review, *Chemistry of Clays and Clay Minerals,* A. C. D Newman, ed. 480
decomposition of talc to enstatite 289
dehydroxylation mechanism of talc 289
donbassite 39
effect on desorption of DMSO, N-methyl formamide from kaolin 19
effect on thermal conductivity of illite, smectite, palygorskite 462
ferrihydrite, synthetic, 2-line, 6-line 111
hydroxy-Al-montmorillonite PILC 369, 397
kaolinite-polyacrylonitrile intercalation complex 343
quantitative mineral analysis of hematite, goethite by 176
sepiolite, reciprocal thermal analysis 233
sintering of hydroxy-Al-montmorillonite PILC, relation to microporosity 369
thermodifferential XRD 176
topotactic transformation of talc to enstatite 289
tosudite 39
Thermodynamics
book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
book review, *Thermodynamic Modeling of Geological Materials: Minerals, Fluids and Melts,* I. S. E. Carmichael and H. P. Eugster, eds. 190
derivitive enthalpy of adsorption, sepiolite-N_2 system 233
Gibbs free energy of formation for aluminum hydroxides 391
models of kaolinization of bauxite oolites 439
surface free energy of alumina, marble, quartzite 243
surface free energy of kaolinite 243, 455
surface free energy of kaolinite, montmorillonite, bentonite 243

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

Thioflavin T
adsorption on montmorillonite 270
-montmorillonite complex, microelectrophoresis 270
THOMPSON, J. G. (with L. C. HAWKER), Weathering Sequence and Alteration Products in the Genesis of the Graskop Manganese Residua, Republic of South Africa 448
TICHIT, D. (with F. FAJULA, F. FIGUERAS, B. DUCOURANT, G. MASCHERPA, C. GUEGUEN, and J. BOSQUET), Sintering of Montmorillonites Pillared by Hydroxy-Aluminum Species 369
Titles
papers presented, 1988 annual meeting, The Clay Minerals Society 580
Todorokite
in Mn residua deposit, XRD, IR, chemical composition, TEM 448
TOMITA, KATSUTOSHI (with HIDEWO TAKAHASHI and TAKASHI WATANABE), Quantitative Curves for Mica/Smectite Interstratifications by X-ray Powder Diffraction 258
Topotactic
relation of talc and enstatite 289
Tosudite
Li-bearing, XRD, IR, chemical composition 39
occurrence in hydrothermal veins in granite 39
petrography of veins in granite 39
XRD, IR, chemical composition 39
Toxicant
environmental, adsorption of chlorophenols by pillared, delaminated, hydroxy-Al smectite, Laponite 403
enviromental, adsorption of pentachlorophenol by organic clays 125
Trace elements
in hematite formed by heating maghemite, effect on surface area 31
in maghemite, effect on surface area 31
Transformation of Hausmannite into Birnessite in Alkaline Media, by R. M. Cornell and R. Giovanoli 249
Transformation of Trace Element-Substituted Maghemite to Hematite, by P. D. Sidhu 31
Transmission Electron Microscope Study of Biotite Weathering, by J. F. Banfield and R. A. Eggleton 47
Transmission electron microscopy (TEM)
akaganeite, acid-treated akaganeite 385
aluminosilicate, synthetic, noncrystalline, hollow sphere 11
biotite platelet in weathered gneiss 521
biotite, Salton Sea geothermal field, lattice-fringe images 1
birnessite 448
birnessite, transformed from hausmannite in alkaline media 249
chlorite, Salton Sea geothermal field, lattice-fringe images 1
colloidal Al hydroxides 521
cryptomelane 467
ferrihydrite, synthetic, 2-line, 6-line 111
goethite, P-, Si-containing 165
hausmannite 249, 467
hisingerite, hydrothermally treated hisingerite 327
illite, Salton Sea geothermal field, lattice-fringe images 1
jacobsite 249
K-bentonite, lattice-fringe images 83
lattice-fringe images of biotite weathering to vermiculite 47
lepidocrocite, acid-treated lepidocrocite 385
maghemite, heated to elevated temperatures 31
mica units in K-bentonite 83
nacrite, authigenic, in shale 137
nsutite 448
pyrolusite 467
shale, Salton Sea geothermal field, lattice-fringe images 1
smectite, ferruginous, in gabbro saprolite 102
talc, thermal decomposition followed by 289
talc-enstatite topotactic relation 289
todorokite 448

U

Unit-cell parameters
amesite 193
anandite 193
annite 193
chlorites 193
clinochlore 193
clintonite 193
cronstedtite 193
dickite 193
kaolinite 193
lepidolite 193
micas 193
muscovite 193
phengite 193
serpentine-group minerals 193
Uptake of Lanthanides by Vermiculite, by Pascal Oliver Pastor, Enrique Rodríguez-Castellón, and Aurora Rodríguez Garcia 68
Use of a Linear Localization Detector for X-ray Diffraction of Very Small Quantities of Clay Minerals, by F. Rassineaux, D. Beaufort, A. Bouchet, T. Merceron, and A. Meunier 187
Use of X-ray Powder Diffraction and Linear Dichroism Methods to Study the Orientation of Montmorillonite Clay Particles, by L. Margulies, H. Rozen, and A. Banin 476

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

V

VAN DER PLUM, B. A. (with J. H. LEE and D. R. PEACOR), Analytical Electron Microscopy and the Problem of Potassium Diffusion 498
VAN WIJCK, J. H. (with P. BUURMAN and E. L. MEIJER), Weathering of Chlorite and Vermiculite in Ultramafic Rocks of Cabo Ortegal, Northwestern Spain 263
VELDE, B. (with A. IIJIMA), Comparison of Clay and Zeolite Mineral Occurrences in Neogene Age Sediments from Several Deep Wells 337
VERGO, NORMA (with J. K. CROWLEY), Near-Infrared Reflectance Spectra of Mixtures of Kaolin-Group Minerals: Use in Clay Mineral Studies 310
Verification of the Triclinic Crystal Structure of Kaolinite, by R. A. Young and A. W. Hewat 225
Vermiculite
edge-charge sites 141
electron density map 481
electron microprobe analysis 47
Fe oxidation state in, photochemical analysis using 1,10-phenanthroline 379
in veins in serpentinite, chemical composition, CEC 263
in veins in serpentinite, weathering of 263
lattice-fringe images 47
Mg-, stacking order in 481
nomenclature, based on layer charge 184
removal of hydroxy-Al from chlorite during formation of 263
weathering of biotite to, in granodiorite, mechanism 47
Visible Spectroscopy of Methylene Blue on Hectorite, Laponite B, and Barasym in Aqueous Suspensions, by J. Cenens and R. A. Schoonheydt 214
Visible spectroscopy
Barasym, MB-adsorbed 214
hectorite, MB-adsorbed 214
Laponite, MB-adsorbed 214
-near IR, cacoxenite 419
sepiolite, MB-adsorbed 214
Volkonskoite
-Cr-smectite nomenclature problem 540, 541
definition on basis of octahedral cations 540, 541

W

Wad
Mn, XRD, IR, petrography, chemical composition 448
weathering sequence in 448
WADA, KOJI (with MICHAEL WILSON, YASUKO KAKUTO, and S.-I. WADA), Synthesis and Characterization of a Hollow Spherical Form of Monolayer Aluminosilicate 11
WADA, S.-I. (with KOJI WADA, MICHAEL WILSON, and YASUKO KAKUTO), Synthesis and Characterization of a Hollow Spherical Form of Monolayer Aluminosilicate 11
WALKER, J. R. (with M. M. HLUCHY and R. C. REYNOLDS, JR.), Estimation of Heavy Atom Content and Distribution in Chlorite Using Corrected X-ray Powder Diffraction Intensities 359
WATANABE, TAKASHI (with TAKASHI IWASAKI), Distribution of Ca and Na Ions in Dioctahedral Smectites and Interstratified Dioctahedral Mica/Smectites 73
WATANABE, TAKASHI (with KATSUTOSHI TOMITA and HIDEWO TAKAHASHI), Quantitative Curves for Mica/Smectite Interstratifications by X-ray Powder Diffraction 258
Water
adsorption on clays, book review, *Chemistry of Clays and Clay Minerals,* A. C. D. Newman, ed. 480
adsorption on kaolinite 455
basal spacings of Na-Ca-smectite as function of RH 73
content, effect of, on thermal conductivity of illite, smectite, palygorskite 462
film pressure on kaolinite 455
lake, relation between composition and chemical weathering of gneiss in catchment area 521
Weathering
artificial, Na-STB extraction of K from celadonite 425
biotite to vermiculite, mechanism 47
biotite, in granodiorite 47
biotite, vermiculite to kaolinite 47
celadonite to Fe-rich smectite in Entisol 425
chemical, of gneiss, by acid precipitation 521
chlorite, vermiculite in serpentinite 263
formation of ferruginous saponite in gabbro saprolite 102
granite, hydrothermally altered 505
removal of hydroxy-Al in transformation of chlorite to high-charge vermiculite 263
saprolite from gabbro 102
sequence in manganese residua 448
Weathering of Chlorite and Vermiculite in Ultramafic Rocks of Cabo Ortegal, Northwestern Spain, by P. Buurman, E. L. Meiejer, and J. H. van Wijck 263
Weathering Sequence and Alteration Products in the Genesis of the Graskop Manganese Residua, Republic of South Africa, by L. C. Hawker and J. G. Thompson 448
WHITE, G. N. (with L. W. ZELAZNY), Analysis and Implications of the Edge Structure of Dioctahedral Phyllosilicates 141
WHITEMAN, J. A. (with W. D. HUFF and C. D. CURTIS), Investigation of a K-Bentonite by X-ray Powder Diffraction and Analytical Transmission Electron Microscopy 83

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

WILLIAMS, R. J. P. (with T. G. QUIN, G. J. LONG, C. G. BENSON, and STEPHEN MANN), Influence of Silicon and Phosphorus on Structural and Magnetic Properties of Synthetic Goethite and Related Oxides 165
WILSON, MICHAEL (with KOJI WADA, YASUKO KAKUTO, and S.-I. WADA), Synthesis and Characterization of a Hollow Spherical Form of Monolayer Aluminosilicate 11
WISE, W. S. (with W. D. KLECK), Sodic Clay-Zeolite Assemblage in Basalt at Boron, California 131

X

Xonotlite
on surface of hisingerite, SEM 327
X-ray absorption-edge spectroscopy
ferrihydrite, synthetic, 2-line, 6-line 111
X-ray Diffraction Identification of the Polytypes of Mica, Serpentine, and Chlorite, by S. W. Bailey 193
X-ray diffraction
amesite, precession, single crystal photographs 193
anandite, precession, single crystal photographs 193
annite, precession, single crystal photographs 193
clinochlore, precession, single crystal photographs 193
clintonite, precession, single crystal photographs 193
cronstedtite, precession, single crystal photographs 193
dickite, precession, single crystal photographs 193
kaolinite, precession, single crystal photographs 193
lepidolite, precession, single crystal photographs 193
mica, precession, single crystal photographs 193
muscovite, precession, single crystal photographs 193
nacrite, precession, single crystal photographs 193
phengite, precession, single crystal photographs 193
serpentine-group minerals, precession, single crystal photographs 193
Weissenberg photographs of 14.30-Å Mg-vermiculite, stacking order in 481
X-ray fluorescence spectroscopy (XRF)
biotite, Salton Sea geothermal field 1
chlorite, Salton Sea geothermal field 1
granodiorite, fresh, weathered 47
hisingerite-rich material 327
illite, Salton Sea geothermal field 1
shale, Salton Sea geothermal field 1
X-ray powder diffraction (XRD)
akaganéite 467
aluminosilicate, noncrystalline, hollow spheres 11
bentonite, K- 83
birnessite 448
biotite, from weathered granodiorite 47
birnessite, transformed from hausmannite 249
birnessite-jacobsite mixtures 249
boehmite 391
boehmite, experimental, calculated patterns 181
boehmite-diaspore zone in kaolinized bauxite 439
cacoxenite 419
celadonite, in hydrothermally altered basalt 423
clay minerals, small quantities of, using linear localization detector 187
corundum 391
diaspore 391, 439
diaspore, in bauxite oolites 439
donbassite 31
feroxyhyte 467
ferrihydrite, synthetic, 2-line, 6-line 111
gibbsite 391
hausmannite 467
hematite, 113 reflection, function of heating 31
hisingerite, hydrothermally treated hisingerite 327
hydroxy-Al-montmorillonite PILC 369, 397
hydroxy-Al-montmorillonite PILC, thermally treated 397
I/S in bentonite beds 83, 349
intensities, corrected, for estimating heavy metal content, distribution in chlorite 359
kaolinite-dickite mixtures 310
kaolinite-halloysite mixtures 310
kaolinite-polyacrylonitrile intercalation complex, thermal treated products 343
lepidocrocite 467
magadiite, calculated pattern 409
magadiite, synthetic magadiite 409
maghemite, 220 reflection, function of heating 31
Mn wads 448
montmorillonite 83, 147, 369
montmorillonite, delaminated 147
montmorillonite, homoionic, treated with phenamiphos 284
montmorillonite, polyvinyl alcohol-treated 147
montmorillonite-Ru(phen)$_3^{2+}$ adduct 530
nacrite, authigenic 137
nsutite 448
oolites in bauxite 439
oxine-treated montmorillonite 61

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press

quantitative curves for mica/smectite, by 258
quantitative thermodifferential, mineral analysis of hematite, goethite 176
pyrolusite 467
saponite, formed from hisingerite 327
saponite-Ru(Phen)$_3^{2+}$ adduct 530
smectite, basal spacings 73
smectite, ferruginous, in gabbro saprolite 102
sodium octosilicate 409
study of orientation of montmorillonite 476
todorokite 448
tosudite 31
use in development of clay mineralogy 97
vermiculite, lanthanide-exchanged 68
XRD (see X-ray powder diffraction)
XRF (see X-ray fluorescence analysis)

Y

YADA, KEIJI (with HELENA DE SOUZA SANTOS), Thermal Transformation of Talc as Studied by Electron-Optical Methods 289
YAMAGISHI, AKIHIKO (with YUJI NAKAMURA, TOSCHITAKE IWAMOTO, and MAKOTO KOGA), Adsorption Properties of Montmorillonite and Synthetic Saponite as Packing Materials in Liquid-Column Chromatography 530
YAU, Y.-C. (with D. R. PEACOR, R. E. BEANE, E. J. ESSENE, and S. D. MCDOWELL), Microstructures, Formation Mechanisms, and Depth-Zoning of Phyllosilicates in Geothermally Altered Shales, Salton Sea, California 1
YOUNG, R. A. (with A. W. HEWAT), Verification of the Triclinic Crystal Structure of Kaolinite 225

Z

ZACHARA, J. M. (with C. E. COWAN, R. L. SCHMIDT, and C. C. AINSWORTH), Chromate Adsorption by Kaolinite 317
ZELAZNY, L. W. (with G. N. WHITE), Analysis and Implications of the Edge Structure of Dioctahedral Phyllosilicates 141
Zeolite (see also individual minerals)
analcime, in altered basalt, electron microprobe analysis, genesis 131
clinoptilolite, in altered basalt, morphology, electron microprobe analysis, genesis 131
content, relation to smectite percentage in I/S in Neogene sediments 337
dachiardite, IR 409
epistilbite, IR 409
gmelinite, in altered basalt, morphology, electron microprobe analysis, genesis 131
herschelite, in altered basalt, electron microprobe analysis, genesis 131
heulandite, in altered basalt, morphology, electron microprobe analysis, genesis 131
mordenite-, pentasil-groups, structural relationships with magadiite, sodium octosilicate 409
phillipsite, in altered basalt, electron microprobe analysis, genesis 131
ZSM-5, IR 409
Zeolite ZSM-5
IR 409
structural relationship with magadiite and sodium octosilicate 409
Zeta potential
quartz in saline solutions 491
ZIELKE, R. C. (with T. J. PINNAVAIA), Modified Clays for the Adsorption of Environmental Toxicants: Binding of Chlorophenols to Pillared, Delaminated, and Hydroxy-Interlayered Smectites 403
ZOBRIST, JÜRG (with RUDOLF GIOVANOLI, J. L. SCHNOOR, LAURA SIGG, and WERNER STUMM), Chemical Weathering of Crystalline Rocks in the Catchment Area of Acidic Ticino Lakes, Switzerland 521

https://doi.org/10.1346/CCMN.1988.0360612 Published online by Cambridge University Press