BECOME A LIFE MEMBER AND YOU'LL JOIN PRESTIGIOUS COMPANY

Fauna & Flora

Become a Life Member of Fauna & Flora International to show an extraordinary commitment to an organisation that has been at the forefront of conservation for over 100 years.

Since its inception in 1903 as the world's first international conservation organisation Fauna & Flora International has been working tirelessly for the preservation of plants and animals across the world. For over 100 years Life Members have provided the support and commitment that has helped us to achieve so much, not least key achievements such as:

- Reintroducing the Arabian oryx to the wild
- Establishing the International Gorilla Conservation Programme
- Establishing Vietnam's first locally managed conservation organisation

Collaboration is key to our approach, and wherever possible we work with other global conservation organisations to ensure we are effective and efficient. That's why in 2015 we moved into the David Attenborough Building of the Cambridge Conservation Initiative with several other global conservation groups. Now we are asking you to be part of our wider collaborative work by becoming a Life Member.

As a Life Member you will receive Oryx—The International Journal of Conservation and our annual magazine Fauna & Flora, and you will also be invited to special events, where you can network with some of the world's leading conservationists. You will be joining a select group of supporters who have shown an extraordinary commitment to international conservation.

By joining Fauna & Flora International as a Life Member with a one-off payment of £1,500 you will be making a genuine difference to our conservation work and will forever be part of our global conservation organisation.



Gary Morrisroe/FFI

"I have been a member of Fauna & Flora International since the 1950s... investment in the work of FFI is truly an investment in the future of our planet"

Sir David Attenborough

To join as a Life Member, you can:

Call us on +44 (0)1223 749 019
Email us at members@fauna-flora.org
Visit www.fauna-flora.org/life-membership

Fauna & Flora
Saving Nature Together

https://doi.org/10.1017/S0030605326103202 Published online by Cambridge University Press

The International Journal of Conservation
Oryx

www.oryxthejournal.org
Volume 59 · Number 5
September 2025

545 Welcoming microbes to the community of conservation action—the Microbial Conservation Specialist Group of the Species Survival Commission, *K.H. Redford, J.A. Gilbert & R.S. Peixoto*
547 Conservation news

Bird conservation

554 Red-footed booby population thriving at globally significant Aldabra Atoll: insights from unmanned aerial vehicle surveys, *M.M. Risi, C.W. Jones, S. Oppel, C.A. Bristol, M. O'Brien, F. Fleischer-Dogley & N. Bunbury*
565 Indigenous Peoples and local communities report a consistent decline in the body mass of birds across three continents, *Á. Fernández-Llamazares, S. Álvarez-Fernández, S. Fraixedas, L. Calvet-Mir, D. García-del-Amo, A.B. Junqueira et al.*
579 Is the resident subspecies of the Eurasian spoonbill in Mauritania, *Platalea leucorodia balsaci*, threatened by introgression of genes from the migratory nominate subspecies *leucorodia*? *T. Piersma, M. Camara, P. de Goeij, B. Loos, T. Oortwijn & E.-H.M. El-Hacen*
584 Conservation in response to a crisis: initiating community-led conservation for the white-bellied heron *Ardea insignis* in northern Myanmar, *N.Z. Soe, B. Shaung, S.N. Dee, S.S. Yamin, T.N.E. Gray & N.M. Shwe*
588 Bali starlings and the journey towards happiness: introduction and breeding in the Besikalung Wildlife Sanctuary, Bali, Indonesia, *D.W.W. Parikesit, J. Ottenburghs, I.G.N.B. Wirayudha, F.X. Sudaryanto & D. Sheil*

592 Can we learn from the UK's guerrilla rewilding movement? *J. Glentworth, E. Cary, A. Gilchrist & I. Thornhill*
603 Environmental crimes are overlooked in global enforcement: an analysis of Interpol Red Notices, *S.L. Sinclair, E.C. Rubino & D. Veríssimo*
606 Measuring pro-environmental behavioural determinants using closed-answer surveys, *H. Doughty & L. Thomas-Walters*
617 Re-establishment of *Partula tohiveana* tree snails in French Polynesia after 40 years of extinction in the wild, *J. Gerlach, S. Aberdeen, T. Amo, C. Brocherieux, D. Clarke, M. Depierre et al.*
626 Rediscovery of *Meconopsis florindae* Kingdon-Ward, a Critically Endangered alpine species endemic to China, *G. Li, D.W.H. Rankin, W. Jia & B. Xu*
630 Wildlife Atlas of Sabah: a long view between 1980 and 2020, *A. Shabrani, S. Juiling, L.J. Wong, R. Jumin, G. Jetony, H. Bernard & G. Davies*
635 Social structure and 'situationships' in Indo-Pacific humpback dolphin *Sousa chinensis* societies in north-western Peninsular Malaysia: conservation implications within an Important Marine Mammal Area, *Z.Y. Teoh, A.Y.-H. Then, J.E. Ng, S.H. Kuit, S. Bono, F. Jamal Hisne & L.S. Ponnampalam*
648 Visual census versus citizen science: which is the best method for surveying an elusive and threatened snake? *T. Cavalcante, R. Freire-Filho, J.A. Andrade-Oliveira, L.S. Lima, R.C. Gonzalez & H. Fernandes-Ferreira*
653 Camera traps placed to detect predators underestimate prey densities, *M.S. Khanyari, R. Pal, R. Rao, C. Sharma, D. Bajaj & K. Suryawanshi*
662 Recovery of African rhinoceroses since Covid-19 despite poaching, *S. Ferreira, M. 't Sas-Rolfes, H. Dublin, J. Gaymer, M. Hofmeyr, K. Makoma et al.*
668 Spatio-temporal variation in the distribution of great apes in the Dja-Ngoyla Complex in Cameroon, and implications for conservation, *O.Z. Fankem, A.S. Kobla, T. Bruce, G. Oum Ndjock, B. Sock, S. Kekeunou et al.*

Book reviews
679 Beautiful Beasts, Beautiful Lands: The Fall and Rise of an African National Park
679 Discovering the Okapi: Western Science, Indigenous Knowledge, and the Search for a Rainforest Enigma

Cover Aldabra Atoll, a UNESCO World Heritage site in the Seychelles, is a marine protected area and an important breeding site for several seabird species, including the red-footed booby *Sula sula* (pictured). An atoll-wide boat-based survey in 2022–2023 recorded a total of 36,720 breeding pairs, a considerable increase compared to the count of c. 6,500 pairs in 1968–1969. An additional survey in 2023 using an unmanned aerial vehicle resulted in a similar count to the boat-based survey along the shoreline but located an additional 5,574 pairs breeding inland in areas that were not visible from the boats. This study highlights the global importance of Aldabra as the most significant red-footed booby colony in the Indian Ocean. For further details, see pp. 554–564. (Photograph © David Tipling/NaturePL.com)

Fauna & Flora
Saving Nature Together

FSC
www.fsc.org
MIX
Paper | Supporting responsible forestry
FSC™ C013985

Supported by
The Rufford Foundation
www.rufford.org

https://doi.org/10.1017/S0030605326103202 Published online by Cambridge University Press