Index

$B \to X_s\gamma$, 229
  LO, 232
  NLO, 238
$B \to \pi K$ decays, 325
$B^+ \to \bar{D}^{*0}\ell^+\nu_e$, 96
$B^+ \to \bar{D}^0\ell^+\nu_e$, 96
$B^+ \to \tau^+\nu_\tau$, 354
$B^+ \to \tau^+\nu_\tau$, 93
$B^- \to \mu^-\bar{\nu}_\mu$, 356
$B_c \to \tau\bar{\nu}_\tau$, 363
$B_c \to J/\psi\ell\bar{\nu}_l$, 362
$B^0_{d,s}$-$\bar{B}^0_{d,s}$ mixing, 290
  $\Delta M_{d,s}$, 292
    basic formulas, 296
  $\Delta\Gamma_{d,s}$, 297
  time evolution of neutral mesons, 292
$B_{s,d} \to \mu^+\mu^-$, 346
  $B_{s,d} \to \tau^+\tau^-$, e^+e^-, 354
  branching ratios, 349
  correlations, 353
  experimental data, 353
  Hamiltonian, 348
  SM result, 351
  time evolution, 350
$D^+ \to \tau^+\nu_\tau$, 93
$K^+ \to \mu^+\nu_\mu$, 90
$K^+ \to \pi^0 e^+\nu_e$, 94
$K^0 - \bar{K}^0$ mixing, 284
  ΔM_K, 286
  $\Delta\Gamma_K$, 286
  ε, 287, 289
  $a_{\rm SL}(K_L)$, 286
$K_L \to \pi^0\ell^+\ell^-$, 386
  branching ratios, 386
  experimental bounds, 387
$K_L \to \mu^+\mu^-$, 384
  branching ratio, 384
  upper bound, 384
$K_S \to \mu^+\mu^-$, 385
  branching ratio, 385
  experimental bound, 385
Z boson with FCNC, 505
  ε'/ε vs $K \to \pi\nu\bar{\nu}$, 511
  NP patterns, 511
  SMEFT view, 506
$Z - Z'$ mixing, 538
Z' models, 483
  B physics anomalies, 500
  $B_{d,s} \to \mu^+\mu^-$, 492
  $K_L \to \mu^+\mu^-$, 493
  $K_L \to \pi^0\ell^+\ell^-$, 494
  $\Delta F = 2$ observables, 491
  $\Delta F = 2$ transitions, 486
  ε'/ε vs $K \to \pi\nu\bar{\nu}$, 497
  $K^+ \to \pi^+\nu\bar{\nu}$ and $K_{\rm L} \to \pi^0\nu\bar{\nu}$, 494
  $K_S \to \mu\bar{\mu}$, 494
  $b \to s\ell^+\ell^-$ and $d \to s\ell^+\ell^-$, 490
  gauge anomalies, 502
  master functions, 484
  patterns of flavor violation, 496
$\bar{B} \to D\ell\bar{\nu}_l$, 356
  $\mathcal{R}(D)$, 365, 366
  differential decay rate, 359
  forward-backward asymmetry, 360
  full decay distribution, 359
  lepton-polarization asymmetry, 360
$\bar{B} \to D^*\ell\bar{\nu}_l$, 356, 360
  $F_L(D^*)$, 366
  $\mathcal{R}(D^*)$, 365, 366
  differential decay rate, 361
  forward-backward asymmetry, 362
  lepton-polarization asymmetry, 362
  polarization of D^*, 362
$\bar{B} \to \bar{K}\ell^+\ell^-$, 329
  $R(K)$, 345
  angular distribution, 345
  observables, 344
$\bar{B} \to \bar{K}^*\ell^+\ell^-$, 329
  $R(K^*)$, 345
  angular coefficients, 340
  differential decay distribution, 336
  formfactors, 334
  Hamiltonian, 331
  observables, 341
  transversity amplitudes, 338
$\bar{B} \to \bar{K}^*\nu\bar{\nu}$ and $\bar{B} \to \bar{K}\nu\bar{\nu}$, 375
  ϵ and η, 382
  $\mathcal{R}^\nu_K$ and $\mathcal{R}^\nu_{K^*}$, 382, 383
  Hamiltonian, 377
  numerical analysis, 381
  SM results, 380

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 16 Nov 2026 at 20:39:41, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781139524100.033

ε'/ε, 388
2019 status, 400
a convenient formula, 395
basic formulas, 390
BSM, 465
BSM table, 465
hadronic matrix elements, 392
numerical analysis, 399
$K_L \to \pi^0 \nu\bar{\nu}$, 370
branching ratio, 371, 372
effective Hamiltonian, 252
Grossman-Nir bound, 375
numerical analysis, 373
UT and $\sin 2\beta$, 373
$K^+ \to \pi^+ \nu\bar{\nu}$, 367
branching ratio, 367, 368
effective Hamiltonian, 250
numerical analysis, 370
unitarity triangle, 369
$\mu^- \to \nu_\mu e^- \bar{\nu}_e$, 87
$\pi^+ \to \mu^+ \nu_\mu$, 90
$U(2)^3$ symmetry, 480
$2HDM_{\overline{MFV}}$, 478
331 models, 534
$Z - Z'$ mixing, 538
electroweak precision tests, 541
fermion representations, 540
lessons on ε'/ε, 542
parameters and couplings, 536

Anomalies, 410
$(g-2)_\mu$, 616
$(g-2)_e$, 617
ε'/ε, 400
$b \to c\ell^+\ell^-$, 365
$b \to s\ell^+\ell^-$, 346
fits, 412
full list, 410
Anomalous magnetic moments, 615
BSM, 620
gauge boson contributions, 617
charged fermion and neutral gauge boson, 618
neutral fermion and charged gauge boson, 619
scalar contributions, 619
charged fermion and neutral scalar, 620
neutral fermion and charged scalar, 619

BSM operators: $\Delta F = 2$, 418
BMU and SUSY bases, 420
hadronic matrix elements, 421
insight from Dual QCD, 425
BSM operators: nonleptonic $\Delta F = 1$, 427
complete listing, 429

Charged scalars, 528
Charm flavor physics, 402
$D^0 - \bar{D}^0$ mixing, 402
connection to K physics, 408
correlations, 407
CP violation, 409
CP-asymmetries in D decays, 404
CMFV, 466
relations, 468
tensions, 471
Universal UT, 469
Color algebra, 108
Colored neutral gauge bosons, 529
$K \to \pi\pi$, 530
$\Delta F = 2$ transitions, 529
Colored neutral scalars, 530
$\Delta F = 2$ transitions, 531
ε'/ε, 531
CP asymmetries, 294
$\mathcal{A}_{CP}^{mix}$, 294
CP violation, 299
B_q decays into CP eigenstates, 299
classification, 304
in decay, 305
in mixing, 305
mixing induced, 306
CP asymmetries in B_d decays, 303
dominance of a single CKM amplitude, 302

Determination of, 95
$|V_{cb}|$, 97
$|V_{ub}|$, 97
$|V_{us}|$, 95
Diagrams, 188
box diagrams, 189, 194
Z penguins, 196
Dimensional regularization, 104
γ_5 in D dimensions, 113
D-dimensional integrals, 105
Dimensional reduction, 114
Dirac algebra in D dimensions, 107
Euler-Beta and Euler-Gamma functions, 106
Naive dimensional regularization, 113
The 't Hooft–Veltman rules, 115
Dirac algebra, 647
Dirac spinors, 648
Fierz identities, 649
Gamma matrices, 647
Dual QCD, 254
$\Delta I = 1/2$ rule, 265
ε'/ε, $B_6^{(1/2)}$ and $B_8^{(3/2)}$, 270
ε, $\hat{B}_K$, 269
basic framework, 257
basic Lagrangian, 261
comparison with ChPT, 265
final state interactions, 273
hadronic matrix elements, 263

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 16 Nov 2026 at 20:39:41, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781139524100.033

meson evolution, 261, 268
physical cutoff, 260
quark-gluon evolution, 261, 267
virtues, 274

Effective Hamiltonian, 179
$d \to s\ell^+\ell^-$, 248
$B \to X_s\gamma$, 229
$B^0_{d,s} - \bar{B}^0_{d,s}$ mixing, 206
$K^0 - \bar{K}^0$ mixing, 211
$b \to s\ell^+\ell^-$, 244
$b \to s\nu\bar{\nu}$, 252
$d \to s\nu\bar{\nu}$, 249
Electric dipole moments, 598
θ term, 608
diamagnetic atoms, 603
electroweak scale, 605
general formula, 609
heavy fermions, 611
neutron and proton, 604
NP, 610
nuclear scale, 601
paramagnetic atoms, 602
SMEFT, 606

Feynman rules of the SM, 651

Heavy Quark Effective Theory, 281
Heavy Quark Expansions, 281
Higgs mechanism, 53
U(1), 53
nonabelian symmetry, 55

Lagrangian, 26
complex scalar field, 26
fermions, 40
real scalar field, 26
Lattice QCD, 274
B-physics, 275
K-physics, 276
$\Delta I = 1/2$ rule, 276
$B_6^{(1/2)}$ and $B_8^{(3/2)}$, 276
FLAG, 274
weak decay constants, 275
Lepton flavor violation, 583
B decays, 598
$K_{L,S} \to \mu e$ and $K_{L,S} \to \pi^0 \mu e$, 597
$\mu - e$ conversion in nuclei, 596
Lepton flavor-violating Z decays, 595
SMEFT, 588
$\ell_i \to \ell_j \bar{\ell}_l \ell_k$, 590
$l_j^- \to l_i^- \gamma$, 589
three-body decays in Z' models, 594
Leptoquark models, 556
R_2, 570
S_3, 566
U_1, 569
U_3, 568
$\tilde{R}_2$, 568
ε'/ε, 578
B physics anomalies, 572
Lagrangian, 558
UV completions, 576
Literature to neutrinos, 621
Loop technology, 103
color algebra, 108
fermion self-energy in QED, 109
Feynman integrals, 107
quark self-energy in QCD, 110
vacuum polarization in QCD, 111
vacuum polarization in QED, 110

Main players, 17
Massive loop integrals, 654
Master loop functions, 185
Z with FCNC models, 510
Z' models, 484, 496
calculation of $\Delta F = 1$ box diagrams, 193
calculation of $\Delta F = 2$ box diagrams, 189
calculation of penguin diagrams, 195
CMFV, 467
LQ:$\tilde{R}_2$, 568
LQ:R_2, 570
LQ:S_3, 566
LQ:U_1, 569
LQ:U_3, 568
SM, 185
Matching, 136
LO, 137
NLO, 150
MFV, 474

Neutral scalars and pseudoscalars, 515
$\Delta F = 2$ processes, 519
ε'/ε, 527
Rare B decays, 523
Rare K decays, 525
scalar vs pseudoscalar, 518
Numerical input, 661

Operator Product Expansion, 130, 142
calculation of WCs, 136
factorization of SD and LD, 140
matching conditions, 136
QCD effects, 134
Operators, 134
chromomagnetic penguin, 230
current-current, 149
electroweak penguins, 226
evanescent, 167
magnetic penguin, 230
QCD penguins, 213
scalar-scalar, 464
tensor-tensor, 464

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 16 Nov 2026 at 20:39:41, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781139524100.033

Penguin-Box expansion, 183, 187

QCD, 80
  asymptotic freedom, 81
  Lagrangian, 80
  Mesons, 82
QCD factorization, 277
  factorization formula, 278

Rare B decays, 329
Renormalization, 116
  MS and $\overline{\text{MS}}$ renormalization schemes, 118
  renormalization constants (QCD), 120
  renormalization constants (QED), 122
  Green functions, 119
  The counterterm method, 120
Renormalization Group, 123
  $\beta(g)$, 123
  γ_m, 123
  compendium of useful results, 125
  RG improved perturbation theory, 128
  running coupling constant, 125
  running quark mass, 127
Renormalization Group Equations, 142
  anomalous dimension matrix, 145
    calculation, 155
    diagonalization, 146
  choice of the matching scale, 144
  evanescent operators, 167
  operator mixing, 140, 145
  renormalization scale dependence, 165
  renormalization scheme dependence, 163
  threshold effects, 144
  Wilson coefficients, 142
right-handed currents, 513
Rotations in the flavor space, 439

Shopping list, 641
SMEFT, 433
  ε'/ε beyond the SM, 459
    correlations, 462
    master formula, 459
    specific models, 465
  $\text{SU}(2)_L$ correlations, 450
  analytic solutions, 663
  dimension-six operators, 437
  general procedure, 453
  Lagrangian, 433
  matching of SMEFT on LEFT, 455
  numerical codes, 456
  RGEs, 443
  scenarios, 435, 436, 444, 446, 448, 449
  useful technology, 454
Standard Model, 59
  flavor structure, 66
    charged currents, 73
    CKM matrix, 68, 74
    CKM unitarity relations, 77
    GIM mechanism, 72
    neutral currents, 71
    PMNS matrix, 69, 80
    unitarity triangle, 77
  particle content, 59
  SM Lagrangian, 60
  spontaneous breakdown, 62
Symmetry, 27
  discrete, 27
  explicit breakdown, 35
    global nonabelian, 35
  global abelian, 28
  local abelian, 28
  nonabelian global, 32
  nonabelian local, 37
  spontaneous breakdown, 45
    abelian global, 48
    discrete, 46
    nonabelian, 50

Table of branching ratios, 662
Tree level decays, 87

Unitarity triangle, 309
  angle β, 313
  standard analysis, 309
  strategies for α, β, γ, 316
    decays into CP eigenstates, 318
    decays into CP noneigenstates, 321
    U-spin, 323
  UT fits, 314

Vector-like leptons, 555
Vector-like quarks, 543
  decoupling, 546
  Lagrangian, 546
  patterns of NP, 553
  representations, 545
  Yukawa RG effects, 550

Zeptouniverse, 628
  classification of correlations, 630
  DNA charts, 634, 635, 638
  lessons, 639

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 16 Nov 2026 at 20:39:41, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781139524100.033