VOLUME 14, NUMBER 8 AUGUST 1993

An Official Journal of The Society for Healthcare Epidemiology of America

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY™

EDITORIAL

Asymptomatic Hospital Foodhandlers Should Not Be Screened Routinely for Intestinal Parasites 457
DUC J. VUGIA, MD, MPH; PATRICIA M. GRIFFIN, MD

ORIGINAL ARTICLES

Dissemination of Bacillus cereus in an Intensive Care Unit 459
E. A. BRYCE, MD, FRCPC; J.A. SMITH, MD, FRCPC; M. TWEEDDALE, MD, FRCPC; B.J. ANDRUSCHAK, RRTA; M.R. MAXWELL, RRT

Prolonged and Multipatient Use of Prefilled Disposable Oxygen Humidifier Bottles: Safety and Cost 463
ELIZABETH HENDERSON, PHD; DONNA LEDGERWOOD, RN, BN; KAREN MYRTHU HOPE, MSC; KAREN HUME, RN, CIC; WALTER KRULICKI, RLT; GORDON FORD, MD; SANDY GOLAR, RRT; LINDA SUTHERLAND, RRT; THOMAS J. LOUIE, MD

Risk Factors for Urinary Lithotripsy-Associated Sepsis 469
ROBERT ORENSTEIN, DO; JAMES E. BROSS, MD; MARY DAHLMANN, MT, CIC

Hand Dexterity in Hospital Personnel with Multiple Needlestick Injuries 473
J.E. CASANOVA, MD; G.P. BARNAS, MD; J. GOLLUP, BSN; S. SCHMITT, BSN, MS; J.S. CASANOVA, BS

Eflicacy of Immunization with a Combination of Serum and Recombinant Hepatitis B Vaccines 476
KARLYN K. PEARL, RN; ANA A. ORTIZ, MD; WILLIAM PEARL, MD

ASK THE EPIDEMIOLOGIST

Is Eliminating Flash Sterilization Practical? 479
LOWELL SCOTT WEIL, DPM, FACFAS; MARTIN S. FAVERO, PHD; FARRIN A. MANIAN, MD, MPH

TOPICS IN CLINICAL MICROBIOLOGY

Tuberculosis. Infection Control. and the Microbiologv Laboratory 481
CHARLES W. STRATTON, MD

PRODUCT COMMENTARY

Steam Sterilizers: An Evolution in Design 488
SUE CROW, MSN, RN, CIC

BEYOND INFECTION CONTROL: THE NEW HOSPITAL EPIDEMIOLOGY

Computed Tomography Imaging in Children with Head Trauma: Utilization and Appropriateness from a Quality Improvement Perspective 491
MONTSERRAT VERA, MD, MPH; GARY R. FLEISHER, MD; PATRICK D. BARNES, MD; BRUCE H. BJORNSON, MD; ELIZABETH N. ALLRED, MS; DONALD A. GOLDMANN, MD


LETTERS TO THE EDITOR

Parasitologic Infestation in Hospital Foodhandlers and Risk to AIDS Patients 452
JACQUES GERMANAUD, MD; DIDIER POISSON, PHD; CLEMENT PADONOU, MD

TB and HIV in Healthcare Settings (with Reply) 453
GIOVANNI DI PERRI, MD DTM&H; ROCCO MICCIOLO, MD; STEFANIA MAROCCO, MD; ANGELO CAZZADORI, MD; ERCOLE CONCIAL, MD; DANTE BASSETTI, MD; SAMUEL W. DOOLEY, MD; KENNETH G. CASTRO, MD

https://doi.org/10.1086/646775 Published online by Cambridge University Press

Dream Machine.



Rapid, Safe, Sterile Processing Was Once Just A Dream

STERIS SYSTEM 1™ has made the dream of rapid and safe sterile processing a reality.

STERIS SYSTEM 1 is the proven, low temperature sterile processing system for immersible surgical and diagnostic devices. Even delicate, heat sensitive scopes, cameras, instruments, and accessories can be safely sterilized in less than 30 minutes-Just In Time for each patient procedure.

STERIS SYSTEM 1 also provides peace of mind. There are no toxic fumes, and no disposal restrictions to lose sleep over. And liquid processing means that your devices can be sterilized without the drying and wrapping which are required with gaseous systems.

Write or call us today to learn why thousands of health professionals rest assured with the rapid and safe sterile processing of STERIS SYSTEM 1.

The STERIS PROCESS™
The Proven Process
Just In Time

STERIS®

STERIS CORPORATION
9450 Pineneedle Drive ▪ Mentor, OH 44060
1-800-JIT-4-USE (I-800-548-4873)

The Leader In Site-Of-Use Sterile Processing Systems.

https://doi.org/10.1086/646775 Published online by Cambridge University Press

Answers To Commonly Asked Questions About the STERIS PROCESS'"

STERILE VS. DISINFECTED

Q. Does STERIS SYSTEM 1™ sterilize or just disinfect?

A. STERIS SYSTEM 1 is a sterile processing system, not a disinfector. The STERIS PROCESS'" is sterilization, and is equal in efficacy to steam or ethylene oxide.

Sterilization means the elimination or destruction of all microbial life, including bacterial spores. Unlike disinfection, sterilization eliminates doubt-items are either sterile or they are not. Nothing can be safer than sterile.

Q. High level disinfection is supposed to eliminate all disease causing organisms. Why isn't this just as good as sterilization?

A. The potential problems with high level disinfection lie in the disinfection process. Disinfection is most often attempted with a manual process that is inherently difficult to control.

Numerous variables-time, temperature, disinfectant concentration, surface contact, bioburden levels. etc.-can adversely affect process outcome if not properly implemented or controlled. Many studies have shown that items which are considered to be "high level disinfected" frequently remain contaminated. The only practical way to be certain that all disease causing organisms have been eliminated is to eliminate all microbial organisms of any type-which is the definition of sterilization.

Q. Why should I use a sterile scope for a "non-sterile" procedure such as a colonoscopy?

A. Procedures which some people consider "non-sterile" often involve penetration of mucous membranes, such as during biopsies or polypectomies. Frequently the need to enter this sterile tissue is not determined until after the procedure has already started. Since STERIS SYSTEM I can sterilize items in less than 30 minutes-about the same time as it takes to disinfect-there is no reason not to make sterile items the single standard of care for each patient procedure.

Q. What items can be processed in STERIS SYSTEM 1?

A. STERIS SYSTEM 1 can process a wide variety of immersible surgical and diagnostic devices such as scopes, cameras, instruments, and accessories. If an item is immersible, can fit in one of the flexible or rigid Processing Trays, and can withstand the low processing temperature of 55.5°C, then it can generally be processed in SYSTEM 1.

STERIS is constantly working with medical device manufacturers to ensure that their devices are compatible with SYSTEM 1. Numerous manufacturers endorse the STERIS PROCESS as being an effective and compatible method for sterilizing their devices. If you aren't sure whether a device can be processed in SYSTEM 1, contact the device manufacturer or STERIS.

STERIS Corporation develops, manufactures, and markets sterile processing and infection prevention systems for the worldwide healthcare market. STERIS® is committed to providing products which improve patient, worker, and environmental safety. If you would like more information about STERIS or STERIS SYSTEM 1, please write us or call 1-800-JIT-4-USE (1-800-548-4873).

STERIS®

Paid Advertisement

https://doi.org/10.1086/646775 Published online by Cambridge University Press

Vol. 14 No. 8 August 1993

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY ™

CONTENTS

EDITORIAL

Asymptomatic Hospital Foodhandlers Should Not Be Screened Routinely for Intestinal Parasites 457

DUC J. VUGIA, MD, MPH; PATRICIA M. GRIFFIN, MD

ORIGINAL ARTICLES

Dissemination of *Bacillus cereus* in an Intensive Care Unit 459

E.A. BRYCE, MD, FRCPC; J.A. SMITH, MD, FRCPC; M. TWEEDDALE, MD, FRCPC; B.J. ANDRUSCHAK, RRTA; M.R. MAXWELL, RRT

Prolonged and Multipatient Use of Prefilled Disposable Oxygen Humidifier Bottles: Safety and Cost 463

ELIZABETH HENDERSON, PHD; DONNA LEDGERWOOD, RN, BN; KAREN MYRTHU HOPE, MSC; KAREN HUME, RN, CIC; WALTER KRULICKI, RLT; GORDON FORD, MD; SANDY GOLAR, RRT; LINDA SUTHERLAND, RRT; THOMAS J. LOUIE, MD

Risk Factors for Urinary Lithotripsy-Associated Sepsis 469

ROBERT ORENSTEIN, DO; JAMES E. BROSS, MD; MARY DAHLMANN, MT, CIC

Hand Dexterity in Hospital Personnel with Multiple Needlestick Injuries 473

J.E. CASANOVA, MD; G.P. BARNAS, MD; J. GOLLUP; MD; S. SCHMITT, BSN, MS; J.S. CASANOVA, BS

Efficacy of Immunization with a Combination of Serum and Recombinant Hepatitis B Vaccines 476

KARLYN PEARL, RN; ANA A, ORTIZ, MS; WILLIAM PEARL, MD

TOPICS IN CLINICAL MICROBIOLOGY

Tuberculosis, Infection Control, and the Microbiology Laboratory 481

CHARLES W. STRATTON, MD

PRODUCT COMMENTARY

Steam Sterilizers: An Evolution in Design 488

SUE CROW, MSN, RN, CIC

BEYOND INFECTION CONTROL: THE NEW HOSPITAL EPIDEMIOLOGY

Computed Tomography Imaging in Children with Head Trauma: Utilization and Appropriateness from a Quality Improvement Perspective 491

MONTSERRAT VERA, MD, MPH; GARY R. FLEISHER, MD; PATRICK D. BARNES, MD; B RUCE H. BJORNSON, MD; ELIZABETH N. ALLRED, MS; DONALD A. GOLDMANN, MD

DEPARTMENTS

Letters to the Editor 452

Ask the Epidemiologist 479

Medical News 500

SHEA News 503

THE PUBLICATION OF ADVERTISING IN THE JOURNAL DOES NOT CONSTITUTE ANY GUARANTEE OR ENDORSEMENT BY THE SOCIETY FOR HOSPITAL EPIDEMIOLOGY OF AMERICA OR SLACK INCORPORATED OF THE ADVERTISED PRODUCT OR SERVICE OR OF CLAIMS MADE BY THE ADVERTISER. THE PUBLICATION OF ARTICLES AND OTHER EDITORIAL MATERIAL IN THE JOURNAL DOES NOT NECESSARILY REPRESENT THE POLICY RECOMMENDATIONS OR ENDORSEMENT BY THE SOCIETY.

PUBLISHER: Infection Control and Hospital Epidemiology (ISSN-0899823X, Canadian GST#129780466) is published exclusively by SIACK Incorporated 12 times a year. Address: 6900 Grove Rd., Thorofare, NJ 08086. Telephone: (609) 8481000.

COPYRIGHT 1993 The Society for Hospital Epidemiology of America, Inc., and SLACK Incorporated. All rights reserved. No part of this publication may be reproduced without written permission fmm the publisher. Printed in the USA.

SUBSCRIPTIONS: Requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Incorporated 4-22-1 Kitakasai Edogawaku, Tokyo 134. Japan. Subscription rates in the United States and possessions: Individual: One year-$80.00: Two years-$115.00; Three years—$145.00; Institutional: One yearS90.00; Two years-$130.00; Three years-$170.00. Fellows: $20 per year with proof of training status. Canada: $18.00 additional each year plus 7% for Canadian Goods & Services tax; all other countries: $36.00 additional each year. Single copies of current issues may be obtained for $15.00, United States and possessions; $20.00 all other countries.

REPRINTS: All requests to reprint or use material published herein should be addressed to Lester Robeson, SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086. For reprint orders and prices. contact Lester Robeson at (609) 848-1000. Authorization to photocopy items for internal or personal use. or the internal or personal use of specific clients, is granted by SLACK Incorporated. provided that the base fee of $1.00 per COPY. plus $.15 per page is paid directly to Copyright Clearance Center, 27 Congress St., Salem, MA 01970. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotional purposes, or for creating new collective works.

CHANGE OF ADDRESS: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086, and additional entry points. **POSTMASTER:** Send address changes to SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086.

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY is listed in Index Medicus, Current Contents-Clinical Practice, Hospital Literature Index, Cumulative Index to Nursing & Allied Health Literature Nursing Abstracts and Laboratory Performance Information Exchange System.

https://doi.org/10.1086/646775 Published online by Cambridge University Press

EDITORIAL OFFICES
Vanderbilt University School of Medicine
A-1131 Medical Center North
Nashville, TN 37232-2637
(615) 343-1095; (615) 343-1882 (FAX)
Email: iche@mcmail.vanderbilt.edu

EDITOR
Michael D. Decker, MD, MPH
MANAGING EDITOR
Susan Cantrell
STATISTICAL EDITOR
Beverly G. Mellen, PhD
SENIOR ASSOCIATE EDITORS
C. Glen Mayhall, MD
Gina Pugliese, RN, MS
William Schaffner, MD
ASSOCIATE EDITORS
Donald A. Goldmann, MD
Didier Pittet, MD, MS
Andreas Widmer, MD, MS
SECTION EDITORS
Beyond Infection Control: The New Hospital Epidemiology
Bryan P. Simmons, MD
Stephen B. Kritchevsky, PhD
Memphis, Tennessee
Wing Hong Seto, MD
Hong Kong
Disinfection and Sterilization
William A. Rutala, PhD, MPH
Chapel Hill, North Carolina
Emerging Infectious Diseases
Larry J. Strausbaugh, MD
Portland, Oregon
Robert W. Pinner, MD
Atlanta, Georgia
From the Laboratory
Marcus Zervos, MD
Royal Oak, Michigan
Fred C. Tenover, PhD
Atlanta, Georgia
Information Management
John A. Sellick, DO
Buffalo, New York
The International Perspective
Mary D. Nettleman, MD, MS
Richmond, Virginia
Issues in Surgery
James T. Lee, MD, PhD
St. Paul, Minnesota
Medical News
Gina Pugliese, RN, MS
Chicago, Illinois
Martin S. Favero, PhD
Irvine, California
Practical Healthcare Epidemiology
Loreen A. Herwaldt, MD
Iowa City, Iowa
SHEA News
Murray D. Batt, MD
Clarksburg, West Virginia
Statistics for Hospital Epidemiology
David Birnbaum, PhD, MPH
Sidney, British Columbia, Canada
Topics in Long-Term Care
Philip W. Smith, MD
Omaha, Nebraska
Topics in Occupational Medicine
David Weber, MD, MPH
Chapel Hill, North Carolina

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY®

EDITORIAL ADVISORY BOARD

Jacques F. Acar, MD	Paris, France
J. Wesley Alexander, MD	Cincinnati, Ohio
Paul Arnow, MD	Chicago, Illinois
Graham A.J. Ayliffe, MD	Birmingham, United Kingdom
Neil L. Barg, MD	Yakima, Washington
Elizabeth Ann Bolyard, RN, MPH, CIC	Atlanta, Georgia
John M. Boyce, MD	Providence, Rhode Island
Professor Dr. Ilja Braveny	Munich, Federal Republic of Germany
Charles Bryan, MD	Columbia, South Carolina
Christian Brun-Buisson, MD	Creteil, France
Donald E. Craven, MD	Boston, Massachusetts
Sue Crow, MSN, RN, CIC	Shreveport, Louisiana
Franz Daschner, MD	Freiburg, Federal Republic of Germany
Leigh G. Donowitz, MD	Charlottesville, Virginia
Charles E. Edmiston, Jr., PhD	Milwaukee, Wisconsin
Theodore C. Eickhoff, MD	Denver, Colorado
Bruce Farber, MD	Manhasset, New York
Victoria J. Fraser, MD	St. Louis, Missouri
Peter C. Fuchs, MD, PhD	Black Butte, Oregon
Richard A. Garibaldi, MD	Farmington, Connecticut
Velvl Greene, PhD, MPH	Beer Sheva, Israel
Robert Gaynes, MD	Atlanta, Georgia
David W. Gregory, MD	Nashville, Tennessee
David K. Henderson, MD	Bethesda, Maryland
Peter N.R. Heseltine, MD	Los Angeles, California
Karen Hoffmann, RN, CIC, MS	Chapel Hill, North Carolina
Marguerite McMillan Jackson, RN, PhD	San Diego, California
Janine Jagger, MPH, PhD	Charlottesville, Virginia
William R. Jarvis, MD	Atlanta, Georgia
Douglas S. Kernodle, MD	Nashville, Tennessee
Robert H. Latham, MD	Nashville, Tennessee
Lewis B. Lefkowitz, MD	Nashville, Tennessee
Hsieh-Shong Leu, MD, MSc	Taipei, Taiwan
Jack Levy, MD	Brussels, Belgium
Victor Lorian, MD	Bronx, New York
Dennis G. Maki, MD	Madison, Wisconsin
Professor Dr. Walter Marget	Munich, Federal Republic of Germany
William J. Martone, MD	Bethesda, Maryland
Allison McGeer, MD	Toronto, Ontario, Canada
John E. McGowan, Jr., MD	Atlanta, Georgia
Jonathan L. Meakins, MD, DSc	Montreal, Quebec, Canada
Raf Mertens, MD	Brussels, Belgium
Robert R. Muder, MD	Pittsburgh, Pennsylvania
Joseph M. Mylotte, MD, CIC	Buffalo, New York
Lindsay Nicolle, MD	Winnepeg, Manitoba, Canada
Juhani Ojajärvi, MD	Helsinki, Finland
Michael T. Osterholm, PhD, MPH	Minneapolis, Minnesota
Jan Evans Patterson, MD	San Antonio, Texas
Sindy M. Paul, MD	Trenton, New Jersey
Michael A. Pfaller, MD	Iowa City, Iowa
Samuel Ponce de Leon, MD, MSc	Mexico City, Mexico
Isaam Raad, MD	Houston, Texas
Manfred L. Rotter, MD, DipBact	Vienna, Austria
Theodore Sacks, MD	Jerusalem, Israel
William E. Scheckler, MD	Madison, Wisconsin
Kent Sepkowitz, MD	New York City, New York
Denis Spelman, MD	Prahran Victoria, Australia
Michael L. Tapper, MD	New York, New York
Clyde Thornsberry, PhD	Brentwood, Tennessee
Professor Leonid P. Titov	Minsk, Republic of Belarus
Timothy R. Townsend, MD	Millwood, Virginia
Antoni Trilla, MD, PhD	Barcelona, Spain
Professor Wang Shu-Qun	Beijing, People's Republic of China
J. John Weems, Jr., MD	Greenville, South Carolina
Robert A. Weinstein, MD	Chicago, Illinois
Professor Dr. W. Weuffen	Greifswald, Federal Republic of Germany
Sergio B. Wey, MD	São Paulo, Brazil
Rebecca Wurtz, MD	Evanston, Illinois

SLACK Incorporated
6900 Grove Road
Thorofare, New Jersey 08086
(609) 848-1000

Vice President/Group Publisher
Richard N. Roash

Publisher
John C. Carter

Editorial Director
Jennifer Kilpatrick

Production Editor
Shirley P. Strunk, ELS

Assistant Editor
Eileen C. Anderer

Circulation Manager
Lester J. Robeson, CCCP

Production Director
Christine Malin

Production Coordinator
Joanne Patterson

Publishing Director/ Advertising
Wayne McCourt

Pharmaceutical Group Sales Director
Michael LoPresti

Advertising Sales Representative
Jennine Kane

Classified/Recruitment Sales Manager
Michele Burch

https://doi.org/10.1086/646775 Published online by Cambridge University Press