© Trustees of the Royal Botanic Garden Edinburgh (2013)
doi:10.1017/S0960428613000218

# GENERAL INDEX TO VOLUME 70 (2013)

*Note*: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps, appendices (App.) and reviews (Rev.) are indicated; tables are not annotated separately.


*Abebaia* Baehni, 8, 11
  *fasciculata* (Warb.) Baehni, 11, 18
Acanthaceae, 1
*Acantholimon*
  *griffithianum* Boiss., 408
*Acanthophyllum*, 411
*Achras* L., 8, 11
  *dissecta* L.f., 15
  *hoshinoi* (Kaneh.) Baehni, 29
  *octodecemfida* Stokes, 15
  *zapota* L., 11
*Acrocomia*
  *aculeata* (Jacq.) Lodd. ex Mart., 476, 479, 481
*Adenophora*, 1–5*
  **himalayana** Feer, 1–**3**
Afghanistan, 405–412* [409 Fig.]
*Aglaia* Lour., 187
*Albizia*
  *niopoides* (Spruce ex Benth.) Burkart, 476, 478, 481
Ale, R., 381–384
*Allium*
  *circumflexum* Wendelbo, 408
*Allochrusa*, 411
*Alstonia*
  *scholaris* (L.) R.Br., 26
*Amomum*
  *striatum* Stokes, 449–450
  *sylvestre* Lam., 449–450
  *sylvestre* Sw., 449–450
*Anabasis* L., 372
Anacardiaceae, 472, 476
*Anadenanthera*
  *colubrina* (Vell.) Brenan, 469, 472–478, 480, 482
Anderson, B.M., 121–176
Anderson, C.E., 413–432
*Andira*
  *cujabensis* Benth., 476, 481
  *inermis* (W.Wright) DC., 476, 479
Annonaceae, 187, 476
*Anthoceros*, 453
*Aphananthe*, 315
Apocynaceae, 472, 476
Arabian peninsula, 367–379
*Arabidopsis*
  *kneuckeri* (Bornm.) O.E.Schulz, 372
Araújo, A.C., 433–438
Arecaceae, 476
Armstrong, K.E., 7–56
*Arnebia*
  *inconspicua* Hemsl. & Lace, 408
*Artemisia*, 410
  *persica* Boiss., 408
Asia, south and southeast, 7–56
*Aspidosperma*
  *macrocarpon* Mart., 476, 478, 480
  *subincanum* Mart. ex A.DC., 475–476, 478
  *tomentosum* Mart., 476, 479
*Astragalus*
  *anacamptoides* Širj. & Rech.f., 408
  *endytanthus* Podlech & I.Deml, 410
  *gracilipes* Benth. ex Bunge, 408
  *lasiosemius* Boiss., 408
  *persepolitanus* Boiss., 408
  *tribuloides* Delile, 408
*Astronium*
  *fraxinifolium* Schott ex Spreng., 473–476, 478, 480
Atkins, H.J., 455–468
Auvray, G., 61–120

*Balfourodendron*
  *riedelianum* (Engl.) Engl., 473, 477–478
Bamiyan Province, Afghanistan, 405–412 [409 Fig.]
Bandyopadhyay, S., 363–365, 487–490
*Banisteria*
  *quarapa* (Aubl.) Sprague, 414
*Bauhinia* L., 487–488
  subgen. *Phanera* (Lour.) Kurz, 363
  *glabrifolia* auct. non (Benth.) Baker, 363
  *glabrifolia* (Benth.) Baker, 363
    subsp. *sericea* (Lace) K.Larsen & S.S.Larsen, 364
    var. *maritima* K.Larsen & S.S.Larsen, 363–364


https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

var. *sericea* (Lace) K.Larsen & S.S.Larsen, 363–364
*macrostachya* Benth., 488–489
*macrostachya* (Benth.) Baker, 488–489
*macrostachya* (Benth.) Benth., 489
*macrostachya* Wall., 487–488
*piperifolia* auct. non Roxb., 363
*scandens* L., 487
*scandens* auct. non L., 489
*scandens* Roxb. non L., 487–488
*sericea* Lace, 364
*wallichii* J.F.Macbr., 488–489
Bayesian analysis, 182–183, 186
Beddome, Richard Henry, names validated by, 1–5
*Begonia*, 455
Bharali, S., 57–60
Bhaumik, M., 57–60
Bignoniaceae, 472, 476
tribe Cyrtandreae, 121
*Billia*, 315
*Boeica* T.Anderson ex C.B.Clarke, 122
*Boissiera*
*squarrosa* (Banks & Sol.) Nevski, 408
Bone, R.E., 455–468
Book reviews
Etlingera *of Sulawesi* (A.D. Poulsen), 491–492
*Plant Reintroduction in a Changing Climate: Promises and Perils* (J. Maschinski & K.E. Haskins eds), 177–178
Boraginaceae, 373, 476
*Boswellia* Roxb. ex Colebr., 373–374
*Bowdichia*
*virgilioides* Kunth, 476, 481
Brassicaceae, 372
Brazil, 413–432*, 433–438, 469–486 [471 Map]
*Briggsia*
*muscicola* (Diels) Craib, 404 App.
Bueno, M.L., 469–486
*Bulbophyllum* Thouars, 381–384
sect. *Cirrhopetalum* (Lindl.) Rchb.f., 381
**nepalense** Raskoti & Ale, **381**–384 [382–383 Figs]
*retusiusculum* Rchb.f., 381, 383–384
*tigridum* Hance, 384
Burseraceae, 373
*Caesalpinia*, 476, 479
*Calatola*, 315
*Calicotome* Link, 62
*Calophyllum*, 9, 21
*Calyptranthes* Sw., 433–438*
**brasiliensis** Spreng., **436**–437
**clusiifolia** (Miq.) O.Berg, **434**
**eriocephala** Urb., **434**–435
**grammica** (Spreng.) D.Legrand, **435**
**grandifolia** O.Berg, **437**
**langsdorffii** O.Berg, **435**
*musciflora*
var. *obscura* O.Berg, 435
var. *venosa* O.Berg, 435
**rostrata** Griseb., **436**
**rubella** (O.Berg) D.Legrand, **437**
**sintenisii** Kiaersk., **436**
**thomasiana** O.Berg, 433, **437**
*uniflora*
var. *venosa* O.Berg, 435
*variabilis*
var. *rubella* O.Berg, 437
*Camellia* L., 439–447*
sect. *Archaecamellia* Sealy, 439, 443–446
sect. *Chrysantha* H.T.Chang, 439–440, 443–447
sect. *Piquetia* (Pierre) Sealy, 439, 443–446
sect. *Stereocarpus* (Pierre) Sealy, 439, 443–446
ser. *Chrysanthae*, 439
*dongnaiensis* Orel, 443, 445–446
*dormoyana* (Pierre) Sealy, 443, 445–446
*euphlebia* Merr. ex Sealy, 443, 445–446
*flava* (Pit.) Sealy, 443, 445–446
*impressinervis* H.T.Chang & S.Y.Liang, 443, 445–446
*krempfii* (Gagnep.) Sealy, 443, 445–446
*nitidissima* Chi, 443, 445–446
**oconoriana** Orel, Curry & Luu, 439–447 [**440**, 442 Fig.]
*petelotii* Merr. ex Sealy, 443, 445–446
*piquetiana* (Pierre) Sealy, 443, 445–446
*pleurocarpa* (Gagnep.) Sealy, 443, 445–446
*pubipetala* Wan & S.Z.Huang, 445–447
*Campanula*, 1–5
*andrewsii*
var. *pelia* Halácsy, 1, 3–4
*kumaonensis*, 2
*lacei* Duthie ex Bedd., 1–3

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*lacei* Watt, 2
*linifolia*, 2
*pelia* (Halácsy) Hausskn. & Sint. ex Phitos, 4
**pelia** Hausskn. ex Bedd., 1, 3–**4**
**persicifolia** L., **4**
*rupestris*, 3
*thessala* Gand., 4
*thessala* Maire, 1, 3–4
*younghusbandii* Prain, 2
Campanulaceae, 1–5
*Camphorosma*
*monspeliaca* L., 408
Caribbean, 433–438
Carophyllaceae, 405–412*
subfam. Silenoideae, 405–412*
*Casearia*
*gossypiosperma* Briq., 472–473, 477–478, 480
*sylvestris* Sw., 477, 480
*Cecropia*
*pachystachya* Trécul, 477, 481
*Cedrela*
*fissilis* Vell., 475, 477–478, 481
*Ceiba*
*pubiflora* (A.St.-Hil.) K.Schum., 477–478, 480
*Ceratocarpus*
*arenarius* L., 408
Cerrado, 469–486*
*Chamaesphacos*
*ilicifolius* Schrenk, 372
*Cheilosandra* Griff. ex Lindl., 128, 159
*Chelone*
*latifolia* Buch.-Ham. ex C.B.Clarke, 155, 160
*latifolia* Muhl. ex Elliott, 160
Chenopodiaceae, 372
*Chiliandra* Griff., 128, 159
*obovata* Griff., 128, 155
*Chirita* Buch.-Ham. ex D.Don
sect. *Chirita*, 386
*elata* Ridl., 386
*rotundata* Barnett, 402 App.
*Chrysopogon*
*aciculatus* (Retz.) Trim., 453
*Cicer*
*chorassanicum* (Bunge) Popov, 408
Clarkson, J.J., 179–362
**Codonoboea** Ridl., 385–404* [**387**]
*alba* (Ridl.) C.L.Lim, 395 App.
*albomarginata* (Hemsl.) Kiew, 395 App.
*alternans* (Ridl.) Kiew, 395 App.
**alternifolia** (C.B.Clarke) A.Weber, **388**, 395 App.
**amoena** (C.B.Clarke) A.Weber, **388**, 396 App.
**angustifolia** (C.B.Clarke) A.Weber, **388**, 396 App.
*anthonyi* (Kiew) C.L.Lim, 396 App.
**appressipilosa** (B.L.Burtt) D.J.Middleton, **388**, 396 App.
*ascendens* (Ridl.) C.L.Lim, 396 App.
*atrosanguinea* (Ridl.) C.L.Lim, 396 App.
**bakoensis** (B.L.Burtt) A.Weber, **389**, 396 App.
var. **tenuior** (C.B.Clarke) A.Weber, **389**, 396 App.
**battamensis** (Ridl.) A.Weber, **389**, 396 App.
**beccarii** (C.B.Clarke) A.Weber, **389**, 396 App.
*bombycina* (Ridl.) C.L.Lim, 396 App.
*breviflora* (Ridl.) Kiew, 396 App.
**bullata** (C.B.Clarke) A.Weber, **389**, 396 App.
*caelestis* Ridl., 396 App.
*calcarea* (Ridl.) Kiew, 396 App.
*castaneifolia* (Ridl.) Kiew, 397 App.
*codonion* (Kiew) C.L.Lim, 397 App.
*corneri* (Kiew) Kiew, 397 App.
**corniculata** (Jack) D.J.Middleton, **389**, 397 App.
**corrugata** (Mendum) D.J.Middleton, **389**, 397 App.
*craspedodroma* (Kiew) Kiew, 397 App.
**crenata** (Baker) A.Weber, **389**, 397 App.
*crinita* (Jack) C.L.Lim, 387, 397 App.
*crocea* (Ridl.) C.L.Lim, 397 App.
*curtisii* (Ridl.) C.L.Lim, 397 App.
*davisonii* (Kiew) Kiew, 397 App.
*dawnii* (Kiew) Kiew, 397 App.
*densifolia* (Ridl.) C.L.Lim, 397 App.
**dentata** (Ridl.) A.Weber, **390**, 397 App.
**descendens** (B.L.Burtt) A.Weber, 387, **390**, 397 App.
*doryphylla* (B.L.Burtt) C.L.Lim, 397 App.
*elata* (Ridl.) Rafidah, 386
**elegans** (C.B.Clarke) A.Weber, **390**, 397 App.
*ericiflora* (Ridl.) Ridl., 398 App.
*falcata* (Kiew) Kiew, 398 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*fasciata* (Ridl.) C.L.Lim, 398 App.
**filicalyx** (B.L.Burtt) D.J.Middleton, **390**, 398 App.
*flava* (Ridl.) Kiew, 398 App.
*flavescens* (Ridl.) Kiew, 398 App.
*flavobrunnea* (Ridl.) Kiew, 388, 398 App.
*floribunda* (M.R.Hend.) C.L.Lim, 398 App.
**follicularis** (C.B.Clarke) A.Weber, **390**, 398 App.
*geitleri* (A.Weber) C.L.Lim, 398 App.
*glabrata* (Ridl.) Kiew, 398 App.
**gracilipes** (C.B.Clarke) A.Weber, **390**, 398 App.
*grandifolia* (Ridl.) Kiew, 403 App.
*heterophylla* (Ridl.) C.L.Lim, 387, 398 App.
*hirsuta* (Ridl.) C.L.Lim, 398 App.
*hirta* (Ridl.) Kiew, 387, 398 App.
*hispida* (Ridl.) Kiew, 399 App.
*holttumii* (M.R.Hend.) C.L.Lim, 399 App.
*humilis* (Miq.) A.Weber, 399 App.
*inaequalis* (Ridl.) Kiew, 399 App.
*johorica* (Ridl.) Kiew, 399 App.
*kelantanensis* (Kiew) Kiew, 399 App.
*kjellbergii* (B.L.Burtt) Karton., 399 App.
**koerperi** (B.L.Burtt) A.Weber, **390**, 399 App.
**kolokensis** (B.L.Burtt) D.J.Middleton, **390**, 399 App.
**kompsoboea** (C.B.Clarke) A.Weber, 387, **390**, 399 App.
**lanceolata** (C.B.Clarke) A.Weber, **391**, 399 App.
*lancifolia* (M.R.Hend.) C.L.Lim, 399 App.
*leiophylla* (Kiew) C.L.Lim, 399 App.
**leptocalyx** (C.B.Clarke) A.Weber, **391**, 399 App.
*leucantha* (Kiew) Kiew, 399 App.
*leucocodon* (Ridl.) Ridl., 387, 399 App.
*lilacina* (Ridl.) Ridl., 399 App.
*longipes* (C.B.Clarke) Kiew, 399 App.
*malayana* (Hook.f.) Kiew, 400 App.
*marginata* (C.B.Clarke) C.L.Lim, 400 App.
*miniata* (Kiew) C.L.Lim, 400 App.
*modesta* (Ridl.) Kiew, 400 App.
**murutorum** (B.L.Burtt) A.Weber, **391**, 400 App.
**myricifolia** (Ridl.) A.Weber, **391**, 400 App.
**nervosa** (C.B.Clarke) A.Weber, **391**, 400 App.
*nitida* (Kiew & A.Weber) Kiew, 400 App.
*nivea* Kiew, 400 App.
**pagonensis** (B.L.Burtt) A.Weber, **391**, 400 App.
*parviflora* (Ridl.) Kiew, 401 App.
*pauziana* (Kiew) Kiew, 401 App.
*pectinata* (Oliv.) Kiew, 387, 401 App.
*platypus* (C.B.Clarke) C.L.Lim, 401 App.
**pleuropogon** (B.L.Burtt) A.Weber, **391**, 401 App.
*polyanthoides* (Kiew) C.L.Lim, 401 App.
**porphyrea** (B.L.Burtt) D.J.Middleton, **392**, 401 App.
*primulina* (Ridl.) Kiew, 401 App.
*pulchella* (Ridl.) C.L.Lim, 401 App.
*pumila* (Ridl.) C.L.Lim, 400 App.
**punctata** (C.B.Clarke) A.Weber, **392**, 401 App.
*puncticulata* (Ridl.) C.L.Lim, 401 App.
*pyroliflora* (Ridl.) Kiew, 401 App.
*quinquevulnera* (Ridl.) C.L.Lim, 401 App.
**racemosa** (Jack) A.Weber, **392**, 401 App.
*ramosa* (Ridl.) Kiew, 401 App.
*reptans* (Jack) C.L.Lim, 387, 401 App.
var. *monticola* (Ridl.) C.L.Lim, 401 App.
**reticulosa** (C.B.Clarke) A.Weber, **392**, 402 App.
*ridleyana* (B.L.Burtt) Kiew, 402 App.
*robinsonii* (Ridl.) Kiew, 402 App.
*rubiginosa* (Ridl.) C.L.Lim, 402 App.
*rugosa* (Ridl.) C.L.Lim, 402 App.
*salicina* (Ridl.) C.L.Lim, 387, 402 App.
*salicinoides* (Kiew) C.L.Lim, 402 App.
**scabrinervia** (C.B.Clarke) A.Weber, **392**, 402 App.
**serrata** (R.Br.) A.Weber, 387, **392**, 402 App.
*serratifolia* (Ridl.) Kiew, 402 App.
**simplex** (Kraenzl.) A.Weber, **392**, 402 App.
*soldanella* (Ridl.) C.L.Lim, 402 App.
*stolonifera* (Kiew) Kiew, 403 App.
**teres** (C.B.Clarke) A.Weber, **392**, 403 App.
*tiumanica* (Ridl.) C.L.Lim, 403 App.
*urticoides* (A.Weber) Kiew, 403 App.
*venusta* (Ridl.) Kiew, 388, 403 App.
**virginea** (B.L.Burtt) A.Weber, **392**, 403 App.
*viscida* (Ridl.) Kiew, 403 App.
**vulcanica** (Ridl.) A.Weber, **393**, 403 App.
**woodii** (Merr.) A.Weber, **393**, 403 App.
*yongii* (Kiew) C.L.Lim, 403 App.
Colombia, 413–432*

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

Combretaceae, 476
*Combretum*
*leprosum* Mart., 476, 478, 480
Complex resolution
in *Hiraea*, 413–432
Conservation assessments
of *Convolvulus*, 367–379*
of *Cyrtandra*, 455–468
of *Rhynchotechum*, 121–176*
Convolvulaceae, 367–379
*Convolvulus* L., 367–379* [& Map]
sect. *Acanthocladi* Boiss., 367
sect. *Inermes* Boiss., 367
*eremophilus* Boiss. & Buhse, 369, 372
*erinaceus* Ledeb., 367–373 [371 Map]
var. *kermanensis* (Bornm.) Sa'ad, 371–372 [371 Map]
**excelsus** R.R.Mill, 367–372 [**368**, 370 Fig., 371 Map], 378
*floridus* L.f., 370
*hamadae* (Vved.) Petrov, 368–369, 371–372 [371 Map]
*hystrix* Vahl
subsp. **dhofarica** R.R.Mill, 367, **373**
subsp. *hystrix*, 373–374
**infantispinosus** R.R.Mill, 367, **374**, 376
*korolkowii* Regel & Schmalh., 368–369, 371–372
*lanatus* Vahl, 376–377
*leptocladus* Boiss., 369
*oxyphyllus* Boiss., 374, 376–377
subsp. *oxycladus* Rech.f., 376–377
subsp. *oxyphyllus*, 376–377
subsp. **sheilae** R.R.Mill, 367, **376**–377
*scoparius* L.f., 370
*subsericeus* Schrenk, 369, 371 Map
*tujuntauensis* Kinzik., 369
*Cordia*
*glabrata* (Mart.) A.DC., 476, 478, 480
*Cordiera*
*sessilis* (Vell.) Kuntze, 477, 479
*Corema*
*scoparium* (L.) Bercht. & J.Presl, 91
*Corothamnus*
*balansae* (Boiss.) Ponert, 70
*Corysanthera* Wall. ex Endl., 128
*elliptica* Wall. ex D.Dietr., 128, 143
*vestita* Griff., 168
*Cousinia*
*buphthalmoides* Regel & Schmalh., 408
*chionophila* Rech.f. & Køie, 408
*Crozophora*
*gracilis* Fisch. & C.A.Mey. ex Kar., 372
*Curatella*
*americana* L., 476, 481
Current status
of *Henckelia* species, 385–404
Curry, A.S., 439–447
*Cyrtandra* J.R.Forst. & G.Forst., 121–122, 126, 173, 455–468*
*copelandii* Elmer, 160
*engleri* Koorders, 460
**floccosa** R.Bone & H.J.Atkins, 455–459 [456 Map, **457**, 458 Fig.]
*hillii* H.Lév., 155
**kjellbergii** R.Bone & H.J.Atkins, 455–456 [456 Map], **460**–463 [462 Fig.], 467
*lanuginosa* R.Br., 166
*microcarpa* C.B.Clarke, 160
*polycarpa* K.Schum., 160
**purpureofucata** R.Bone & H.J.Atkins, 455–456 [456 Map], 459, **461**, 463–465 [464 Fig.]
*roseiflora* H.J.Atkins, 463
**spectabilis** R.Bone & H.J.Atkins, 455–456 [456 Map], **463**, 465–467 [466 Fig.]
*Cytisogenista* Duhamel, 82
*catalaunica* (Webb) Rothm., 108
*eriocarpa* (Boiss. & Reut.) Rothm., 103
*patens* (L.) Rothm., 101
*scoparia* (L.) Rothm., 91
var. *leiostylos* (Willk.) Rothm., 91
var. *oxyphylla* (Boiss.) Rothm., 91
*welwitschii* (Boiss. & Reut.) Rothm., 103
**Cytisus** Desf., 61–120* [**65**]
sect. **Alburnoides** DC., 61–120 [**66**]
sect. *Corothamnus* (W.D.J.Koch) Nyman, 62
sect. *Laburnum*, 62
sect. *Sarothamnus* (Wimm.) Benth., 62–63, 82, 107
sect. *Spartocytisus* Benth., 66
sect. **Spartopsis** Dumort., 61–120 [**82**]
sect. **Verzinum** (Raf.) Talavera, 61–120 [**107**]
subsect. *Grypotropis* Briq., 82
subsect. *Spartothamnus* (Webb & Berth.) Briq., 66
subsect. *Verzinum* (Raf.) Briq., 107
*affinis* Boiss., 85, 87

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*albus* Jacq., 74
*albus* (Lam.) Link, 74
var. *incarnatus* (Lodd. et al.) Sweet, 117
var. **rosea** Stapf, **117**
**arboreus** (Desf.) DC., 63, **108**–109 [109 Map], 111, 117
subsp. *baeticus* (Webb) Maire, 108
subsp. *catalaunicus* (Webb) Maire, 108, 110, 115
subsp. *eu-arboreus* Maire, 108
subsp. *macranthus* (Ball) Maire, 110
subsp. *malacitanus* (Boiss.) Malag., 115
subsp. *transiens* (Maire) Maire, 110
var. *africanus* Pau & Font Quer, 110, 112
var. *catalaunicus*, 108
var. *eu-catalaunicus* Maire, 110
var. *extravagans* Font Quer, 111
var. *genuinus* Emb. & Maire, 110
var. *haplotrichus* Maire, 110, 112
var. *intermedius* Maire, 110
var. *leiocarpus* Maire, 111–112
var. *leiocladus* Maire, 110, 112
var. *malacitanus* Maire, 115
var. *tetuanensis* Pau, 110, 112
var. *transiens* Maire, 110, 112
**ardoinoi** E.Fourn., 63–64, 66–**67**, 82
subsp. **ardoinoi**, **67**–69 [68 Fig., 69 Map], 117
subsp. **sauzeanus** (Burnat & Briq.) Auvray, 61, 63–64, 67, **69**–71 [69 Map, 71 Fig.], 117
var. *sauzeanus* (Burnat & Briq.) Chatenier, 69
*baeticus* (Webb) Steud., 63, 108
var. *macranthus* Ball, 110, 112
f. *emarginatus* Font Quer, 110
f. *melillensis* Sennen, 110, 112
**balansae** (Boiss.) Ball, 63–64, 67, **70**, 72–73 [72 Map]
subsp. *atlanticus* Ball ex Canto & Rivas Mart., 70, 73
subsp. *balansae*, 73
subsp. *europaeus* (G.Lopez & C.E.Jarvis) Muñoz Garm., 78
subsp. *nevadensis* Canto & Rivas Mart., 72–73
var. *atlanticus* Ball, 70
var. *europaeus* G.Lopez & C.E.Jarvis, 78
var. *galianoi* (Talavera & P.E.Gibbs) G.Lopez, 72
*barbarus* (Jahand. & Maire) Maire, 86
var. *haplophyllus* Maire & Sennen, 86–87
× **beanii** Dallimore, **82**
*beanii* Nichols, 82
*boissieri* Briq., 102
× *canescens* A.Terrisse, 103
**cantabricus** (Willk.) Rchb.f. & Beck, 63, **83**–84 [84 Map]
*catalaunicus* (Webb) Briq., 108, 112
*commutatus* (Willk.) Briq., 63
× **dallimorei** Rolfe, 62, **107**
*eriocarpus* Boiss., 103
*eriocarpus* (Boiss. & Reut.) Rchb. & Beck, 102
*galianoi* Talavera & P.E.Gibbs, 72–73
*glabratus* Link, 91–92
**grandiflorus** (Brot.) DC., 63–64, 83, **85**–86
subsp. *barbarus* (Jahand. & Maire) Maire, 86
subsp. *cabezudoi* Talavera, 87
subsp. **grandiflorus**, 64, 86–**88** [86 Map]
subsp. *haplophyllus* (Maire & Sennen) Maire, 86
subsp. **maurus** (Humbert & Maire) Auvray, 61, 64, 87, **89**–90 [90 Map]
*incarnatus* (Lodd. et al.) K.Koch, 117
*insularis* S.Ortiz & I.Pulgar, 98
× **kewensis** Bean, **82**
*linkii* Janka, 75
*lusitanicus* (Mill.) Maire, 101
*lusitanicus* Willk., 75, 101
**malacitanus** Boiss., 63–64, 108, **115**–116 [116 Map]
subsp. *catalaunicus* (Webb) Heywood, 108
subsp. *moleroi* (Fern.Casas) A.Lora et al., 115
*maurus* Humbert & Maire, 89
*megalanthus* (Pau & Font Quer) Font Quer, 106
*moleroi* Fern.Casas, 115
**multiflorus** (L'Hér. ex Aiton) Sweet, 62, 64, 66, **74**–75 [75 Map], 82, 107, 117
f. **incarnatus** (Lodd. et al.) Rehder, **117**
**oromediterraneus** Rivas Mart. et al., 63–64, 67, 73, **78**–79 [78 Map], 82, 103
subsp. *nevadensis* Rivas Mart., 73
*patens* L., 101

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*pendulinus* L.f., 101
var. *eriocarpus* Cout., 103
var. *genuinus* Cout., 101
var. *welwitschii* (Boiss. & Reut.) Cout., 103
× **praecox** (Rob.) Hort, **82**
*procerus* (Willd.) Link, 102
*purgans* auct. non (L.) Boiss., 73, 79
*purgans* Boiss., 62
subsp. *balansae* (Boiss.) Maire, 70
var. *balansae* (Boiss.) Briq., 70
var. *grandiflorus* Deb. & E.Rev., 78
*reverchonii* (Degen & Hervier) Bean, 99
*sauzeanus* Burnat & Briq., 69
**scoparius** (L.) Link, 62–64, 82–83, 85, **91**–92, 97, 99, 103
subsp. *bourgaei* (Boiss.) Rivas Mart. et al., 91
subsp. *cantabricus* (Willk.) M.Lainz ex Rivas Mart. et al., 83
subsp. **insularis** (S.Ortiz & I.Pulgar) Auvray, 61, 92, **98**
subsp. *maritimus* (C.Bailey) Tutin, 63
subsp. **maritimus** (Rouy) Heywood, 92, **98**–99 [99 Map]
subsp. *maurus* (Humbert & Maire) Talavera, 90
subsp. *prostratus* (C.Bailey) Tutin, 98
subsp. **reverchonii** (Degen & Hervier) Rivas Goday & Rivas Mart., 92, **99**–100 [100 Map]
subsp. **scoparius**, 92–**93**, 96–98
var. *albus* G.Don, 96
var. *andreanus* (Puiss.) L.Dippel, 96
var. *bourgaei* (Boiss.) Briq., 91
var. *oxyphyllus* (Boiss.) Briq., 91
var. *pallescens* (Tinant) Magnel, 97
var. *pallidus* Goldring, 97
var. *prostratus* (C.Bailey) F.Hand. ex A.B.Jacks., 98
var. *sulphureus* A.F.Schwarz, 97
var. *sulphureus* Goldring, 97
var. *sulphureus* Nicholson, 97
f. **albus** (G.Don) Schneider, 64, **96**
f. **andreanus** (Puiss.) Zabel, 64, **96**, 107
f. **bicolor** (Massé) Auvray, 64, **97**
f. *ochroleucus* hort ex Zabel, 97
f. **sulphureus** (Goldring) Rehder, **97**
*sessilifolius* L., 65
**striatus** (Hill.) Rothm., 63–64, 83, **101**
subsp. *eriocarpus* (Boiss. & Reut.) Rivas Mart., 103
subsp. **megalanthus** (Pau & Font Quer) Rivas Mart. & Belmonte, 104, **106**–107 [107 Map]
subsp. **striatus**, 102 Map, **104**
subsp. *welwitschii* (Boiss. & Reut.) Rivas Mart., 103
var. *eriocarpus* (Boiss. & Reut.) Heywood, 103
var. *welwitschii* (Boiss. & Reut.) Heywood, 103
*transiens* (Maire) Talavera, 110
*valdesii* Talavera & P.E.Gibbs, 72–73
*villosus* Pourret, 65
*welwitschii* (Boiss. & Reut.) Rchb. & Beck, 103
var. *gallecicus* (Willk.) Briq., 103
*Cytisus* L., 61, 65, 370

*Dalbergia*, 476, 478
*Desmodium*
*triflorum* (L.) DC., 453
*Diaphanoptera*, 411
Dickoré, W.B., 405–412
*Didissandra*
*elongata* (Jack) C.B.Clarke, 398 App.
*frutescens* (Jack) C.B.Clarke, 398 App.
*muscicola* Diels, 404 App.
*Didymocarpus* Wall., 385, 387
sect. *Boeopsis* Ridl., 387
sect. *Codonoboea* (Ridl.) Kiew, 387
sect. *Didymanthus* C.B.Clarke, 387
sect. *Elati* Ridl., 385
sect. *Heteroboea* Benth., 387
sect. *Kompsoboea* C.B.Clarke, 387
sect. *Loxocarpus* (R.Br.) Benth., 393
sect. *Orthoboea* Benth., 385–386
sect. *Pectinati* Ridl., 387
sect. *Reptantes* Ridl., 387
sect. *Salicini* Ridl., 387
sect. *Venusti* Kiew, 388
*alternifolius* C.B.Clarke, 388
*amoenus* C.B.Clarke, 388
*angustifolius* C.B.Clarke, 388
*aromaticus* D.Don, 396 App.
*bakoensis* B.L.Burtt, 389
*battamensis* Ridl., 389
*beccarii* C.B.Clarke, 389
*bullatus* C.B.Clarke, 389

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*cinereus* D.Don, 397 App.
*corniculatus* Jack, 389
*crenatus* Baker, 389
*crinitus* (Jack) Spreng., 387
*dentatus* Ridl., 390
*elegans* C.B.Clarke, 390
*follicularis* C.B.Clarke, 390
*gracilipes* C.B.Clarke, 390
*heterophyllus* Ridl., 387
*koerperi* B.L.Burtt, 390
*kompsoboea* C.B.Clarke, 387, 390
*lanceolatus* C.B.Clarke, 391
*leptocalyx* C.B.Clarke, 391
var. *tenuior* C.B.Clarke, 389
*macrophyllus* D.Don, 400–401 App.
*murutorum* B.L.Burtt, 391
*myricifolius* Ridl., 391
*nervosus* C.B.Clarke, 391
*oblongus* D.Don, 400 App.
*pectinatus* Oliv., 387
*pleuropogon* B.L.Burtt, 391
*primulifolius* D.Don, 401 App.
*punctatus* C.B.Clarke, 392
*racemosus* Jack, 392
*reptans* Jack, 387
*reticulosus* C.B.Clarke, 392
*salicinus* Ridl., 387
*scabrinervius* C.B.Clarke, 392
*serratus* R.Br., 387, 392
*simplex* Kraenzl., 392
*teres* C.B.Clarke, 392
*venustus* Ridl., 388
*villosus* D.Don, 403 App.
*violoides* C.B.Clarke, 394
*virgineus* B.L.Burtt, 392
*vulcanicus* Ridl., 393
*woodii* Merr., 393
Dilleniaceae, 476
*Dilodendron*
*bipinnatum* Radlk., 477, 480
*Dimorphandra*
*mollis* Benth., 476, 481
*Dipteryx*
*alata* Vogel, 475–476, 479–480
Disjunction, 367–379*
Droop, J., 491–492 Rev.

Ecuador, 413–432*
Endemism
in *Renealmia*, 449–450
*Ephedra*
*gerardiana* Wall. ex Stapf, 410
*Eremurus*
*stenophyllus* Baker, 410–411
Ericaceae, 57–60*, 459, 461
*Eriotheca*
*pubescens* (Mart. & Zucc.) Schott & Endl., 477, 481
*Erythrina*
*dominguezii* Hassl., 476, 478
*Ethanium*
*sylvestre* Kuntze, 450
*Etlingera*, 491–492 Rev.
*mucida*, 492 Rev.
*Eugenia*, 477–478, 481
*aectosantis* Poir., 437
Euphorbiaceae, 372

Fabaceae, 61–120, 372, 472, 476
tribe Genisteae, 61–120*
*Faucherea* Lecomte, 8
*Flora Neotropica*, 449–450*
*Folium linguae* Rumph., 487, 489
Forest, seasonally dry tropical (SDTF), 469–486
Freitag, H., 405–412
*Fumaria*
*vaillantii* Loisel., 408

*Galium*
*ceratopodum* Boiss., 408
*Genista* L., 61
sect. *Spartothamnus* (Webb & Berth.) Rouy, 66
*alba* Lam., 74
*andreana* Puiss., 96
*angulata* (Raf.) Poir., 91
*arborea* (Desf.) Poir., 108
*ardoinoi* (E.Fourn.) Rouy, 67
subsp. *sauzeana* (Burnat & Briq.) Rouy, 69
*catalaunica* (Webb) Rouy, 108
*grandiflora* (Brot.) Spach, 85
*hirsuta* Moench, 91
*hirsuta* Vahl, 91
*lusitanica* L., 101
*lusitanica* (Mill.) Spach, 101
*multiflora* (L'Hér. ex Aiton) Spach, 74
*pendulina* (L.f.) Lam., 101
*praecox* Rob., 82

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*purgans* auct. non L., 79
*purgans* L.
subsp. *balansae* (Boiss.) Rouy, 70
var. *brachycarpa* Rouy, 79
var. *hermini* Welw., 70
*sauzeana* (Burnat & Briq.) Hill, 69, 117
*scoparia* (L.) Lam., 91
subsp. *richteri* Rouy, 83
var. *albiflora* Tinant, 96
var. *andreana* (Puiss.) Burvenich, 96
var. *bicolor* Massé, 97
var. *maritimus* Rouy, 98–99
var. *pallescens* Tinant, 97
var. *vulgaris* Rouy, 91
*scorpius* (L.) DC., 80
*striata* Hill, 101
*vulgaris* Garsault, 92
*vulgaris* Gray, 91
Gesneriaceae, 1, 121–176*, 385–404*, 455–468*
subfam. Didymocarpoideae, 455
tribe Cyrtandreae, 121–122, 455
*Gomidesia* O.Berg, 433
Greece, 1–5*
**Guarea** F.Allam. ex L., 179–362* [**190**]
*adenophylla* Al.Rodr., 221, 223
**aguilarii** Al.Rodr., 199, **296**, 342 Map
**anomala** T.D.Penn., 183–184, 186–189, 192, **200**–202 [201 Fig.], 335 Map, 358 App.
*apiodora* Baill., 329
*arcuata* Coronado, 217
**bijuga** C.DC., 184, 186, 188, 194, **205**–208 [206 Fig.], 219, 225, 300, 317, 341 Map, 358 App.
**blanchetii** C.DC., 185–187, 195, 269–272 [**270**, 271 Fig.], 335 Map, 358 App.
*brachystachya* DC., 289, 291
*brevianthera* C.DC., 217
**bullata** Radlk., 184, 186, 188–189, 194, 222–223, **225**–226 [226 Fig.], 342 Map, 358 App.
**carapoides** Harms, 185–186, 199, **274**–275 [275 Fig.], 337 Map, 358 App.
**carinata** Ducke, 185–186, 197, **241**–242, 248, 315, 332 Map, 358 App.
**cartaguenya** Cuatrec., 199, **297**, 339 Map
**casimiriana** Harms, 196, **298**, 307, 339 Map
**caulobotrys** Cuatrec., 185–187, 197, **233**, 235 Fig., 237, 313, 336 Map, 358 App.
*chiapensis* Blake, 215
**chiricana** Standl., 184, 186, 188–189, 194, **223**, 225, 305, 341 Map, 358 App.
*ciliata* Al.Rodr., 211–212
**cinnamomea** Harms, 185–186, 192, **243**–244 [244 Fig.], 332 Map, 358 App.
**constricta** Al.Rodr., 196, **298**–299 [299 Fig.], 342 Map
**convergens** T.D.Penn., 191, 272, **300**, 333 Map
*cook-griggsii* C.DC., 205
**corrugata** Cuatrec., 199, **300**, 339 Map
**corticosa** Al.Rodr., 198, **301**–302 [302 Fig.], 342 Map
**costata** A.Juss., 185–186, 195, **258**–259 [259 Fig.], 333 Map, 358 App.
**crispa** T.D.Penn., 192, **303**, 334 Map
**cristata** T.D.Penn., 185–187, 197, 241–**242**, 246, 337 Map, 358 App.
**donnell-smithii** C.DC., 194, **303**–305 [304 Fig.], 342 Map
**ecuadoriensis** W.Palacios, 185–187, 197, **276**–277 [277 Fig.], 337 Map, 358 App.
**eriorhachis** Harms, 197, **305**–307 [306 Fig.], 339 Map
*erythrocarpa* C.DC., 205
*excelsa* Kunth, 215
var. *dubia* Blake, 215
*filiformis* C.DC., 215
var. *cinerascens* C.DC., 215
var. *pallida* C.DC., 215
**fissicalyx** Harms, 185–186, 193, 287, **291**–292 [292 Fig.], 294, 338 Map, 358 App.
**fistulosa** W.Palacios, 185–187, 198, 237, **278**–279 [279 Fig.], 281, 313, 338 Map, 358 App.
*fulva* Triana & Planch., 215
var. *mexicana* C.DC., 219
**gentryi** Coronado, 184, 186–188, 192, **202**–203 [203 Fig.], 336 Map, 358 App.
*glabra* auct. non Vahl, 205, 208, 221, 223, 225, 303
**glabra** Vahl, 180, 187–189, 192, 194, 202, 205, 207, **210**, 212, 218–221, 225, 228, 253, 291, 305, 317, 326
subsp. **excelsa** (Kunth) T.D.Penn., 210, **215**–216, 220, 341 Map
subsp. **glabra**, 184, 186, **212**–213 [213 Fig.], 216, 218–219, 343 Map, 358 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

subsp. **glabrescens** (Hook. & Arn.) T.D.Penn., 216, **219**–220, 317, 341 Map
subsp. **microcarpa** (C.DC.) T.D.Penn., 184, 186–188, **217**, 222–223, 336 Map, 358 App.
subsp. **rovirosae** (C.DC.) T.D.Penn., 220–221, 225, 341 Map
subsp. **tuerckheimii** (C.DC.) T.D.Penn., **218**–219, 221, 341 Map
*glabrescens* (Hook. & Arn.) Blake, 219
*gomma* auct. non Pulle, 291
**gomma** Pulle, 185–186, 192–193, 199, **284**–285 [285 Fig.], 294, 333 Map, 358 App.
**gracilis** T.D.Penn., 185–187, 195, 237, 239, 269, **272**–273 [273 Fig.], 335 Map, 358 App.
**grandifolia** DC., 185–187, 198–199, 278, 288, **294**–295 [295 Fig.], 297, 309, 313, 315, 345 Map, 358 App.
**grossa** T.D.Penn., 196, **307**–309 [308 Fig.], 343 Map
**guentheri** Harms, 185–186, 198, **260**–261 [261 Fig.], 337 Map, 358 App.
**guidonia** (L.) Sleumer, 185–188, 190, 194, 269, 272, 283–284, **289**–291 [290 Fig.], 345 Map, 358 App.
*heterophylla* Blake, 215
**hoffmanniana** C.DC., 198, **309**, 339 Map
**humaitensis** T.D.Penn., 195, **310**, 334 Map
*humilis* Bert. ex DC., 210
**inesiana** Al.Rodr., 196, **311**, 343 Map
**jamaicensis** Proctor, 180, 184, 186–187, 189, 192, 196, **231**, 345 Map, 358 App.
**juglandiformis** T.D.Penn., 194, 258, 272, 280, **311**, 334 Map
*kegelii* Turcz., 218–219
**kunthiana** A.Juss., 180, 184, 186–187, 189, 196, **228**–229 [229 Fig.], 311, 344 Map, 358 App.
*lherminieri* C.DC., 210
*longifoliola* C.DC., 329
*lophos* Vell., 329
**lozanii** M.E.Morales, 195, **312**–313, 340 Map
*luciae* Barreiros, 267
**luxii** C.DC., 184, 186, 188, 194, **208**–210 [209 Fig.], 341 Map, 358 App.
*macrobotrys* Poepp. & Endl., 329
**macrocalyx** Al.Rodr., 183, 185–187, 189, 198, 253, **255**–256 [256 Fig.], 342 Map, 358 App.
*macropetala* T.D.Penn., 309
**macrophylla** Vahl, 185–188, 193, 195, 197–199, 253, **260**, 269, 272, 274, 358 App.
subsp. **macrophylla**, 262 Fig., **264**, 345 Map
subsp. **pachycarpa** (C.DC.) T.D.Penn., 263 Fig., 265–**266**, 344 Map
subsp. **pendulispica** (C.DC.) T.D.Penn., 263 Fig., **266**, 344 Map
subsp. **spiciflora** (A.Juss.) T.D.Penn., 262 Fig., **265**, 335 Map
subsp. **tuberculata** (Vell.) T.D.Penn., 262 Fig., **264**, 344 Map
*makrinii* Blake, 215
*matudai* Lundell, 205
*maynasiana* C.DC., 329
**megacostata** T.D.Penn., 191, **313**–314 [314 Fig.], 345 Map
**mexicana** Coronado, 194, **315**–317 [316 Fig.], 343 Map
**michel-moddei** T.D.Penn., 183, 185–186, 197, **245**–246, 332 Map, 358 App.
*microcalyx* Harms, 211
*microcarpa* C.DC., 217
*montana* Al.Rodr., 320, 322
*obtusata* Blake, 210
*palmeri* N.E.Rose ex C.DC., 215
*pauciflora* Sessé & Moc., 210
**pendula** R.S.Ramalho, 185–187, 195, 239, **267**–269 [268 Fig.], 274, 335 Map, 359 App.
*pendulispica* C.DC., 266
*penningtoniana* A.L.Pinheiro, 267, 278
*penningtoniana* M.E.Morales, 278
**persistens** W.Palacios, 185–186, 192, 283–**284**, 286–287 [286 Fig.], 338 Map, 359 App.
*petenensis* Coronado, 220–221
*pilosa* Al.Rodr., 223, 225
*polyantha* Blake, 215
**polymera** Little, 199, **317**, 340 Map
**pterorhachis** Harms, 185–189, 195, **231**, 233, 359 App.
subsp. **pterorhachis**, **232**–233, 336 Map
subsp. **submarginalis** T.D.Penn., 232–234 [**233**, 234 Fig.], 336 Map

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

**pubescens** (Rich.) A.Juss., 183, 185–186, 193, 195, **248**, 269, 359 App.
subsp. **pubescens**, **249**–250 [250 Fig.], 332 Map
subsp. **pubiflora** (A.Juss.) T.D.Penn., **249**–250 [250 Fig.], 333 Map
*pubiflora* A.Juss., 249
*purpurea* C.DC., 215
**purusana** C.DC., 185–186, 199, **288**, 313, 333 Map, 359 App.
**pyriformis** T.D.Penn., 185–187, 193, **283**–284, 338 Map, 359 App.
*quadrangularis* M.E.Morales, 243
*ramiflora* Vent., 210
**reticulatovenosa** T.D.Penn., 196, **317**–319 [318 Fig.], 340 Map
**rhopalocarpa** Radlk., 199, **320**–322 [321 Fig.], 340 Map
**riparia** W.Palacios, 185–187, 192, **281**–282 [282 Fig.], 338 Map, 359 App.
*rovirosae* C.DC., 220
**scabra** A.Juss., 193, **322**–323 [323 Fig.], 334 Map
*schomburgkii* C.DC., 210
**silvatica** C.DC., 183–184, 186–189, 191, 196, **199**–200, 202, 232, 332 Map, 359 App.
*sinuata* Roem., 329
**sphenophylla** Urb., 180, 195, 197, 231, **324**, 345 Map
*spiciflora* A.Juss., 265
**sprucei** C.DC., 185–186, 196, **239**–240 [240 Fig.], 317, 319, 332 Map, 359 App.
**subandina** W.Palacios, 183, 185–186, 198, **246**–248 [247 Fig.], 337 Map, 359 App.
*suberosa* C.DC., 329
**subsessilifolia** Al.Rodr., 192, **324**–325 [325 Fig.], 343 Map
*subsetulosa* Harms, 329
*swartzii* DC., 210
*syringoides* C.H.Wright, 210
**tafae-malekui** Al.Rodr., 183, 185–189, 198–199, **253**–254 [254 Fig.], 257, 342 Map, 359 App.
**talamancana** Gómez-Laur. & M.Valerio, 197, **326**, 343 Map
*ternifoliola* C.DC., 210, 212
**tonduzii** C.DC., 184, 186, 188–189, 193, **221**–223, 228, 341 Map, 359 App.
*trichilioides* L., 190
var. *pachycarpa* C.DC., 266
**trunciflora** C.DC., 198, **327**–328 [328 Fig.], 334 Map
*tuberculata* Vell., 264
*tuerckheimii* C.DC., 218
*vahliana* A.Juss., 210
**velutina** A.Juss., 185–186, 194, **257**, 259, 272, 280, 333 Map, 359 App.
**venenata** T.D.Penn., 196, 313, **329**, 340 Map
*virescens* C.DC., 215
**zarceroensis** Coronado, 183, 185–189, 195, **251**–253 [252 Fig.], 342 Map, 359 App.
**zepivae** T.D.Penn., 185–186, 194, **237**–239 [238 Fig.], 335 Map, 359 App.
*Guatteria* Ruiz & Pav., 187
*Guazuma*
*ulmifolia* Lam., 477, 480
Guttiferae, 9
*Gypsophila*, 411

*Haloxylon*
*griffithii* (Moq.) Bunge ex Boiss., 408
*persicum* Bunge ex Boiss., 372
*Handroanthus*
*impetiginosus* Mattos, 476, 478, 480
*ochraceus* (Cham.) Mattos, 476, 478, 481
*Heckeldora* Pierre, 179, 181
*staudtii*, 184, 186, 359 App.
*Heliotropium* L., 372
*acutiflorum* Kar. & Kir., 372
*arguzioides* Kar. & Kir., 373
*dasycarpum* Ledeb., 373
*micranthos* (Pallas) Bunge, 372
*Henckelia* Spreng., 385–404*
sect. *Didymanthus* (C.B.Clarke) A.Weber & B.L.Burtt, 386–387
sect. *Glossadenia* A.Weber & B.L.Burtt, 386–388
sect. *Henckelia*, 386
sect. *Heteroboea* (Benth.) A.Weber & B.L.Burtt, 386–387
sect. *Loxocarpus* (R.Br.) A.Weber & B.L.Burtt, 393
*adenocalyx* (Chatterjee) D.J.Middleton & Mich.Möller, 395 App.
*alata* (Roxb.) A.Dietr., 395 App.
*alba* (Ridl.) A.Weber, 395 App.
*albomarginata* (Hemsl.) A.Weber, 395 App.
*alternans* (Ridl.) A.Weber, 395 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*alternifolia* (C.B.Clarke) B.L.Burtt, 388, 395 App.
*amoena* (C.B.Clarke) B.L.Burtt, 388, 396 App.
*anachoreta* (Hance) D.J.Middleton & Mich.Möller, 396 App.
*angusta* (C.B.Clarke) D.J.Middleton & Mich.Möller, 396 App.
*angustifolia* (C.B.Clarke) B.L.Burtt, 388, 396 App.
*anthonyi* (Kiew) A.Weber, 396 App.
*anthonysamyi* Banka, 396 App.
*appressipilosa* B.L.Burtt, 388, 396 App.
*argentea* (B.L.Burtt) B.L.Burtt, 396 App.
*aromatica* (D.Don) Spreng., 396 App.
*ascendens* (Ridl.) A.Weber, 396 App.
*atrosanguinea* (Ridl.) A.Weber, 396 App.
*auriculata* (J.M.Li & S.X.Zhu) D.J.Middleton & Mich.Möller, 396 App.
*bakoensis* (B.L.Burtt) B.L.Burtt, 389, 396 App.
var. *tenuior* (C.B.Clarke) B.L.Burtt, 389, 396 App.
*barbata* (Jack) Spreng., 396 App.
*battamensis* (Ridl.) B.L.Burtt, 389, 396 App.
*beccarii* (C.B.Clarke) B.L.Burtt, 389, 396 App.
*bifolia* (D.Don) A.Dietr., 396 App.
*bombycina* (Ridl.) A.Weber, 396 App.
*breviflora* (Ridl.) A.Weber, 396 App.
*briggsioides* (W.T.Wang) D.J.Middleton & Mich.Möller, 396 App.
*browniana* A.Weber, 396 App.
*bullata* (C.B.Clarke) B.L.Burtt, 389, 396 App.
*burttii* D.J.Middleton & Mich.Möller, 396 App.
*caelestis* (Ridl.) A.Weber, 396 App.
*caerulea* (Ridl.) A.Weber, 396 App.
*calcarea* (Ridl.) A.Weber, 396 App.
*calva* (C.B.Clarke) D.J.Middleton & Mich.Möller, 396 App.
*capensis* A.Braun ex C.B.Clarke, 396 App.
*castaneifolia* (Ridl.) A.Weber, 397 App.
*caulescens* (B.L.Burtt) A.Weber & B.L.Burtt, 397 App.
*ceratoscyphus* (B.L.Burtt) D.J.Middleton & Mich.Möller, 397 App.
*cinerea* (D.Don) Spreng., 397 App.
*codonion* (Kiew) A.Weber, 397 App.
*communis* (Gardner) D.J.Middleton & Mich.Möller, 397 App.
*conicapsularis* (C.B.Clarke) B.L.Burtt, 397 App.
*coodei* B.L.Burtt, 393, 397 App.
*corneri* (Kiew) A.Weber, 397 App.
*corniculata* (Jack) Spreng., 389, 397 App.
*corrugata* Mendum, 389, 397 App.
*craspedodroma* (Kiew) A.Weber, 397 App.
*crenata* (Baker) B.L.Burtt, 389, 397 App.
*crinita* (Jack) Spreng., 397 App.
*crocea* (Ridl.) A.Weber, 397 App.
*curtisii* (Ridl.) A.Weber, 397 App.
*davisonii* (Kiew) A.Weber, 397 App.
*dawnii* (Kiew) A.Weber, 397 App.
*densifolia* (Ridl.) A.Weber, 397 App.
*dentata* (Ridl.) B.L.Burtt, 390, 397 App.
*descendens* (B.L.Burtt) B.L.Burtt, 390, 397 App.
*dibangensis* (B.L.Burtt, S.K.Srivast. & Mehrotra) D.J.Middleton & Mich. Möller, 397 App.
*dielsii* (Borza) D.J.Middleton & Mich. Möller, 397 App.
*diffusa* B.L.Burtt, 397 App.
*dimidiata* (Wall. ex C.B.Clarke) D.J.Middleton & Mich.Möller, 397 App.
*doryphylla* (B.L.Burtt) A.Weber, 397 App.
*elegans* (C.B.Clarke) B.L.Burtt, 390, 397 App.
*elongata* (Jack) Spreng., 398 App.
*ericiflora* (Ridl.) A.Weber, 398 App.
*ericii* A.Weber, 398 App.
*falcata* (Kiew) A.Weber, 398 App.
*fasciata* (Ridl.) A.Weber, 398 App.
*fasciculiflora* (W.T.Wang) D.J.Middleton & Mich.Möller, 398 App.
*filicalyx* B.L.Burtt, 390, 398 App.
*fischeri* (Gamble) A.Weber & B.L.Burtt, 398 App.
*flava* (Ridl.) A.Weber, 398 App.
*flavescens* (Ridl.) A.Weber, 398 App.
*flavobrunnea* (Ridl.) A.Weber, 388, 398 App.
*floccosa* (Thwaites) A.Weber & B.L.Burtt, 398 App.
*floribunda* (M.R.Hend.) A.Weber, 398 App.
*follicularis* (C.B.Clarke) B.L.Burtt, 390, 398 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*forrestii* (J.Anthony) D.J.Middleton & Mich.Möller, 398 App.
*frutescens* (Jack) Spreng., 398 App.
*fruticola* (H.W.Li) D.J.Middleton & Mich.Möller, 398 App.
*gambleana* (C.E.C.Fisch.) A.Weber & B.L.Burtt, 398 App.
*gardneri* B.L.Burtt, 398 App.
*geitleri* (A.Weber) A.Weber, 398 App.
*glabrata* (Ridl.) A.Weber, 398 App.
*gracilipes* (C.B.Clarke) B.L.Burtt, 390, 398 App.
*grandiflora* (Retz.) A.Dietr., 398 App.
*grandifolia* A.Dietr., 398 App.
*heterophylla* (Ridl.) A.Weber, 398 App.
*heterostigma* (B.L.Burtt) D.J.Middleton & Mich.Möller, 398 App.
*hirsuta* (Ridl.) A.Weber, 398 App.
*hirta* (Ridl.) A.Weber, 398 App.
*hispida* (Ridl.) A.Weber, 399 App.
*holttumii* (M.R.Hend.) A.Weber, 399 App.
*hookeri* (C.B.Clarke) D.J.Middleton & Mich.Möller, 399 App.
*humboldtiana* (Gardner) A.Weber & B.L.Burtt, 399 App.
*humilis* (Miq.) A.Weber & B.L.Burtt, 399 App.
*inaequalis* (Ridl.) A.Weber, 399 App.
*incana* (Vahl) Spreng., 386, 399 App.
*infundibuliformis* (W.T.Wang) D.J.Middleton & Mich.Möller, 399 App.
*innominata* (B.L.Burtt) A.Weber & B.L.Burtt, 399 App.
*insignis* (C.B.Clarke) D.J.Middleton & Mich.Möller, 399 App.
*johorica* (Ridl.) A.Weber, 399 App.
*kelantanensis* Kiew, 399 App.
*kjellbergii* B.L.Burtt, 399 App.
*koerperi* (B.L.Burtt) A.Weber & B.L.Burtt, 390, 399 App.
*kolokensis* B.L.Burtt, 390, 399 App.
*kompsoboea* (C.B.Clarke) B.L.Burtt, 390, 399 App.
*lacei* (W.W.Sm.) D.J.Middleton & Mich.Möller, 399 App.
*lachenensis* (C.B.Clarke) D.J.Middleton & Mich.Möller, 399 App.
*lanceolata* (C.B.Clarke) B.L.Burtt, 391, 399 App.
*lancifolia* (M.R.Hend.) A.Weber, 399 App.
*leiophylla* (Kiew) A.Weber, 399 App.
*leptocalyx* (C.B.Clarke) B.L.Burtt, 391, 399 App.
*leucantha* (Kiew) A.Weber, 399 App.
*leucocodon* (Ridl.) A.Weber, 399 App.
*lilacina* (Ridl.) A.Weber, 399 App.
*longipedicellata* (B.L.Burtt) D.J.Middleton & Mich.Möller, 399 App.
*longipes* (C.B.Clarke) A.Weber, 399 App.
*longipetiolata* (B.L.Burtt) B.L.Burtt, 399 App.
*longisepala* (H.W.Li) D.J.Middleton & Mich.Möller, 400 App.
*lyrata* (Wight) A.Weber & B.L.Burtt, 400 App.
*macrophylla* (D.Don) Spreng., 400 App.
*macrostachya* (E.Barnes) A.Weber & B.L.Burtt, 400 App.
*malayana* (Hook.f.) A.Weber, 400 App.
*marginata* (C.B.Clarke) A.Weber, 400 App.
*meeboldii* (W.W.Sm. & Ramaswami) A.Weber & B.L.Burtt, 400 App.
*meijeri* (B.L.Burtt) A.Weber & B.L.Burtt, 400 App.
*miniata* (Kiew) A.Weber, 400 App.
*minima* (Ridl.) A.Weber, 400 App.
*mishmiensis* (Debb. ex Biswas) D.J.Middleton & Mich.Möller, 400 App.
*missionis* (Wall. ex R.Br.) A.Weber & B.L.Burtt, 400 App.
*modesta* (Ridl.) A.Weber, 400 App.
*monantha* (W.T.Wang) D.J.Middleton & Mich.Möller, 400 App.
*monophylla* (C.B.Clarke) D.J.Middleton & Mich.Möller, 400 App.
*moonii* (Gardner) D.J.Middleton & Mich.Möller, 400 App.
*murutorum* (B.L.Burtt) B.L.Burtt, 391, 400 App.
*myricifolia* (Ridl.) B.L.Burtt, 391, 400 App.
*nana* A.Weber, 400 App.
*nervosa* (C.B.Clarke) B.L.Burtt, 391, 400 App.
*nitida* (Kiew & A.Weber) A.Weber, 400 App.
*nivea* (Kiew) A.Weber, 400 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*oblonga* (D.Don) Spreng., 400 App.
*oblongifolia* (Roxb.) D.J.Middleton & Mich.Möller, 400 App.
*oppositifolia* (Retz.) A.Dietr., 400 App.
*ovalifolia* (Wight) A.Weber & B.L.Burtt, 400 App.
*pagonensis* B.L.Burtt, 391, 400 App.
*papillosa* (M.R.Hend.) A.Weber, 400 App.
*parviflora* (Ridl.) A.Weber, 401 App.
*pauziana* Kiew, 401 App.
*pectinata* (Oliv.) A.Weber, 401 App.
*peduncularis* (B.L.Burtt) D.J.Middleton & Mich.Möller, 401 App.
*petiolaris* (C.B.Clarke) B.L.Burtt, 401 App.
*platypus* (C.B.Clarke) A.Weber, 401 App.
*pleuropogon* (B.L.Burtt) B.L.Burtt, 391, 401 App.
*plicata* (D.Don) Spreng., 401 App.
*polyanthoides* (Kiew) A.Weber, 401 App.
*porphyrea* B.L.Burtt, 392, 401 App.
*primulacea* (C.B.Clarke) D.J.Middleton & Mich.Möller, 401 App.
*primulifolia* (D.Don) Spreng., 401 App.
*primulina* (Ridl.) A.Weber, 401 App.
*procumbens* B.L.Burtt, 401 App.
*puerensis* (Y.Y.Qian) D.J.Middleton & Mich.Möller, 401 App.
*pulchella* (Ridl.) A.Weber, 401 App.
*pumila* (D.Don) A.Dietr., 401 App.
*punctata* (C.B.Clarke) B.L.Burtt, 392, 401 App.
*puncticulata* (Ridl.) A.Weber, 401 App.
*pycnantha* (W.T.Wang) D.J.Middleton & Mich.Möller, 401 App.
*pyroliflora* (Ridl.) A.Weber, 401 App.
*quinquevulnera* (Ridl.) A.Weber, 401 App.
*racemosa* (Jack) Spreng., 392, 401 App.
*ramosa* (Ridl.) A.Weber, 401 App.
*repens* (Bedd.) A.Weber & B.L.Burtt, 401 App.
*reptans* (Jack) Spreng., 401 App.
var. *monticola* (Ridl.) A.Weber, 401 App.
*reticulosa* (C.B.Clarke) A.Weber, 402 App.
*reticulosa* (C.B.Clarke) B.L.Burtt, 392
*rexii* (Hook.) Heynh., 402 App.
*ridleyana* A.Weber, 402 App.
*robinsonii* (Ridl.) A.Weber, 402 App.
*rotundata* (Barnett) D.J.Middleton & Mich.Möller, 385, 402 App.
*roxburghiana* A.Dietr., 402 App.
*rubiginosa* (Ridl.) A.Weber, 402 App.
*rufescens* (C.B.Clarke) B.L.Burtt, 402 App.
*rugosa* (Ridl.) A.Weber, 402 App.
*salicina* (Ridl.) A.Weber, 402 App.
*salicinoides* (Kiew) A.Weber, 402 App.
*scabrinervia* (C.B.Clarke) B.L.Burtt, 392, 402 App.
*scortechinii* (Ridl.) A.Weber, 402 App.
*sekayuensis* Banka & Kiew, 394, 402 App.
*semitorta* (C.B.Clarke) A.Weber, 402 App.
*sericea* (Ridl.) A.Weber, 402 App.
*sericiflava* Kiew & Banka, 394, 402 App.
*serrata* (R.Br.) A.Weber & B.L.Burtt, 392, 402 App.
*serratifolia* (Ridl.) A.Weber, 402 App.
*shuii* (Z.Yu Li) D.J.Middleton & Mich. Möller, 402 App.
*simplex* (Kraenzl.) B.L.Burtt, 392, 402 App.
*smitinandii* (B.L.Burtt) D.J.Middleton & Mich.Möller, 402 App.
*soldanella* (Ridl.) A.Weber, 402 App.
*speciosa* (Kurz) D.J.Middleton & Mich. Möller, 402 App.
*stapfii* (Kraenzl.) B.L.Burtt, 402 App.
*stenophylla* A.Weber, 403 App.
*stolonifera* (Kiew) A.Weber, 403 App.
*taeniophylla* B.L.Burtt, 394, 403 App.
*tahanica* (B.L.Burtt) A.Weber, 403 App.
*teres* (C.B.Clarke) B.L.Burtt, 392, 403 App.
*tibetica* (Franch.) D.J.Middleton & Mich.Möller, 403 App.
*tiumanica* (Ridl.) A.Weber, 403 App.
*tunkui* (Kiew) A.Weber, 403 App.
*urticifolia* (D.Don) A.Dietr., 403 App.
*urticoides* A.Weber, 403 App.
*venusta* (Ridl.) A.Weber, 403 App.
*verbeniflos* (C.B.Clarke) B.L.Burtt, 403 App.
*villosa* (D.Don) Spreng., 403 App.
*violoides* (C.B.Clarke) B.L.Burtt, 394, 403 App.
*virginea* (B.L.Burtt) B.L.Burtt, 392, 403 App.
*viscida* (Ridl.) A.Weber, 403 App.
*vulcanica* (Ridl.) A.Weber & B.L.Burtt, 393, 403 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*walkerae* (Gardner) D.J.Middleton & Mich.Möller, 403 App.
*wallichiana* A.Dietr., 403 App.
*wightii* (C.B.Clarke) A.Weber & B.L.Burtt, 403 App.
*woodii* (Merr.) A.Weber & B.L.Burtt, 393, 403 App.
*yongii* (Kiew) A.Weber, 403 App.
*zeylanica* (R.Br.) A.Weber & B.L.Burtt, 403 App.
*Heteroderis*
*pusilla* (Boiss.) Boiss., 408
Himalayas, 1–5
*Hiraea* Jacq., 413–432*
**amazonica** C.E.Anderson, 413–416 [**414**, 415 Fig.]
**angustipetala** C.E.Anderson, 413–414, **416**–418 [417 Fig.], 423, 427
**breteleri** C.E.Anderson, 413–414, **418**–420 [419 Fig.]
**cephalotes** Triana & Planch., 413–432 [**420**, 421 Fig.]
**ecuadorensis** C.E.Anderson, 413, **423**–425 [424 Fig.], 429
**escobariae** C.E.Anderson, 413, **425**–427 [426 Fig.]
*ferruginea* Cuatrec., 414
**mortoniana** (J.F.Macbr.) C.E.Anderson, 413, 425, **427**–429 [428 Fig.]
*multiradiata* A.Juss., 414
**peruviana** C.E.Anderson, 413, **429**–431 [430 Fig.]
*spruceana* Nied., 413–414, 421, 423, 429
var. *mortoniana* J.F.Macbr., 413–414, 427
*Horaninowia*
*ulicina* Fisch. & C.A.Mey., 372
*Hymenaea*
*courbaril* L., 476, 479–480
*martiana* Hayne, 476, 479
*stigonocarpa* Mart. ex Hayne, 476, 478, 481

*Imbricaria*
*malabarica* Poir., 33
India, 1–5*, 57–60*, 451–454*
*Inga* Mill., 187
*laurina* (Sw.) Willd., 476, 481
*vera* Willd., 476, 481
*Isanthera* Nees, 121–122, 128
*crenata* C.B.Clarke, 138
*dimorpha* Kraenzl., 138, 143
*discolor* Maxim., 122, 138, 143
var. *austrokiushiuensis* Ohwi, 138, 142
var. *incisa* Ohwi, 138, 143
*eximia* C.B.Clarke, 146
*floribunda* Gardner, 166
*lanata* Warb., 138, 143
*parviflora* Ridl., 160, 166
*permollis* Nees, 122, 128, 143, 166
var. *paucinervia* C.B.Clarke, 166, 168
ITS sequence data
of *Guarea*, 180–189

*Jacaranda*
*cuspidifolia* Mart. ex A.DC., 476, 481
Jacobs, M., 405–412
Jamaica, 449–450*
*Juniperus*
*excelsa* M.Bieb., 411
*Justicia*
*nagpurensis* Graham, 453

*Kaukenia* Kuntze, 11
*dissecta* (L.f.) Kuntze, 15
*hexandra* (Roxb.) Kuntze, 23
*kauki* (L.) Kuntze, 33
*littoralis* (Kurz) Kuntze, 38
*parvifolia* Kuntze, 49
*roxburghiana* (Wight) Kuntze, 41
*Kaviria*
*tomentosa* (Moq.) Akhani, 408
Kerala, India, 451–454*
Keys
to *Cytisus*, 65–67, 83, 87, 92, 104, 108
to *Guarea*, 191–199, 232, 249
to *Manilkara*, 11–13
to *Ochotonophila*, 410
to *Rhynchotechum*, 129–131
Khan, M.L., 57–60
Koh-e-Baba mountain range, Afghanistan, 409 Fig.

*Labourdonnaisia* Bojer, 8
*Laburnum* Fabr., 61
Lace, John Henry, 2
*Lachnoloma*
*lehmanii* Bunge, 372
*Lactuca*
*orientalis* (Boiss.) Boiss., 408, 411
*Lafoensia*
*pacari* A.St.-Hil., 476, 481

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

Lam Dong, Vietnam, 439–447*
Lamiaceae, 372, 476
Latimojong Mountains, Sulawesi, 455–468* [456 Map]
Lauraceae, 476
Lectotypes
in *Calyptranthes*, 433–438*
in *Campanula*, 1–5*
in *Phanera*, 487–490*
Leguminosae, 187, 363–365, 487–490
subfam. Caesalpinioideae, 363–365, 487–490
Lehn, C.R., 469–486
*Lembotropis* Griseb., 62
*Leptoboea* Benth., 122
*Liebigia*
*speciosa* (Blume) Endl., 396 App.
*Linaria*
*bamianica* Patzak, 408
*Lindernia*
*antipoda* (L.) Alston, 398 App.
*ciliata* (Colsm.) Pennell, 453
*crustacea* (L.) F.Muell., 453
*hyssopioides* (L.) Haines, 400 App.
*rotundifolia* (L.) Mukherjee, 453
*ruellioides* (Colsm.) Pennell, 402 App.
*Lobelia*
*alsinoides* Lam., 453
*Lonchocarpus*
*sericeus* (Poir.) DC., 476, 478
**Loxocarpus** R.Br., 385–404* [**393**]
*angustifolius* Ridl., 403 App.
*argenteus* B.L.Burtt, 396 App.
*caeruleus* (Ridl.) Ridl., 396 App.
*caulescens* B.L.Burtt, 397 App.
*conicapsularis* (C.B.Clarke) B.L.Burtt, 397 App.
**coodei** (B.L.Burtt) T.L.Yao, **393**, 397 App.
*holttumii* M.R.Hend., 398 App.
*incanus* R.Br., 393, 396 App., 400 App.
var. **sekayuensis** (Banka & Kiew) T.L.Yao, **394**, 402 App.
*meijeri* B.L.Burtt, 400 App.
*repens* B.L.Burtt, 398 App., 401 App.
*rufescens* (C.B.Clarke) B.L.Burtt, 402 App.
*semitortus* (C.B.Clarke) Ridl., 402 App.
*sericeus* (Ridl.) B.L.Burtt, 402 App.
**sericiflavus** (Kiew & Banka) T.L.Yao, **394**, 396 App., 402 App.
*stapfii* (Kraenzl.) B.L.Burtt, 399 App., 402 App.
**taeniophyllus** (B.L.Burtt) T.L.Yao, **394**, 403 App.
*tunkui* Kiew, 403 App.
*verbeniflos* (C.B.Clarke) B.L.Burtt, 401 App., 403 App.
**violoides** (C.B.Clarke) T.L.Yao, **394**, 397 App., 403 App.
Lucas, E., 433–438
*Luehea*
*paniculata* Mart. & Zucc., 477, 480
Luu, H.T., 439–447
*Lysimachia*
*saurauifolia* S.S.Ying, 147, 150
Lythraceae, 451–454*, 476

Maas, P.J.M., 449–450
*Machaerium*
*hirtum* (Vell.) Stellfeld, 476, 480
*Magonia*
*pubescens* A.St.-Hil., 475, 477, 480
Malecot, V., 61–120
Malpighiaceae, 413–432*
Malvaceae, 472, 477
**Manilkara** Adans., 7–56* [**10**]
subgen. *Euachras* Gilly, 8
subgen. *Eumanilkara* (Dubard) Gilly, 8
*calophylloides* H.J.Lam, 18
**celebica** H.J.Lam, 9, 12–15 [**13**, 14 Map]
*discolor*, 8
**dissecta** (L.f.) Dubard, 8–10, 12, **15**–17 [16 Map], 22, 43, 45, 47–48
var. *dissecta*, 17
var. *pancheri* (Baill.) Maas Geest., 15, 17
var. *typica*, 17
*emarginata* H.J.Lam, 24
**fasciculata** (Warb.) H.J.Lam & Maas Geest., 8–12, **18**–22 [19 Map, 20–21 Figs], 31–32, 47
**hexandra** (Roxb.) Dubard, 9–12, **23**–26 [24 Map, 25 Fig.], 40, 42
**hoshinoi** (Kaneh.) P.Royen, 8–11, 14 Map, 22, **29**–30, 44
**kanosiensis** H.J.Lam, 9–10, 13–14 [14 Map], **31**–32, 35
**kauki** (L.) Dubard, 9–10, 12, 14–15, 26, 31–36 [**32**, 33 Map, 34 Fig.], 40, 45, 50
**kurziana** H.J.Lam & Maas Geest., **49**

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

**littoralis** (Kurz) Dubard, 9, 11, 13, **38**–40 [38 Map, 39 Fig.]
*merrilliana* H.J.Lam, 18
*mochisia*, 9
*napali* P.Royen, 31–32
*pancheri* (Baill.) Dubard, 15
*parvifolia* (Kurz) H.J.Lam, 49
*parvifolia* (Nutt.) Dubard, 49
*roxburghiana* (Wight) Dubard, 9, 13, 26, 38 Map, **41**–42
**samoensis** H.J.Lam, 9, 13, 17, 30, **42**–44 [43 Map], 50
**smithiana** H.J.Lam, 9, 12, 16–17 [16 Map], **44**–46, 48
*teysmannii* Dubard, 18
**udoido** Kaneh., 8–10, 12, 14 Map, 21–22, **46**–47
**vitiensis** (H.J.Lam & Olden) B.Meeuse, 9, 13, 17, 43 Map, 45–48 [**47**]
*zapota* (L.) P.Royen, 7, 10–11, 36
Mao, A.A., 57–60
*Marlierea* Cambess., 433
Mata seca, 469
*Matayba*
*guianensis* Aubl., 477–478
Mato Grosso do Sul, 469–486 [471 Map]
*Matthiola*
*chorassanica* Bunge ex Boiss., 408
*Mecardonia*
*procumbens* (Mill.) Small, 453
Meliaceae, 179–362*, 477
subfam. Cedreloideae, 255
subfam. Melioideae, 179, 255
tribe Guareeae, 181
Mesotrophic cerradão, 469–486
Middle Asia, 367–379*
Middleton, D.J., 121–176, 385–404
Mill, R.R., 367–379
*Mimusops*, 7, 49
subgen. *Manilkara* (Adans.) Pierre & Urb., 10
subgen. *Pleio-Mimusops* Engl., 11
subgen. *Ternaria* (A.DC.) Engl., 11
sect. *Ternaria* A.DC., 11
*balota* auct., 33
*bojeri* A.DC., 34
*browniana* (A.DC.) Benth., 34
*calophylloides* Merr., 18
*dissecta* auct., 33
*dissecta* (L.f.) R.Br., 15
*elengi* L., 49
*fasciculata* Warb., 18
*hexandra* Roxb., 11, 23
*hookeri* A.DC., 33
*indica* A.DC., 24, 38
*indica* auct., 38
*kauki* L., 33
var. *browniana* A.DC., 34
*littoralis* Kurz, 11, 38
*manilkara* G.Don, 33
*pancheri* Baill., 15
*parvifolia* Kurz, 49
*parvifolia* R.Br., 49
*roxburghiana* Wight, 41
*teysmannii* Pierre, 18
*vieillardii* Pierre, 15
Möller, M., 385–404
Montane semi-desert, 405–412*
Multidimensional scaling, non-metric, 469–486* [473 Fig.]
*Murdannia*
*nudiflora* (L.) Brenan, 453
*Myracrodruon*
*urundeuva* Allemão, 472–478, 480, 482
*Myrcia* DC. ex Guill., 433–434
*clusiifolia* Miq., 434
Myrtaceae, 433–438, 472, 477
subtribe Myrciinae, 433–438
*Myrtus*
*grammica* Spreng., 435

Names
in *Campanula*, 1–5
Neaves, L., 177–178 Rev.
*Nectandra*, 315
Neotropics, 179–362*
Neotypes
of *Calyptranthes*, 433–438*
Nepal, 1–5*, 381–384*
Neves, D.R., 469–486
New combinations
in *Codonoboea*, 385–404*
in *Loxocarpus*, 385–404*
in *Phanera*, 363–365*
in *Renealmia*, 449–450*
New names
in *Renealmia*, 449–450
New species
in *Bulbophyllum*, 381–384
in *Camellia*, 439–447*

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

in *Convolvulus*, 367–379*
in *Cyrtandra*, 455–468*
in *Ochotonophila*, 405–412
in *Rhododendron*, 57–60*
in *Rhynchotechum*, 121–176*
in *Rotala*, 451–454*
New subspecies
in *Convolvulus*, 367–379*
New taxa
of *Bulbophyllum*, 381–384*
of *Convolvulus*, 367–379
New varieties
in *Phanera*, 363–365
NEWMAN, M., 449–450
*Nonea*
*caspica* (Willd.) G.Don, 408
Non-metric multidimensional scaling, 469–486* [473 Fig.]
*Northia*, 30
*fasciculata* (Warb.) H.J.Lam, 18
*hoshinoi* Kaneh., 29
*vitiensis* H.J.Lam & Olden, 47
*Northiopsis* Kaneh., 11, 30
*hoshinoi* (Kaneh.) Kaneh., 11, 29
Notes
on *Campanula*, 1–5

*Ochotonophila* Gilli, 405–412*
*allochrusoides* Gilli, 405–407 [407 Fig.], 410–411 [411 Map]
*eglandulosa* Hedge & Wendelbo, 405–407 [407 Fig.], 410–411 [411 Map]
**flava** Dickoré & Freitag, 405–412 [**406**, 406–407 Figs, 409 Fig., 411 Map]
*Ocotea*, 476, 479
Old World, Gesneriaceae of, 385–404
Oleaceae, 477
OLIVEIRA FILHO, A.T., 469–486
Oman, 367–379*
*Onobrychis*
*laxiflora* Baker, 408
Orchidaceae, 381–384
Orchids, 381–384*
OREL, G., 439–447
*Oreocharis*, 385, 404 App.
**muscicola** (Diels) Mich.Möller & A.Weber, **404** App.
*Oxandra*
*reticulata* Maas, 476, 478, 480

Pacific Islands, 7–56*
*Paraboea*
sect. *Campanulatae* Ridl., 387
*alternifolia* (C.B.Clarke) B.L.Burtt, 388
*campanulata* Ridl., 387
Parsimony analysis, 182–183
*Passiflora*, 427
PAUL, A., 57–60
*Peganum*
*harmala* L., 408
PENNINGTON, T.D., 179–362
*Persea*, 315
Peru, 413–432*
*Phanera*, 363–365
*glabrifolia* auct. non Benth., 363
*glabrifolia* Benth., 363
var. **maritima** (K.Larsen & S.S.Larsen) Bandyop., 363–365* [**362**]
var. **sericea** (Lace) Bandyop., 363–365* [**364**]
*lingua* (DC.) Miq., 487
**macrostachya** Benth., 487–490* [**489**]
*wallichii* (J.F.Macbr.) Thoth., 489
*Phlomidoschema*
*parviflorum* (Benth.) Vved., 408–409 [409 Fig.]
Phylogeny
of *Guarea*, 179–362*
Phytogeography, 367–379*
*Pinus*
*roxburghii* Sarg., 60
*Piptatherum*
*barbellatum* Mez, 408
*Pistachia*
*vera* L., 411
*Plantago*
*ovata* Forssk., 408
*Plathymenia*
*reticulata* Benth., 476, 479–480
*Platyadenia* B.L.Burtt, 385, 387
*descendens* B.L.Burtt, 387, 390
*Platystemma* Wall., 122
*Podocarpus*, 459, 465
*Polygonum*, 408
*Pouteria*
*gardneri* (Mart. & Miq.) Baehni, 477–478, 480
*ramiflora* (Mart.) Radlk., 477, 481
PRASAD, K.S., 451–454

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*Priogymnanthus*
*hasslerianus* (Chodat) P.S.Green, 477, 480
*Psathyrostachys*
*caduca* (Boiss.) Melderis, 411
*Pterogyne*
*nitens* Tul., 476, 481
*Pyankovia*
*brachiata* (Pall.) Akhani & E.H.Roalson, 408

*Qualea*
*grandiflora* Mart., 477, 480
*parviflora* Mart., 477, 480
*Quercus*, 315, 383

Raskoti, B.B., 381–384
Ratter, J.A., 469–486
Raveendran, K., 451–454
Reintroduction, 177–178 Rev.
*Renealmia* L.f., 449–450
**striata** (Stokes) Govaerts ex Maas, 449–**450***
*sylvestris* (Stokes) Horan., 449–450*
*Retama*, 369
Revisions
of *Cytisus*, 61–120*
of *Guarea*, 179–362*
of *Manilkara*, 7–56
of *Rhynchotechum*, 121–176*
Rhamnaceae, 477
*Rhamnidium*
*elaeocarpum* Reissek, 477, 481
*Rheum*
*ribes* L., 408–409 [409 Fig.]
*Rhododendron* L., 57–60*, 459
subgen. *Hymenanthes*, 57
subsect. *Falconera* Sleumer, 57
subsect. *Grandia* Sleumer, 57
*arboreum* Sm., 60
*aritzelum* Balf.f. & Forrest, 60
*hodgsonii* Hook.f., 57–58
**mechukae** A.A.Mao & A.Paul, 57–60 [**58**, 59 Fig.]
**Rhynchotechum** Blume, 121–176* [124–125 Maps, **128**]
**alternifolium** C.B.Clarke, 127, 130–**131** [131 Map], 137, 150, 152, 168, 171, 173
*angustifolium* Ridl., 146–147
*brandisii* C.B.Clarke, 173
**brevipedunculatum** J.C.Wang, 122, 131–**132** [131 Map], 143
**burmanicum** B.M.Anderson, 121, 127, 130, **134**–136 [135 Fig., 136 Map]
**calycinum** C.B.Clarke, 127, 129, **136** & Map, 165
*copelandii* (Elmer) Elmer ex Merr., 160, 165
**discolor** (Maxim.) B.L.Burtt, 122–123, 126–128, 131, 133–134, **137**–138 [138 Map], 143, 147, 168
var. *austrokiushiuensis* (Ohwi) Ohwi, 138
var. *incisum* (Ohwi) E.Walker, 138
f. *incisum* (Ohwi) Hatus. ex J.C.Wang, 139
*ellipticum* auct. non (Wall. ex D.Dietr.) A.DC., 148, 155, 160
**ellipticum** (Wall. ex D.Dietr.) A.DC., 126–127, 129, 137, 138 Map, **143**, 145–146, 150, 153, 159, 165–166
var. *angusta* C.B.Clarke, 152–154
var. *hookeri* C.B.Clarke, 152–153
var. *pilosior* C.B.Clarke, 144–145
var. *saurauifolium* (S.S.Ying) S.S.Ying, 147
**eximium** (C.B.Clarke) Schltr., 131, 138 Map, 143, **146**, 168
*formosanum* auct. non Hatus., 160
**formosanum** Hatus., 122–123, 126–127, 130, **147**–150 [148 Map], 154, 158, 165
**gracile** B.M.Anderson, 121, 130, **150**–151 [151 Fig.]
*hispidum* C.B.Clarke, 168, 170–171
*hoevellianum* Schltr., 160, 166
**hookeri** (C.B.Clarke) B.M.Anderson, 121, 127, 129, 148 Map, **152**
*lasianthus* C.B.Clarke, 160
*latifolium* Hook.f. & Thomson ex C.B.Clarke, 155, 159
**longipes** W.T.Wang, 130, 148 Map, **154**
**obovatum** (Griff.) B.L.Burtt, 126–127, 130, 132, 134, 136, 146, **155** & Map, 159–160
**parviflorum** Blume, 122–123, 126–128, 129, 143, 145, 149–150, 153, **160**–162 [161 Fig., 162 Map], 165–166
var. *penangensis* C.B.Clarke, 160, 166
**permolle** (Nees) B.L.Burtt, 122, 126, 131, 143, 162 Map, **166**, 168
var. *paucinervia*, 168
*polycarpum* (K.Schum.) Schltr., 160, 166

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

*saurauifolium* (S.S.Ying) S.S.Ying, 147
*tenue* C.B.Clarke, 138, 143
**vestitum** (Griff.) Wall. ex C.B.Clarke, 123, 126–127, 129, 145, **168**–171 [169 Map]
**vietnamense** B.M.Anderson, 121, 130, 169 Map, **171**–172 [172 Fig.]
*Roettlera* Vahl
sect. *Loxocarpus* (R.Br.) Fritsch, 393
*violoides* (C.B.Clarke) Kuntze, 394
*Rotala* L., 451
**kasaragodensis** K.S.Prasad & Raveendran, **451**–454* [452 Fig.]
*occultiflora* Koehne, 451, 453
*Ruagea* Karst., 179, 181
*pubescens*, 184, 186, 359 App.
Rubiaceae, 477
Rutaceae, 477

Salicaceae, 477
*Salsola*
*brachiata* Pall., 408
*tomentosa* (Moq.) Spach, 408
*Samyda*
*guidonia* L., 289
Sapindaceae, 477
*Sapindus*
*glabrescens* Hook. & Arn., 219
Sapotaceae, 7–56*, 477
tribe Mimusopeae, 7
subtribe Manilkarinae, 7
subtribe Mimusopinae, 7
*Sarothamnus* Wimm., 82
sect. *Grypotropis* (Briq.) Asch. & Graebn., 82
sect. *Verzinum* (Raf.) Asch. & Graebn., 107–108
*affinis* (Boiss.) Boiss., 85
*albus* (Lam.) Lainz, 75
*andreanus* (Puiss.) Bergmans, 96
*andreanus* (Puiss.) Chevalier, 96
*arboreus* (Desf.) Boiss., 108
subsp. *baeticus* (Webb) C.Vicioso, 108
subsp. *catalaunicus* (Webb) C.Vicioso, 108
var. *barbarus* Jahand. & Maire, 86–87
var. *intermedius* (Maire) C.Vicioso, 110
var. *malacitanus* (Boiss.) C.Vicioso, 115
var. *normalis* Maire, 108
var. *rotundatus* (Pau) C.Vicioso, 115
*baeticus* Webb, 108
*balansae* Boiss., 70
*bourgaei* Boiss., 91, 93
*burgalensis* Sennen & Elias, 92
*cantabricus* Willk., 83–84
var. *dieckii* Lange, 83
*carlierus* Companyo, 110
*catalaunicus* Webb, 108
var. *malacitanus* (Boiss.) Pau, 115
*eliasii* Sennen, 92
*eriocarpus* Boiss. & Reut., 102–103
*gaditanus* Boiss. & Reut., 108, 112
*grandiflorus* (Brot.) Webb, 85
*losae* Pau, 83
*lusitanicus* (Mill.) Pau, 101
*lusitanicus* (Willk.) Pau, 75
*malacitanus* (Boiss.) Boiss., 115
*maurus* (Humbert & Maire) Raynaud, 89
*megalanthus* Pau & Font Quer, 106
*multiflorus* (L'Hér. ex Aiton) Samp., 74
*oxyphyllus* Boiss., 91
*parviflorus* Willk. & Cutand. ex Willk., 75
*patens* (L.) Webb, 101
var. *procerus* (Willd.) C.Vicioso, 102
subvar. *welwitschii* (Boiss. & Reut.) C.Vicioso, 103
f. *gallecicus* (Willk.) C.Vicioso, 103
*purgans* auct. non (L.) Gren. & Godr., 79
*reverchonii* Degen & Hervier, 99–100
*rotundatus* Pau, 115
*scoparius* (L.) W.D.J.Koch, 91
subsp. *andreanus* (Puiss.) P.Fourn., 96
subsp. *cantabricus* (Willk.) M.Lainz, 83
subsp. *maritimus* (Rouy) Ulbrich, 98
subsp. *reverchonii* (Degen & Hervier) Rivas Goday & Rivas Mart., 99
subsp. *vulgaris*, 96
var. *albiflora* (Tinant) A.Chev., 96
var. *andreana* (Puiss.) André, 96
var. *bicolor* (Massé) Stubbe, 97
var. *glabratus* (Link) Webb & Berth., 91
var. *leiostylos* Willk., 91
var. *prostratus* C.Bailey, 98–99
var. *reverchonii* (Degen & Hervier) Cuatrec., 99
var. *sulphureus* A.Chev., 97
var. *sulphureus vel ochroleucus* M.Vilmorin & Bois, 97
subvar. *andreanus* (Puiss.) Asch. & Graebn., 96
f. *albiflorus* (Tinant) Ulbrich, 96

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

f. *sulphureus* Ulbrich, 97
*striatus* (Hill) Samp., 101
subsp. *eriocarpus* (Boiss. & Reut.) Lainz, 103
var. *procerus* (Willd.) C.Vicioso, 102
var. *welwitschii* (Boiss. & Reut.) C.Vicioso, 103
f. *gallecicus* (Willk.) C.Vicioso, 103
*virgatus* Webb, 86
*vulgaris* Wimm., 91–92
var. *foliosus* Timbal-Lagrave, 91
var. *leiostylos* (Willk.) C.Vicioso, 91
var. *reverchonii* (Degen & Hervier) C.Vicioso, 99
var. *scoparius* (L.) Timbal-Lagrave, 91
var. *sericeus* Timbal-Lagrave, 91
*welwitschii* Boiss. & Reut., 103
var. *gallecicus* Willk., 103–104
Saudi Arabia, 367–379*
*Schischkinia*
*albispina* (Bunge) Iljin, 408
Schloeder, C., 405–412
*Scorzonera*
*pusilla* Pall., 408
*Scutellaria*
*glutinosa* Benth., 408
*Selaginella*
*delicatula* (Desv. ex Poiret) Alston, 453
Semi-desert, montane, 405–412*
*Senna*, 476, 478
*Smirnowia*
*turkestana* Bunge, 372
Soil–vegetation relationships, 469–486*
Sontag, S., 385–404
South and southeast Asia, 7–56*
*Spartium* L., 61
*album* (Lam.) Desf., 74
*angulatum* Raf., 91
*angulosum* Gilib., 92
*arboreum* Desf., 108
*dispermum* Willk., 75
*grandiflorum* Brot., 85, 87
*lusitanicum* Mill., 101, 103
*multiflorum* L'Hér. ex Aiton, 74, 76
var. *incarnatum* Lodd. et al., 117
*patens*
raça *procerum* (Willd.) Samp., 102
*procerum* Willd., 102
*purgans* auct. non L., 79
*scoparium* L., 91–92
var. *albiflorum* (Tinant) N.H.F.Desp., 96
var. *andreanus* (Puiss.) Düesberg, 96
f. *ochroleucum* Dippel, 97
*striatum* (Hill) Samp., 101
raça *procerum* (Willd.) Samp., 102
*Spartocytisus*
sect. *Spartothamnus* Webb & Berth., 66
*albus* (Lam.) K.Koch, 74
*albus* Webb & Berth., 66
*Spartothamnus* (Webb & Berth.) C.Presl, 66
*albus* (Lam.) C.Presl, 74
Species diversity, 469–486*
*Spondias*
*mombin* L., 476, 478, 481
Spribille, T., 405–412
*Stauranthera*, 173
*brandisii* (C.B.Clarke) C.B.Clarke, 173
*Sterculia*
*apetala* (Jacq.) H.Karst., 477–478, 480
*Stisseria* Scop., 11
*Streptocarpus*
*rexii* (Hook.) Lindl., 402 App.
Sulawesi, 455–468*, 491–492 Rev.

*Tabebuia*
*aurea* (Manso) Benth. & Hook.f., 476, 480
*roseoalba* (Ridl.) Sandwith, 473–474, 476–478, 480, 482
*Tachigali*
*aurea* Tul., 476, 479, 481
*vulgaris* L.G.Silva & H.C.Lima, 473, 476, 480
*Talisia*
*esculenta* (A.St.-Hil.) Radlk., 477–478, 481
Taxonomy
of *Calyptranthes*, 433–438*
of *Cytisus*, 61–120*
of *Guarea*, 179–362*
of *Manilkara*, 7–56*
of *Rhynchotechum*, 121–176*
*Taxus*
*wallichiana* Zucc., 60
*Terminalia*
*argentea* (Cambess.) Mart., 475–476, 480
*Tetracme*
*quadricornis* (Stephan) Bunge, 408
*Tetraphyllum*
*bengalense* C.B.Clarke, 173
Theaceae, 439–447*
*Torenia*
*alata* (Roxb.) Benth., 395 App.

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press

Transition, dry forest–cerradão, 469–486
*Trichilia* P.Browne, 179, 187, 202, 326
  *elegans* A.Juss., 477, 479–480
  *pubescens* Rich.
*Trichodesma*
  *incanum* A.DC., 408
*Trigonella*
  *koeiei* Širj & Rech.f., 411
Tropical forest, seasonally dry (SDTF), 469–486
*Turgenia*
  *latifolia* (L.) Hoffm., 408
Turner, I.M., 1–5
*Turpinia*, 315
*Turraeanthus*, 181, 184, 186, 359 App.
Typification
  of *Calyptranthes*, 433–438

Urticaceae, 477

*Vatairea*
  *macrocarpa* (Benth.) Ducke, 476, 478, 481
Vegetation–soil relationships, 469–486*
Veldkamp, J.F., 449–450
Venezuela, 413–432*
*Verzinum* Raf., 107
  *arboreum* (Desf.) Raf., 108
Vietnam, 439–447*
*Vitex*
  *cymosa* Bert. ex Spreng., 476, 479, 481
Vochysiaceae, 477

Watt, Sir George, 2
Weber, A., 385–404
Wilson, P.G., 439–447
*Wrightia*
  *tinctoria* R.Br., 26

Yao, T.L., 385–404

*Zanthoxylum*
  *caribaeum* Lam., 477, 481
  *rhoifolium* Lam., 477–478
  *rigidum* Humb. & Bonpl. ex Willd., 477, 481
*Zingiber*
  *sylvestre* Gaertn., 449–450
  *sylvestre* Stokes, 449–450
Zingiberaceae, 449–450*

https://doi.org/10.1017/S0960428613000218 Published online by Cambridge University Press