Author Index

ABDI, F., XUE, Y., GARG, M. , FARAHMAND , B. , HOUSNER , J. and NIKBIN , K.
An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

ALDERMAN , J. , ALLEN , N. , LAWSON , S. and MAINA , M.
Qualification of the ARA TWT for laminar flow testing, pp 1349-1358.

ALLEN , N. , LAWSON , S. , MAINA , M. and ALDERMAN , J.
Qualification of the ARA TWT for laminar flow testing, pp 1349-1358.

AMOROSO , F. , MONACO , E. , PECORA R. and MAGNIFICO , M.
Multi-parametric flutter analysis of a morphing wing trailing edge, pp 1063-1078.

APPAVU ALIAS BALAMURUGAN , S. and AROCKIA , A.B. C.
Prediction of warning level in aircraft accidents using data mining techniques, pp 935-952.

ARAI , N. , FUKUDA , K. , HIRAOKA , K. , HARASANI, , W. and KHALID , M.
Initial conceptual design and wing aerodynamic analysis of a solar power-based UAV, pp 540-554.

ARIF KHALID , S. , WOJNO , J.P. , WOOD , T.H. , VAN ZANTE , D.E. , COLLIER , F. and ORTON , A.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

AROCKIA , A.B. C. and APPAVU ALIAS BALAMURUGAN , S.
Prediction of warning level in aircraft accidents using data mining techniques, pp 935-952.

ARUN KUMAR , P. and RATHAKRISHNAN , E.
Triangular tabs for supersonic jet mixing enhancement, pp 1245-1278.

AYYAGARI , R. , SUNDARARAJAN , N. , ISMAIL , S. and PASHILKAR , A.A.
Diagonally dominant backstepping autopilot for aircraft with unknown actuator failures and severe winds, pp 1009-1038.

BABCOCK , J. and LIND , R.
Aeroelastic effects of battens on the flight dynamics of a MAV, pp 985-1008.

BAKER , C.J.
A review of train aerodynamics: Part 1 – Fundamentals (Survey Paper), pp 201-228.

BAKER , C.J.
A review of train aerodynamics: Part 2 – Applications, pp 345-382.

BAKERA , A.A. , BITTON , D. and WANGA , J.
Riveted patch repairs for helicopter tail drive shafts with battle damage, pp 811-827.

BAKLACIOGLU T. and CAVCAR , M.
Aero-propulsive modelling for climb and descent trajectory prediction oftransport aircraft using genetic algorithms, pp 65-79.

BARAKOS , G.N. , VALIEV , M. , STEPANOV , R. , PAKHOV , V. , SALAKHOV , M. and ZHEREKHOV , V.
Analytical and experimental study of the integral aerodynamiccharacteristics of low-speed wind turbines, pp 1229-1224.

BARBER , T. , DIASINOS , S. and DOIG , G.
On the interaction of a racing car front wing and exposed wheel, pp 1385-1407.

BARTLET , A. , PERHINSCHI , M.G. , MONCAYO , H. , WILBURNT , B. , WILBURN , J. and KARAS , O. ,
Neurally-augmented immunity-based detection and identification of aircraft sub-system failures pp 775-796.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

BECKER , R.G. , GUÉRIN , S. and SCHNELL , R.
Performance prediction and progress towards multi-disciplinary design of contra-rotating open rotors, pp 1159-1179.

BITTON , D. , WANGA , J. and BAKERA , A.A.
Riveted patch repairs for helicopter tail drive shafts with battle damage, pp 811-827

BOJDO , N. and FILIPPONE , A.
Self-cleaning barrier filter for rotorcraft engines, pp 1311-1328.

BOND , D. , SARTOR , P. , WORDEN , K. AND KYLE SCHMIDT , R.
Bayesian sensitivity analysis of flight parameters that affect main landing gear yield locations, pp 1481-1497.

BOSMAN , J.J. , MATHEWS , E.H. , LIEBENBERG , L. and JONKER , A.S.
Flow over a glider canopy, pp 669-682.

BOTEZ , R. , FORD , S. and DANCILA , R.
Fuel burn and emissions evaluation for a missed approach procedure performed by a B737-400, pp 1329-1348.

BOTEZ , R. , PATRON , R.S.F. and KESSACI , A.
Horizontal flight trajectories optimisation for commercial aircraft through a flight management system, pp 1499-1518.

BRANDVIK , T. , SOHONI , N. , HALL , C. and ZACHARIADIS , A.
How to improve open rotor aerodynamics at cruise and take-off, pp 1103-1123.

BROMFIELD , M. , GRATTON , G.B. , HOFF , R.I. , RAHMAN , A. , HARBOUR , C. and WILLIAMS , S.
Evaluating a set of stall recovery actions for single engine light aeroplanes, pp 461-484.

BUTTERFIELD , J. , COWAN , S. , MCELROY , P. , HAWTHORNE , P. , ROBERTSON , S. , MULLAN , M. , MURPHY , A. , QUINN , D. and PRICE ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

CAMPOS , L.M.B.C. and MARQUES , J.M.G.
On the compensation and damping of roll induced by wake vortices, pp 1039-1061.

CAO , Y. and WU , Z.
Aerodynamic study of aerofoil and wing in simulated rain environment via a two-way coupled Eulerian-Lagrangian approach, pp 643-668.

CAVCAR , M. and BAKLACIOGLU T.
Aero-propulsive modelling for climb and descent trajectory prediction oftransport aircraft using genetic algorithms, pp 65-79.

CETEK , C. and CETEK , F.A.
Simulation modelling of runway capacity for flight training airports, pp 143-154.

CETEK , F.A. and CETEK , C.
Simulation modelling of runway capacity for flight training airports, pp 143-154.

CHEN , Y.Z. and ZHANG , D.F.
Airspace sectorisation via a weighted graph model (Technical Note), pp 267-274.

CLOTHIER , R. , KOUROUSIS , K. , MASSEY , K. and PURTON , L.
The PBP Bow-Tie framework for the systematic representation and comparison of safety regulatory frameworks, pp 1433-1452.

COLLIER , F. , ORTON , A. , ARIF KHALID , S. , WOJNO , J.P. , WOOD , T.H. and VAN ZANTE , D.E.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

CORREIA , J. , ROBERTS , L.S. , FINNIS , M.V. and KNOWLES , K.
Scale effects on a single-element inverted wing in ground effect, pp 797-809.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

COWAN , S. , MCELROY , P. , HAWTHORNE , P. , ROBERTSON , S. , MULLAN , M. , MURPHY , A. , QUINN , D. , PRICE , M. and BUTTERFIELD ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

DANCILA , R. , BOTEZ , R. and FORD , S.
Fuel burn and emissions evaluation for a missed approach procedure performed by a B737-400, pp 1329-1348.

DE MONTAUDOUIN , J. , REVELES , N. AND SMITH , M.J.
Computational aeroelastic analysis of slowed rotors at high advance ratios, pp 297-313.

DIASINOS , S. KEOGH , J. and DOIG , G.
Flow compressibility effects around an open-wheel racing car, pp 1409-1431.

DIASINOS , S. , DOIG , G. and BARBER , T.
On the interaction of a racing car front wing and exposed wheel, pp 1385-1407.

DOIG , G. AND DIASINOS , S. and KEOGH , J.
Flow compressibility effects around an open-wheel racing car, pp 1409-1431.

DOIG , G. , BARBER , T. and DIASINOS , S.
On the interaction of a racing car front wing and exposed wheel, pp 1385-1407.

DULING , C. , STRAUB , F. and GANDHI, , F.
On power and actuation requirement in swashplateless primary control of helicopters using trailing-edge flaps, pp 503-521.

ELHAM , A. and VAN TOOREN , M.J.L
Effect of wing-box structure on the optimum wing outer shape, pp 1-30.

ERDOS , R. , GUBBELS , A.W. , PERFECT , P. , TIMSON , E. , WHITE , M.D. and PADFIELD , G.D.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974.

FARAHMAND , B. , HOUSNER , J. , NIKBIN , K. , ABDI , F. , XUE , Y. and GARG , M.
An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

FILLIPONE, A. and BOJDO, N.
Self-cleaning barrier filter for rotorcraft engines, pp 1311-1328.

FINNIS , M.V. , KNOWLES , K. , CORREIA , J. and ROBERTS , L.S.
Scale effects on a single-element inverted wing in ground effect, pp 797-809.

FORD , S. , DANCILA , R. and BOTEZ , R.
Fuel burn and emissions evaluation for a missed approach procedure performed by a B737-400, pp 1329-1348.

FRANCIS , A. , OLSSON , R. NGUYEN , S.N. , GREENHALGH , E.S. and GRAHAM , J.M.R.
Runway debris impact threat maps for transport aircraft, pp 229-266.

FUKUDA , K. , HIRAOKA , K. , HARASANI, , W. , KHALID , M. and ARAI , N.
Initial conceptual design and wing aerodynamic analysis of a solar power-based UAV, pp 540-554.

GALATOLO , R. , MIGLIACCIO , G. and MENGALI , G.
Conflict detection and resolution algorithms for UAVs collision avoidance, pp 828-842.

GANDHI, , F. , DULING , C. and STRAUB , F.
On power and actuation requirement in swashplateless primary control of helicopters using trailing-edge flaps , pp 503-521.

GAO , D. , WANG , Y. , WU , Z. and RAHIM , G.
Structural health monitoring technology for a full-scale aircraft structure under changing temperature, pp 1519-1551.

GARG , M. , FARAHMAND , B. , HOUSNER , J. , NIKBIN , K. , ABDI , F. and XUE , Y.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

GHOMMEM , M. and CALO , V.M.
Flapping wings in line formation flight: a computational analysis, pp 485-501

GHOMMEM , M. and CALO , V.M.
Flapping wings in line formation flight: a computational analysis, pp 485-501.

GHOSH , A.K. and KUMAR , R. ,
Estimation of lateral-directional aerodynamic derivatives from flight data using conventional and neural based methods, pp 1453-1479.

GIANNAKAKIS , P. , SETHI , V. , JACKSON , A.J.B. , PILIDIS , P. and LOLIS , P.
Evaluation of aero gas turbine preliminary weight estimation methods 625-641

GIUBLIN , B. , VIEIRA , J.A. , VIEIRA , T.G. , TRABASSO , L.G. and MARTINS , C.A.
Experimental analysis of the automated process of sanding aircraft surfaces, pp 53-64.

GOULOS , I. , PACHIDIS , V. and PILIDIS , P.
Lagrangian formulation for the rapid estimation of helicopter rotor blade vibration characteristics, pp 861-901.

GRAHAM , J.M.R. , FRANCIS , A. OLSSON , R. , NGUYEN , S.N. and GREENHALGH , E.S.
Runway debris impact threat maps for transport aircraft, pp 229-266.

GRATTON , G.B. , HOFF , R.I. , RAHMAN , A. , HARBOUR , C. , WILLIAMS , S. and BROMFIELD , M.
Evaluating a set of stall recovery actions for single engine light aeroplanes, pp 461-484.

GREENHALGH , E.S. , GRAHAM , J.M.R. , FRANCIS , A. , OLSSON , R. and NGUYEN , S.N.
Runway debris impact threat maps for transport aircraft, pp 229-266.

GRIHON , S. , VANKAN , W.J. and MAAS , R.
Efficient optimisation of large aircraft fuselage structures, pp 31-52.

GUAN , X.
Supersonic wing-body wave drag co-ordinated optimisation based on FCE methodology, pp 1359-1372.

GUBBELS , A.W. , PERFECT , P. , TIMSON , E. , WHITE , M.D. , PADFIELD , G.D. and ERDOS , R.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974

GUÉRIN , S. , SCHNELL , R. and BECKER , R.G.
Performance prediction and progress towards multi-disciplinary design of contra-rotating open rotors, pp 1159-1179.

GUGLIERI , G. , MARGUERETTAZ , P. and SIMIONI , G.
A comparative study of parameter estimation techniques applied to jettisoned external stores, pp 601-624.

GUO , J. , WANG , T.N. , XIONG , J.H. and TANG , S.J.
Improved sliding mode guidance law based on fuzzy variable coefficients strategy, pp 435-451.

***HALL , C. , ZACHARIADIS , A. , BRANDVIK , T. and SOHONI , N.**
How to improve open rotor aerodynamics at cruise and take-off, pp 1103-1123.

HARASANI, , W. , KHALID , M. , ARAI , N. , FUKUDA , K. and HIRAOKA , K. ,
Initial conceptual design and wing aerodynamic analysis of a solar power-based UAV, pp 540-554.

HARBOUR , C. , WILLIAMS , S. , BROMFIELD , M. GRATTON , G.B. , HOFF , R.I. and RAHMAN , A.
Evaluating a set of stall recovery actions for single engine light aeroplanes, pp 461-484.

HAWKE , V. , MEHTA , U. , HUYNH , L. and KLESS , J.
Conceptual stage separation from widebody subsonic carrier aircraft for space access, pp 1279-1309.

HAWTHORNE , P. , ROBERTSON , S. , MULLAN , M. , MURPHY , A. , QUINN , D. , PRICE , M. ,

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

BUTTERFIELD , J. , COWAN , S. and MCELROY ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

HIRAOKA , K. , HARASANI, , W. , KHALID , M. , ARAI , N. and FUKUDA , K.
Initial conceptual design and wing aerodynamic analysis of a solar power-based UAV, pp 540-554.

HOFF , R.I. , RAHMAN , A. , HARBOUR , C. , WILLIAMS , S. , BROMFIELD , M. and GRATTON , G.B.
Evaluating a set of stall recovetry actions for single engine light aeroplanes, pp 461-484.

HOUSNER , J. , NIKBIN , K. , ABDI , F. , XUE , Y. , GARG , M. and FARAHMAND , B.
An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

HUYNH , L. , KLESS , J. , HAWKE , V. and MEHTA , U.
Conceptual stage separation from widebody subsonic carrier aircraft for space access, pp 1279-1309.

ISMAIL , S. , PASHILKAR , A.A. , AYYAGARI , R. and SUNDARARAJAN , N.
Diagonally dominant backstepping autopilot for aircraft with unknown actuator failures and severe winds, pp 1009-1038.

JACKSON , A.J.B. , PILIDIS , P. , LOLIS , P. , GIANNAKAKIS , P. AND SETHI , V.
Evaluation of aero gas turbine preliminary weight estimation methods, pp 625-641.

JANSSON , N. and STENFELT , G.
Steady and unsteady pressure measurements on a swept-wing aircraft, pp 109-122.

JI , H. and TONG , L.
Multi-body dynamic modelling and flight control for an asymmetric variable sweep morphing UAV, pp 683-706.

JONKER , A.S. , BOSMAN , J.J. , MATHEWS , E.H. and LIEBENBERG , L.
Flow over a glider canopy, pp 669-682.

JUHANY , K.A. and KHALID , M.
An expression for the dynamic stability of blunt slender elliptic bodies in hypersonic flow, pp 1079-1089.

KHALID , M. and JUHANY , K.A.
An expression for the dynamic stability of blunt slender elliptic bodies in hypersonic flow, pp 1079-1089.

KARAS , O. , BARTLET , A. , PERHINSCHI , M.G. , MONCAYO , H. , WILBURNT , B. and WILBURN , J. ,
Neurally-augmented immunity-based detection and identification of aircraft sub-system failures, pp 775-796.

KEOGH , J. , DOIG , G. and DIASINOS , S.
Flow compressibility effects around an open-wheel racing car, pp 1409-1431.

KESSACI , A. , BOTEZ , R. AND PATRON , R.S.F.
Horizontal flight trajectories optimisation for commercial aircraft through a flight management system, pp 1499-1518.

KHALID , M. , ARAI , N. , FUKUDA , K. , HIRAOKA , K. and HARASANI, , W.
Initial conceptual design and wing aerodynamic analysis of a solar power-based UAV, pp 540-554.

KIM , J.-H. and SHIN , S.-J.
Vibration analyses of an equivalent plate wing with an external store, pp 1090-1098

KINGAN , M.J.
Advanced open rotor noise prediction, pp 1125-1135.

KLESS , J. , HAWKE , V. , MEHTA , U. and HUYNH , L.
Conceptual stage separation from widebody subsonic carrier aircraft for space access, pp 1279-1309.

KNOWLES , K. , CORREIA , J. , ROBERTS , L.S. and FINNIS , M.V.
Scale effects on a single-element inverted wing in ground effect, pp 797-809.

KOUROUSIS , K. , MASSEY , K. , PURTON , L. and CLOTHIER , R.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

The PBP Bow-Tie framework for the systematic representation and comparison of safety regulatory frameworks, pp 1433-1452.

KUMAR , R. and GHOSH , A.K. ,
Estimation of lateral-directional aerodynamic derivatives from flight data using conventional and neural based methods, pp 1453-1479.

KUZMIN , A and RYABININ , A.
Transonic aerofoils admitting anomalous behaviour of life coefficient, pp 425-433.

KYLE SCHMIDT , R. , BOND , D. , SARTOR , P. and WORDEN , K.
Bayesian sensitivity analysis of flight parameters that affect main landing gear yield locations, pp 1481-1497.

LAWSON , S. , MAINA , M. , ALDERMAN , J. and ALLEN , N.
Qualification of the ARA TWT for laminar flow testing, pp 1349-1358.

LEE , J.-W. , LEE , Y.-D. AND PARK , H.-U and VAN NGUYEN , N. ,
A multidisciplinary robust optimisation framework for UAV conceptual design, pp 123-142.

LEE , C.
Taranis and beyond: inspiring aerodynamic capability, pp 845-859.

LEE , Y.-D. AND PARK , H.-U , VAN NGUYEN , N. and LEE , J.-W. ,
A multidisciplinary robust optimisation framework for UAV conceptual design, pp 123-142.

LIEBENBERG , L. , JONKER , A.S. , BOSMAN , J.J. and MATHEWS , E.H.
Flow over a glider canopy, pp 669-682.

LIND , R. and BABCOCK , J.
Aeroelastic effects of battens on the flight dynamics of a MAV, pp 985-1008.

LIU , X. and LIU , Z.
A hybrid approach for aircraft fault diagnosis based on fault inference and fault identification, pp 81-97.

LIU , Z. and LIU , X.
A hybrid approach for aircraft fault diagnosis based on fault inference and fault identification, pp 81-97.

LOLIS , P. , GIANNAKAKIS , P. , SETHI , V. , JACKSON , A.J.B. and PILIDIS , P.
Evaluation of aero gas turbine preliminary weight estimation methods, pp 625-641.

MAAS , R. , GRIHON , S. and VANKAN , W.J.
Efficient optimisation of large aircraft fuselage structures, pp 31-52.

MAGNIFICO , M. , AMOROSO , F. , MONACO , E. and PECORA R.
Multi-parametric flutter analysis of a morphing wing trailing edge, pp 1063-1078.

MAHMOUD , Y.M.A. and QIN , N.
Investigation of flow asymmetry around axi-symmetric spiked blunt bodies in hypersonic speeds, pp 169-179.

MAINA , M. , ALDERMAN , J. , ALLEN , N. and LAWSON , S.
Qualification of the ARA TWT for laminar flow testing, pp 1349-1358.

MARGUERETTAZ , P. , SIMIONI , G. and GUGLIERI , G.
A comparative study of parameter estimation techniques applied to jettisoned external stores, pp 601-624.

MARQUES , J.M.G. and CAMPOS , L.M.B.C.
On the compensation and damping of roll induced by wake vortices, pp 1039-1061.

MARTINS , C.A. GIUBLIN , B. , VIEIRA , J.A. , VIEIRA , T.G. and TRABASSO , L.G.
Experimental analysis of the automated process of sanding aircraft surfaces, pp 53-64.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

MASSEY , K. , PURTON , L. , CLOTHIER , R. and KOUROUSIS , K.
The PBP Bow-Tie framework for the systematic representation and comparison of safety regulatory frameworks, pp 1433-1452.

MATHEWS , E.H. , LIEBENBERG , L. , JONKER , A.S. and BOSMAN , J.J.
Flow over a glider canopy, pp 669-682.

MCELROY , P. , HAWTHORNE , P. , ROBERTSON , S. , MULLAN , M. , MURPHY , A. , QUINN , D. , PRICE , M. , BUTTERFIELD , J. and COWAN ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

MCGUIRK , J.J.
The aerodynamic challenges of aeroengine gas-turbine combustion systems, pp 557-599.

MEHTA , U. , HUYNH , L. , KLESS , J. and HAWKE , V.
Conceptual stage separation from widebody subsonic carrier aircraft for space access, pp 1279-1309.

MENGALI , G. , GALATOLO , R. and MIGLIACCIO , G.
Conflict detection and resolution algorithms for UAVs collision avoidance, pp 828-842.

MIGLIACCIO , G. , MENGALI , G. and GALATOLO , R.
Conflict detection and resolution algorithms for UAVs collision avoidance, pp 828-842.

MO , J. , WANG M. , YU , Y. and XU , J.
Numerical investigation of separation pattern and separation pattern transition in overexpanded single expansion ramp nozzle, pp 399-424.

MONACO , E. , PECORA R. , MAGNIFICO , M. and AMOROSO , F.
Multi-parametric flutter analysis of a morphing wing trailing edge, pp 1063-1078.

MONCAYO , H. , WILBURNT , B. , WILBURN , J. , KARAS , O. , BARTLET , A. and PERHINSCHI , M.G. ,
Neurally-augmented immunity-based detection and identification of aircraft sub-system failures, pp 775-796.

MORGAN-WARREN , P.J. and WOODCOCK , M.
Visual aspects of advanced sensors and helmet-mounted displays, pp 155-168.

MULLAN , M. , MURPHY , A. , QUINN , D. , PRICE , M. , BUTTERFIELD , J. , COWAN , S. , MCELROY , P. , HAWTHORNE , P. and ROBERTSON ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

MURPHY , A. , QUINN , D. , PRICE , M. , BUTTERFIELD , J. , COWAN , S. , MCELROY , P. , HAWTHORNE , P. , ROBERTSON , S. and MULLAN ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

NGUYEN , S.N. , GREENHALGH , E.S. , GRAHAM , J.M.R. , FRANCIS , A. and OLSSON , R.
Runway debris impact threat maps for transport aircraft , PP, pp 229-266.

NIKBIN , K. , ABDI , F. , XUE , Y. , GARG , M. , FARAHMAND , B. and HOUSNER , J.
An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

NIKKHAH , A.A. , YAZDANPANAH , M.J. and ZARDASHTI, , R.
Constrained optimal terrain following/threat avoidance trajectory planning using network flow, pp 523-539.

OLSSON , R. , NGUYEN , S.N. , GREENHALGH , E.S. , GRAHAM , J.M.R. and FRANCIS , A.
Runway debris impact threat maps for transport aircraft, pp 229-266.

ORTON , A. , ARIF KHALID , S. , WOJNO , J.P. , WOOD , T.H. , VAN ZANTE , D.E. and COLLIER , F.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

PACHIDIS , V. , PILIDIS , P. and GOULOS , I.
Lagrangian formulation for the rapid estimation of helicopter rotor blade vibration characteristics, pp 861-901.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

PADFIELD , G.D. , ERDOS , R. , GUBBELS , A.W. , PERFECT , P. , TIMSON , E. and WHITE , M.D.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974.

PAKHOV , V. , SALAKHOV , M. , ZHEREKHOV , V. , BARAKOS , G.N. , VALIEV , M. and STEPANOV , R.
Analytical and experimental study of the integral aerodynamiccharacteristics of low-speed wind turbines, pp 1229-1224.

PARK , H.-U , VAN NGUYEN , N. , LEE , J.-W. and LEE , Y.-D. ,
A multidisciplinary robust optimisation framework for UAV conceptual design, pp 123-142.

PASHILKAR , A.A. , AYYAGARI , R. , SUNDARARAJAN , N. and ISMAIL , S.
Diagonally dominant backstepping autopilot for aircraft with unknown actuator failures and severe winds, pp 1009-1038.

PATRON , R.S.F. , KESSACI , A. and BOTEZ , R.
Horizontal flight trajectories optimisation for commercial aircraft through a flight management system, pp 1499-1518.

PAVE , M.D. and WANL , J.
The Ornicopter – a tailless helicopter with active flapping blades, pp 743-773.

PECORA R. , MAGNIFICO , M. , AMOROSO , F. and MONACO , E.
Multi-parametric flutter analysis of a morphing wing trailing edge, pp 1063-1078.

PERFECT , P. , TIMSON , E. , WHITE , M.D. , PADFIELD , G.D. , ERDOS , R. and GUBBELS , A.W.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974.

PERHINSCHI , M.G. , MONCAYO , H. , WILBURNT , B. , WILBURN , J. , KARAS , O. and BARTLET , A. ,
Neurally-augmented immunity-based detection and identification of aircraft sub-system failures, pp 775-796.

PILIDIS , P. , LOLIS , P. , GIANNAKAKIS , P. , SETHI , V. and JACKSON , A.J.B.
Evaluation of aero gas turbine preliminary weight estimation methods, pp 625-641.

PILIDIS , P. , GOULOS , I. and PACHIDIS , V.
Lagrangian formulation for the rapid estimation of helicopter rotor blade vibration characteristics, pp 861-901

POLL , D.I.A. ,
On the application of light weight materials to improve aircraft fuel burn - reduce weight or improve aerodynamic efficiency?, pp 903-934.

PRICE , M. , BUTTERFIELD , J. , COWAN , S. , MCELROY , P. , HAWTHORNE , P. , ROBERTSON , S. MULLAN , M. , MURPHY , A. and QUINN ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

PURTON , L. , CLOTHIER , R. , KOUROUSIS , K. and MASSEY , K.
The PBP Bow-Tie framework for the systematic representation and comparison of safety regulatory frameworks, pp 1433-1452.

QIN , N. and MAHMOUD , Y.M.A.
Investigation of flow asymmetry around axi-symmetric spiked blunt bodies in hypersonic speeds, pp 169-179.

QUINN , D. , PRICE , M. , BUTTERFIELD , J. , COWAN , S. , MCELROY , P. , HAWTHORNE , P. AND ROBERTSON , S. , MULLAN , M. and MURPHY ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

RAHIM , G. , GAO , D. , WANG , Y. and WU , Z.
Structural health monitoring technology for a full-scale aircraft structure under changing temperature, pp 1519-1551.

RAHMAN , A. , HARBOUR , C. , WILLIAMS , S. AND BROMFIELD , M. , GRATTON , G.B. and HOFF , R.I.
Evaluating a set of stall recovery actions for single engine light aeroplanes, pp 461-484.

RATHAKRISHNAN , E. and ARUN KUMAR , P.
Triangular tabs for supersonic jet mixing enhancement, pp 1245-1278.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

REN , Y.M.A. and XIANG , J.
Energy absorption structures design of civil aircraft to improve crashworthiness, pp 383-398.

REVELES , N. , SMITH , M.J. and DE MONTAUDOUIN , J.
Computational aeroelastic analysis of slowed rotors at high advance ratios, pp 297-313.

ROBERTS , L.S. , FINNIS , M.V. , KNOWLES , K. and CORREIA , J.
Scale effects on a single-element inverted wing in ground effect , pp 797-809.

ROBERTSON , S. , MULLAN , M. , MURPHY , A. , QUINN , D. , PRICE , M. , BUTTERFIELD , J. , COWAN , S. , MCELROY , P. and HAWTHORNE ,
Modelling lay-up automation and production rate interaction on the cost of large stiffened panel components, pp 275-296.

RYABININ , A. and KUZMIN , A
Transonic aerofoils admitting anomalous behaviour of life coefficient, pp 425-433.

SALAKHOV , M. , ZHEREKHOV , V. , BARAKOS , G.N. , VALIEV , M. , STEPANOV , R. and PAKHOV , V.
Analytical and experimental study of the integral aerodynamiccharacteristics of low-speed wind turbines, pp 1229-1224.

SAMMUT , A. and ZAMMIT MANGION , D.
Runway conflict alerting: advisory or directive?, pp 713-741.

SARTOR , P. , WORDEN , K. , KYLE SCHMIDT , R. and BOND , D.
Bayesian sensitivity analysis of flight parameters that affect main landing gear yield locations, pp 1481-1497.

SCHNELL , R. , BECKER , R.G. and GUÉRIN , S.
Performance prediction and progress towards multi-disciplinary design of contra-rotating open rotors, pp 1159-1179.

SETHI , V. , JACKSON , A.J.B. , PILIDIS , P. , LOLIS , P. and GIANNAKAKIS , P.
Evaluation of aero gas turbine preliminary weight estimation methods, pp 625-641.

SHIN , S.-J. and KIM , J.-H.
Vibration analyses of an equivalent plate wing with an external store, pp 1090-1098.

SIMIONI , G. , GUGLIERI , G. and MARGUERETTAZ , P.
A comparative study of parameter estimation techniques applied to jettisoned external stores, pp 601-624.

SMITH , M.J. , DE MONTAUDOUIN , J. and REVELES , N.
Computational aeroelastic analysis of slowed rotors at high advance ratios, pp 297-313.

SOHONI , N. , HALL , C. , ZACHARIADIS , A. and BRANDVIK , T.
How to improve open rotor aerodynamics at cruise and take-off, pp 1103-1123.

STENFELT , G. and JANSSON , N.
Steady and unsteady pressure measurements on a swept-wing aircraft, pp 109-122.

STEPANOV , R. , PAKHOV , V. , SALAKHOV , M. , ZHEREKHOV , V. , BARAKOS , G.N. and VALIEV , M.
Analytical and experimental study of the integral aerodynamic characteristics of low-speed wind turbines, pp 1229-1224.

STRAUB , F. , GANDHI, , F. and DULING , C.
On power and actuation requirement in swashplateless primary control of helicopters using trailing-edge flaps, pp 503-521.

STUERMER , A. , YIN , J. and AKKERMANS , R.
Progress in aerodynamic and aeroacoustic integration of CROR propulsion system, pp 1137-1158.

SUNDARARAJAN , N. , ISMAIL , S. , PASHILKAR , A.A. and AYYAGARI , R.
Diagonally dominant backstepping autopilot for aircraft with unknown actuator failures and severe winds, pp 1009-1038.

TANG , S.J. , GUO , J. , WANG , T.N. and XIONG , J.H.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

Improved sliding mode guidance law based on fuzzy variable coefficients strategy, pp 435-451.

TIMSON , E. , WHITE , M.D. , PADFIELD , G.D. , ERDOS , R. , GUBBELS , A.W. and PERFECT , P.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974.

TONG , L. and JI , H.
Multi-body dynamic modelling and flight control for an asymmetric variable sweep morphing UAV, pp 683-706.

TONG , L. and VASISTA , S.
Topology optimisation via the moving iso-surface threshold method: implementation and application, pp 315-342.

TRABASSO , L.G. , MARTINS , C.A. , GIUBLIN , B. , VIEIRA , J.A. and VIEIRA , T.G.
Experimental analysis of the automated process of sanding aircraft surfaces, pp 53-64.

VALIEV , M. , STEPANOV , R. , PAKHOV , V. , SALAKHOV , M. , ZHEREKHOV , V. and BARAKOS , G.N.
Analytical and experimental study of the integral aerodynamiccharacteristics of low-speed wind turbines, pp 1229-1224.

VAN NGUYEN , N. , LEE , J.-W. , LEE , Y.-D. and PARK , H.-U ,
A multidisciplinary robust optimisation framework for UAV conceptual design, pp 123-142.

VAN TOOREN , M.J.L and ELHAM , A.
Effect of wing-box structure on the optimum wing outer shape, pp 1-30.

VAN ZANTE , D.E. , COLLIER , F. , ORTON , A. , ARIF KHALID , S. , WOJNO , J.P. and WOOD , T.H.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

VANKAN , W.J. , MAAS , R. and GRIHON , S.
Efficient optimisation of large aircraft fuselage structures, pp 31-52.

VASISTA , S. and TONG , L.
Topology optimisation via the moving iso-surface threshold method: implementation and application, pp 315-342.

VIEIRA , J.A. , VIEIRA , T.G. , TRABASSO , L.G. , MARTINS , C.A. and GIUBLIN , B.
Experimental analysis of the automated process of sanding aircraft surfaces, pp 53-64.

VIEIRA , T.G. , TRABASSO , L.G. , MARTINS , C.A. , GIUBLIN , B. and VIEIRA , J.A.
Experimental analysis of the automated process of sanding aircraft surfaces, pp 53-64.

WANG , T.N. , XIONG , J.H. , TANG , S.J. and GUO , J.
Improved sliding mode guidance law based on fuzzy variable coefficients strategy, pp 435-451.

WANG , M. , YU , Y. , XU , J. and MO , J.
Numerical investigation of separation pattern and separation pattern transition in overexpanded single expansion ramp nozzle, pp 399-424.

WANG , Y. , WU , Z. , RAHIM , G. and GAO , D.
Structural health monitoring technology for a full-scale aircraft structure under changing temperature, pp 1519-1551.

WANGA , J. , BAKERA , A.A. and BITTON , D.
Riveted patch repairs for helicopter tail drive shafts with battle damage, pp 811-827.

WANL , J. and PAVE , M.D.
The Ornicopter – a tailless helicopter with active flapping blades, pp 743-773.

WHITE , M.D. , PADFIELD , G.D. , ERDOS , R. , GUBBELS , A.W. , PERFECT , P. and TIMSON , E.
A rating scale for the subjective assessment of simulation fidelity, pp 953-974.

WILBURN , J. , KARAS , O. , BARTLET , A. , PERHINSCHI , M.G. , MONCAYO , H. and WILBURNT , B. ,
Neurally-augmented immunity-based detection and identification of aircraft sub-system failures, pp 775-796.

WILBURNT , B. , WILBURN , J. , KARAS , O. , BARTLET , A. , PERHINSCHI , M.G. and MONCAYO , H. ,

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press

Neurally-augmented immunity-based detection and identification of aircraft sub-system failures, pp 775-796.

WILLIAMS , S. , BROMFIELD , M. , GRATTON , G.B. , HOFF , R.I. , RAHMAN , A. and HARBOUR , C.
Evaluating a set of stall recovery actions for single engine light aeroplanes, pp 461-484.

WOJNO , J.P. , WOOD , T.H. , VAN ZANTE , D.E. , COLLIER , F. , ORTON , A. and ARIF KHALID , S.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

WOOD , T.H. , VAN ZANTE , D.E. , COLLIER , F. , ORTON , A. , ARIF KHALID , S. and WOJNO , J.P.
Progress in open rotor propulsors: The FAA/GE/NASA open rotor test campaign, pp 1181-1213.

WOODCOCK , M. and MORGAN-WARREN , P.J.
Visual aspects of advanced sensors and helmet-mounted displays, pp 155-168.

WORDEN , K. , KYLE SCHMIDT , R. , BOND , D. and SARTOR , P.
Bayesian sensitivity analysis of flight parameters that affect main landing gear yield locations, pp 1481-1497.

WU , Z. and CAO , Y.
Aerodynamic study of aerofoil and wing in simulated rain environment via a two-way coupled Eulerian-Lagrangian approach, pp 643-668.

WU , Z. , RAHIM , G. , GAO , D. and WANG , Y.
Structural health monitoring technology for a full-scale aircraft structure under changing temperature, pp 1519-1551.

XIONG , J.H. , TANG , S.J. , GUO , J. and WANG , T.N.
Improved sliding mode guidance law based on fuzzy variable coefficients strategy, pp 435-451.

XU , J. , MO , J. , WANG , M. and YU , Y.
Numerical investigation of separation pattern and separation pattern transition in overexpanded single expansion ramp nozzle, pp 399-424.

XUE , Y. , GARG , M. , FARAHMAND , B. , HOUSNER , J. , NIKBIN , K. and ABDI , F.
An analysis approach toward FAA certification for damage tolerance of aircraft components, pp 181-196.

XIANG , J. and REN , Y.M.A.
Energy absorption structures design of civil aircraft to improve crashworthiness, pp 383-398.

YAZDANPANAH , M.J. , ZARDASHTI, , R. and NIKKHAH , A.A.
Constrained optimal terrain following/threat avoidance trajectory planning using network flow, pp 523-539.

YIN , J. , AKKERMANS , R. and STUERMER , A.
Progress in aerodynamic and aeroacoustic integration of CROR propulsion systems, pp 1137-1158.

YU , Y. , XU , J. , MO , J. and WANG M.
Numerical investigation of separation pattern and separation pattern transition in overexpanded single expansion ramp nozzle, pp 399-424.

ZACHARIADIS , A. , BRANDVIK , T. , SOHONI , N. and HALL , C.
How to improve open rotor aerodynamics at cruise and take-off, pp 1103-1123.

ZAMMIT MANGION , D. and SAMMUT , A.
Runway conflict alerting: advisory or directive?, pp 713-741.

ZARDASHTI, , R. , NIKKHAH , A.A. and YAZDANPANAH , M.J.
Constrained optimal terrain following/threat avoidance trajectory planning using network flow, pp 523-539.

ZHANG , D.F. and CHEN , Y.Z.
Airspace sectorisation via a weighted graph model (Technical Note), pp 267-274.

ZHEREKHOV , V. , BARAKOS , G.N. , VALIEV , M. , STEPANOV , R. , PAKHOV , V. and SALAKHOV , M.
Analytical and experimental study of the integral aerodynamiccharacteristics of low-speed wind turbines, pp 1229-1224.

https://doi.org/10.1017/S0001924000010198 Published online by Cambridge University Press