Subject index

Absolute responsivity, 161, 164
Absorption cross section, 81–3
Absorption length, 81–3, 275
Accelerator, 93–102
Acceptance, 26, 328
Accidentals, 139, 307
Acoustic radiation, 74–5
Active target, 129
Aerogel, 193
Afterpulsing, 164–5
Albedo events, 299
Alignment, 19
Analog/digital convertor (ADC) (*see also* Flash ADC), 143–4, 171, 248, 316
Analog methods for wire chambers, 228
Analyzing power, 373
Angular distribution, 87–91
Annihilation, 46, 53–4
Anti-(veto) counter, 167–8, 304, 337
Antineutron, 315
Antiparticle, 4, 5, 10
Antiproton
  beam, 102, 107
  interactions, 82, 85, 87
  multiple scattering, 71
  trigger, 312
Antiproton–proton collider, 101–2, 115
Arrival time method, 231
Atomic properties of common materials, 84
Atomic properties of elements, 83
Atomic shell, 42, 56
Attachment in gases, 211, 215, 223, 253, 268, 290
Attenuation coefficient, 392
Attenuation length, 155, 159
Auger electron, 56
Axial field magnet, 331–2, 346
Axial field spectrometer (AFS), 346–7
Background, 17, 307, 374
Bargmann–Michel–Telegdi equation, 362
Barium flouride, 333–4
Barn, 391
Baryon, 3, 9
Baryon quantum number, 7
Beam–beam events, 367
Beam dump, 120, 130
Beam monitor, 74, 115, 207
Beam profile, 113–14
Beam transport, 108–15, 329
Bending magnet (*see* Dipole magnet)
Betatron oscillation, 97
Bethe–Bloch formula, 35–41
BGO, 149–50, 333–4
Bhabha scattering, 46, 65–6, 115, 299
Binding energy, 274–5
Binomial distribution, 389
Biological effectiveness, 120
Booster, 97
Bragg peak, 33
Branching ratio, 10, 366
Bremsstrahlung
  coherent, 73–4
  ordinary, 47–53, 59, 260
Brookhaven, AGS, 95, 376
Bubble chamber, 4, 16, 23, 25, 129, 285–8, 333, 367
Burst guard discriminator, 136–7

Calibration, 17, 19
Calorimeter
  continuous, 259, 266, 333–4
  electromagnetic, 266–74, 337–9, 341–5, 347–8, 379
  hadron, 74, 278–9, 315–6, 337–9, 342–7, 379–80
  liquid argon, 268–71, 275, 277–8, 316

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

particle identification, 280
PWC, 268–9, 272, 349–50
readout, 266–8
resolution, 269–72, 279–81
scintillator, 152, 267–9, 273, 315–16
uranium, 278–81
CAMAC, 19, 141–2, 227–8
Cascade particle, 9, 312–15, 365
Cathode pad (strip), 228–30, 256
Center of momentum (CM) frame, 11–13
Central detector, 333, 379
Cerenkov angle vs velocity, 180
Cerenkov counter
absorption, 201–3
aerogel, 193–6, 346
differential, 184, 196–201, 349
efficiency, 191–2, 194–5
gas, 186–90, 193–5
intensity monitor, 115
particle identification, 335
radiator, 183
threshold, 184, 190–6, 310–1, 346, 377
total internal ref, 190–1
(*see also* DISC, Lead–glass, Ring imaging counters)
Cerenkov effect, 42, 178–83
CERN
ISR, 100–2
LEAR, 102
LEP, 102–3
PS, 95, 102
SPS, 95, 100, 102, 107
Channeling (radiation), 73–4
Characteristic energy, 238
Characteristic length, 113
Charge, measurement of, 358–9
Charge coupled device (CCD), 248, 257
Charge division, 230–1, 346
Charge exchange in gases, 211
Charged current interaction, 88
Charged hadron beam, 107
CHARM spectrometer, 246, 337–8, 340
Chord, 326
Clearing field, 290
Clipping, 146
Clusters, ionization, 255, 296–7
Coaxial cable, 144–6
Cockcroft–Walton accelerator, 94
Coincidence curve, 138, 140, 329–30
Coincidence overlap, 137
Coincidence unit, 137–41
Coincidence width, 137–8
Colliding beam accelerator, 99–102
Collimator, 103
Collision length, 81
Collision time, 32, 395
Compton effect, 56–8
Computer, online, 17, 352
Constant fraction discriminator, 136
Constants, physical, 385
Cooling, phase space, 101–2
Coplanarity, 305, 307
Cornell, CESR, 100
Cosmic rays, 14, 74, 118–19, 349
Coulomb interference cross section, 370
Coulomb scattering, 64–7, 370
Coupling, electronic, 134–5
Crate controller, 141
Crazing, 153
Critical angle
channeling, 72–3
internal reflection, 157
Critical energy, 52–3, 260
Critical pressure, 187–8
Critical temperature, 187–8
Cross section and probability, 391–2
Cryogenic liquids, 126
Crystal Ball spectrometer, 347–9
Curvature, 23, 326
Cyclotron frequency, 363

Dalitz plot, 26
Dark current, 165
Data acquisition, 351–4
Data analysis, 18–26
Deadtime, 15, 316
Decay length, 7
dE/dx
in liquid or solid, 35–6, 286, 288
in gases, 41, 239, 254
measurement of, 167, 169, 252–5, 286, 288, 359
particle identification, 252–7, 335
Delay curve (*see* Coincidence curve)
Delay line, 230, 249
Delta ray (knock-on electron), 42, 44–5, 192–3, 208, 224, 288
Density effect, 40–1, 44
Depolarizing resonance, 99
DESY
DORIS, 100
HERA, 102–3
PETRA, 100–1
Detailed balance, 362
Detector uses, 17
Differential cross section, 392
Diffraction scattering, 85, 368
Diffusion, 212–13, 236–9, 249–50, 256
Dipole magnet, 96, 108–11, 331–2, 339, 344
Dirac theory, 37, 59, 362
Direct pair production, 53
Direct photon, 309–10, 315
DISC Cerenkov counter, 197–9, 314

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Discriminator, 134–7
Dispersion, 178–9, 197
Distribution function, 388
Double nuclear scattering, 129, 372
Double pulse resolution, 135
Drift chamber
  construction, 241–6, 251
  cylindrical, 18, 242–5
  dE/dx, 252–7
  degradation, 252
  efficiency, 239, 245
  electronics, 247–9, 251, 341
  gas, 234–40, 243, 256, 345
  high voltage, 245
  magnetic field, 235–7
  monitor, 249
  planar, 241–2, 345
  principle, 234–5
  space-time relation, 234, 242, 252
  spatial resolution, 234, 236–7, 239, 249–52
  time response, 333
  tubes (PDT), 245–6, 340–1
  (*see also* Time projection chamber)
Drift space, 108, 110
Drift velocity, 212–13, 235–40
Duty cycle, 93

E × B correction, 20, 225, 235, 241
Effective mass, 6, 7, 320–1, 365
Elastic scattering
  coherent, 81–2
  electromagnetic, 64–7
  hadronic, 80, 368–72
  luminosity, 115
  quasi–, 81–2
  spectrometer, 328–9, 371–2
  TOF, 172
  trigger, 305–7, 318
Electromagnetic shower, 14, 16, 46, 259–66, 270–1, 273
Electromagnetic shower detector (*see* Calorimeter)
Electron
  annihilation, 53–4
  beam, 96, 106, 330, 375
  bremsstrahlung, 47–53
  channeling, 74
  detection, 201–2, 266–74, 279, 286, 294, 335, 375–80
  energy loss to radiation, 51–3
  energy spectrum, 270–1, 273
  ionization loss, 41, 46–7
  magnetic moment, 8, 9, 363
  mass, 8, 9
  multiple scattering, 71
  pair production, 59–63
  polarized scattering, 88, 374
  pulse height spectrum, 45
  radius, 38
  range, 47
  relativistic rise, 47
  shower, 259–66
  spectrometer, 375, 377, 380
  spin, 362
  trigger, 308, 310–11
Electron affinity, 211
Electron–positron collider, 100–2, 115
Electron–electron interactions, 85, 87
Electroweak interaction, 3
EMC spectrometer, 246, 249, 319, 336, 340
Emittance, 113
Empty target correction, 72, 369, 372
Emulator, 317, 352
Emulsion, 16–17, 288–9
Energy deposition of 10 GeV proton, 275
Energy loss (*see dE/dx*, Ionization energy loss)
Energy transfer, maximum, 13–14
European Hybrid Spectrometer (EHS), 202
Excitation, 208
Expectation value, 388
External muon identifier, 286

Fan in/out, 142–3
FASTBUS, 142
Fermi momentum, 126, 128
Fermi plateau, 40–1
Fermilab
  main ring, 95, 97–8, 106–7, 130
  Tevatron I, 102–3
Filter, event, 20
Fission compensation, 278–81
Fixed target accelerator, 94–9
Flash ADC, 248, 255
Flash tube detector, 266, 298, 333
Flat top, 98
Fluorescence, 56, 148
Fluorescent converter, 157
Flux monitors, 115–17
Foam limit, 287
Foil, radioactive, 115–17
Form factor, 370
Forward particle, 10–11, 87–8
Four-vector, 6
Frank–Condon principle, 151
FREJUS spectrometer, 349–50
Frequency function, 388

g factor, 362
g factor anomaly, 362
g-2 experiments, 359
Gas Cerenkov radiator, 188, 193
Gas jet target, 15, 130–1

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Gases, fundamental processes, 208–15
Gate generator, 143
Gauge boson, 3, 5, 8, 89
Gaussian distribution, 389–90
Geiger mode, 206–7, 268
Geometrical fitting, 22–4
Giant resonance, 55
Gluon, 5
Gravitational force, 2, 5
Graviton, 5

Hadron, 3, 79
Hadronic shower, 274–8, 281
Hall probe, 328
Heavy ions, 74, 120
Helical trajectory, 22–4, 325
High voltage system, 165–6
Hodoscope, 168–9
Holography, 288
Horn, neutrino, 105–6
Huyghens construction, Cerenkov, 181
Hybrid bubble chamber, 286
Hydrogen atom, radius, 49
Hydrogen, liquid, 36, 101, 125–7, 287
Hydrophone, 74
Hyperon, 3
  beam, 108
  decay, 90–1

Impact parameter, 30–2
Inclusive production, 85–7
Index of refraction, 178–9, 182–3, 187–8, 190, 193, 202
Inefficiency, 22, 307
Interaction length, 392
Interferometer, 190
Ionization chamber, 115, 206–7
Ionization energy loss
  classical, 30–4
  fluctuations, 42–6
  quantum, 34–42
Ionization in gases, 208–10
Ionization potential, 37–41, 208–9

J particle, 376–9
Jet, 4, 316, 381

K+ detector, 298
Kaon
  beam, 107
  detection, 298
  interactions, 82, 85
  ionization loss, 35–6
  mass, 8, 359
  multiple scattering, 71
  production, 86–7
  properties, 8
  range, 35–6, 298
  TOF, 172–4
  trigger, 306, 308, 312, 318
Kaonic atom, 359
KEK
  synchrotron, 95
  TRISTAN, 102–3
Kinematic fitting, 25–6

Laboratory (LAB) frame, 10–12
Lagrangian multiplier, 26
Lambda particle
  decay distribution, 363
  magnetic moment, 9, 363–4
  polarization, 363
  precession angle, 364
  production, 86–7
  properties, 9
  trigger, 309, 313
Landau distribution, 43–4, 53, 210
Large pt production, 88, 309, 316, 346
Larmor precession frequency, 236
Lead–glass counter, 156, 202–3, 315
Leading particle, 88
Left–right ambiguity, 241, 318
Lepton, 3, 8
Lepton number, 88
Lifetime, 364–6
Light collection, 156–61, 185–6, 197
Light guide, 157, 159–60
Limited streamer mode, 268
Linear accelerator (Linac), 94–6
Linear attenuation coefficient, 54, 63
Linear energy transfer, 120
Liouville theorem, 112, 160
Liquid hydrogen (*see* Hydrogen, liquid)
Logic levels, 134
Lookup table, 317
Lorentz invariant, 11–12
Lorentz transformation, 5, 6
Lorenz–Lorentz law, 187
Luminosity, 99, 101

Magic gas, 216, 220
Magnetic field
  configurations, 331–3
  measurement, 328, 360, 364
Magnetic moment, 10, 362–4
Magnetic shield, 165
Magnetostriction, 293
MARK III spectrometer, 175
Mark-J spectrometer, 341, 345
Marx generator, 293
Mass, measurement of, 359–61
Mass attenuation coefficient, 63
Mean free path, 81
Meson, 3, 8

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Minimum bias trigger, 304
Minimum ionization, 38
Missing mass, 26
Mobility, 212
Moliere radius, 264
Moliere theory of multiple scattering, 69–73
Moller scattering, 46, 65, 375
Momentum resolution, 326–7, 329, 332
Momentum transfer, 14
Monitoring, 17, 169, 175, 202, 249, 351, 354
Monte Carlo technique, 26
Motion of ions in E and B fields, 235–7, 394–5
Mott scattering, 65, 375
Multiparticle spectrometer (BNL), 241–2, 320
Multiple scattering, 67–73, 197, 239, 327
Multiplication, charge, 214–20, 268
Multiplicity, 85–7, 89
Multistep avalanche chamber, 225
Multiwire Proportional Chamber (MWPC)
  construction, 218–22
  deadtime, 224
  efficiency, 220–4, 226, 295
  electronics, 225–31
  electrostatic force, 219–20
  energy resolution, 220
  field distribution, 218–9
  gas, 221, 268, 295
  in magnetic field, 224–5
  spatial resolution, 218, 223, 228, 231, 268
  time resolution, 224, 337
  trigger, 226
  wire clusters, 223, 227
  (*see also* Proportional chamber)
Muon
  beam, 107, 336
  bremsstrahlung, 47
  decay, 8, 361
  detection, 279, 298, 332, 336, 341, 359
  ionization loss, 35–6
  lifetime, 8, 10
  magnetic moment, 8, 363
  mass, 8, 359
  momentum in pion decay, 359–61
  production, 85, 88
  range, 35–6, 298
  trigger, 298, 308, 311–12, 315, 319–21, 337

NA1 spectrometer, 230
NA3 spectrometer, 222, 227
NaI scintillator, 149–50, 167, 333–4, 348
Neutral current interaction, 88–9
Neutral hadron beam, 107–8
Neutrino
  beam, 105–6, 341
  detection, 129, 279, 282–3, 285, 336, 379
  fission, 118
  interactions, 88–91, 201
  mass, 10, 359–61
  solar, 118, 349
  trigger, 303, 341
Neutron
  beam, 107–8
  detection, 152, 167, 201, 280–2, 313–14
  interactions, 79–83
  lifetime, 9, 10
  production, 55
  properties, 9
  trigger, 306, 308, 313
NIM electronics, 133–4, 142
Noise, 22
Novosibirsk, VEPP-4, 100
Nuclear magnetic resonance (NMR), 131–2, 328, 360–1, 364, 375
Nuclear shadowing, 129
Nucleon, 3
Nucleon decay, 3, 14, 117, 193, 349–51
Nucleus, radius, 83

Offline analysis chain, 19
Omega particle, 3, 4, 9, 313–15, 365–6
Omega spectrometer, 104, 318
Optical theorem, 370

Pair production, 42, 59–63, 260
Parity, 88, 363
Particle identification, 16–17, 25, 252–7, 280, 335
Particle physics, 1, 2
Pattern recognition, 20–2, 318, 381
Pedestal, 144
Penning effect, 210
Periodic table, 387
Phase space ellipse, 113–14
Phosphuorescence, 148
Photoelectric effect, 54–6
Photomultiplier tube (PMT), 159, 161–5, 172, 174, 182, 186, 193–4
Photon
  annihilation, 53–4
  beam, 104–5, 115
  bremsstrahlung, 47–52
  channeling, 73–4
  Compton effect, 55–8
  detection, 152, 167, 200–3, 266–74, 279, 286, 341, 347
  hadronic interactions, 84–5
  pair production, 55, 59–63
  photoelectric effect, 55–6
  shower, 259–66
  trigger, 308–10, 349

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Photonuclear absorption, 55
Physics analysis, 26
Pickup electrode, 115
Pileup, 270, 336
Pion
  beam, 107, 360, 369
  channeling, 72–3
  decays, 8, 202, 360, 366, 378
  detection, 279, 315
  energy spectrum, 273
  interactions, 82, 85–6
  ionization loss, 35–6, 41
  mass, 8, 359
  multiple scattering, 71–3
  production, 86–8, 107
  range, 35–6, 298
  shower, 273–5
  spin, 362
  TOF, 172–4
  trigger, 308–11
Pionic atom, 359
Plasma frequency, 41
Poisson distribution, 389
Polarization, 12, 372–6
Polarized target, 15, 131–2, 337, 374–6
Positron
  annihilation, 53–4
  bremsstrahlung, 48
  channeling, 74
  ionization loss, 46–7
  pair production, 59–63
  shower, 259–66
Positronium, 54
Potential energy vs atomic spacing, 151
Preprocessing, 19–20
Pretrigger, 304
Primary ionization, 208–9
Primary ionization rate, 43
Probability, 388–92
Projected space angle, 69, 70
Proper time, 6
Proportional chamber
  gases, 45, 216–18, 281
  principles, 16, 205–8
  pulse height, 45
  (*see also* Drift chamber, Multiwire Proportional Chamber)
Proton
  beam, 93–4, 107
  channeling, 72–3
  detection, 279
  hadronic energy loss, 274–5
  interactions, 80–2, 85–7
  ionization loss, 35–6, 41, 45
  magnetic moment, 9, 363
  mass, 9
  multiple scattering, 71, 73
  range, 33–6, 298
  recoil mass distribution, 372
  spin, 9, 362
  TOF, 173
  trigger, 308, 312–13
  (*see also* Nucleon decay)
Proton–proton collider, 100–1, 115
Proton–proton interactions, 367
Punch through, 311

Quadrupole magnet, 94, 97, 109–15
Quality factor, 120
Quantum chromodynamics (QCD), 4, 5, 376
Quantum efficiency, 161, 163–4
Quantum electrodynamics (QED) 3, 29, 48, 59, 65, 85, 107
Quark model, 4, 91, 117, 359
Quasistable particle, 8, 10
Quenching
  gases, 211, 239
  scintillator, 150–2

Radiation length, 52, 260
Radiation protection, 120–2
Radiation sickness, 121
Radiative corrections, 372
Radio frequency quadrupole (RFQ), 94
Radioactive source, 119
Radioactivity, 115–17, 119, 122
Raether criterion, 215, 290
Range, 33–6, 45–6
Rayleigh scattering, 55
Recoil particle, 10–11
Recombination in gases, 206–7, 210–11, 293
Reflection, 157–9, 184–5
Register (latch), 143
Relativistic rise, 39–41, 253–5
Relativity, 5
Residual, 19
Resolving time, 137–8
Resonance, 3, 4, 80, 85, 89
Response time, 15
RF cavity, 94, 96
RF structure, 93–4
Ring imaging Cerenkov counter (RICH), 193, 198–200
Risetime method, 231
Rossi–Greisen equation, 69
Rutherford scattering, 64–6

Sagitta, 326
Sample mean, 388
Sampling calorimeter, 16, 259
Saturated avalanche mode, 268
Scaler, 143
Scattering, 10–14
Scintillation, 148

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Scintillation counter
  construction, 16, 148
  deadtime, 333
  dE/dx, 167, 341, 360
  efficiency, 167–8
  energy resolution, 168
  intensity monitor, 115
  response time, 333
  spatial resolution, 168–9
  timing, 169–75
  trigger, 165, 341
Scintillation efficiency, 150
Scintillator
  decay time, 150–2
  fibers, 155
  glass, 156
  inorganic, 148–9
  liquid, 152
  noble gas, 155–6
  organic, 149–55
  plastic, 153–5, 167, 174–5
Screening, 40, 48–50, 59–61
Secondary beams, 103–8
Secondary emission monitor, 115
Self-absorption, 151
Semiconductor detector, 16, 129–30, 296–8, 360–1
Separated beam, 112–3
Separator, electrostatic, 103–4
Serpukov, 95, 103
Shower (*see* Electromagnetic or Hadronic shower)
Sigma particle, 9, 10, 313–14
Silicon detector (*see* Semiconductor)
SLAC
  linac, 94–6, 115, 286, 374
  SLC, 102–3
  SPEAR, 100, 347
Slewing, 135–6
Sokolov–Ternov effect, 99
Solenoid magnet, 331–2
Source, accelerator, 93–4, 99
Space, charge repulsion, 213–14, 217
Space–time relation, 234, 252
Spark chamber, 289–93
Spark counter, 298–300
Spatial resolution, 15
Spectrometer
  colliding beam, 329, 341–9, 367, 379–80
  design criteria, 329–36
  fixed target, 328–9, 336–41, 360, 363–5, 369, 371, 375–7
  magnetic relations, 325–7
  nucleon decay, 349–50
Spin
  measurement of, 361–2
  quantum number, 3, 38
Spline fit, 24
Split field magnet, 331–2
Standard deviation, 389
Statistics, 388–90
Straggling, 45
Strangeness quantum number, 3, 7
Streamer chamber, 16, 210, 293–4, 336–7
Strong interaction, 2, 3, 79–88
Structural materials, 397
SU(3) model, 3
Synchrotron, 96
Synchrotron oscillation, 97
Synchrotron radiation, 47, 98–9, 335

t distribution, 12, 26
Target, 125–32
TASSO spectrometer, 174, 193–6, 244–5, 268
Termination, cable, 145–6
Thin lens approximation, 111
Thomas–Fermi model of atom, 39, 49, 65
Thomson cross section, 58
Thyratron, 290
Time/digital convertor (TDC), 144, 171, 247–8
Time dilation, 6, 7, 363
Time of flight (TOF), 172–5, 298–300, 335
Time projection chamber (TPC), 242, 256–7
Toroidal magnet, 331–2, 337–40
Total cross section, 79–85, 89, 367–9, 391–2
Total specific ionization, 208–9
Towsend's ionization coefficient, 214
Track length, 262
Track sensitive target, 286
Tracking, 15, 19, 333
Transition radiation, 42, 294–7, 335
Transmission, optical, 185–6
Transmission measurement, 368–9
Transport coefficient, 237–8
Transverse momentum, 88
Trigger
  beam, 303–4
  data acquisition, 336, 351–3
  deposited energy, 315–7, 379
  final state, 304–7
  general properties, 16–17, 303–7
  higher level, 316–21, 371
  identified particle, 307–15
  multiplicity, 305
Truncated mean technique, 253–4
Two body scattering, LAB frame, 393

UA1 spectrometer, 18, 379–80
Ultraviolet light, (UV), 159, 161, 179, 183–6, 200–1

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Updating discriminator, 136
Uranium calorimeter, 279–81, 347

Vacuum, beam, 101, 130
Van de Meer method, 368
Variance, 388–9
Vee, 25
Velocity, measurement of, 172, 196
Vertexing, 25
Villari effect, 293
Virtual particle, 11

W gauge boson, 3, 5, 18, 88, 379–81
Waist, 113–14
Wavelength shifter, 153–4, 157, 186, 267
Weak interaction, 2, 3, 88–91
Winston cone, 160–1

Z gauge boson, 3, 5, 89

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 17 Nov 2026 at 03:48:52, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/9781009290098.025