© Trustees of the Royal Botanic Garden Edinburgh (2009)
doi:10.1017/S0960428609990151

GENERAL INDEX TO VOLUME 66 (2009)

Note: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps and reviews (Rev.) are indicated; tables are not annotated separately.

Abacopteris
rubicunda (Alderw.) Holttum, 359
triphylla (Sw.) Ching
var. *parishii* (Bedd.) Ching, 360
Acacia, 7, 268, 271, 279
asak (Forssk.) Willd., 266, 268–269, 274–276
ehrenbergiana Hayne, 268
glomerosa Benth., 336
johnwoodii Boulos, 268–269, 271–272, 278–279
mellifera (Vahl) Benth., 271
tortilis (Forssk.) Hayne, 268
Acalypha, 268, 336
fruticosa Forssk., 269–271, 276
Acanthaceae, 333
Acanthocoleus R.M.Schust., 182
Acantholejeunea (R.M.Schust.) R.M.Schust., 182
Achariaceae, 28
ACHARYA, N., 51–64
Achyranthes
aspera L., 270
Acianthera
ochreata (Lindl.) Pridgeon & M.W.Chase, 337, 341
Acisanthera, 337
Acrobolbaceae E.A.Hodgs., **189**
Acrobolbus Nees, 189
Acrochila R.M.Schust., 166, 186
Acrolejeunea (Spruce) Schiffn., 182
Acrolophozia R.M.Schust., 191
Acromastigum A.Evans, 184–185, 187, 189
Acroscyphella N.Kitag. & Grolle, 188
Acrostichum
exsculptum Baker, 359
Adelanthaceae Grolle, **186**
Adelanthus Mitt., 186
Adenium
arabicum Balf.f., 97–98
chrysostephana (Deflers) A.Berger, Stapel. & Klein, 100
obesum (Forssk.) Roem. & Schult., **97**–98, 271
somalense Balf.f., 98
Adiantaceae, 358
Aegopodium
burttii Nasir, 6
Aeschynanthus Jack, 391–446* [**393**]
sect. *Microtrichium* C.B.Clarke, 419
sect. *Polytrichium* Benth., 396, 410, 421
acuminatissimus W.T.Wang, 395–399 [**397** & Map]
acuminatus Wall. ex A.DC., 392, 394, 397, **399**–400 & Map, 405, 433, 435
var. *chinensis* (Gardner & Champ.) C.B.Clarke, 399
andamanensis Goel, Vasudeva Rao & Mehrotra, 426, 429
angustifolius (Blume) Steud., 393
angustioblongus auct. non W.T.Wang, 423
austroyunnanensis W.T.Wang, 423, 425
var. *guangxiensis* (Chun ex W.T.Wang & K.Y.Pan) W.T.Wang, 423
beccarii C.B.Clarke, 438
boschianus de Vriese, 437
bracteatus auct. non Wall. ex A.DC., 399, 440
bracteatus Wall. ex A.DC., 392, 394, 397, 401–405 [**402**, 403 Fig., 404 Map]
var. *peelii* (Hook.f. & Thomson) C.B.Clarke, 402
burttii Mendum, 6
buxifolius Hemsl., 394, 396, 399, **406**–407 [406 Map], 419
cambodiensis D.J.Middleton, 391–392, 394, 396, 404 Map, **408**–410 [409 Fig.], 421, 437
chinensis Gardner & Champ., 399
chiritoides C.B.Clarke, 394, 396, **410**–413 [411 Fig., 412 Map]
consobrinus Kraenzl., 431
deleiensis C.E.C.Fisch., 425, 428
denticuliger W.T.Wang, 410, 413
dischidioides (Ridl.) D.J.Middleton, 393
dolicanthus W.T.Wang, 426, 428
evrardii Pellegr., 414
fulgens Wall. ex R.Br., 392, 395–396, 412 Map, **414**, 428–429

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

garrettii auct. non Craib, 397, 431
garrettii Craib, 398–399, 407
gracilis Parish ex C.B.Clarke, 413
grandiflorus Spreng., 425
var. *parasiticus* (Roxb.) C.B.Clarke, 425
guangxiensis Chun ex W.T.Wang & K.Y.Pan, 423, 425
hookeri C.B.Clarke, 392
hosseusii auct. non Pellegr., 402, 431
hosseusii Pellegr., 392, 405, 441
humilis Hemsl., 395–396, 412 Map, **416**
javanicus Rollinson ex Hook., 437
jouyi D.J.Middleton, 391–392, 395–396, 406 Map, **417**–419 [418 Fig.]
lampongus Miq., 438
var. *parvifolius* Ridl., 438
lanceolatus Ridl., 438
lineatus auct. non Craib, 431
lobbianus Hook., 437
longicalyx H.W.Li, 423
longicaulis auct. non Wall. ex R.Br., 420
longicaulis Wall. ex R.Br., 392
longiflorus Wall., 440
macranthus auct. non (Merr.) Pellegr., 414
macranthus (Merr.) Pellegr., 425, 427–428
maculatus Lindl., 429
var. *sikkimensis* C.B.Clarke, 431
var. *stenophyllus* C.B.Clarke, 431
membranifolius (Costantin) D.J.Middleton, 392, 395–396, 406 Map, **419**, 421, 437
mendumiae D.J.Middleton, 392, 394, 396, 408, 410, **421**–423 [422 Map], 437
micranthus C.B.Clarke, 395–396, 422 Map, **423**, 425
mimetes B.L.Burtt, 426, 428
moningerae (Merr.) Chun, 435
neesii Zoll. & Moritzi, 437
oxychlamys Mendum, 393
pachytrichus W.T.Wang, 426, 428
papuanus (Schltr.) B.L.Burtt, 393
parasiticus (Roxb.) Wall., 392, 395–396, **425**–429 [426 Map]
parviflorus (D.Don) Spreng., 392–393, 395–396, 428–433 [**429**, 430 Fig., 431 Map]
parvifolius R.Br., 437
paxtonii Lindl., 402
pedunculatus D.J.Middleton, 391–392, 395, 397, 401, 426 Map, **433**, 435 & Fig.
peelii Hook.f. & Thomson, 402, 406
persimilis auct. non Craib, 416
poilanei Pellegr., 392, 394, 396, 431 Map, **436**
pulcher (Blume) G.Don, 392, 395–396, **437**–438 & Map, 440
pusillus Prain, 410, 413
ramosissimus Wall., 429
rhododendron Ridl., 417, 419
sikkimensis (C.B.Clarke) Stapf, 431, 433
sinolongicalyx W.T.Wang, 410, 423
stenosiphonius W.T.Wang, 414
superbus C.B.Clarke, 392, 394, 397, 438 Map, **440**
tubulosus J.Anthony, 407
volubilis Jack, 393
zollingeri C.B.Clarke, 438
Africa, 27–49*
Atlantic Central, 115–132
new national records, 115–132
Aglaia Lour., 347
breviracemosa (Kosterm.) Kosterm., 309
Agrostis, 7
Aitchisoniella Kashyap, 175
Al-Abbasi, T.M., 263–281
Alejandro, G.J., 447–457
Al-Farhan, A., 263–281
Algae, 483–484 Rev.
Al-Khulaidi, A.W., 263–281
Allisonia Herzog, 177
Allisoniaceae Schljakov, **177**
Allisoniella E.A.Hodgs., 187
Allobiellopsis R.M.Schust., 187
Allophylus
rubifolius (Hochst.) Engl., 273, 275
Alobiella (Spruce) Schiffn., 187
Al-Qadasi, A.H., 263–281
Alstroemeria
longistaminea Mart., 333, 341
Alstroemeriaceae, 333, 341, 344
Alternanthera
brasiliana (L.) Kuntze, 333, 342
Alves, M., 329–346
Amaranthaceae, 333, 342
Amaryllidaceae, 333, 343
Amazoopsis J.J.Engel & G.L.S.Merr., 185
Amblyolejeunea Ast, 182
Amomum
burttii R.M.Smith, 6
Amphicephalozia R.M.Schust., 187

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Amphijubula R.M.Schust., 181
Amphilejeunea R.M.Schust., 182
Amphilophocolea R.M.Schust., 185
Amphineuron
immersum (Blume) Holttum, 359
Anacardiaceae, 273, 333
Anacardium
occidentale L., 333
Anastrepta (Lindb.) Schiffn., 187
Anastrophyllum (Spruce) Steph., 168, 187
Ancistrorhynchus
schumannii (Kraenzl.) Summerh., 117
tenuicaulis Summerh., **117**, 118 Map
Andreaea, 155
Andrewsianthus R.M.Schust., 187
Andropogon
selloanus (Hack.) Hack., 338
Androsiphonia Stapf, 27, 29–30
Aneilema, 269
woodii Faden, 273, 275–277
Aneura Dumort., 162, 180
Aneuraceae H.Klinggr., 160, **180**
Angolluma
chrysostephana (Deflers) Plowes, 100
Angraecum
angustum (Rolfe) Summerh., 118 Map, **120**, 121 Fig.
eichlerianum Kraenzl.
var. **curvicalcaratum** Szlach. & Olszewski, 118 Map, **120**, 121 Fig.
var. *eichlerianum*, 120
Aniseia
heterantha (Nees & Mart.) Choisy, 150
Anisotachis R.M.Schust., 188
Anisotes
trisulcus (Forssk.) Nees, 271, 276
Annona
squamosa L., 268–271, 274–276
Annonaceae, 365–370
Anomocaulis (R.M.Schust.) Grolle, 187
Anomoclada Spruce, 185, 187
Anomomarsupella R.M.Schust., 190
Anoplolejeunea (Spruce) Schiffn., 182
Anthelia (Dumort.) Dumort., 191
Antheliaceae R.M.Schust., **191**
Anthephora, 7
Anthurium
affine Schott, 333
Antiaris
toxicaria Lesch., 266, 270–275, 277
Antrophytum
winitii Tagawa & K.Iwats., 357–358
Aphanamixis, 350
polystachya (Wall.) R.N.Parker, 350
Aphanolejeunea A.Evans, 163, 182
Aphanotropis Herzog, 182
Apiaceae, 6
Apinagia
goejei Went, 478
multibranchiata (Matthiesen) P.Royen, 478, 480
riedelii (Bong.) Tul., 469–470, 475–477, 479
Apochiton, 7
Apocynaceae, 97–101*, 273, 333, 340–341, 447–457
subfam. *Asclepiadoideae*, 447–457
subfam. *Periplocoideae*, 449
tribe *Marsdenieae*, 447–457*
Apomarsupella R.M.Schust., 191
Apometzgeria Kuwah., 161–162, 180
Apotomanthus (Spruce) Schiffn., 166–167, 190
Apotreubia S.Hatt. & Mizut., 158, 171
Arabia
Flora of, 97–101*
Southwest, 263–281*
Arabian Peninsula, 97–101*
Araceae, 6, 333
Arachniopsis Spruce, 185
Archeochaete R.M.Schust., 184
Archeophylla R.M.Schust., 184
Archilejeunea (Spruce) Schiffn., 182
Arctoscyphus Hässel, 190
Ardi, W.H., 103–114, 229–238
Arecaceae, 333
Argostemma Wall., 239
burttii B.Bremer, 6
Aridarum
burttii J.Bogner & D.H.Nicolson, 6
Aristolochia
bracteata Retz., 269
Arnellia Lindb., 189
Arnelliaceae Nakai, 168–169, **189**
Ascidiota C.Massal., 180
Asclepiadaceae, 199–201 Rev.
Asclepias
laniflora Forssk., 99
Aspidium
crassifolium Blume, 359

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

immersum Blume, 359
Asteraceae, 6–7, 333, 339–340, 343
see also Compositae
Asterella P.Beauv., 174
Astraea
lobata (L.) Klotzsch, 336
Athalamia Falconer, 174
Atlantic Central Africa, 115–132
Atriplex
halimus L., 70
Aureolejeunea R.M.Schust., 182
AUSTIN, D.F., 133–153
Austrofossombronia R.M.Schust., 161, 178
Austrolejeunea (R.M.Schust.) R.M.Schust., 182
Austrolembidium Hässel, 185
Austrolophozia R.M.Schust., 189
Austrometzgeria Kuwah., 161, 180
saccata, 162
Austroscyphus R.M.Schust., 188
Axonopus, 338
aureus P.Beauv., 338
Aytoniaceae Cavers, **174**
Azaleas, evergreen, 81–95

Bakeridesia
andrade-limae Monteiro, 337
BALACHANDRAN, I., 77–80
Balantiopsidaceae H.Buch., **188**
Balantiopsis Mitt., 188
Bambusa
bambos (L.) Voss, 79
BANKA, R.A., 239–261
Baphia, 7
Barbilophozia Loeske, 188
Barteria Hook.f., 27, 29–30
Bauhinia
tomentosa L., 273
Baynesia, 201–203 Rev.
Bazzania Gray, 184–191
Becium
filamentosum (Forssk.) Chiov., 270
Begonia L., 103–114, 205–211*, 229–238*, 239
sect. *Baryandra* A.DC., 109
sect. *Diploclinium* (Lindl.) A.DC., 109
sect. *Parvibegonia* A.DC., 109
sect. *Petermannia* (Klotzsch) A.DC., 103–114*, 205–211, 229–230, 234, 236–237
sect. *Platycentrum* (Klotzsch) A.DC., 104
sect. *Sphenanthera* (Hassk.) Warb., 103–104, 229
androturba C.Coyle, 205–209 [**206**, 207 Map, 208 Fig.]
aptera Blume, 104
bonthainensis Hemsl., 104
brachybotrys Merr. & L.M.Perry, 236
burttii Kiew & S.Julia, 6
calcicola Merr., 109
capituliformis Irmsch., 104
carnosa (Teijsm. & Binn.) Teijsm. & Binn., 104
celebica Irmsch., 104
chiasmogyna M.Hughes, 104, 237
cladotricha M.Hughes, 109
cuneatifolia Irmsch., 104
didyma D.C.Thomas & Ardi, 229–234 [**230**, 231 Fig., 233 Map], 237
flacca Irmsch., 104
gemella Warb. ex L.B.Sm. & Wassh., 104, 230, 234
georgei C.Coyle, 205–210 [207 Map, 208 Fig., **209**]
grandipetala Irmsch., 104, 237
guttapila D.C.Thomas & Ardi, 229, 232–237 [232 Fig., 233 Map, **234**]
hekensis D.C.Thomas, 103–104, 107 Fig., 108 Map, **110**, 113
heteroclinis Miq. ex Koord., 104
hispidissima Zipp. ex Koord., 104, 110, 113
humilicaulis Irmsch., 104
imperfecta Irmsch., 104
insularum Irmsch., 104
koordersii Warb. ex L.B.Sm. & Wassh., 104, 236
longifolia Blume, 103–104
longistipula Merr., 210
macintyreana M.Hughes, 104, 237
masarangensis Irmsch., 104, 113
mendumiae M.Hughes, 104, 110
oxysperma A.DC., 109
ozotothrix D.C.Thomas, 103–111 [**105**, 106 Fig., 108 Map, 110–111 Figs], 236–237
palawanensis Merr., 205–211 [207 Map, 208 Fig., **210**]
peekelii Irmsch., 236
picta Sm., 109
pseudolateralis Warb., 104, 236

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

rachmatii Tebbitt, 104
ramosii Merr., 209
renifolia Irmsch., 104
rieckei Warb., 103–104, 236
robusta Blume, 104
sarasinorum Irmsch., 104
saxicola A.DC., 334, 341
siccacaudata J.Door., 104, 110, 236
sinuata Wall. ex Meisn., 109
sphenocarpa Irmsch., 104
stevei M.Hughes, 104, 237
strachwitzii Warb. ex Irmsch., 104
strictipetiolaris Irmsch., 104, 236
varipeltata D.C.Thomas, 104, 237
Begoniaceae, 6, 103–114, 205–211, 229–239, 334, 341, 344
Bellevalia Lapeyr., 65–75*
sect. *Bellevalia*, 70
subsect. *Romana* Feinbrun, 70–71, 73
dolichophylla Brullo & Minissale, 65–66, 69 Map, 70, 72–73
dubia (Guss.) Rchb.
subsp. *dubia*, 65
galitensis Bocchieri & Mossa, 65, 69 Map, 70–73
mauritanica Pomel, 71–73
pelagica C.Brullo, Brullo & Pasta, 65–75 [**66**, 67–69 Figs, 69 Map, 71 Fig.]
romana (L.) Sweet, 65, 71–73
Belliolum
burttianum A.C.Smith, 6
Berchemia
discolor (Klotzsch) Hemsl., 264, 266, 269, 275
Bersama
abyssinica Fresen., 273, 276
Bidens
pilosa L., 333
Bignoniaceae, 273, 334
Bikinia
letestui (Pellegr.) Wieringa, 129
Bixaceae, 334
Blasia L., 155, 172
Blasiaceae H.Klinggr., **172**
Blasiales Stotler & Crand.-Stotl., 156, **172**
Blepharidophyllaceae R.M.Schust., 167, 169, **189**
Blepharidophyllum Ångstr., 167, 189
Blepharodon
manicatum (Decne.) Fontella, 333, 341
Blepharolejeunea S.W.Arnell, 182
Blepharostoma (Dumort.) Dumort., 164–165, 184
Blepharostomataceae, 164
Bletia
purpurea, 199–201 Rev.
Boehmeria Jacq., 51–64* [58 Fig.]
nepalensis Wedd., 57
nervosa Madden, 60
pilosiuscula (Blume) Hassk., 52
polystachya Wedd., 63
rugulosa Wedd., 51, 53, 55–57, 60
Boerhavia
repens L., 269
Boesenbergia
burttiana R.M.Smith, 6
Bomarea
edulis (Tussac) Herb., 333, 341
Bonamia Thouars, 133, 136
ferruginea (Choisy) Hallier f., 150
maripoides Hallier f., 150
media (R.Br.) Hallier f., 135
peruviana Ooststr., 136–138, 142–143
semidigyna, 133
umbellata (Choisy) Hallier f., 150
Book reviews:
Blüte und Frucht. Morphologie, Entwicklungsgeschichte, Phylogenie, Funktion, Ökologie (P. Leins & C. Erbar), 363–364
British Alpine Hawkweeds: A Monograph of British Hieracium *section* Alpina (D.J. Tennant & T.C.G. Rich), 487–488
Franz Bauer: The Painted Record of Nature (H.W. Lack), 199–201
Fruit: Edible, Inedible, Incredible (W. Stuppy & R. Kesseler), 485–486
Phycology (R.E. Lee), 483–484
Stapeliads of Southern Africa and Madagascar (P.V. Bruyns), 201–203
Boraginaceae, 334
Borneo, 365–370, 447–457*
Boucerosia
adenensis Deflers, 98
Brachiolejeunea (Spruce) Schiffn., 182
Brachystegia, 7
Bragginsella R.M.Schust., 190
Brassavola
tuberculata Hook., 337

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Brassicaceae, 334
Brazil, 329–346* [332 Map]
Breonadia
salicina (Vahl) Hepper & J.R.I.Wood, 264, 270–271, 274, 277
Breteler, F.J., 27–49
Brevianthaceae J.J.Engel & R.M.Schust., 186
Brevianthus J.J.Engel & R.M.Schust., 186
Breweria
mexicana Hemsl., 146
var. *floribunda* Villada, 146, 150
Bridelia
scleroneura Müll.Arg., 273, 276
Bromelia, 334
Bromeliaceae, 329, 333–334, 340–341
Bromeliophila R.M.Schust., 182
Brucea
antidysenterica J.F.Mill., 270, 273
Brullo, C., 65–75
Brullo, S., 65–75
Bruyns, P.V., 97–101
Bryopteris (Nees) Lindenb., 181–182
Bucegia Radian, 174
Buddlejaceae, 273
Buelowia Schumach. & Thonn., 29, 40
illustris Schumach. & Thonn., 40, 44, 48
insignis Schumach. & Thonn., 44
Bulbophyllum, 7
coriscense Rchb.f., 118 Map, **122**
renkinianum (Laurent) De Wild., 118 Map, **123**
vanum J.J.Verm., 118 Map, 121 Fig., **123**
Bulbostylis
scabra (J.Presl & C.Presl) C.B.Clarke, 335
Bursera, 148
Burtt, B.L.
botanical publications of, 8–26
dedication, 1
obituary, 1–5
plants names in honour of, 6–7
Burttia Baker & Exell, 7
Buxanthus
hildebrandtii (Baill.) Tiegh., 279

Caatinga vegetation, 329–346* [332 Map]
Cactaceae, 334, 339, 341
Calatholejeunea K.I.Goebel, 182
Callisia
repens (Jacq.) L., 334
Calobryales Hamlin, 158, **172**
Calycobolus Willd. ex Roem. & Schult., 133–153* [138, 140 Figs, 149 Map]
amazonicus (Choisy) House, 140
emarginatus Willd. ex Roem. & Schult., 138, 144
ferrugineus (Choisy) House, 150
glaber (Kunth) House, 134–136, **140** & Figs, 142–143, 146, 149 Map
lanulosus D.F.Austin, 134, 136, 139–140 & Figs, **143**–144, 149 Map, 150
nutans (Moç. & Sessé ex Choisy) D.F.Austin, 133–135, 146
pringlei House, 146
pulchellus Willd. ex Roem. & Schult., 140
sericeus (Kunth) House, 134, 136, 138, 140 & Figs, 144–145, 149 Map, 153
spectabilis (Choisy) House, 150
umbellatus (Choisy) House, 150
velutinus (M.Martens & Galeotti) House, 146
Calycularia Mitt., 177
Calyculariaceae He-Nygrén *et al.*, **177**
Calypogeia Raddi, 161, 169, 188–190
Calypogeiaceae Arnell, **189**
Calyptrocolea R.M.Schust., 186
Cambodia, 391–446*
Cameraria
obesum (Forssk.) Spreng., 97
Cameroon, 27–49, 115–132
Campanocolea R.M.Schust., 165, 186
Campanulales, 364 Rev.
Campomanesia
aromatica (Aubl.) Griseb., 337
Canavalia
brasiliensis Mart. ex Benth., 336
Canthium, 7
Capillolejeunea S.W.Arnell, 182
Caralluma, 201–203 Rev.
adenensis (Deflers) A.Berger, 97–**98**
hexagona Lavranos, 98
var. *septentrionalis* Lavranos & L.E.Newton, 97–98
Carex
burttii H.J.Noltie, 6
Carissa
edulis (Forssk.) Vahl, 266, 279
spinarum L., 266, 269, 271, 276, 279
Carpophyllium Miq., 283, 291
macropodum Miq., 291, 310

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Casearia
sylvestris Sw., 339
Cassia, 7
Cassytha
americana Nees, 337
filiformis L., 268, 271
Castanoclobus J.J.Engel & Glenny, 165, 184
Castanopsis, 461
Caudalejeunea (Steph.) Schiffn., 182
Caulokaempferia
burttii K.Larsen & Jenjitt., 6
Cavicularia Steph., 172
Cecropia
pachystachya Trécul, 339
Ceiba, 148
Celastraceae, 334
Celtis
toka (Forssk.) Hepper & J.R.I.Wood, 264
Cephalantholejeunea (R.M.Schust. & Kachroo) R.M.Schust., 182
Cephalojonesia Grolle, 187
Cephalolejeunea Mizut., 182
Cephalolobus R.M.Schust., 187
Cephalomitrion R.M.Schust., 187
Cephalozia (Dumort.) Dumort., 187
Cephaloziaceae Mig., 166–167, **187**
Cephaloziella (Spruce) Schiffn., 167, 187
Cephaloziellaceae Douin, 167, 169, 186, **187**
Cephaloziopsis (Spruce) Schiffn., 187
Ceratolejeunea (Spruce) J.B.Jack & Steph., 182
Cereus
jamacaru DC., 334
Ceterach
pedunculatum Hook. & Grev., 356
Chaetocolea Spruce, 184
Chaetophyllopsidaceae R.M.Schust., 164, 187
Chaetophyllopsis R.M.Schust., 164, 168, 188
Chamaecrista
flexuosa (L.) Greene, 336
Chandonanthus Mitt., 188
Cheilolejeunea (Spruce) Schiffn., 163, 182
aneogyna (Spruce) A.Evans, 163
Chiastocaulon Carl, 186
Chiloscyphus Corda, 165, 185
subgen. *Conati*, 166
subgen. *Notholophocolea*, 165
latifolius (Nees) J.J.Engel & R.M.Schust., 165
polyanthos (L.) Corda, 165
Chiococca
alba (L.) Hitchc., 338
Chloranthelia R.M.Schust., 185
Chlorophyta, 484 Rev.
Chondriolejeunea (Benedix) Kis & Pócs, 182
Chonecolea Grolle, 186
Chonecoleaceae R.M.Schust. ex Grolle, **186**
Chromosome numbers
in *Bellevalia*, 65, 70–71 & Figs, 73
in *Clemensiella*, 447–457*
CHRTEK, J., 487–488 Rev.
Chrysobalanaceae, 334
Cipura
paludosa Aubl., 337
Cissus
erosa Rich., 339
quadrangularis L., 271
rotundifolia (Forssk.) Vahl, 268, 271
Cladolejeunea Zwick., 182
Cladopodiella H.Buch, 187
Clandarium (Grolle) R.M.Schust., 189
Clappertonia
polyandra Bech., 130
Clasmatocolea Spruce, 165, 185
Classification scheme
of Marchantiophyta, 155–198*
Clemensia Merr., 449
Clemensia Schltr., 449
mariae Schltr., 449–450
Clemensiella Schltr., 447–457* [**449**, 451 Map]
dischidioides Elmer, 450, 454
mariae (Schltr.) Schltr., 447–454 [**450**, 451 Map, 452–453 Figs], 456
omlori Livsh. & Meve, 447–448, 450–451 & Map, 454–456 [**454**, 455 Fig.]
Cleome, 7
lanceolata (Mart. & Zucc.) Iltis, 334
Cleveaceae Cavers, 159, **174**
Clusia
intermedia G.Mariz, 334, 340
nemorosa G.Mey., 334, 340–341
Clusiaceae, 334, 340–341
Cnidoscolus
urens (L.) Arthur, 336
Cochlospermum
insigne A.St.-Hil., 334

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Colchicaceae, 6–7
Colchicum
burttii R.D.Meikle, 6
Cololejeunea (Spruce) Schiffn., 156, 163, 181–182
Colura (Dumort.) Dumort., 182
Colysis C.Presl, 355–361*
macrophylla (Blume) C.Presl
var. **pedunculata** (Hook. & Grev.) S.Linds., **356**
pedunculata (Hook. & Grev.) Ching, 355–356
Combretum, 7
molle R.Br. ex G.Don, 263–264, 266, 268–269, 271, 274–275, 278–279
Commelina, 269, 272
obliqua Vahl, 334
Commelinaceae, 273, 334, 340
Commiphora, 271, 279
kataf (Forssk.) Engl., 266
myrrha (Nees) Engl., 271
Compositae, 2, 4, 7
see also Asteraceae
Coniogramme, 358
Connaraceae, 7
Conocephalaceae Müll.Frib. ex Grolle, **174**
Conocephalum Hill, 174
Conocliniopsis
prasiifolia (DC.) R.M.King & H.Rob., 333
Conoscyphus Mitt., 185
Conservation
in Arabia, 263–281*
Convolvulaceae, 133–153, 334, 341–342, 344
tribe *Poraneae*, 134
Cordia, 148
abyssinica R.Br., 279
africana Lam., 279
ovalis R.Br. ex A.DC., 271, 274, 279
verbenacea DC., 334
Corsinia Raddi, 160, 175
Corsiniaceae Engl., **175**
Coutarea
hexandra (Jacq.) K.Schum., 338
Coyle, C., 205–211
Craibia, 7
Crandall-Stotler, B., 155–198
Crenias
weddelliana, 478
Crenulluma
adenensis (Deflers) Plowes, 98
Cronisia Berk., 175
Croomia Torr., 213–228*
heterosepala (Baker) Okuyama, 214
pauciflora Torr., 214
Croomiaceae, 214
Crossotolejeunea (Spruce) Schiffn., 182
Crotalaria, 7
lanceolata E.Mey., 336
Croton L., 340
adamantinus Müll.Arg., 336
glandulosus L., 336
grewioides Baill., 336
heliotropiifolius Kunth, 336
hirtus L'Hér., 336
jacobinensis Baill., 336
macrostachyus Hochst. ex Delile, 273, 275
pulegioides Müll.Arg., 336
urticifolius Lam., 336
Crypsinus C.Presl, 356
cruciformis (Ching) Tagawa, 356
ebenipes (Hook.) Copel., 356
griffithianus (Hook.) Copel., 356
hastatum
var. *oxylobum* (Wall. ex Kuntze) C.B.Clarke, 357
hirsutus Tagawa & K.Iwats., 356
oxylobus (Wall. ex Kuntze) Sledge, 357
rhynchophyllus (Hook.) Copel., 357
trisectus (Baker) Tagawa, 357
Cryptochila R.M.Schust., 187
Cryptocolea R.M.Schust., 190
Cryptocoleopsis Amak., 190
Cryptogramma R.Br., 358
Cryptogrammaceae Pic.Serm., 358
Cryptogynolejeunea R.M.Schust., 182
Cryptolepis
intricata (Balf.f.) Venter, 97–**98**
volubilis (Balf.f.) O.Schwartz, 97, **99**
Cryptomitrium Austin ex Underw., 174
Cryptostipula R.M.Schust., 190
Cryptothallus Malmb., 162, 180
Cupania
revoluta Rolfe, 339, 340–341
Cuphea, 337
Curcuma
burttii K.Larsen & R.M.Smith, 6
Curroria
decidua
var. *volubilis* (Balf.f.) Bullock, 99

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Cuspidatula Steph., 187
Cyanolophocolea R.M.Schust., 185
Cyathodiaceae Stotler & Crand.-Stotl., **174**
Cyathodium Kunze, 175
Cyclolejeunea A.Evans, 182
Cyclosorus Link, 355–361*
canus (Baker) S.Linds., **359**
crassifolius (Blume) S.Linds., **359**
exsculptus (Baker) S.Linds., **359**
immersus (Blume) S.Linds., **359**
rubicundus (Alderw.) S.Linds., **359**
triphyllus (Sw.) Tardieu
var. **parishii** (Bedd.) S.Linds., **360**
Cylindrocolea R.M.Schust., 187
Cynanchum
arboreum Forssk., 99
boveanum Decne., 99
pyrotechnicum Forssk., 99
Cyperaceae, 6–7, 329, 332, 335, 339–340, 344
Cyperus, 335
alternifolius
subsp. *flabelliformis* Kük., 335
betafensis Cherm., 335
eragrostis Lam., 335
laxus Lam., 335
odoratus L., 335
rotundus L., 335
surinamensis Rottb., 335
uncinulatus Schrad. ex Nees, 335
Cyrtandra
burttii N.P.Balakrishnan, 6
Cyrtolejeunea A.Evans, 182
Cyrtopodium
polyphyllum (Vell.) Pabst ex F.Barros, 337
Cyrtorchis
brownii (Rolfe) Schltr.
var. *brownii*, 124
var. **guillaumetii** Pérez-Vera, 118 Map, **124**
Cystolejeunea A.Evans, 163, 182

Dactyloctenium
aegyptium (L.) Willd., 271, 276
scindicum Boiss., 269
Dactylolejeunea R.M.Schust., 182
Dactylophorella R.M.Schust., 182
Dalechampia, 336
DE VOS, J.M., 27–49
Delavayella Steph., 169, 190
Delavayellaceae R.M.Schust., 167, 169, **190**
Delilia
biflora (L.) Kuntze, 333
Dendrobazzania R.M.Schust. & W.B.Schofield, 185
Dendrolejeunea (Spruce) Lacout., 182
Dendromastigophora R.M.Schust., 184
Denotarisia Grolle, 187
Descriptions
in *Myrsine*, 459–467
Desmidorchis
adenensis (Deflers) Meve & Liede, 98
DESSEIN, S., 371–390
Diascia, 4
Dichorisandra
hexandra (Aubl.) Standl., 334
Dicladolejeunea R.M.Schust., 182
Dicranolejeunea (Spruce) Schiffn., 182
Dicranostyles Benth., 134
Didymocarpus Wall., 240–241
sect. *Loxocarpus* (R.Br.) Benth., 240, 247
sect. *Orthoboea* Benth., 240
caeruleus Ridl., 240, 251
incanus (R.Br.) C.B.Clarke, 250
semitortus C.B.Clarke, 240, 255
Dierama, 4
Digitaria, 338
Dinckleria Trevis., 166, 186
Diodella
radula (Willd. & Hoffmanns. ex Roem. & Schult.) Delprete, 339
Dioscorea
coronata Hauman, 335
Dioscoreaceae, 335
Diospyros
crumenata Thwaites, 79
mespiliformis Hochst. ex A.DC., 269–271, 273–274, 279
Diplasiolejeunea (Spruce) Schiffn., 182
Diplocolea Amak., 190
Diplophyllaceae Potemk., 167, 187
Diplophyllum (Dumort.) Dumort., 167, 188
Dipterocarpus, 408
Dipteropeltis Hallier f., 133–134
poranoides Hallier f., 134–135
Dischidia R.Br., 447–449
acutifolia Hook.f., 449
Ditassa
oxyphylla Turcz., 333

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Dithecous leaf
in *Podostemon*, 469–481*
Dolichostegia Schltr., 447
Dombeya, 7
Douinia (C.N.Jensen) H.Buch, 167, 188
Drepanolejeunea (Spruce) Schiffn., 182
Droissart, V., 115–132
Drucella E.A.Hodgs., 185
Dryopteris
cana (Baker) Kuntze, 359
crassifolia (Blume) Kuntze, 359
exsculpta (Baker) Copel., 359
immersa (Blume) Kuntze, 359
Drypetes
oblongifolia (Bedd.) Airy Shaw, 79
Dufourea Kunth, 133–153*
aurea Splitg. ex de Vriese, 150
glabra Kunth, 140, 142
heterantha Nees & Mart., 150
sericea Kunth, 144–145
velutina M.Martens & Galeotti, 146
Dumortiera Nees, 160, 176
Dumortieraceae D.G.Long, 159, **176**
Duyfjes, B.E.E., 213–228
Dyschoriste
maranhonis Kuntze, 333
Dysoxylum Blume, 347–353*
annae Mabb., 347
boridianum Mabb., 352–353
middletonianum Takeuchi, 347–353 [**348** & Fig., 349 Fig., 351 Map]
phaeotrichum Harms, 348, 350, 352–353
sparsiflorum Mabb., 352

Ebenaceae, 79
Echinocolea R.M.Schust., 182
Echinolaena
inflexa (Poir.) Chase, 338, 342
Echinolejeunea R.M.Schust., 182
Ectadiopsis
volubilis Balf.f., 99
Ehretia
abyssinica R.Br. ex Fresen., 279
cymosa Thonn., 279
obtusifolia Hochst. ex A.DC., 279
Eleocharis
flavescens (Poir.) Urb., 335
interstincta (Vahl) Roem. & Schult., 335
Elettariopsis
burttiana Y.K.Kam, 6
Encholirium
spectabile Mart. ex Schult. & Schult.f., 334, 341
Encyclia, 337
oncidioides (Lindl.) Schltr., 337
Endospermum Benth., 303
Endostemon
gracilis (Benth.) M.Ashby, 273, 275
Enigmella G.A.M.Scott & K.G.Beckm., 189
Eocalypogeia (R.M.Schust.) R.M.Schust., 189–190
Eoisotachis R.M.Schust., 188
Eopleurozia R.M.Schust., 179
Eotrichocolea R.M.Schust., 184
Epidendrum
cinnabarinum Salzm. ex Lindl., 337
secundum Jacq., 337
Equatorial Guinea, 115–132
Eremonotus Lindb. & Kaal. ex Pearson, 168–169, 190
Erica, 199–201 Rev.
Ericaceae, 4, 81–95
subfam. *Ericoideae*, 81–95
tribe *Rhodoreae*, 81–95
Ericinella
hillburttii E.G.H.Oliv., 6
Eriocaulaceae, 335, 340
Eriocaulon, 7
Erythrina, 7
Erythroxylaceae, 336, 344
Erythroxylum, 336
flaccidum Salzm. ex Peyr., 336
ochranthum Mart., 336
revolutum Mart., 336
suberosum A.St.-Hil., 336
vacciniifolium Mart., 336
Etlingera
burttii A.D.Poulsen, 6
Euclea
racemosa Murr., 270
Euphorbia
comosa Vell., 336
insulana Vell., 336
thymifolia L., 336
Euphorbiaceae, 79, 273, 303, 329, 332–333, 336, 340, 343
Euthamnus Schltr., 393
papuanus Schltr., 393
Evansianthus R.M.Schust. & J.J.Engel, 185
Evansiolejeunea Vanden Berghen, 182

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Evolvulus
filipes Mart., 334
Exallage Bremek., 373, 385
Exomorthecaceae Müll.Frib. ex Grolle, **175**
Exormotheca Mitt., 160, 175

Fabaceae, 6–7, 333, 336, 342–343
Family diagnoses
of Marchantiophyta, 155–198*
Ferns
of Thailand, 355–361*
Ficus, 264
ingens (Miq.) Miq., 266, 268–269, 271, 274
populifolia Vahl, 264
sycomorus L., 266, 268, 271, 274–275, 279
vasta Forssk., 271, 275
Fimbristylis
dichotoma (L.) Vahl, 335
Finlaysonia Wall., 449
Firmiana Marsili, 283, 289
borneensis Merr., 310, 313
malayana Kosterm., 289
Flacourtiaceae, 28
Flora of Arabia, 97–101*
Floristics
of Brazilian inselbergs, 329–346 [332 Map]
Fossombronia Raddi, 161, 178
Fossombroniaceae Hazsl., 160–161, **177**
Fossombroniales Schljakov, 160, **176**
subord. **Calyculariineae** He-Nygrén *et al.*, **177**
subord. **Fossombroniineae** R.M.Schust. ex Stotler & Crand.-Stotl., **177**
subord. **Makinoiineae** He-Nygrén *et al.*, **177**
Friesodielsia Steenis, 365–370*
borneensis (Miq.) Steenis, 369
grandifolia (Merr.) I.M.Turner, **369**
formosa I.M.Turner, 365–368 [**366**, 367 Fig., 368 Map]
latifolia (Hook.f. & Thomson) Steenis, 365, 369–370
Friis, I., 51–64
Fruit characters
of *Hedyotis*, 371–390
of *Kohautia*, 371–390
of *Oldenlandia*, 371–390
of *Pouzolzia*, 51–64*
Frullania Raddi, 180–191
Frullaniaceae Lorch, 163, **181**
Frullanoides Raddi, 182
Fuirena
umbellata Rottb., 335
Fulfordianthus Gradst., 182
Fuscocephaloziopsis Fulford, 187

Gackstroemia Trevis., 181
Gaultheria, 2
Gentianaceae, 336, 340
Gentianales, 87
Genyorchis
sanfordii Szlach. & Olszewski, 118 Map, **125**
Geocalycaceae H.Klinggr., 164, 169, **190**
Geocalyx Nees, 191
Geothallus Campb., 173
Geraniaceae, 4
Gerhildiella Grolle, 188
Gesneriaceae, 2, 4, 6–7, 239–261*, 336, 341, 391–446*
Gilbert, M.G., 201–203 Rev.
Glossonema
boveanum (Decne.) Decne., 97, **99**
Gochnatia
lucida (Baker) Cabrera, 333
Goebeliella Steph., 180–181
Goebeliellaceae Verd., **180**
Goebelobryum Grolle, 189
Gomes, P., 329–346
Gongylanthus Nees, 189
Gonotheca Blume ex A.DC., 386
Gonotheca Raf., 386
Gottschea Nees ex Mont., 183
Gottschelia Grolle, 168, 187–188
Greeneothallus Hässel, 179
Grewia, 7, 266, 276
schweinfurthii Burret, 269, 271
villosa Willd., 271
Grollea R.M.Schust., 184
Grolleaceae Solari ex R.M.Schust., **184**
Guettarda
angelica Mart. ex Müll.Arg., 339
Gymnema
sylvestre (Retz.) R.Br. ex Schult., 273, 275
Gymnocolea (Dumort.) Dumort., 167, 188
Gymnocoleopsis (R.M.Schust.) R.M.Schust., 167, 187
Gymnomitriaceae H.Klinggr., 168–170, **191**

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Gymnomitrion Corda, 167, 169, 191
Gyrothyra M.Howe, 191
Gyrothyraceae R.M.Schust., **191**

Habenaria, 7
obtusa Lindl., 337
phantasma La Croix, 118 Map, 121 Fig., **125**
trifida Kunth, 338
Habranthus
itaobinus Ravenna, 333
Haematoxylum, 148
Haesselia Grolle & Gradst., 187
HALL, M., 263–281
Hamatostrepta Váňa & D.G.Long, 188
Haplolejeunea Grolle, 182
Haplomitriaceae Dědeček, 158, **172**
Haplomitriales, 156
Haplomitriopsida Stotler & Crand.-Stotl., 157–159 [**158**], **171**
subclass **Haplomitriidae** Stotler & Crand.-Stotl., 158, **172**
subclass **Treubiidae** Stotler & Crand.-Stotl., **171**
Haplomitrium Nees, 156, 158, 171–172
subgen. *Calobryum*, 158, 171
subgen. *Haplomitrium*, 158
sect. *Archibryum*, 158
sect. *Haplomitrium*, 158
mnioides (Lindb.) R.M.Schust., 158
Haplopteris, 355–361*
winitii (Tagawa & K.Iwats.) S.Linds., **357**–358
Harpalejeunea (Spruce) Schiffn., 182
Harpanthus Nees, 190–191
HARTUTININGSIH, 229–238
Hattoria R.M.Schust., 188
Hattorianthus R.M.Schust. & Inoue, 161, 178
Hattoriella (Inoue) Inoue, 190
Hattoriolejeunea Mizut., 182
HEDGE, I., 1–5
Hedyotis L., 371–390*
subgen. *Edrisia* (Raf.) Lewis, 373
subgen. *Hedyotis*, 385
subgen. *Oldenlandia* (L.) Torrey & A.Gray, 373
sect. *Euhedyotis* Wight & Arn., 385
sect. *Scleromitrion* Wight & Arn., 386
auricularia L., 372–373, 384
biflora (L.) Lam., 384
brachypoda (DC.) Sivar. & Biju, 384
corymbosa (L.) Lam., 384
diffusa Willd., 384
erecta Manilal & Sivar., 384
fruticosa L., 372–373, 381, 383, 385
herbacea L., 372
lineata Roxb., 384
ovatifolia Cav., 384
pinifolia Wall. ex G.Don, 384
scandens Roxb., 375–377, 379–382 & Figs, 385
verticillata (L.) Lam., 384
Heliotropium
angiospermum Murray, 334
Henckelia Spreng., 239–261*
sect. *Boeopsis* Ridl., 241–242, 259
sect. *Heteroboea* (Benth.) A.Weber & B.L.Burtt, 241
sect. **Loxocarpus** (R.Br.) A.Weber & B.L.Burtt, 239–261* [**247**]
sect. *Salicini*, 242
anthonysamyi Banka, 239, 241–242 [242 Fig.], 244, 246 Fig., **249**–250, 255, 257
argentea, 241
atrosanguinea (Ridl.) A.Weber, 241
browniana A.Weber, 241–242 [242 Fig.], 244–247 [246 Fig.], 249–251 [**250**], 254
caerulea (Ridl.) A.Weber, 241–243 [242 Fig.], 244–249 [246 Fig.], **251**
caulescens, 241
concapsularis, 241
coodei B.L.Burtt, 240–241
curtisii (Ridl.) A.Weber, 241
diffusa B.L.Burtt, 240–241
ericii A.Weber, 241–248 [242 Fig., 246 Fig.], **252**
gardneri B.L.Burtt, 240–241
heterophylla, 259
longipetiolata, 241, 247, 253
meijeri, 241
minima (Ridl.) A.Weber, 241, 244–247 [246 Fig.], 249–251, **253**–255
papillosa (M.R.Hend.) A.Weber, 241, **259**
petiolaris, 241
procumbens B.L.Burtt, 241
rufescens, 241
sekayuensis Banka & Kiew, 239, 241–242 [242 Fig.], 244–246 [246 Fig.], 249–250, **254**–255

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

semitorta (C.B.Clarke) A.Weber, 241–248 [242 Fig., 246 Fig.], 253, **255**, 257
sericea (Ridl.) A.Weber, 241, 258
sericiflava Kiew & Banka, 239, 241–242 [242 Fig.], 244–246 [246 Fig.], 249–250, 255–257 [**256**]
stapfii, 241
stenophylla A.Weber, 241–242 [242 Fig.], 244–245, 248, **257**, 259
taeniophylla B.L.Burtt, 240–241
tunkui (Kiew) A.Weber, 241–246 [242 Fig., 246 Fig.], 248–250, 254–256, **258**
verbeniflos, 241
Hepaticae, 156
Hepatostolonophora J.J.Engel & R.M.Schust., 185
Herbertaceae Müll.Frib. ex Fulford & Hatcher, **184**
Herbertus Gray, 184
Herzogianthaceae Stotler & Crand.-Stotl., 163, **183**
Herzogianthus R.M.Schust., 163–164, 182–183
Herzogiaria Fulford ex Hässel, 184
Herzogobryum Grolle, 169, 191
teres (Carrington & Pearson) Grolle, 169
Heteroscyphus Schiffn., 166, 185
Hibiscus
deflersii Schweinf. ex Cufod., 269–270
Hieracium, 487–488 Rev.
sect. *Alpina*, 487–488 Rev.
alpinum, 488 Rev.
nigrescens, 488 Rev.
pentaploideum, 487 Rev.
Hildegardia Schott & Endl., 283
Hilliard, O.M., 8–26
Hippeastrum
stylosum Herb., 333
Hippocratea
volubilis L., 334
Hirtella
racemosa Lam., 334
Horikawaella S.Hatt. & Amak., 190
Houstonia L., 372–373, 381
caerulea L., 372
purpurea L., 372
Hoya R.Br., 448–449, 453–454, 456
membranifolia Costantin, 419
viracensis Kloppenb. & Siar, 447–457*
Hughes, M., 103–114, 205–211, 229–238
Hyacinthaceae, 65–75*
Hyalolepidozia S.W.Arnell ex Grolle, 185
Hybanthus
calceolaria (L.) Oken, 339
Hydrolea
spinosa L., 337, 341
Hydroleaceae, 337, 341
Hygrobiella Spruce, 187
Hygrolembidium R.M.Schust., 185
Hymenophytaceae R.M.Schust., **178**
Hymenophyton Dumort., 176, 179
Hypericaceae, 337
Hypoisotachis (R.M.Schust.) J.J.Engel & G.L.S.Merr., 188
Hypoxidaceae, 337
Hypoxis
decumbens L., 337
Hyptis
fruticosa Salzm. ex Benth., 337

Incarvillea
parasitica Roxb., 425, 428
Indigofera, 7
Indonesia, 103–114, 229–238, 365–370*
Inflorescence
of *Begonia*, 103–114*
Inselbergs, 329–346*
Inthachub, P., 213–228
Invisocaulis R.M.Schust., 165, 186
Ipomoea L., 133, 148, 272
bahiensis Willd. ex Roem. & Schult., 334
cairica (L.) Sweet, 271, 276
nutans Moç. & Sessé ex Choisy, 134, 146
Iridaceae, 4, 337
Isolembidium R.M.Schust., 185
Isopaches H.Buch, 168, 188
Isophyllaria E.A.Hodgs. & Allison, 184
Isotachis Mitt., 188
ITS, 81–95*
ITS2, 51–64*
Itzaea
sericea (Standl.) Standl. & Steyerm., 135
IUCN Red List, 205–211*
Iwatsukia N.Kitag., 187

Jacaranda
rugosa A.H.Gentry, 334
Jackiella Schiffn., 189
Jackiellaceae R.M.Schust., **189**

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Jacquemontia Choisy, 133, 136–137
densiflora (Meisn.) Hallier f., 334, 342
heterantha (Nees & Mart.) Hallier f., 150
JÄGER-ZÜRN, I., 469–481
Jamesoniella (Spruce) F.Lees, 166, 187
Jamesoniellaceae He-Nygrén *et al.*, 166, **186**
Jasminum
fluminense Vell., 272
Jensenia Lindb., 179
Jubula Dumort., 163, 181
Jubulaceae H.Klinggr., 163, **181**
Jubulopsis R.M.Schust., 181
Jungermannia L., 155, 164, 167–169, 190
subgen. *Jungermannia*, 169
subgen. *Liochlaena* (Nees) S.W.Arnell, 169
subgen. *Plectocolea* (Mitt.) Amakawa, 169
subgen. *Solenostoma* (Mitt.) Amakawa, 169
Jungermanniaceae Rchb., 155, 164, 166, 168–169, **190**
subfam. Jamesonielloideae Inoue, 164, 166, 168
subfam. Jungermannioideae, 169
subfam. Lophozioideae, 164, 166–168
Jungermanniales H.Klinggr., 156, 162, 164, 168, 170, 180, **183**
subord. Cephaloziineae R.M.Schust., 186
subord. **Cephaloziineae** Schljakov, 164, 166, 168, **186**
subord. Geocalycineae R.M.Schust., 184
subord. **Jungermanniineae** R.M.Schust. ex Stotler & Crand.-Stotl., 164, 168, **188**
subord. **Lophocoleineae** Schljakov, 157, 164, **184**
subord. Myliineae J.J.Engel & Braggins, 167–168
subord. **Personiellineae** R.M.Schust., 164, **183**
Jungermanniopsida, 157, 159–170 [**160**], **176**
subclass **Jungermanniidae** Engl., 156–158, 160–162, 170, **180**
subclass **Metzgeriidae** Barthol.-Began, 156–157, 160–162, **179**
subclass **Pelliidae** He-Nygrén *et al.*, 156–157, 160–161, **176**

Kadua Cham. & Schltdl., 386
Kanahia
laniflora (Forssk.) R.Br., 97, **99**
Kerala, South India, 77–80*
KIEW, R., 239–261
Kohautia Cham. & Schltdl., 371–390*
subgen. *Kohautia*, 386
subgen. *Pachystigma*, 387
coccinea Royle, 375–377, 379 & Figs, 381–382 & Fig., 386
gracilis (Wall.) DC., 375–377, 379 & Figs, 381–382, 386
senegalensis Cham. & Schltdl., 373
KRAVTSOVA, T.I., 51–64
KRON, K.A., 81–95
Krunodiplophyllum Grolle, 167–168, 188
squarrosum (Steph.) Grolle, 167
Kurzia G.Martens, 165, 185
Kyllinga
brevifolia Rottb., 335
odorata Vahl, 335
squamulata Vahl, 335
Kymatocalyx Herzog, 167, 187
Kymatolejeunea Grolle, 182

Labiatae, 273
Lamellocolea J.J.Engel, 185
Lamiaceae, 337, 342
Lampione, Sicily, 65–75
Laos, 391–446*
Larryleachia, 201–203 Rev.
Lastrea
immersa (Blume) T.Moore, 359
Lauraceae, 337
LAURENTE, O., 447–457
Lavatera
arborea L., 70
Lavrania, 201–203 Rev.
Leaf sheath
in *Podostemon*, 469–481*
Lectotypification
in *Apocynaceae*, 97–101*
in *Clemensiella*, 447–457*
Leguminosae, 7, 273
subfam. *Caesalpinioideae*, 124–129
Leiocolea (Müll.Frib.) H.Buch, 168–169, 190
heterocolpos (Thed.) H.Buch, 190
Leiolejeunea A.Evans, 182
Leiomitra Lindb., 184
Leiomylia J.J.Engel & Braggins, 168, 188

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Lejeunea Lib., 163, 180–183, 190
Lejeuneaceae Casares-Gil, 163
Lejeuneaceae Cavers, 162–163, **181**
Lejeuneaceae Rostovzev, 163
Lembidium Mitt., 185
Lentibulariaceae, 337, 340
LEONG-ŠKORNIČKOVÁ, J., 485–486 Rev.
Lepicolea Dumort., 185
Lepicoleaceae R.M.Schust., **185**
Lepidogyna R.M.Schust., 181
Lepidolaena Dumort., 181
Lepidolaenaceae Nakai, 162, **181**
Lepidolejeunea R.M.Schust., 182
Lepidozia (Dumort.) Dumort., 185
Lepidoziaceae Limpr., 165, **185**
Leptadenia
  arborea (Forssk.) Schweinf., 97, **99**
  pyrotechnica (Forssk.) Decne., 97, **99**
Leptochilus Kaulf., 355
  exsculptus (Baker) C.Chr., 359
  macrophyllus
    var. *pedunculatus* (Hook. & Grev.) Noot., 355–356
Leptolejeunea (Spruce) Schiffn., 182
Leptophyllopsis R.M.Schust., 185
Leptoscyphopsis R.M.Schust., 185
Leptoscyphus Mitt., 165, 186
Lethocolea Mitt., 189
Leucolejeunea A.Evans, 163, 182
Liliaceae, 6–7
Lindigianthus Kruijt & Gradst., 182
LINDSAY, S., 355–361
Liochlaena Nees, 164, 169, 190
Lipocarpha
  micrantha (Vahl) G.C.Tucker, 335
  salzmanniana Steud., 335
Liverworts, 155–198*
LIVSHULTZ, T., 447–457
Loasaceae, 363 Rev.
Lobatiriccardia (Mizut. & S.Hatt.) Furuki, 180
Lobelia, 7
LONG, D.G., 155–198
Lophochaete R.M.Schust., 184
Lophocolea (Dumort.) Dumort., 165, 186
  bidentata (L.) Dumort., 165
  fragmentissima R.M.Schust., 165
Lophocoleaceae Vanden Berghen, 164–165, **185**
Lopholejeunea (Spruce) Schiffn., 182
Lophonardia R.M.Schust., 191
Lophozia (Dumort.) Dumort., 164, 168, 188
Lophoziaceae Cavers, 166–167, 187
Loranthaceae, 337
Lotus
  burttii Borsos, 7
Loxocarpus R.Br., 239–261*
  alatus A.DC., 250
  angustifolius Ridl., 240–241, 257
  argenteus B.L.Burtt, 240
  caeruleus (Ridl.) Ridl., 240, 251
  caulescens B.L.Burtt, 240
  concapsularis (C.B.Clarke) B.L.Burtt, 240
  holttumii M.R.Hend., 240–241, 252
  incanus R.Br., 240–241, 250
  longipetiolatus B.L.Burtt, 240
  meijeri B.L.Burtt, 240
  minimus Ridl., 240, 253
  papillosus M.R.Hend., 240, 259
  petiolaris (C.B.Clarke) B.L.Burtt, 240
  repens, 241
  rufescens (C.B.Clarke) B.L.Burtt, 240
  semitortus (C.B.Clarke) Ridl., 240, 255
  sericeoflava Hend., 257
  sericeus (Ridl.) B.L.Burtt, 240, 258
  stapfii (Kraenzl.) B.L.Burtt, 240
  tunkui Kiew, 240, 257–258
  verbeniflos (C.B.Clarke) B.L.Burtt, 240
Loxonia
  burttiana A.Weber, 7
Lunularia Adans., 160, 173
Lunulariaceae H.Klinggr., **173**
Lunulariales D.G.Long, 159, **173**
Luteolejeunea Piippo, 182
Lythraceae, 337

Macrocolura R.M.Schust., 182
Macrodiplophyllum (H.Buch) Perss., 167, 188
  microdontum (Mitt.) Perss., 167
  plicatum (Lindb.) Perss., 167
Macrolejeunea (Spruce) Schiffn., 163, 182
Macrothelypteris (H.Ito) Ching, 358
Macvicaria W.E.Nicholson, 162, 180
Magnoliaceae, 6
Makinoa Miyake, 177
Makinoaceae Nakai, 160, **177**
Malaysia, 239–261, 365–370*
Malesherbiaceae, 28

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Malesia, 283–328*, 347–353
East, 459–467
Malpighiaceae, 337
Malpighiales, 28
Malva
veneta (Mill.) Soldano, Banfi & Galasso, 70
Malvaceae, 283–328*, 337, 342
subfam. *Sterculioideae*, 283–328*
Malvales, 283
Mandevilla
dardanoi M.F.Sales, Kin.-Gouv. & A.O.Simões, 333
scabra (Hoffmanns. ex Roem. & Schult.) K.Schum., 333
tenuifolia (J.C.Mikan) Woodson, 333
Mannia Opiz, 174
Maranta
arundinacea L., 337, 341
Marantaceae, 337, 341
Marathrum
foeniculaceum Humb. & Bonpl., 478
utile Tul., 478
Marcgraviaceae, 337, 340–341
Marchantia L., 155, 174
Marchantiaceae Lindl., 159–160, **174**
Marchantiales Limpr., 157, 159, 172–**173**
Marchantiatae, 172
Marchantiophyta Stotler & Crand.-Stotl., 155–198 [**171**]
Marchantiopsida Cronquist, Takht. & W.Zimm., 156–157, 159–160 [**159**], **172**
subclass **Blasiidae** He-Nygrén *et al.*, 159, **172**
subclass **Marchantiidae** Engl., 156–157, 159, **172**
Marchesinia Gray, 182
Margelliantha, 7
Maripa
spectabilis Choisy, 150
Marsdenia R.Br., 448–449
gonoloboides Schltr., 448
loniceroides (Hook.) E.Fourn., 333, 340
robusta Balf.f., 97, **100**
tinctoria R.Br., 448
Marsupella Dumort., 169–170, 191
Marsupidium Mitt., 189
Marsypianthes
chamaedrys (Vahl) Kuntze, 337, 342
Massula, 177
Mastigolejeunea (Spruce) Schiffn., 182
Mastigopelma Mitt., 185
Mastigophora Nees, 184
Mastigophoraceae R.M.Schust., **184**
matK, 81–95*
Maytenus, 266, 269–270
Megalembidium R.M.Schust., 185
Meineckia
phyllanthoides Baill., 273, 275
Melastomataceae, 239, 337, 340
Meliaceae, 347–353*, 449
Melianthaceae, 273
Melicope
burttiana Stone, 7
Melocactus
bahiensis (Britton & Rose) Luetzelb., 334, 341
MENDUM, M., 8–26
Meniscium
parishii Bedd., 360
triphyllum Sw.
var. *parishii* (Bedd.) Bedd., 360
Menispermaceae, 77–80*
Menziesia J.E.Smith, 81, 83–85, 88, 90
ciliicalyx (Miq.) Maxim., 85, 87, 89–91
ferruginea J.E.Smith, 85, 89–91
lasiophylla Nakai, 85, 89–91
pilosa (Michx.) Juss., 85, 89–91
purpurea Maxim., 85, 89–91
Merremia Dennst. ex Endl., 133
cissoides (Lam.) Hallier f., 334, 341
dissecta (Jacq.) Hallier f., 334
macrocalyx (Ruiz & Pav.) O'Donell, 334, 342
Mesoneuron
crassifolium (Blume) Ching, 359
Mesophlebion
crassifolium (Blume) Holttum, 359
Mesoptychia (Lindb.) A.Evans, 168, 190
Mesoptychiaceae Inoue & Steere, 168–169, 190
Metacalypogeia (S.Hatt.) Inoue, 190
Metahygrobiella R.M.Schust., 187
Metalejeunea Grolle, 182
Metzgeria Raddi, 156, 161–162, 180
francana, 162
Metzgeriaceae H.Klinggr., 161–162, **179**
Metzgeriales Chalaud, 161, **179**
Metzgeriopsis K.I.Goebel, 182

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

MEVE, U., 447–457
Micraeschynanthus Ridl., 393
  dischidioides Ridl., 393
Microcoelia
  bulbocalcarata L.Jonss., 118 Map, **125**
Microcos
  longipetiolata Kosterm., 307
Microlejeunea Steph., 182
Microlepidozia, 184–185
Microloma
  pyrotechnicum (Forssk.) Spreng., 100
Micropterygium Lindenb., Nees & Gottsche, 185
Microstachys, 336
  corniculata (Vahl) Griseb., 336
MIDDLETON, D.J., 1, 6–7, 355–361, 391–446
MILLER, A.G., 97–101, 263–281
Mimusops, 267, 279
  laurifolia (Forssk.) Friis, 264, 266, 269, 271–276, 278–279
  schimperi A.Rich., 279
Mitolepis
  intricata Balf.f., 98
Mizutania Furuki & Z.Iwats., 161, 180
Mizutaniaceae Furuki & Z.Iwats., **180**
Mnioloma Herzog, 189–190
Moerckia Gottsche, 161, 178
  hibernica (Hook.) Gottsche, 178
Moerckiaceae Stotler & Crand.-Stotl., 160, **178**
Molecular systematics
  of *Rhododendron*, 81–95
Molluginaceae, 337, 342
Mollugo
  verticillata L., 337, 342
Monocarpaceae D.J.Carr ex Schelpe, **175**
Monocarpus D.J.Carr, 175
Monoclea Hook., 156, 160, 176
Monocleaceae A.B.Frank, 159, **176**
Monocleales, 159
Monodactylopsis (R.M.Schust.) R.M.Schust., 185
Monogramma, 358
Monophyllaea
  burttiana Kiew, 7
Monosoleniaceae Inoue, 159, **174**
Monosolenium Griff., 160, 174
Moraceae, 273
Morphology
  of *Hedyotis*, 371–390*
  of *Kohautia*, 371–390*
  of *Oldenlandia*, 371–390*
MOTLEY, T.J., 371–390
Muscari
  comosum L., 65
Mylia Gray, 168, 188
  anomala (Hook.) Gray, 168
  taylorii (Hook.) Gray, 168
Myliaceae Schljakov, 167–168, **188**
Myrcia, 337
Myriocolea Spruce, 182
Myriocoleopsis Schiffn., 182
Myrsinaceae, 459–467*
Myrsine L., 459–467*
  acrosticta (Mez) Pipoly, **461**
  arfakensis (Kaneh. & Hatus.) Pipoly, **461**
  augustae (Mez) Pipoly, **461**
  cacuminum (Mez) Pipoly, **461**
  clemensiae (Sleumer) Pipoly, **461**
  coriifolia (Sleumer) Pipoly, **461**, 466
  densiflora Scheff., 466
  dicksonii (P.Royen) Pipoly, **461**
  gomphostigma (Mez) Pipoly, **461**
  inaequalis (Kaneh. & Hatus.) Pipoly, **461**
  involucrata (Mez) Pipoly, **461**
  lamii (Sleumer) Pipoly, **462**
  leucantha (K.Schum.) Pipoly, **462**
  minutifolia (Knoester, Wijn & Sleumer) Pipoly, **462**
  revoluta (Kaneh. & Hatus.) Pipoly, **462**
  rhombata (P.Royen) Pipoly, **462**
  tempampan (P.Royen) Pipoly, **462**
  velutina (Knoester, Wijn & Sleumer) Pipoly, **462**
  warrae W.N.Takeuchi & Pipoly, 459–467 [**462**, 463–464 Figs, 465 Map]
  womersleyi (Sleumer) Pipoly, **462**
Myrtaceae, 337, 339
Mytilopsis Spruce, 185

Nanomarsupella (R.M.Schust.) R.M.Schust., 191
Nardia Gray, 166–167, 169, 184, 190
  subgen. *Apotomanthus*, 167
  assamica (Mitt.) Amak., 166
  compressa (Hook.) Gray, 167
  scalaris Gray, 167
  succulenta (A.Rich. ex Lehm. & Lindenb.) Spruce, 167
ndhF, 81–95

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Neanotis W.H.Lewis, 372
Neesioscyphus Grolle, 188
Neogrollea E.A.Hodgs., 185
Neohattoria Kamim., 181
Neohodgsonia Perss., 159–160, 173
Neohodgsoniaceae D.G.Long, **173**
Neohodgsoniales D.G.Long, 159, **173**
Neomarica
  gracilis (Herb.) Sprague, 337
Neopotamolejeunea E.Reiner, 163, 182
Neoprasanthus S.Winkl., 189
Neotrichocolea S.Hatt., 163, 182–183
Neotrichocoleaceae Inoue, 163, **183**
Neotropics, 133–153*, 469–481
Neotypes
  in *Apocynaceae*, 97–101*
Nepal, 371–390
Nephelolejeunea Grolle, 182
Nephrangis
  bertauxiana Szlach. & Olszewski, 119 Map, 121 Fig., **126**
Nephrodium
  canum Baker, 359
Nerium
  obesum Forssk., 97
Nesaea, 7
NEUPANE, S., 371–390
Neurolejeunea (Spruce) Schiffn., 182
New combinations
  in *Friesodielsia*, 365–370
  in *Pteridophyta*, 355–361
New Guinea, 459–467*
New records
  in *Orchidaceae*, 115–132
New species
  in *Begonia*, 103–114*, 205–211*, 229–238*
  in *Bellevalia*, 65–75*
  in *Dysoxylum*, 347–353
  in *Friesodielsia*, 365–370
  in *Myrsine*, 459–467
  in *Paropsiopsis* Engl., 27–49*
  in *Smeathmannia* R.Br., 27–49*
  in *Tinospora*, 77–80*
Nigeria, 115–132
Nipponolejeunea S.Hatt., 163, 181
NOLTIE, H.J., 8–26, 199–201 Rev.
Nomenclatural transfers
  in *Myrsine*, 459–467
Norantea
  brasiliensis Choisy, 337, 340–341
Noteroclada Taylor ex Hook. & Wilson, 176
Nothogymnomitrion R.M.Schust., 191
Nothostrepta R.M.Schust., 187
Notoscyphus Mitt., 169, 191
Novel structure
  in *Podostemon*, 469–481*
Nowellia Mitt., 187
nrITS, 81–95
Nuxia
  dentata R.Br. ex Benth., 279
  oppositifolia (Hochst.) Benth., 266, 272–273, 275, 279
Nymphaea, 7

Odontanthera
  boveana (Decne.) Mabb., 99
Odontolejeunea (Spruce) Schiffn., 182
Odontoschisma (Dumort.) Dumort., 187
Odontoseries Fulford, 185
Oldenlandia L., 371–390*
  subgen. *Exallage* (Bremek.) Terrell & H.Rob., 385
  auricularia (L.) K.Schum., 375–377, 379–385 & Figs, 387
  biflora L., 372, 375–377, 379–384 & Figs, 386–387
  brachypoda DC., 375–377, 379–384 & Figs, 386
  corymbosa L., 372, 380–381, 384, 386
  diffusa (Willd.) Roxb., 375–377, 379–384 & Figs, 386
  erecta (Manilal & Sivar.) R.R.Mill, 375–377, 379–384 & Figs, 386
  lineata (Roxb.) Kuntze, 375–377, 379–382 & Figs, 384–385, 387
  ovatifolia (Cav.) DC., 375–377, 380–384 & Figs, 386–387
  pinifolia (Wall. ex G.Don) Kuntze, 375, 380–384 & Figs, 386
  umbellata L., 372
  uniflora L., 372
  verticillata L., 375–377, 380–384 & Figs, 386
Olgantha R.M.Schust., 184
Omphalanthus Lindenb. & Nees, 182
Oncoba
  spinosa Forssk., 269–270
Opithandra
  burttii W.T.Wang, 7

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Opuntia
dillenii (Ker-Gawl.) Haw., 268–269, 274, 277
Orbea, 201–203 Rev.
chrysostephana (Deflers) Bruyns, 97, **100**
Orchadocarpa Ridl., 240
Orchidaceae, 115–132, 199–201 Rev., 329, 333, 337, 339, 341
Oreocnide, 57
Orestias
micrantha Summerh., 119 Map, **126**
Orthophytum
disjunctum L.B.Sm., 334
Oryzolejeunea (R.M.Schust.) R.M.Schust., 182
Osteospermum
burttianum B.Nord., 7
Othonna
burttii B.Nord., 7
Otiophora, 7
Otolejeunea Grolle & Tixier, 182
Oxalidaceae, 338, 343
Oxalis
frutescens L.
var. *frutescens*, 338
Oxychlamys Schltr., 393
pullei Schltr., 393
Oxymitra Bisch. ex Lindenb., 175
Oxymitra (Blume) Hook.f. & Thomson, 365–370*
grandifolia Merr., 365, 369
latifolia Hook.f. & Thomson, 369–370
Oxymitraceae Müll.Frib. ex Grolle, **175**
Ozoroa
insignis (Delile) Kuntze, 273, 275–276

Pachycymbium
chrysostephanum (Deflers) M.G.Gilbert, 100
Pachyglossa Herzog & Grolle, 165, 185–186
Pachyschistochila R.M.Schust. & J.J.Engel, 183
Pachystigma, 7
Paepalanthus
bifidus (Schrad. ex Schult.) Kunth, 335
parvus Ruhland, 335
Palawan, Philippines, 205–211*
Paliavana
tenuiflora Mansf., 336
Pallavicinia Gray, 179
Pallaviciniaceae Mig., **179**
Pallaviciniales W.Frey & M.Stech, 160, **178**
subord. **Pallaviciniineae** R.M.Schust., 160, **178**
subord. **Phyllothalliineae** R.M.Schust., 160, **178**
Palynology
of *Hedyotis*, 371–390*
of *Kohautia*, 371–390*
of *Oldenlandia*, 371–390*
Pandanus
odoriferus (Forssk.) Chiov., 271, 274
Panicum, 338
trichoides Sw., 338
Papua New Guinea, 347–353*, 459–467
Paraboea
burttii Z.R.Xu, 7
Paracromastigum Fulford & J.Taylor, 185
Paramomitrion R.M.Schust., 191
Paraschistochila R.M.Schust., 183
Parathelypteris
immersa (Blume) Ching, 359
Paropsia Noronha ex Thouars, 27–30, 39
sect. *Diploparopsia* Baill., 28, 34
sect. *Euparopsia* Baill., 39
sect. *Smeathmannia* (R.Br.) Baill., 39–40
decandra Gilg, 36, 39
laevigata (Sol. ex R.Br.) Warb., 41
pubesens (Sol. ex R.Br.) Warb., 43
vareciformis (Griff.) Mast., 27
Paropsiopsis Engl., 27–49* [31 Fig., **32**]
africana Engl., 28, 34, 36, 39
var. *leucantha* (Gilg) Pellegr., 36
atrichogyna J.M.de Vos & Breteler, 27, 31–35 [31 & 33 Figs, **34**, 36 Map], 39
bipindensis Gilg, 37, 39
decandra (Baill.) Sleumer, 27–28, 31–32 & Fig., 34–36 [**35**, 36 Map], 39–40
ferruginea Exell, 28, 32, 37
jollyana Gilg, 37
leucantha Gilg, 32, 36, 39
pulchra Gilg, 37, 39
zenkeri Gilg, 37, 39
Paspalum
conjugatum P.J.Bergius, 338
oligostachyum Salzm. ex Steud., 338
parviflorum Rhode ex Flüggé, 338
Passiflora
alata Curtis, 338
cincinnata Mast., 338

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

foetida L., 338
galbana Mast., 338
Passifloraceae, 27–49*, 338, 343
tribe *Paropsieae*, 27–49*
Pasta, S., 65–75
Pavetta, 7
Pavonia
cancelata (L.) Cav., 337
Pedinophyllopsis R.M.Schust. & Inoue, 186
Pedinophyllum (Lindb.) Lindb., 166, 186
interruptum (Nees) Kaal., 166
truncatum (Steph.) Inoue, 166, 171
Pelagian Archipelago, Sicily, 65–75*
Pellia Raddi, 176
Pelliaceae H.Klinggr., 160, **176**
Pelliales He-Nygrén *et al.*, 157, **176**
Peltolepis Lindb., 159, 174
Peninsular Malaysia, 239–261*
Pentastemona Steenis, 213–215
Pentastemonaceae, 213, 215
Perdusenia Hässel, 186
Perianth
of *Pouzolzia*, 51–64*
Pericarp
of *Pouzolzia*, 51–64*
Perssoniella Herzog, 183
Perssoniellaceae R.M.Schust. ex Groll, **183**
Petalophyllaceae Stotler & Crand.-Stotl., **177**
Petalophyllum Nees & Gottsche ex Lehm., 177
Phaeolejeunea Mizut., 182
Phegopteris
rubicunda Alderw., 359
Philippines, 205–211, 447–457*
Philodendron, 333
Phoenix
caespitosa Chiov., 266, 269–271, 274–276
reclinata Jacq., 279
Phycolepidozia R.M.Schust., 185
Phycolepidoziaceae R.M.Schust., **185**
Phyllanthaceae, 338, 343
Phyllanthus, 338
Phyllothallia E.A.Hodgs., 178
Phyllothalliaceae E.A.Hodgs., 160, **178**
Phylogeny
of Marchantiophyta, 155–198
of *Pouzolzia*, 51–64*
of *Rhododendron*, 81–95*
Phymatodes
cruciformis (Ching) Ching, 356
ebenipes (Hook.) Ching, 356
griffithiana (Hook.) Ching, 356
oxyloba (Wall. ex Kuntze) C.Presl ex Ching, 357
rhynchophylla (Hook.) Ching, 357
Phymatopsis
cruciformis (Ching) Ching, 356
ebenipes (Hook.) J.Sm., 356
griffithiana (Hook.) J.Sm., 356
oxyloba (Wall. ex Kuntze) Ching, 357
rhynchophylla (Hook.) J.Sm., 357
trisecta (Baker) Ching, 357
Phymatopteris
cruciformis (Ching) Pic.Serm., 356
ebenipes (Ching) Pic.Serm., 356
griffithiana (Ching) Pic.Serm., 356
oxyloba (Ching) Pic.Serm., 357
rhynchophylla (Hook.) Pic.Serm., 357
trisecta (Baker) Pic.Serm., 357
Physalis
neesiana Sendtn., 339, 341
Physantholejeunea R.M.Schust., 182
Physotheca J.J.Engel & Gradst., 186
Pictolejeunea Grolle, 182
Pigafettoa C.Massal., 186
Pilea
hyalina Fenzl, 339
Piliostigma
thonningii (Schumach.) Milne-Redh., 263, 273, 275
Pilosocereus
pachycladus F.Ritter, 334
Piper
nigrum L., 338
Piperaceae, 338
Pipoly, J., 459–467
Piriqueta
duarteana (A.St.-Hil., A.Juss. & Cambess.) Urb., 339
Pisanoa Hässel, 187
Pithecoseris
pacourinoides Mart. ex DC., 333
Plagiochasma Lehm. & Lindenb., 174
Plagiochila (Dumort.) Dumort., 179, 183–187, 189–191
Plagiochilaceae Müll.Frib. & Herzog, 166, **186**
Plagiochilidium Herzog, 186
Plagiochilion S.Hatt., 186

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Plant systematics, 371–390*
Platycaulis R.M.Schust., 186
Platypodanthera
melissifolia (DC.) R.M.King & H.Rob., 333
Plectocolea (Mitt.) Mitt., 190
Pleopeltis
ebenipes (Hook.) Bedd., 356
griffithiana (Hook.) T.Moore, 356
pedunculata (Hook. & Grev.) Alderw., 356
rhynchophylla (Hook.) T.Moore, 357
Pleurocladopsis R.M.Schust., 183
Pleurocladula Grolle, 187
Pleurozia Dumort., 156–157, 160–161, 179
paradoxa (J.B.Jack) Schiffn., 179
Pleuroziaceae Müll.Frib., **179**
Pleuroziales Schljakov, 161, **179**
Plicanthus R.M.Schust., 188
Pluvianthus R.M.Schust. & Schäf.-Verw., 182
Poaceae, 79, 329, 332, 338–340, 342, 344
Podomitrium Mitt., 176, 179
Podostemaceae, 469–481*
subfam. *Podostemoideae*, 469–481
Podostemum, 469–481
ceratophyllum Michx., 480
ricciiforme (Liebm.) P.Royen, 470
rutifolium Warm., 469–481
subsp. *ricciiforme* (Liebm.) Novelo & C.T.Philbrick, 469–481 [472–478 Figs]
subulatum Gard., 470, 478
weddellianum (Tul.) C.T.Philbrick, 478
Poeltia Grolle, 169, 191
Pollen characters
of *Hedyotis*, 371–390
of *Kohautia*, 371–390
of *Oldenlandia*, 371–390
Polygala
paniculata L., 338
Polygalaceae, 338
Polypodiaceae, 355–361*
Polypodium
cruciforme Ching, 356
ebenipes Hook., 356
griffithianum Hook., 356
oxylobum Wall. ex Kuntze, 357
pedunculatum (Hook. & Grev.) Salomon, 356
rhynchophyllum Hook., 357
trisectum Baker, 357
Polystachya
batkoi Szlach. & Olszewski, 119 Map, 121 Fig., **126**
lejolyana Stévart, 119 Map, 121 Fig., **127**
moniquetiana Stévart & Geerinck, 119 Map, **127**
pyramidalis Lindl., 119 Map, **127**
saccata (Finet) Rolfe, 119 Map, **128**
testuana Summerh., 119 Map, **128**
Porana Burm.f., 133–153*
[145, 149 Map]
nutans (Moç. & Sessé ex Choisy) O'Donell, 134–135, 137, 139, **146**–150 [147 Figs, 149 Map]
velutina (M.Martens & Galeotti) Hallier f., 135, 146
volubilis Burm.f., 134–135
Porella L., 162, 180
Porellaceae Cavers, 162, **180**
Porellales Schljakov, 162, 170, **180**
subord. **Jubulineae** Müll.Frib., 157, 162, 170, **181**
subord. **Porellineae** R.M.Schust., 162, **180**
subord. **Radulineae** R.M.Schust., 162, **181**
Portea
leptantha Harms, 334, 341
Portulaca
elatior Mart. ex Rohrb., 338
Portulacaceae, 338
Potamolejeunea (Spruce) Lacout., 182
Pouzolzia Gaudich., 51–64* [58 Fig.]
australis (Endl.) Friis & Wilmot-Dear, 58–59
niveotomentosa W.T.Wang, 59
rugulosa (Wedd.) Acharya & Kravtsova, 51–64* [54 & 56 Figs, **60**, 62 Map]
sanguinea (Blume) Merr., 55, 59
var. *cinerascens*, 60
var. *fulgens* (Wedd.) Hara, 54–57 [54 Fig.], 59–61
var. *nepalensis* (Wedd.) Hara, 57
var. *sanguinea*, 57
Powell, E.A., 81–95
Pradeep, A.K., 77–80
Prasanthus Lindb., 191
Preissia Corda, 174
Premna
resinosa (Hochst.) Schauer, 269–270

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Prevostea Choisy, 133–153*
amazonica Choisy, 140
ferruginea Choisy, 150
glabra (Kunth) Choisy, 140
var. *amazonica* (Choisy) Meisn., 140
heterantha (Nees & Mart.) G.Don, 150
sericea (Kunth) Choisy, 138, 144
spectabilis (Choisy) Meisn., 150
umbellata Choisy, 150
velutina (M.Martens & Galeotti) Walp., 146
Prionolejeunea (Spruce) Schiffn., 182
Pronephrium
exsculptum (Baker) Holttum, 359
parishii (Bedd.) Holttum, 360
rubicundum (Alderw.) Holttum, 359
Proskauera Heinrichs & J.J.Engel, 166, 186
Protocephalozia (Spruce) K.I.Goebel, 185
Protomarsupella R.M.Schust., 187
Protosyzygiella (Inoue) R.M.Schust., 187
Pseudocephaloziella R.M.Schust., 188
Pseudocyclosorus Ching, 359
canus (Baker) Holttum & Jeff.W.Grimes, 359
Pseudolepicolea Fulford & J.Taylor, 184
Pseudolepicoleaceae Fulford & J.Taylor, 164–165, **184**
Pseudolophocolea R.M.Schust. & J.J.Engel, 186
Pseudomarsupidium Herzog, 186
Pseudomodingium, 148
Pseudophegopteris Ching, 358
Psidium
araca Raddi, 337
Psiloclada Mitt., 185
Pteridaceae, 355–361*
subfam. **Cryptogrammoideae** (Pic.Serm.) S.Linds., 355–361* [**358**]
Pterocymbium R.Br., 283
javanicum R.Br., 322
Pterolepis
polygonoides Triana, 337
Pteropsiella Spruce, 180, 185
Ptilidiaceae H.Klinggr., 164, **183**
Ptilidiales Schljakov, 162–164, **182**
subord. Ptilidiineae, 162
Ptilidium Nees, 163–164, 183
Ptychanthus Nees, 182
Pupalia
lappacea (L.) Juss., 270
Pycnolejeunea (Spruce) Schiffn., 182
Pycreus
capillifolius (A.Rich.) C.B.Clarke, 335
flavescens (L.) P.Beauv. ex Rchb., 335
piceus (Liebm.) C.B.Clarke, 335
polystachyos (Rottb.) P.Beauv., 335

Quisumbingia Merr., 447

Radula Dumort., 162, 181–183
Radulaceae Müll.Frib., **181**
Rafflesia R.Br., 28, 199–201 Rev.
Ramification
in *Podostemon*, 469–481*
Rangaeris
trilobata Summerh., 119 Map, **128**
Rapanea Aubl., 459–467*
acrosticta Mez, 461
arfakensis Kaneh. & Hatus., 461
augustae Mez, 461
cacuminum Mez, 461
clemensiae Sleumer, 461
coriifolia Sleumer, 461
dicksonii P.Royen, 461
gomphostigma Mez, 461
inaequalis Kaneh. & Hatus., 461
involucrata Mez, 461
lamii Sleumer, 462
leucantha K.Schum., 462
minutifolia Knoester, Wijn & Sleumer, 462
revoluta Kaneh. & Hatus., 462
rhombata P.Royen, 462
tempampan P.Royen, 462
velutina Knoester, Wijn & Sleumer, 462
womersleyi Sleumer, 462
Raphidolejeunea Herzog, 182
Raphionacme
namibiana Venter & Verh., 449
Rapona Baill., 135
Rare species
in Arabia, 263–281*
Reboulia Raddi, 174
Rectolejeunea A.Evans, 182
Reinwardtia Spreng., 138
glabra (Kunth) Spreng., 140
sericea (Kunth) Spreng., 138, 144
Review
of *Stichoneuron*, 213–228
Revisions

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

of *Aeschynanthus*, 391–446
of *Calycobolus*, 133–153
of *Porana*, 133–153
of *Scaphium*, 283–328*
Rhazya
stricta Decne., 97, **100**
Rheitrophyllum Hassk., 393
subverticillatum Hassk., 393
Rhododendron L., 81–95*
subgen. *Tsutsusi* (Sweet) Pojarkova, 81–95*
sect. *Brachycalyx* Sweet, 81–84, 86–94
sect. *Tsusiopsis*, 82–83
sect. *Tsutsusi* Sweet, 81–84, 86–93
breviperulatum Hayata, 84, 86, 89–93
daiyunicum, 82, 94
dilatatum Miq., 84, 89–92, 94
eriocarpum (Hayata) Nakai, 84, 89–91
farrerae Tate ex Sweet, 82, 84, 86, 89–91, 93
indicum (L.) Sweet, 81, 84, 88–93
kaempferi Planch., 84, 89–93
kiusianum Makino, 84, 89–91
kiyosumense (Makino) Makino, 84, 89–91
lagopus Nakai, 89–91
var. *lagopus*, 84, 86, 89–91
macrosepalum, 93
mariesii Hemsl. & E.H.Wilson, 82, 84, 86, 89–91, 93
mayebarae Nakai & Hara, 84, 89–92, 94
mucronatum (Blume) G.Don, 89–91
var. *ripense* (Makino) E.H.Wilson, 84, 86, 89–91
nakaharae Hayata, 84, 86, 89–93
oldhamii Maxim., 84, 86, 89–93
quinquefolium, 82
reticulatum D.Don ex G.Don, 84, 89–92
rubropilosum Hayata, 85–86, 89–91, 93
sanctum Nakai, 84, 89–91
scabrum G.Don, 85, 89–91
schlippenbachii, 82
serpyllifolium (A.Gray) Miq., 81, 85, 89–92
simsii Planch., 85–86, 89–91
stenopetalum (Hogg) Mabb., 85, 89–91
subsessile Rendle, 85–86, 89–91
tashiroi Maxim., 81–83, 85, 87–94
tosaense Makino, 85, 89–91
tschonoskii Maxim., 81, 85–86, 88–93
tsusiophyllum Sugimoto, 81, 85, 88–93
viscistylum Nakai, 84, 89–92
wadanum Makino, 82, 84, 89–92
weyrichii Maxim., 82, 84, 86, 89–92, 94
yedoense Maxim., 86, 89–91, 93
var. *poukhanense* (H.Lév.) Nakai, 85–86, 89–91, 93
var. *yedoense*, 93
Rhodoplagiochila R.M.Schust., 186
Rhynchelytrum
repens (Willd.) C.E.Hubb., 338, 342
Rhynchospora
cephalotes (L.) Vahl, 335
holoschoenoides (Rich.) Herter, 335
raparia (Nees) Boeck., 335
Riccardia Gray, 161, 180
Riccia L., 155–156, 160, 175
Ricciaceae Rchb., 159, **175**
Ricciales, 159
Ricciocarpos Corda, 175
Ridleyandra A.Weber & B.L.Burtt, 239
Riella Mont., 173
bialata Trab., 173
Riellaceae Engl., **173**
Rock outcrops, 329–346*
Roivainenia Perss., 166, 187
Ronse De Craene, L., 363–364 Rev.
rpb2, 81–95
Rubiaceae, 6, 239, 338, 340, 371–390*
tribe *Hedyotideae* Cham. & Schltdl. ex DC., 371–374
tribe *Spermacoceae* Cham. & Schltdl. ex DC., 371–390*
Ruellia, 7
patula Jacq., 269–270
Ruizanthus R.M.Schust., 188
Rutaceae, 6–7

Sacciolepis
vilvoides (Trin.) Chase, 338
Saccogyna Dumort., 191
Saccogynidium Grolle, 191
Sacoglottis
gabonensis, 34
Salicaceae, 28, 339
Sandeothallaceae R.M.Schust., 160, **178**
Sandeothallus R.M.Schust., 178
Sapindaceae, 273, 339–341, 344
Sapium
glandulosum (L.) Morong, 336
Sapotaceae, 273

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Sarcolobus R.Br., 447–449
Sarcostemma
pyrotechnicum (Forssk.) Schult., 100
Sauteria Nees, 174
Scapania (Dumort.) Dumort., 167, 188
Scapaniaceae Mig., 164, 166–169, **187**
Scapaniella H.Buch, 188
Scaphium Schott & Endl., 283–328* [284 Map, **291**]
affine (Mast.) Pierre, 283, 287–289, 293–**294**, 297 & Map, 302, 305–306, 311, 313, 316, 320
beccarianum Pierre, 295–296
borneensis (Merr.) Kosterm., 286, 310, 312, 317
burkillfilii Kosterm., 286–287, 289, 291–293, **299**–300 & Map, 309, 319
javanicum Kochummen, 322
linearicarpum (Mast.) Pierre, 286–290, 292–294, 296, **300**–301 & Fig., 303 & Map, 305, 311, 316
longiflorum Ridl., 287, 289–290, 292–294, 296, 302, **304**–306 & Map, 311, 316
longipetiolatum (Kosterm.) Kosterm., 286–287, 289, 293–294, 299, **307**–310 [308 Fig., 310 Map], 319
lychnophorum (Hance) Pierre, 295–296
macropodum (Miq.) Beumée ex K.Heyne, 287–289, 291, 293–294, 296–297, 302, 305, **310**–313 [312 Map], 316
parviflorum P.Wilkie, 286–287, 289–290, 293–294, 296, 302, 305, 311, 313–317 [**314**, 315 Fig., 317 Map]
scaphigerum (Wall. ex G.Don) G.Planch., 283, 285–287, 289–291, 293–294, 299, 309, **318**–320 & Map
velutinosum Kosterm., 300, 303
velutinum Kosterm., 304
wallichii Schott & Endl., 293, 318
Scaphophyllum Inoue, 190
Scaphyglottis
fusiformis (Griseb.) R.E.Schult., 338
Schiffneria Steph., 187
Schiffneriolejeunea Verd., 182
Schistochila Dumort., 156, 183
Schistochilaceae H.Buch, 183
Schistochilopsis (N.Kitag.) Konst., 168, 188
Schizandraceae, 364 Rev.
Schoenoxiphium
burttii Kukkonen, 7
Schofieldia J.D.Godfrey, 187
Scholte, P., 263–281
Schultesia
guianensis (Aubl.) Malme, 336
Schusterella S.Hatt., Sharp & Mizut., 181
Schusterolejeunea Grolle, 182
Scleria
reticularis Michx., 335
secans (L.) Urb., 335
Scrophulariaceae, 4, 6–7
Secamone, 456
socotrana Balf.f., 97, **100**
Securidaca, 338
Seed characters
of *Hedyotis*, 371–390*
of *Kohautia*, 371–390*
of *Oldenlandia*, 371–390*
Selaginella
imbricata (Forssk.) Spring, 272
Selliguea Bory, 355–361*
cruciformis (Ching) S.Linds., **356**
ebenipes (Hook.) S.Linds., **356**
griffithiana (Hook.) S.Linds., **356**
hirsuta (Tagawa & K.Iwats.) S.Linds., **356**
oxyloba (Wall. ex Kuntze) S.Linds., **357**
pedunculata (Hook. & Grev.) C.Presl, 356
rhynchophylla (Hook.) S.Linds., **357**
trisecta (Baker) S.Linds., **357**
SEM, 51–64*
Semi-arid vegetation
in Brazil, 329–346
Senna
macranthera (DC. ex Collad.) H.S.Irwin & Barneby, 336
Seppeltia Grolle, 179
Setaria
geniculata (Lam.) P.Beauv., 338, 342
Sewardiella Kashyap, 177
Shorea, 451
Sicily, 65–75*
Sida, 337
Simaroubaceae, 273
Simo, M., 115–132
Sinningia
nordestina Chauntens, Baracho & J.A.Siqueira, 337, 341
Siphonolejeunea Herzog, 182
Sluiman, H., 483–484 Rev.
Smeathmania R.Br., 28

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Smeathmannia R.Br., 27–49* [31 Fig., **40**]
decandra Baill., 28, 35, 39–40
emarginata Lem., 29, 44, 48
illustris (Schumach. & Thonn.) Endl. ex Walp., 44
laevigata Sol. ex R.Br., 29, 31 Fig., 40–43 [**41**, 42 Map]
var. *nigerica* A.Chev., 29, 41, 43
media Sol. ex R.Br., 29, 44
pubescens Sol. ex R.Br., 29, 31 Fig., 40–41, **43**, 45 Map, 47
var. *cordifolia* A.Chev., 29, 44
var. *parvifolia* A.Chev., 44
rosea Lem., 29, 44, 48
Smithia, 7
Sobralia
liliastrum Lindl., 338
Solanaceae, 339, 341–342
Solanum
americanum Mill., 339, 341–342
Solenostoma Mitt., 164, 169, 190
caespiticium (Lindenb.) Steph., 190
Solenostomataceae Stotler & Crand.-Stotl., 155, 167–170, **190**
Sonerila Roxb., 239
Sonké, B., 115–132
Sontag, S., 8–26
South India, 77–80*
Southbya Spruce, 189
Southern Fold Mountains, Papua New Guinea, 347–353
Sphaerocarpaceae Heeg, 173
Sphaerocarpales Cavers, 157, 159, **173**
Sphaerocarpos Boehm., 173
Sphaerolejeunea Herzog, 182
Sphaerothylax
abyssinica (Wedd.) Warm., 478
Sphenolobopsis R.M.Schust. & N.Kitag., 188
Sphenolobus (Lindb.) Berggr., 168, 188
Sporobolus
pyramidatus (Lam.) Hitchc., 338
Spruceanthus Verd., 182
Sprucella Steph., 185
Stapelia
chrysostephana Deflers, 100
Stapelianthus, 201–203 Rev.
Staples, G.W., 133–153
Steerea S.Hatt. & Kamim., 181
Steereella Kuwah., 162, 180
Steereochila Inoue, 186
Stemona Lour., 213–215, 222
Stemonaceae, 213–228*
Stenolejeunea R.M.Schust., 182
Stenorrhipis Herzog, 167, 187
Stephaniella J.B.Jack, 168–169, 189
Stephaniellaceae, 168
Stephaniellidium S.Winkl. ex Grolle, 168, 189
Stephensoniella Kashyap, 175
Sterculia L., 283, 288–289
subgen. *Scaphium*, 283
affinis Mast., 294, 296
beccariana Pierre, 295–296
linearicarpa Mast., 300
lychnophora Hance, 295
scaphigera Wall. ex G.Don, 293, 296, 318
Sterculiaceae, 283–328
tribe *Sterculieae*, 283
Stereospermum
kunthianum Cham., 266, 272–275
Stévart, T., 115–132
Stichoneuron Hook.f., 213–228* [**217**]
bognerianum Duyfjes, 213, 217, 218 Map, **219** & Fig., 227
calcicola Inthachub, 213–214, 216–218 [218 Map], **220**–222 [221 Fig.], 227
caudatum auct. non Ridl., 220
caudatum Ridl., 214, 217–220 [218 Map], **222**–224 [223 Fig.], 226–227
halabalensis Inthachub, 213, 217–219 [218 Map], **224**–227 [225 Fig.]
membranaceum auct. non Hook.f., 222
membranaceum Hook.f., 214, 216–217, 219, **226**
Stictolejeunea (Spruce) Schiffn., 182
Stigmaphyllon
paralias A.Juss., 337
Stillingia
trapezoidea Ule, 336
Stolonivector J.J.Engel, 186
Stotler, R.E., 155–198
Strelitzia, 199–201 Rev.
Streptocarpus, 2, 4
burttianus Pócs, 7
hillburttianus T.J.Edwards, 7
Struthanthus, 337
Stylosanthes
viscosa (L.) Sw., 336, 342
Sulawesi, Indonesia, 103–114*, 229–238*

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Sulcolluma
hexagona
var. *septentrionalis* (Lavranos & L.E.Newton) Plowes, 98
Sumatra, 447–457*
Suttonia A.Rich., 459
Syagrus
coronata (Mart.) Becc., 333
Symbiezidium Trevis., 182
Symphyogyna Nees & Mont., 179
Symphyogynopsis Grolle, 179
Synaptantha Hook.f., 373
Systematics
of *Clemensiella*, 447–457
of *Hedyotis*, 371–390
of *Kohautia*, 371–390
of *Oldenlandia*, 371–390
Syzygiella Spruce, 166, 187
Szweykowskia Gradst. & E.Reiner, 186

Takeuchi, W., 347–353, 459–467
Tamarindus
indica L., 264, 266, 268–270, 274–275, 278–279
Tarenna, 7
Targionia L., 155, 160, 175
Targioniaceae Dumort., **175**
Taxilejeunea (Spruce) Schiffn., 163, 182
Taxonomic revisions
of *Aeschynanthus*, 391–446*
of *Paropsiopsis* Engl., 27–49*
of *Smeathmannia* R.Br., 27–49*
Taxonomy
of *Calycobolus*, 133–153*
of *Clemensiella*, 447–457*
of *Hedyotis*, 371–390*
of *Kohautia*, 371–390*
of *Oldenlandia*, 371–390*
of *Porana*, 133–153*
of *Pouzolzia*, 51–64*
Teclea
nobilis Delile, 266, 271
Telaranea Spruce ex Schiffn., 165, 185
Telosma Coville, 448
Temnoma Mitt., 165, 184
Tephrosia, 7
Terminalia
brownii Fresen., 263, 266, 269–271, 274–275, 279
Tessmannia, 7
Tetracymbaliella Grolle, 166, 185
Tetralophozia (R.M.Schust.) Schljakov, 188
Thailand, 355–361*
Thecagonum Babu, 386
Thelypteridaceae, 355–361*
Thelypteris Schmidel, 358
crassifolia (Blume) Ching, 359
exsculpta (Baker) K.Iwats., 359
immersa (Blume) Ching, 359
repens (Hope) Ching, 359
rubicunda (Alderw.) K.Iwats., 359
triphylla (Sw.) K.Iwats.
var. *parishii* (Bedd.) K.Iwats., 360
Thomas, D.C., 103–114, 229–238
Thrissur district, South India, 77–80
Thysananthus Lindenb., 182
Tibouchina
multiflora Cogn., 337
Tiliaceae, 273
Tillandsia
polystachia (L.) L., 334
recurvata (L.) L., 334
stricta Sol. ex Ker-Gawl., 334
tenuifolia L., 334
Tinospora Miers, 77–80*
baenzigeri Forman, 79
cordifolia (Willd.) Hook.f. & Thomson, 77
crispa (L.) Hook.f. & Thomson, 77, 79
formanii Udayan & Pradeep, **77**–79 [78 Fig.]
glabra (Burm.f.) Merr., 77
sinensis (Lour.) Merr., 77, 79
smilacina Benth., 77, 79
Tocoyena
formosa (Cham. & Schltdl.) K.Schum., 339
Torenia
burttiana R.R.Mill, 7
Trabacellula Fulford, 167–168, 187
Trachylejeunea (Spruce) Schiffn., 182
Trachypogon
spicatus (L.f.) Kuntze, 338
Tradescantia, 334
Trebouxiophyceae, 484 Rev.
Treubia K.I.Goebel, 158, 171
Treubiaceae Verd., 158, **171**
Treubiales Schljakov, 156, **171**
subord. Treubiineae, 160

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Treubiopsida M.Stech, J.-P.Frahm, Hilger & W.Frey, 171
Triandrophyllum Fulford & Hatcher, 184
Trichilia
emetica Vahl, 264, 266, 268–271, 274–276, 278–279
Trichocolea Dumort., 184
Trichocoleaceae Nakai, 165, **184**
Trichocoleopsis S.Okamura, 163, 182–183
Trichomes
in *Begonia*, 103–114*
Trichosporum D.Don, 393
acuminatum (Wall. ex A.DC.) Kuntze, 399
beccarii (C.B.Clarke) Kuntze, 438
boschianum (de Vriese) Kuntze, 437
bracteatum (Wall. ex A.DC.) Kuntze, 402
chiritoides (C.B.Clarke) Kuntze, 410
fulgens (Wall. ex R.Br.) Kuntze, 414
grandiflorum D.Don, 425, 428
javanicum (Hook.) Kuntze, 437
lampongum (Miq.) Burkill, 438
lobbianum (Hook.) Kuntze, 437
macranthum Merr., 425
maculatum (Lindl.) Kuntze, 429
micranthum (C.B.Clarke) Kuntze, 423
parasiticum (Roxb.) Kuntze, 425
parviflorum D.Don, 393, 429
parvifolium (R.Br.) Kuntze, 437
pulchrum Blume, 437
superbum (C.B.Clarke) Kuntze, 440
zollingeri (C.B.Clarke) Kuntze, 438
Trichotemnoma R.M.Schust., 188
Trichotemnomataceae R.M.Schust., **188**
Tridactyle
laurentii (De Wild.) Schltr.
var. *kabareensis* Geerinck, 129
var. **laurentii**, 119 Map, **129**
muriculata (Rendle) Schltr., 119 Map, **129**
Tridax
procumbens L., 271, 276
Trimeniaceae, 364 Rev.
Tritomaria Schiffn. ex Loeske, 188
Triumfetta
pentandra A.Rich., 271, 273–275
trnS-trnG, 81–95
Trocholejeunea Schiffn., 182
Turbina
mexicana (Hemsl.) Roberty, 146
velutina (M.Martens & Galeotti) Roberty, 146
Turner, I.M., 365–370
Turnera
blanchetiana Urb., 339
Turneraceae, 28, 339
Tuyamaella S.Hatt., 182
Tuzibeanthus S.Hatt., 182
Tylimanthus Mitt., 188–189
Tylophora
yemensis Deflers, 97, **101**
Tylophoropsis
yemensis (Deflers) N.E.Br., 101
Typification
of *Friesodielsia*, 365–370*
of *Hedyotis*, 371–390*
of *Kohautia*, 371–390*
of *Oldenlandia*, 371–390*

Udayan, P.S., 77–80
Ultrabasic environments, 459–467*
Umbelliferae, 4
Urtica
rugosula Wall., 60, 63
venosa Wall., 60, 63
Urticaceae, 51–64*, 339
tribe *Boehmerieae*, 51
Utricularia
pusilla Vahl, 337
Uvaria
grandifolia, 370

Vajrodaya, S., 213–228
Valley forest
in Arabia, 263–281*
Vanaea (Inoue & Gradst.) Inoue & Gradst., 166, 187
Vandiemenia Hewson, 162, 180
Vanilla
chalottii Finet, 119 Map, **130**
Vegetation
of Brazilian inselbergs, 329–346 [332 Map]
Verdoornia R.M.Schust., 160, 179–180
Verdoornianthus Gradst., 182
Vernonia
chalybaea Mart. ex DC., 333
cotoneaster (Willd. ex Spreng.) Less., 333
Vetaforma Fulford & J.Taylor, 184
Vetaformataceae Fulford & J.Taylor, **184**

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press

Vietnam, 391–446*
Violaceae, 339
Viridivia J.H.Hemsl. & Verdc., 27, 30–31
Vismia
  guianensis (Aubl.) Pers., 337
Vitaceae, 339
Vitalianthus R.M.Schust. & Giancotti, 182
Vitex
  regnelliana Moldenke, 337
Vittaria, 358
Vittariaceae, 358
Vriesia, 334

Wadi Rijaf, Jabal Bura, 263–281
Waltheria
  indica L., 337, 342
Weber, A., 6–26
Western Ghats, South India, 77–80
Wettsteinia Schiffn., 186
Wiesnerella Schiffn., 160, 175
Wiesnerellaceae Inoue, 159, **175**
Wilkie, P., 283–328
Wilmot-Dear, C.M., 51–64
Winteraceae, 6
Wurmbea
  burttii B.Nord., 7

Xenocephalozia R.M.Schust., 186
Xenochila R.M.Schust., 186
Xenothallus R.M.Schust., 179
Xiridaceae, 339
Xylolejeunea X.-L.He & Grolle, 182
Xyris
  jupicai Rich., 339

Yemen, 263–281*

Zeylanidium
  subulatum (Gard.) C.Cusset, 470, 478–479
Zingiberaceae, 3–4, 6
Ziziphus
  mucronata Willd., 263, 266, 270, 275–276
Zoopsidella R.M.Schust., 185
Zoopsis Hook.f. ex Gottsche, Lindenb. & *Nees*, 165, 185

https://doi.org/10.1017/S0960428609990151 Published online by Cambridge University Press