References

Abbaneo, D., *et al.* (1998) Test of a CMS MSGC tracker prototype in a high-intensity hadron beam. *Nucl. Instr. and Meth.* **A 409**, 37.

Abbiendi, C., *et al.* (2009) The CMS muon barrel drift tubes system commissioning. *Nucl. Instr. and Meth.* **A598**, 192.

Abbon, P., *et al.* (2007) The COMPASS experiment at CERN. *Nucl. Instr. and Meth.* **A 577**, 455.

Abbrescia, M., *et al.* (1997) Effect of the linseed oil treatment on the performance of the Resistive Plate Counters. *Nucl. Instr. and Meth.* **394**, 13.

Abbrescia, M., *et al.* (1999a) The simulation of resistive plate chambers in the avalanche mode: charge spectra and efficiency. *Nucl. Instr. and Meth.* **A 431**, 413.

Abbrescia, M., *et al.* (1999b) Progress in the simulation of resistive plate chambers in avalanche mode. *Nuc. Phys. B (Proc. Suppl.)* **78**, 459.

Abbrescia, M. (2004) The dynamic behaviour of Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A533**, 7.

Abe, K., *et al.* (1998) The performance of the Barrel CRID at the SLD; long-term operational experience. *IEEE Trans. Nucl. Sci*. **45**, 648.

Abgrall, N., *et al.* (2011) Time projection chambers for the T2K near detector. *Nucl. Instr. and Meth.* **A637**, 25.

Ableev, V., *et al.* (2004) TPG construction. *Nucl. Instr. and Meth.* **A535**, 294.

Abrams, G., *et al.* (1989) The Mark II Detector for the SLC. *Nucl. Instr. and Meth.* **A281**, 55.

Ackermann, K. H., *et al.* (2003) The forward time projection chamber in STAR. *Nucl. Instr. and Meth.* **A499**, 713.

Ackerstaff, K., *et al.* (1998) The HERMES Spectrometer. *Nucl. Instr. and Meth.* **A417**, 230.

Acosta, D., *et al.* (2000) Large CMS cathde strip chambers: design and performance. *Nucl. Instr. and Meth.* **A453**, 182.

Acosta, D., *et al.* (2003) Aging tests of full-scale CMS muon cathode strip chambers. *Nucl. Instr. and Meth.* **A515**, 226.

Adam, W., *et al.* (1996) Particle identification algorithms for the DELPHI RICH detector. *Nucl. Instr. and Meth.* **A371**, 240.

Adams, M., *et al*. (1983) π/K/p identification with a large-aperture ring-imaging Cherenkov counter. *Nucl. Instr. and Meth*. **217**, 237.

Adeva, B., *et al.* (1990) The construction of the L3 experiment. *Nucl. Instr. and Meth. in Phys. Res.* **A289**, 35.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Adeva, B., *et al.* (1999) The Micro Wire Detector. *Nucl. Instr. and Meth.* **A 435**, 402.
Adeva, B., *et al.* (2001) Performance of the Microwire Detector. *Nucl. Insr. and Meth.* **A461**, 33.
Adorisio, C., *et al.* (2007) A non-invasive technique to replace the anode wires into the drift tube chambers of the muon spectrometer of the ATLAS experiment at the LHC proton–proton collider. *Nucl. Instr. and Meth.* **A575**, 532.
Afanasiev, S., *et al.* (1999) The NA49 large acceptance hadron detector. *Nucl. Instr. and Meth.* **A430**, 210.
Agrawal, P. C. and Ramsey, B. D. (1989) Penning gas mixtures for improving the energy resolution of proportional counters. *IEEE Trans. Nucl. Sci.* **NS-36**, 866.
Agrawal, P. C., *et al.* (1989) Study of argon-based Penning gas mixtures for use in proportional counters. *Nucl. Instr. and Meth.* **277**, 557.
Aguilar-Benitez, M., *et al.* (2002) Construction and test of the final CMS Barel Drift Tube Muon Chamber prototype. *Nucl. Instr. and Meth.* **A480**, 658.
Ahn, S. H., *et al.* (2000) Temperature and humidity dependence of bulk resistivity of bakelite for resistive plate chambers in CMS. *Nucl. Instr. and Meth.* **A451**, 582.
Ahn, S. H., *et al.* (2004) Characteristics of a double gap resistive plate chamber for the endcap region of CMS/LHC: data vs. simulation in avalanche mode. *Nucl. Instr. and Meth.* **A533**, 32.
Aielli, G., *et al.* (2002) RPC aging studies. *Nucl. Instr. and Meth.* **A478**, 271.
Aielli, G., *et al.* (2004) Electrical conduction properties of phenolic-melaminic laminates. *Nucl. Instr. and Meth.* **A533**, 86.
Aielli, G., *et al.* (2006) New results on ATLAS RPCs ageing at CERN's GIF. *IEEE Trans. Nucl. Sci.* **53**, 567.
Aihara, H., *et al.* (1983) Spatial resolution of the PEP-4 Time Projection Chamber. *IEEE Trans. Nucl. Sci.* **NS-30**, 76.
Akbari, H., *et al.* (1992) The L3 vertex detector: design and performance. *Nucl. Instr. and Meth.* **A315**, 161.
Akesson, T., *et al.* (1995) Study of straw proportional tubes for a transition radiation detector/tracker at LHC. *Nucl. Instr. and Meth.* **A361**, 440.
Akesson, T., *et al.* (2002) Aging studies for the ATLAS Transition Radiation Tracker (TRT). *Nucl. Instr. and Meth.* **A 515**, 166.
Akesson, T., *et al.* (2004a) Status of design and construction of the Transition Radiation Tracker (TRT) for the ATLAS experiment at the LHC. *Nucl. Instr. and Meth.* **A522**, 131.
Akesson, T., *et al.* (2004b) Operation of the ATLAS Transition Radiation Tracker under very high irradiation at the CERN LHC. *Nucl. Instr. and Meth.* **A522**, 25.
Akindinov, A., *et al.* (2000) The multigap resistive plate chamber as a time-of-flight detector. *Nucl. Instr. and Meth.* **A456**, 16.
Akindinov, A. N., *et al.* (2004) Latest results on the performance of the multigap resistive plate chamber used for the ALICE TOF. *Nucl. Instr. and Meth.* **A533**, 74.
Akindinov, A., *et al.* (2009) Construction and test of the MRPC detectors for TOF in ALICE. *Nucl. Instr. and Meth.* **A602**, 658.
Akindinov, A., *et al.* (2012) The MRPC-based ALICE Time-Of-Flight detector: Commissioning and first performance. *Nucl. Instr. and Meth.* **A661**, S98.
Albrecht, A., *et al.* (2005) Status and characterization of COMPASS RICH-1. *Nucl. Instr. and Meth.* **A553**, 215.
Albrecht, E., *et al.* (2003) COMPASS RICH-1. *Nucl. Instr. and Meth.* **A502**, 112.
Albrecht, E., *et al.* (1999) Operation, optimisation, and performance of the DELPHI RICH detectors. *Nucl. Instr. and Meth.* **A433**, 47.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Albrecht, H., *et al.* (2003) Aging studies for the large honeycomb drift tube system of the Outer Tracker of HERA-B. *Nucl. Instr. and Meth.* **A515**, 155.
Aleksa, M., *et al.* (2000) Rate effects in high-resolution drift chambers. *Nucl. Instr. and Meth.* **A446**, 435.
Aleksa, M., *et al.* (2002) Limits to drift chamber performance at LHC luminosities. *Nucl. Instr. and Meth.* **A478**, 135.
Alexander, J. P., *et al.* (1989) The Mark-II vertex drift chamber. *Nucl. Instr. and Meth.* **A283**, 519.
Alexeev, A. D., *et al.* (1980) Investigation of self-quencing streamer discharge in a wire chamber. *Nucl. Instr. and Meth.* **177**, 385.
Alexeev, M., *et al.* (2010) TGEM based photon detectors for Cherenkov imaging applications. *Nucl. Instr. and Meth.* **A617**, 396.
Alexeev, M., *et al.* (2011) Progress towards a TGEM-based detector of single photons. *Nucl. Instr. and Meth.* **A 639**, 130.
Alexeev, M., *et al.* (2012) Detection of single photons with ThickGEM-based counters. *JINST* **7**, C02014.
Alexopulos, T., *et al.* (2011) A spark-resistant bulk micromegas chamber for high rate applications. *Nucl. Instr. and Meth.* **A640**, 110.
Alfonsi, M., *et al.* (2004) High-rate particle triggering with triple-GEM detector. *Nucl. Instr. and Meth.* **A518**, 106.
Alfonsi, M., *et al.* (2010) Activity of CERN and LNF groups on large area GEM detectors. *Nucl. Instr. and Meth.* **A 617**, 151.
Alkhazov, G. D. (1969) Mean value and variance of gas amplification in proportional counters. *Nucl. Instr. and Meth.* **75**, 161.
Alkhazov, G. D. (1970) Statistics of electron avalanches and ultimate resolution of proportional counters. *Nucl. Instr. and Meth.* **89**, 155.
Alleyn, H., *et al.* (1968) Wire stretching machine for spark chambers, *CERN NP* 68–34 CERN.
Allison, J., *et al.* (1982) An electrodeless drift chamber. *Nucl. Instr. and Meth.* **201**, 341.
Allison, W. W., *et al.* (1974) The identification of secondary particles by ionization sampling (ISIS). *Nucl. Instr. and Meth.* **119**, 499.
Allison, W. W., *et al.* (1984) Relativistic charged particle identification with ISIS2. *Nucl. Instr. and Meth.* **224**, 396.
Alme, J., *et al.* (2010) The ALICE TPC, a large 3-dimensional tracking device with fast readout for ultra-high multiplicity events. *Nucl. Instr. and Meth.* **A622**, 316.
Alner, G. J., *et al.* (2004) The DRIFT-I dark matter detector at Boulby: design, installation and operation. *Nucl. Instr. and Meth.* **A 535**, 644.
Aloisio, A., *et al.* (2004) The trigger chambers of the ATLAS muon spectrometer: production and tests. *Nucl. Instr. and Meth.* **A 535**, 265.
Altunbas, C., *et al.* (2002) Construction, test and commissioning of the Triple-GEM tracking detector for COMPASS. *Nucl. Instr. and Meth.* **A490**, 177.
Altunbas, C., *et al.* (2003) Aging measurements with the Gas Electron Multiplier (GEM). *Nucl. Instr. and Meth.* **A515**, 249.
Amaldi, U. (1971) *Fisica delle Radiazioni, Boringhieri*, Torino, Boring hieri.
Amaldi, U., *et al.* (2011) Construction, test and operation of a proton range radiography system. *Nucl. Instr. and Meth.* **A629**, 337.
Ambrosio, M., *et al.* (2002) The MACRO detector at Gran Sasso. *Nucl. Instr. and Meth.* **A486**, 663.
Amendolia, S. R., *et al.* (1985a) Ion trapping properties of a Synchronously Gated Time Projection Chamber. *Nucl. Instr. and Meth.* **239**, 192.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Amendolia, S. R., *et al.* (1985b) Influence of the magnetic field on the gating of a Time Projection Chamber. *Nucl. Instr. and Meth.* **A234**, 47.
Amendolia, S. R., *et al.* (1989) The spatial resolution of the ALEPH TPC. *Nucl. Instr. and Meth.* **A283**, 573.
Amerio, S., *et al.* (2004) Design, construction and test of the ICARUS T600 detector. *Nucl. Instr. and Meth.* **A527**, 329.
Ammosov, V., *et al.* (1997) Electric field and currents in resistive plate chambers. *Nucl. Instr. and Meth.* **A401**, 217.
Amram, N., *et al.* (2011) Position resolution and efficiency measurements with large scale Thin Gap Chambers for the super LHC. *Nucl. Instr. and Meth.* **A628**, 177.
An, S., *et al.* (2008) A 20 ps timing device – a multigap Resistive Plate Chamber with 24 gaps. *Nucl. Insr. and Meth.* **A594**, 39.
Anderhub, H., *et al.* (1986) A Time Expansion Chamber as a vertex detector for the experiment mark J at DESY. *Nucl. Instr. and Meth.* **252**, 357.
Anderhub, H., *et al.* (2003) Experience with the L3 vertex drift chamber at LEP. *Nucl. Instr. and Meth. in Phys. Res.* **A515**, 31.
Anderson, D. F. (1980) A xenon gas scintillation proportional counter coupled to a photoionization detector. *Nucl. Instr. and Meth.* **178**, 125.
Anderson, D. F. (1988) Measurement of TMAE and TEA vapor pressure. *Nucl. Instr. and Meth.* **A270**, 416.
Anderson, D. F., *et al.* (1983) Coupling of a BaF2 Scintillator to a TMAE photocathode and a low- pressure wire chamber. *Nucl. Instr. and Meth.* **217**, 217.
Anderson, D. F., *et al.* (1984) Recent developments in BaF2 scintillator coupled to a low - pressure wire chamber. *Nucl. Instr. and Meth.* **225**, 8.
Anderson, D. F., *et al.* (1994) High counting rate resistive plate chamber. *Nucl. Instr. and Meth.* **A348**, 324.
Anderson, M., *et al.* (2003) The STAR time projection chamber: a unique tool for studying high multiplicity events at RHIC. *Nucl. Instr. and Meth.* **A499**, 659.
Anderson, W., *et al.* (2011) Design, construction, operation and performance of a Hadron Blind Detector for the PHENIX experiment. *Nucl. Instr. and Meth.* **A 646**, 35.
Anderson, W. S., *et al.* (1992) Electron attachment, effective ionization coefficient and electron drift velocity for CF_4 gas mixtures. *Nucl. Instr. and Meth.* **A323**, 273.
Andronic, A., *et al.* (2003) Pulse height measurements and electron attachment in drift chambers operated with Xe, CO2 mixtures. *Nucl. Instr. and Meth.* **A498**, 143.
Anelli, M., *et al.* (1991) Glass electrode spark counters. *Nucl. Instr. and Meth.* **300**, 572.
Angelini, F., *et al.* (1993) The Micro-Gap Chamber. *Nucl. Instr. and Meth.* **A335**, 69.
Angelini, F., *et al.* (1994) Behaviour of Microstrip Gas Chamber in strong magnetic field. *Nucl. Instr. and Meth.* **A343**, 441.
Angelini, F., *et al.* (1995) Development of a very large area microstrip gas chamber for the CMS central tracking system. *Nucl. Instr. and Meth.* **A360**, 22.
Angelini, F., *et al.* (1996) Operation of MSGCs with gold strips built on surface-treated thin glass. *Nucl. Instr. and Meth.* **A 382**, 461.
Anghinolfi, F., *et al.* (2004) NINO: an ultra-fast and low-power front-end amplifier/ discriminator ASIC designed for the multigap resistive plate chamber. *Nucl. Instr. and Meth.* **A533**, 183.
Antchev, G., *et al.* (2010) The TOTEM detector at LHC. *Nucl. Instr. and Meth.* **A617**, 62.
Anulli, F., *et al.* (2002) Resistive Plate Chambers performance in the BaBar IFR system. *IEEE Trans. Nucl. Sci.* **49**, 888.
Anulli, F., *et al.* (2003) Mechanisms affecting performance of the BaBar resistive plate chambers and searches for remediation. *Nucl. Instr. and Meth.* **A508**, 128.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Aprile, E., *et al.* (1991) Measurement of the lifetime of conduction electrons in liquid xenon. *Nucl. Instr. and Meth.* **A300**, 343.
Aprile, E., *et al.* (1994) Electron extraction from a CsI photocathode into condensed Xe, Kr and Ar. *Nucl. Instr. and Meth.* **A343**, 129.
Aprile, E., *et al.* (2001) A liquid xenon time projection chamber for gamma ray imaging in astrophysics: present status and future directions. *Nucl. Instr. and Meth.* **A461**, 256.
Aprile, E., *et al.* (2002) Detection of gamma-rays with a 3.5 l xenon ionization chamber triggered by the primary scintillation light. *Nucl. Instr. and Meth.* **A480**, 636.
Aprile, E., *et al.* (2004) Proportional light in a dual-phase xenon chamber. *IEEE Trans. Nucl. Sci.* **NS-51**, 1986.
Aprile, E., *et al.* (2008) Compton imaging of MeV gamma-rays with the Liquid Xenon Gamma-Ray Imaging Telescope (LXeGRIT). *Nucl. Instr. and Meth.* **A593**, 414.
Apsimov, R. J., *et al.* (1986) A Ring Imaging Cherenkov detector for the CERN Omega Spectrometer – the design and recent performances. *Nucl. Instr. and Meth.* **A248**, 76.
Arai, R., *et al.* (1983) Development of a large cylindrical drift chamber for the VENUS detector at TRISAN. *Nucl. Instr. and Meth.* **217**, 181.
Arai, Y., *et al.* (1996) A modular straw drift tube tracking system for the Solenoidal Detector Collaboration experiment. Part I, Design. *Nucl. Instr. and Meth.* **A381**, 355.
Armstrong, T. A., *et al.* (1999) Large straw-tube tracking chamber for AGS experiment E864. *Nucl. Instr. and Meth.* **A425**, 210.
Arnaldi, R., *et al.* (1999) Study of Resistive Plate Chambers for the Alice dimuon spectrometer. *Nucl. Phys. B (Proc. Suppl.)* **78**, 84.
Arnaldi, R., *et al.* (2000) A low-resistivity RPC for the ALICE dimuon arm. *Nucl. Instr. and Meth.* **A451**, 462.
Arnaldi, R., *et al.* (2002) Spatial resolution of RPC in streamer mode. *Nucl. Instr. and Meth.* **A490**, 51.
Arnaldi, R., *et al.* (2009) Final results of the tests on the resistive plate chambers for the ALICE muon arm. *Nucl. Instr. and Meth.* **A602**, 740.
Arneodo, F., *et al.* (2000) First observation of a 140-cm drift ionizing tracks in the ICARUS liquid-argon TPC. *Nucl. Instr. and Meth.* **A449**, 36.
Arnold, R., *et al.* (1986) Photosensitive gas detectors for the ring-imaging Cherenkov (RICH) technique and the DELPHI barrel RICH prototype. *Nucl. Instr. and Meth.* **A252**, 188.
Arnold, R., *et al.* (1988a) A Ring Imaging Cherenkov detector, the DELPHI barrel RICH prototype. Part A: Experimental studies on the detection efficiency and the spatial resolution. *Nucl. Instr. and Meth.* **A270**, 255.
Arnold, R., *et al.* (1988b) A Ring Imaging Cherenkov detector, the DELPHI barrel RICH prototype. Part B: Experimental studies of the detector performance for particle identification. *Nucl. Instr. and Meth.* **A270**, 289.
Arnold, R., *et al.* (1992) A fast cathode-pad photon detector for Cherenkov ring imaging. *Nucl. Instr. and Meth.* **A314**, 465.
Artuso, M., *et al.* (2003) Construction, pattern recognition and performance of the CLEO III Lif-TEA RICH detector. *Nucl. Instr. and Meth.* **A502**, 91.
Ashford, V., *et al.* (1986) Development of the Cherenkov Ring Imaging Detector for the SLD. *IEEE Trans. Nucl. Sci.* **33**, 113.
Atac, M. (1987) Wire chamber ageing and wire material. *IEEE Trans. Nucl. Science* **NS-34**, 475.
Atac, M. and Tollestrup, A. V. (1982) Self-quenching streamers. *IEEE Trans. Nucl. Sci.* **NS-29**, 388.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Atencio, L. G., *et al.* (1981) Delay-line readout drift chambers. *Nucl. Instr. and Meth.* **187**, 381.
Atwood, W. B., *et al.* (1991) Performance of the ALEPH Time Projection Chambers. *Nucl. Instr. and Meth.* **A306**, 446.
Au, J. W., *et al.* (1993) The valence shell photoabsorption of the linear alchanes. *Chem. Phys.* **173**, 209.
Azevedo, C. D. R., *et al.* (2010) Towards THGEM UV-photon detectors for RICH: on single-photon detection efficiency in Ne/CH4 and Ne/CF4. *J. Instr.* **5**, P01002.
Bachmann, S., *et al.* (1999) Charge amplification and transfer processes in the Gas Electron Multiplier. *Nucl. Instr. and Meth.* **A438**, 376.
Bachmann, S., *et al.* (2001) Development and applications of the Gas Electron Multiplier. *Nucl. Instr. and Meth.* **A 471**, 115.
Bachmann, S., *et al.* (2002) Discharge studies and prevention in the gas electron multiplier. *Nucl. Instr. and Meth.* **A 479**, 294.
Bachmann, S., *et al.* (2004) Developments for the outer tracking system of the LHCb experiment. *Nucl. Instr. and Meth.* **A518**, 59.
Badertscher, A., *et al.* (2010) Operation of a double-phase pure argon Large Electron Multiplier Time Projection Chamber: comparison of single and double phase operation. *Nucl. Instr. and Meth.* **A 617**, 188.
Badertscher, A., *et al.* (2011) First operation of a double phase LAr Large Electron Multiplier Time Projetion Chamber with a 2D projective readout anode. *Nucl. Instr. and Meth.* **A 641**, 48.
Bagliesi, M. G., *et al.* (2010) The TOTEM T2 telescope based on triple-GEM chambers. *Nucl. Instr. and Meth.* **A 617**, 134.
Baines, J. T. M., *et al.* (1993) The data acquisition system of the OPAL deetctor at LEP. *Nucl. Instr. and Meth.* **A325**, 271.
Baksay, L., *et al.* (1976) Multiwire Proportional Chamber spectrometer for the CERN Intersecting Storage Rings. *Nucl. Instr. and Meth.* **133**, 219.
Balla, A., *et al.* (2011) Status of the cylindrical-GEM project for the KLOE-2 inner tracker. *Nucl. Instr. and Meth.* **A 628**, 194.
Bambynek, W. (1973) On selected problems in the field of proportional counters. *Nucl. Instr. and Meth.* **112**, 103.
Band, H. R., *et al.* (2006) Performance and aging studies of BaBar Resistive Plate Chambers. *Nucl. Phys. (Proc. Suppl.)* **158**, 139.
Band, H. R., *et al.* (2008) Study of HF production in BaBar Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A594**, 33.
Baranco Luque, M., *et al.* (1980) The construction of the central detector for an experiment at the CERN proton–antiproton collider. *Nucl. Instr. and Meth.* **176**, 175.
Barashko, V., *et al.* (2008) Fast algorithm for track segmant and hit reconstruction in the CMS Cathode Strip Chambers. *Nucl. Instr. and Meth.* **A589**, 383.
Baringer, P., *et al.* (1987) A drift chamber constructed of aluminized mylar tubes. *Nucl. Instr. and Meth.* **A254**, 542.
Barr, A., *et al.* (1996) Operation of high rate microstrip gas chambers. *Nucl. Phys. B (Proc. Suppl.)* **61B**, 264.
Barr, A., *et al.* (1998) Construction, test and operation in a high intensity beam of a small system of micro-strip gas chambers. *Nucl. Instr. and Meth.* **A403**, 31.
Barrelet, E., *et al.* (1982) A two-dimensional, single photoelectron drift detector for Cherenkov Ring Imaging. *Nucl. Instr. and Meth.* **200**, 219.
Bartol, F., *et al.* (1996) The C.A.T. pixel proportional gas counter detector. *J. Phys. III France* **6**, 337.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Bateman, J. E. (2003) A general parametric model for the gain of gas avalanche counters with particular attention to non-cylindrical geometries. *Phys. Rep.* **375**, 411.
Bateman, J. E., *et al.* (1976) Spatial resolution in a xenon filled MWPC X-ray imaging detector – a computing physicist approach. *Nucl. Instr. and Meth.* **135**, 235.
Bateman, J. E., *et al.* (1980) The development of the Rutherford Laboratory MWPC positron camera. *Nucl. Instr. and Meth.* **176**, 83.
Bateman, J. E., *et al.* (2010) The FastGas detector. *Nucl. Instr. and Meth.* **A616**, 59.
Bateman, J. E., *et al.* (2012) The OSMOND detector. *Nucl. Instr. and Meth.* **A698**, 168.
Battistoni, G., *et al.* (1978) Detection of induced pulses in proportional wire devices with resistive cathodes. *Nucl. Instr. and Meth.* **152**, 423.
Battistoni, G., *et al.* (1979a) Operation of limited streamer tubes. *Nucl. Instr. and Meth.* **164**, 57.
Battistoni, G., *et al.* (1979b) A cube lattice multiwire detector. *Nucl. Instr. and Meth.* **164**, 453.
Battistoni, G., *et al.* (1982) Resistive cathode transparency. *Nucl. Instr. and Meth.* **202**, 459.
Battistoni, G., *et al.* (1983) Influence of gas mixture and cathode material on limited streamer operation. *Nucl. Instr. and Meth.* **217**, 433.
Battistoni, G., *et al.* (1986) The Nusex Detector. *Nucl. Instr. and Meth.* **A245**, 277.
Bauers, G., *et al.* (1987) Upgraded muon detector system for UA1 based on limited streamer tubes. *Nucl. Instr. and Meth.* **253**, 179.
Baur, R., *et al.* (1994) The CERES RICH detector system. *Nucl. Instr. and Meth.* **A343**, 87.
Bay, A., *et al.* (2002) Study of sparking in micromegas chambers. *Nucl. Instr. and Meth.* **A488**, 162.
Beard, C., *et al.* (1990) Thin, high gain wire chambers for electromagnetic presampling in OPAL. *Nucl. Instr. and Meth.* **A286**, 117.
Becker, U. (1984) Study of resolution for a large array of drift chambers. *Nucl. Instr. and Meth.* **225**, 456.
Becker, U., *et al.* (1975) A comparison of drift chambers. *Nucl. Instr. and Meth.* **128**, 593.
Beckers, T., *et al.* (1994) Optimization of microstrip gas chamber design and operating conditions. *Nucl. Instr. and Meth.* **A346**, 95.
Bedjidian, M., *et al.* (2010) Glass resistive plate chambers for a semi-digital HCAL. *Nucl. Instr. and Meth.* **A623**, 120.
Behnke, T. (2011) Detector concepts at the international linear collider. *Nucl. Instr. and Meth.* **A628**, 19.
Behnke, T., *et al.* (2001) TESLA TDR, DESY-01-011, Humburg, DESY.
Behrends, S. and Melissinos, A. C. (1981) Properties of argon-ethane/methane mixtures for use in proportional counters. *Nucl. Instr. and Meth.* **188**, 521.
Beingessner, S. P., *et al.* (1987) The UA1 Central Detector at present and future luminosity (ACOL). *Nucl. Instr. and Meth.* **A257**, 552.
Bélanger, G., *et al.* (1969) The far-ultraviolet spectra of perfluoro-normal-paraffin. *Chem. Phys. Lett.* **3**, 649.
Bella, G., *et al.* (1986) Development of calorimeters using thin chambers operating in a high gain mode. *Nucl. Instr. and Meth.* **A252**, 503.
Bellazzini, R. and Muleri, F. (2010) X-ray polarimetry: a new window on the high energy sky. *Nucl. Instr. and Meth.* **A 623**, 766.
Bellazzini, R., *et al.* (1998a) The micro-groove detector. *Nucl. Instr. and Meth.* **A 424**, 444.
Bellazzini, R., *et al.* (1998b) Substrate-less, spark-free micro-strip gas counters. *Nucl. Instr. and Meth.* **A409**, 14.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Bellazzini, R., *et al.* (2002) X-ray polarimeter with a micro pattren gas detector with pixel read out. *IEEE Trans. Nucl. Sci.* **NS-49**, 1216.
Bellazzini, R., *et al.* (2004) Reading a GEM with a VLSI pixel ASIC used as direct charge collecting anode. *Nucl. Instr. and Meth.* **A 535**, 477.
Bellazzini, R., *et al.* (2007a) Gas pixel detectors. *Nucl. Instr. and Meth.* **A 572**, 160.
Bellazzini, R., *et al.* (2007b) Imaging with the invisible light. *Nucl. Instr. and Meth.* **581**, 246.
Belostotski, S., *et al.* (2008) Extension of the operational lifetime of the proportional chambers in the HERMES spectrometer. *Nucl. Instr. and Meth.* **A591**, 353.
Bencivenni, G. and Domenici, D. (2007) An ultra-light cylindrical detector as inner tracker at KLOE-2. *Nucl. Instr. and Meth.* **A 581**, 221.
Benlloch, J., *et al.* (1998) Further developments and beam tests of the Gas Electron Multiplier (GEM). *Nucl. Instr. and Meth.* **A419**, 410.
Benot, M., *et al.* (1972) Cherenkov counters for particle identification at high energies. *Nucl. Instr. and Meth.* **105**, 431.
Bensinger, J., *et al.* (2002) Construction of monitored drift tube chambers for ATLAS end-cap muon spectrometer at IHEP (Protvino). *Nucl. Instr. and Meth.* **A494**, 480.
Berger, M. J., *et al.*, (1998), XCOM: photon cross sections database: physics.nist.gov/PhysRefData/Xcom/Text/XCOM.html.
Berger, M. J., *et al.*, (2011), Stopping-power and range tables for electrons, protons, and helium ions: www.nist.gov/pml/data/star/index.cfm.
Bergnoli, A., *et al.* (2009) Performances of the OPERA RPCs. *Nucl. Instr. and Meth.* **A602**, 635.
Beringer, J. (2012) The review of particle properties. *Phys. Rev.* **D86**, 010001.
Berkowitz, J. (2002) *Atomic and Molecular Photoabsorption*, New York, Academic Press.
Bernard, D. and Delbart, A. (2012) High angular precision gamma-ray astronomy and polarimetry. *Nucl. Instr. and Meth.* **A695**, 71.
Bernet, C., *et al.* (2005) The 40×40 cm^2 gaseous microstrip detector Micromegas for the high-luminosity COMPASS experiment at CERN. *Nucl. Instr. and Meth.* **A536**, 61.
Bernreuther, S., *et al.* (1995) Design and performance of the large HERMES drift chambers. *Nucl. Instr. and Meth.* **367**, 96.
Bertolin, A., *et al.* (2009) The RPC system of the OPERA experiment. *Nucl. Instr. and Meth.* **A602**, 631.
Bertozzi, W., *et al.* (1977) Focal plane instrumentation; a very high resolution MWPC system for inclined tracks. *Nucl. Instr. and Meth.* **141**, 457.
Bettini, A., *et al.* (1991) A study of the factors affecting the electron lifetime in ultra-pure liquid argon. *Nucl. Instr. and Meth.* **A305**, 177.
Bhadra, S., *et al.* (1988) A computer-controlled wire tension measurement system used in the fabrication of the CDF central drift tube array. *Nucl. Instr. and Meth.* **269**, 33.
Bhide, S. S., *et al.* (2006) On aging problem of glass Resistive Plate Chambers. *Nucl. Phys. (Proc. Suppl.)* **158**, 195.
Biagi, S. (1999) Monte Carlo simulation of electron drift and diffusion in counting gases under the influence of electric and magnetic fields. *Nucl. Instr. and Meth.* **A 421**, 234.
Biagi, S. F. and Jones, T. J. (1995) The microdot gas avalanche chamber: an investigation of new geometries. *Nucl. Instr. and Meth.* **A361**, 72.
Biagi, S. and Veenhof, R., (1995a), Electron-molecules cross sections: rjd.web.cern.ch/rjd/cgi-bin/cross.
Biagi, S. and Veenhof, R., (1995b), MAGBOLTZ: consult.cern.ch/writeup/magboltz/.
Biebel, O., *et al.* (1992) Performance of the OPAL jet chamber. *Nucl. Instr. and Meth.* **323**, 169.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Biino, C., *et al.* (1988) Charge division in a small proportional chamber constucted with aluminized mylar tubes. *Nucl. Instr. and Meth.* **A271**, 417.
Bilevych, Y., *et al.* (2011) Spark protection layers for CMOS pixel anode chips in MPGDs. *Nucl. Instr. and Meth.* **A 629**, 66.
Bindi, M. (2012) Operation and performance tuning of ATLAS RPCs through the detector control system at the startup of 2009 LHC run. *Nucl. Instr. and Meth.* **A661 Suppl. 1**, S10.
Binkley, M., *et al.* (2003) Aging in large CDF tracking chambers. *Nucl. Instr. and Meth.* **A515**, 53.
Birk, M., *et al.* (1976) A simple efficient method of delay-line termination and timing-signals extraction in position-sensitive proportional counters. *Nucl. Instr. and Meth.* **137**, 393.
Biscossa, A., *et al.* (1999) Construction and test of a full-scale prototype of an ATLAS muon spectrometer tracking chamber. *Nucl. Instr. and Meth.* **A525**, 140.
Biswas, S., *et al.* (2009) Performances of linseed oil-free bakelite RPC prototypes with cosmic ray muons. *Nucl. Instr. and Meth.* **A602**, 749.
Bittl, X., *et al.* (1997) Diffusion and drift studies of Ar-DME/CO2/CH4 gas mixtures for a radial TPC in the E/B field. *Nucl. Instr. and Meth.* **A398**, 249.
Bittner, B., *et al.* (2011) Development of fast high-resolution muon drift-tube detectors for high counting rates. *Nucl. Instr. and Meth.* **A628**, 154.
Black, J. K., *et al.* (2003) X-ray polarimeter with an active-matrix pixel proportional counter. *Nucl. Instr. and Meth.* **A 513**, 639.
Blanco, A., *et al.* (2003) Perspectives for positron emission tomography with RPCs. *Nucl. Instr. and Meth.* **A508**, 88.
Blanco, A., *et al.* (2009) Efficiency of RPC detectors for whole-body human TOF-PET. *Nucl. Instr. and Meth.* **A602**, 780.
Bloch, F. and Bradbury, N. E. (1935) On the mechanism of unimolecular electron capture. *Phys. Rev.* **48**, 689.
Blum, W. and Rolandi, G. (1993) *Particle Detection with Drift Chambers*, Berlin, Springer-Verlag.
Blum, W., *et al.* (1986) Measurement of avalanche broadening caused by the wire ExB effect. *Nucl. Instr. and Meth.* **A252**, 407.
Bobkov, S., *et al.* (1984) Drift Precision Imager. *Nucl. Instr. and Meth.* **226**, 376.
Bock, R., *et al.* (1994) A wiring system for mass production of drift and proportional chambers. *Nucl. Instr. and Meth.* **345**, 256.
Bohm, J., *et al.* (1995) High rate operation and lifetime studies with micro-strip gas chambers. *Nucl. Instr. and Meth.* **A360**, 34.
Böhmer, F. V., *et al.* (2013) Simulation of space-charge effects in an ungated GEM-based TPC. *Nucl. Instr. and Meth.* **719**, 101.
Böhmer, V. (1973) New investigations into the detection properties of hybrid chambers. *Nucl. Instr. and Meth.* **107**, 157.
Boie, R. A., *et al.* (1982) High resolution X-ray gas proportional detectors with delay line position sensing for high counting rates. *Nucl. Instr. and Meth.* **201**, 93.
Bologna, G., *et al.* (1979) Electrostatic field in a cylindrical proportional chamber, LNF-79/48, Frascati, INFN.
Bolotnikov, A. and Ramsey, B. (1999) Studies of light and charge produced by alpha-particles in high-pressure xenon. *Nucl. Instr. and Meth.* **A428**, 391.
Bolozdynya, A. I. (1999) Two-phase emission detectors and their applications. *Nucl. Instr. and Meth.* **A422**, 314.
Bondar, A. E., *et al.* (1983) Spatial resolution of induction chambers. *Nucl. Instr. and Meth.* **207**, 379.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Bondar, A. E., *et al.* (2003) Study of ion feedback in multi-GEM structures. *Nucl. Instr. and Meth.* **A496**, 325.
Bondar, A. E., *et al.* (2006) Two-phase argon and xenon avalanche detectors based on Gas Electron Multiplier. *Nucl. Instr. and Meth.* **A 556**, 273.
Borghesi, A. (1978) Tension control device for wires in large Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **153**, 379.
Borisov, A., *et al.* (2002) ATLAS monitored drift tube assembly and test at IHEP (Protvino). *Nucl. Instr. and Meth.* **A494**, 214.
Botner, O., *et al.* (1990) Production of prompt electrons in the charm Pt region at $s = 630$ GeV. *Phys. Lett. B* **236**, 488.
Bouclier, R., *et al.* (1970) Investigation on some properties of Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **88**, 149.
Bouclier, R., *et al.* (1974) Proportional Chambers for a 50 000-wire detector. *Nucl. Instr. and Meth.* **115**, 235.
Bouclier, R., *et al.* (1983) Progress in Cherenkov Ring Imaging: Part1. Detection and localization of photons with the multistep proportional chamber. *Nucl. Instr. and Meth.* **205**, 403.
Bouclier, R., *et al.* (1989) Recent developments of the multidrift tube. *Nucl. Instr. and Meth.* **A283**, 509.
Bouclier, R., *et al.* (1992) High flux operation of microstrip gas chambers on glass and plastic supports. *Nucl. Instr. and Meth.* **A323**, 240.
Bouclier, R., *et al.* (1994a) Results of wire chamber ageing tests with CH4 and DME based gas mixtures. *Nucl. Instr. and Meth.* **A346**, 114.
Bouclier, R., *et al.* (1994b) Ageing studies with micro-strip gas chambers. *Nucl. Instr. and Meth.* **A348**, 109.
Bouclier, R., *et al.* (1995a) Optimization of design and beam tests of micro-strip gas chambers. *Nucl. Instr. and Meth.* **A367**, 163.
Bouclier, R., *et al.* (1995b) Development of micro-strip gas chambers for high rate operation. *Nucl. Instr. and Meth.* **367**, 168.
Bouclier, R., *et al.* (1995c) On some factors affecting the discharge conditions in micro-strip gas chambers. *Nucl. Instr. and Meth.* **A365**, 65.
Bouclier, R., *et al.* (1996a) Ageing of Microstrip Gas Chambers: problems and solutions. *Nucl. Instr. and Meth.* **A381**, 289.
Bouclier, R., *et al.* (1996b) High rate operation of micro-strip gas chambers on diamond-coated glass. *Nucl. Instr. and Meth.* **A 369**, 328.
Bouclier, R., *et al.* (1997) The Gas Electron Multiplier (GEM). *IEEE Trans. Nucl. Sci.* **NS-44**, 646.
Boudjemline, K., *et al.* (2007) Spatial resolution of a GEM readout TPC using the charge dispersion signal. *Nucl. Instr. and Meth.* **A 574**, 22.
Boyarski, A. (2003) Additives that prevent or reverse cathode aging in drift chambers with helium-isobutane gas. *Nucl. Instr. and Meth.* **A 515**, 190.
Boyarski, A. M. (2004) Model of high-current breakdown from cathode field emission in aged wire chambers. *Nucl. Instr. and Meth.* **A535**, 632.
Bozzo, M., *et al.* (1980) Development of large planar proportional chambers. *Nucl. Instr. and Meth.* **178**, 77.
Bradamante, F. and Sauli, F. (1967) Magnetostrictive thin-gap wire spark chambers of large dimensions. *Nucl. Instr. and Meth.* **56**, 268.
Bradbury, N. E. and Tatel, H. E. (1934) The formation of negative ions in gases Part II. CO2, N2O, SO2, H2S and H2O. *J. Chem. Phys.* **2**, 835.
Braem, A., *et al.* (2003) Technology of photocathode production. *Nucl. Instr. and Meth.* **A502**, 205.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Brand, C., *et al.* (1976) Development of a 150 m^2 proportional chamber system with a 1 million bit buffer: the EMI for BEBC. *Nucl. Instr. and Meth.* **136**, 485.
Brand, C., *et al.* (1986) Results on space measurement accuracy from tests of a half-scale DELPHI TPC Prototype. *Nucl. Instr. and Meth.* **A252**, 413.
Brand, C., *et al.* (1989) The DELPHI Time Projection Chamber. *Nucl. Instr. and Meth.* **A283**, 567.
Brehin, S., *et al.* (1975) Some observations concerning the construction of proportional chambers with thick sense wires. *Nucl. Instr. and Meth.* **123**, 225.
Breidenbach, M., *et al.* (1973) Time properties of MWPC using electronegative gases, and their efficiency of detection for normal and abnormal particles (quarks). *Nucl. Instr. and Meth.* **108**, 23.
Breskin, A. (2000) Advances in gas avalanche radiation detectors for biomedical applications. *Nucl. Instr. and Meth.* **A454**, 26.
Breskin, A. and Zwang, N. (1977) Timing properties of Parallel Plate Avalanche Counters with light particles. *Nucl. Instr. and Meth.* **144**, 609.
Breskin, A., *et al.* (1974a) Further results on the operation of high-accuracy drift chambers. *Nucl. Instr. and Meth.* **119**, 9.
Breskin, A., *et al.* (1974b) Recent observations and measurements with High-Accuracy Drift Chambers. *Nucl. Instr. and Meth.* **124**, 189.
Breskin, A., *et al.* (1974c) Two-dimensional drift chambers. *Nucl. Instr. and Meth.* **119**, 1.
Breskin, A., *et al.* (1977) High-accuracy, bidimensional read-out of proportional chambers with short resolution times. *Nucl. Instr. and Meth.* **143**, 29.
Breskin, A., *et al.* (1978) A fast, bidimensional, position-sensitive detection system for heavy ions. *Nucl. Instr. and Meth.* **148**, 275.
Breskin, A., *et al.* (1988) A high efficiency low-pressure UV-RICH detector with optical avalanche recording. *Nucl. Instr. and Meth.* **A273**, 798.
Breskin, A., *et al.* (1995) New ideas in CsI-based photon detectors: wire photomultipliers and protection of the photocathodes. *IEEE Trans. Nucl. Sci.* **NS-42**, 298.
Breskin, A., *et al.* (2001) Sealed gas UV-photon detector with a multi-GEM multiplier. *IEEE Trans. Nucl. Sci.* **NS-48**, 417.
Breskin, A., *et al.* (2002) GEM photomultiplier operation in CF4. *Nucl. Instr. and Meth.* **A 483**, 670.
Breskin, A., *et al.* (2009) A concise review of THGEM detectors. *Nucl. Instr. and Meth.* **A 598**, 107.
Breskin, A., *et al.* (2010) Progress in gaseous photomultipliers for the visible spectral range. *Nucl. Instr. and Meth.* **A 623**, 318.
Bressan, A., *et al.* (1999a) High rate behavior and discharge limits in micro-pattern detectors. *Nucl. Instr. and Meth.* **A424**, 321.
Bressan, A., *et al.* (1999b) Beam tests of the gas electron multiplier. *Nucl. Instr. and Meth.* **A425**, 262.
Bressan, A., *et al.* (1999c) Two-dimensional readout in GEM detectors. *Nucl. Instr. and Meth.* **A425**, 254.
Breyer, B. (1973) Pulse height distribution in low energy proportional counter measurements. *Nucl. Instr. and Meth.* **112**, 91.
Brinkmann, D., *et al.* (1995) Image data analysis for the NA35 steamer chamber. *Nucl. Instr. and Meth.* **A354**, 419.
Brown, S. C. (1959) *Basic Data on Plasma Physics*, New York, Wiley.
Broyles, C. D., *et al.* (1953) The measurement and interpretation of the K auger intensities of Sn113, Cs137, and Au198. *Phys. Rev.* **89**, 715.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Bucciantonio, M., *et al.* (2013) Development of a fast proton range radiography system for quality assurance in hadrontherapy. *Nucl. Instr. and Meth.* **A718**, 160.
Buckley, E., *et al.* (1989) A study of ionization electrons drifting over large distances in liquid argon. *Nucl. Instr. and Meth.* **A275**, 364.
Budagov, Y. A., *et al.* (1987) How to use electrodeless drift chambers in experiments at accelerators. *Nucl. Instr. and Meth.* **A255**, 493.
Buffet, J. C., *et al.* (2005) Advances in detectors for single crystal neutron diffraction. *Nucl. Instr. and Meth.* **A554**, 392.
Bunemann, O., *et al.* (1949) Design of grid ionization chambers. *Canadian J. of Res.* **27A**, 191.
Burckhart, H. J., *et al.* (1986) Investigation of very long jet chambers. *Nucl. Instr. and Meth.* **A244**, 416.
Buskens, J., *et al.* (1983) Small high-precision wire chambers for the measurement of proton-antiproton elastic scattering at the CERN collider. *Nucl. Instr. and Meth.* **207**, 365.
Büttner, C., *et al.* (1998) Progress with the Gas Electron Multiplier. *Nucl. Instr. and Meth.* **A 409**, 79.
Buys, A. (1996) RICH in operating experiments. *Nucl. Instr. and Meth.* **A371**, 1.
Buzulutskov, A., *et al.* (2000) The GEM photomultiplier operated with noble gas mixtures. *Nucl. Instr. and Meth.* **A 443**, 164.
Bychkov, V. N., *et al.* (2006) The large size straw drift chambers of the COMPASS experiment. *Nucl. Instr. and Meth.* **A556**, 66.
Byrne, J. (1969) Single electron detection in proportional gas counters. *Nucl. Instr. and Meth.* **74**, 291.
Byrne, J. (2002) Electron avalanches in inhomogeneous media. *Nucl. Instr. and Meth.* **A491**, 122.
Calcaterra, A., *et al.* (2004) Test of large area glass RPCs at the DAΦNE Test Beam Facility (BTF). *Nucl. Instr. and Meth.* **A533**, 154.
Calvert, J. C. and Pitts, J. N. (1966) *Photochemistry*, New York, Wiley.
Camarri, P. (2009) Operation and performance of RPCs in the ARGO-YBJ experiment. *Nucl. Instr. and Meth.* **A602**, 668.
Camarri, P., *et al.* (1998) Streamer suppression with SF6 in RPCs operated in avalanche mode. *Nucl. Instr. and Meth.* **A 414**, 317.
Candela, A., *et al.* (2004) Ageing and recovering of glass RPC. *Nucl. Instr. and Meth.* **A533**, 116.
Capeáns, M. (2003) Aging and materials: lessons for detectors and gas systems. *Nucl. Instr. and Meth.* **A515**, 73.
Capeáns, M., *et al.* (1993) Aging properties of straw proportional tubes with a Xe-Co_2-CF_4 gas mixture. *Nucl. Instr. and Meth.* **A337**, 122.
Carboni, G., *et al.* (2004) Final results from an extensive ageing test of bakelite Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A533**, 107.
Cardarelli, R., *et al.* (1988) Progress in resistive plate counters. *Nucl. Instr. and Meth.* **A263**, 20.
Cardarelli, R., *et al.* (1993) Performance of a resistive plate chamber operating with pure CF3Br. *Nuc. Phys. B (Proc. Suppl.)* **A333**, 399.
Cardarelli, R., *et al.* (1996) Avalanche and streamer mode operation of resistive plate chambers *Nucl. Instr. and Meth.* **A382**, 470.
Carr, J. and Kagan, H. (1986) Wire stability studies for an SSC central drift tracker. *Proc. 1986 Summer Study on the Physics of the Superconducting Supercollider*. Stanford. p. 396.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Carrillo, C. (2012) The CMS project, results from 2009 cosmic-ray data. *Nucl. Instr. and Meth.* **A661**, S19.
Cavalli-Sforza, M., *et al.* (1975) A system of multiwire proportional chambers for a large aperture spectrometer. *Nucl. Instr. and Meth.* **124**, 73.
Cennini, P., *et al.* (1999) Detection of scintillation light in coincidence with ionizing tracks in a liquid argon time projection chamber. *Nucl. Instr. and Meth.* **A432**, 240.
Cerminara, G. (2010) Commissioning, operation and performance of the CMS drift tube chambers. *Nucl. Instr. and Meth.* **A617**, 144.
Cerrito, L., *et al.* (1999) Particle identification using cluster counting in a large drift chamber at normal conditions. *Nucl. Instr. and Meth.* **A 434**, 261.
Cerron-Zeballos, E., *et al.* (1996) A new type of resistive plate chamber: the multigap RPC. *Nucl. Instr. and Meth.* **A 374**, 132.
Cerutti, F. (2004) Performance studies of the monitored drift-tube chambers of the ATLAS muon spectrometer. *Nucl. Instr. and Meth.* **A535**, 175.
Chan, W. F., *et al.* (1993a) The electronic spectrum of carbon dioxide. Discrete and continuum photoabsorption oscillator strengths (6–203 eV) *Chem. Phys.* **178**, 401.
Chan, W. F., *et al.* (1993b) Absolute optical oscillator strengths for discrete and continuum photoabsorption of molecular nitrogen (11–200 eV). *Chem. Phys.* **170**, 81.
Chaplier, G., *et al.* (1999) Preliminary results of the experimental and simulated intrinsic properties of the Compteur A Trou (CAT) detector: behavior with synchrotron radiation. *Nucl. Instr. and Meth.* **A426**, 339.
Charles, G., *et al.* (2011) Discharge studies in Micromegas detectors in low energy hadron beams. *Nucl. Instr. and Meth.* **A468**, 174.
Charpak, G. (1970) Evolution of the automatic spark chambers. *Ann. Rev. Nucl. Sci.* **20**, 195.
Charpak, G. and Sauli, F. (1971) Multiwire chambers operating in the Geiger–Müller mode; new simple method of particle localization. *Nucl. Instr. and Meth.* **96**, 363.
Charpak, G. and Sauli, F. (1974) High-accuracy, two-dimensional readout in Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **113**, 235.
Charpak, G. and Sauli, F. (1978) The multistep avalanche chamber: a new high rate, high accuracy gaseous detector. *Phys. Letters* **78 B**, 523–528.
Charpak, G., *et al.* (1963) A new method for determining the position of a spark in a spark chamber by measurement of currents. *Nucl. Instr. and Meth.* **24**, 501.
Charpak, G., *et al.* (1968) The use of Multiwire Proportional Counters to select and localize charged particles. *Nucl. Instr. and Meth.* **62**, 262.
Charpak, G., *et al.* (1970) Some developments in the operation of Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **80**, 13.
Charpak, G., *et al.* (1971) Some features of large Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **97**, 377.
Charpak, G., *et al.* (1972) Time degeneracy of Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **99**, 279.
Charpak, G., *et al.* (1973) High-Accuracy Drift Chambers and their use in strong magnetic fields. *Nucl. Instr. and Meth.* **108**, 413.
Charpak, G., *et al.* (1978) Progress in high-accuracy proportional chambers. *Nucl. Instr. and Meth.* **148**, 471.
Charpak, G., *et al.* (1979a) Detection of far ultraviolet photons with the Multistep Avalanche Chamber. Applications to Cherenkov light imaging and to some problems in high-energy physics. *Nucl. Instr. and Meth.* **164**, 419.
Charpak, G., *et al.* (1979b) High-accuracy localization of minimum ionizing particles using the cathode-induced charge centre-of-gravity read-out. *Nucl. Instr. and Meth.* **167**, 455.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Charpak, G., *et al.* (1987) An optical, proportional, continuously operating avalanche chamber. *Nucl. Instr. and Meth.* **A258**, 177.
Charpak, G., *et al.* (1988) Studies of light emission by continuously sensitive avalanche chambers. *Nucl. Instr. and Meth.* **A269**, 142.
Chechik, R., *et al.* (1996) Real-time Secondary Electron Emission Detector for high-rate X-ray crystallography. *IEEE Trans. Nucl. Sci.* **NS-43**, 1248.
Chechik, R., *et al.* (2004) Thick GEM-like hole multipliers: properties and possible applications. *Nucl. Instr. and Meth.* **A535**, 303.
Chefdeville, M., *et al.* (2006) An electron-multiplying "Micromegas" grid made in silicon wafer post-processing technology. *Nucl. Instr. and Meth.* **A556**, 490.
Cheng, D. C., *et al.* (1974) Very large proportional drift chambers with high spatial and time resolution. *Nucl. Instr. and Meth.* **117**, 157.
Chepel, V. and Araujo, H. (2013) Liquid noble gas detectors for low energy particle physics. *JINST* **8**, R04001.
Chesnokov, Y. A., *et al.* (2013) Bent crystal channeling applications for beam splitting, extraction and collimation in the U-70 accelerator of IHEP. *Nucl. Instr. and Meth.* **B 309**, 105.
Chiavassa, E., *et al.* (1978) Multiwire and drift chambers for the OMICRON spectrometer. *Nucl. Instr. and Meth.* **156**, 187.
Chiba, J., *et al.* (1983) Study of position resolution for cathode readout MPWC with measurement of induced charge distribution. *Nucl. Instr. and Meth.* **206**, 451.
Chiba, Y., *et al.* (1988) Electron attachment of oxygen in a drift chamber filled with xenon+10% methane. *Nucl. Instr. and Meth.* **A269**, 171.
Chirihov-Zorin, I. E. and Pukhov, O. E. (1996) On sensitivity of gas-discharge detectors to light. *Nucl. Instr. and Meth.* **A371**, 375.
Christodoulides, A. A. and Christophorou, L. G. (1971) Electron attachment to brominated aliphatic hydrocarbons of the form nCNH2N+1Br. *J. Chem. Phys.* **54**, 4691.
Christophorou, L. G. (1971) *Atomic and Molecular Radiation Physics*, London, Wiley.
Christophorou, L. G., *et al.* (1966) Interaction of thermal electrons with polarizable and polar molecules. *J. Chem. Phys.* **44**, 3506.
Christophorou, L. G., *et al.* (1979) Fast gas mixtures for gas-filled particle detectors. *Nucl. Instr. and Meth.* **163**, 141.
Chtchetkovski, A. I., *et al.* (2000) A planar avalanche counter with a thin resistive cathode for light ions. *Nucl. Instr. and Meth.* **A451**, 449.
Cisbani, F. C., *et al.* (2003) Quantum efficiency measurement system for large area CsI photodetectors *Nucl. Instr. and Meth.* **A 502**, 251.
Clark, A. R., *et al.* (1976) Proposal for a PEP facility based on the Time Projection Chamber, PUB-5012, Berkeley.
Clergeau, J. F., *et al.* (2001) Operation of sealed microstrip gas chambers at the ILL. *Nucl. Instr. and Meth.* **A471**, 60.
Cockroft, A. L. and Curran, S. C. (1951) The elimination of the end effects in counters. *Rev. Sci. Instrum.* **22**, 37.
Coelho, L. C. C., *et al.* (2007a) Xenon GPSC high-pressure operation with large-area avalanche photodiode readout. *Nucl. Instr. and Meth.* **A575**, 444.
Coelho, L. C. C., *et al.* (2007b) Measurement of the photoelectron-collection efficiency in noble gases and methane. *Nucl. Instr. and Meth.* **A 581**, 190.
Colaleo, A., *et al.* (2009) The compact muon solenoid RPC barrel detector. *Nucl. Instr. and Meth.* **A602**, 674.
Colas, P. (2004) Ion backflow in the Micromegas TPC for the future linear collider. *Nucl. Instr. and Meth.* **A535**, 226.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Colas, P., *et al.* (2001) Electron drift velocity measured at high electric fields. *Nucl. Instr. and Meth.* **A478**, 215.
Colli, L. and Facchini, U. (1952) Drift velocity of electrons in argon. *Rev. Sci. Instrum.* **23**, 39.
Commichau, V., *et al.* (1985) Test of a high resolution drift chamber prototype. *Nucl. Instr. and Meth.* **A235**, 267.
Cozza, D., *et al.* (2003) The CsI-based RICH detector array for the identification of high momentum particles in ALICE. *Nucl. Instr. and Meth.* **A502**, 101.
Crittenden, R. R., *et al.* (1981) A design for one mm pitch multiwire proportional chamber operating at high rates. *Nucl. Instr. and Meth.* **185**, 75.
Curran, S. C. and Craggs, J. D. (1949) *Counting Tubes Theory and Applications*, London, Butterworth.
Cwiok, M., *et al.* (2005) Optical Time Projection Chamber for imaging of two-proton decay of 45Fe nucleus. *IEEE Trans. Nucl. Sci.* **NS-52**, 2895.
Dagendorf, V., *et al.* (1994) Thermal neutron imaging detectors combining novel composite foil convertors and gaseous electron multipliers. *Nucl. Instr. and Meth.* **A350**, 503.
Dalla Torre, S. (2011) Status and perspectives of gaseous photon detectors. *Nucl. Instr. and Meth.* **A639**, 111.
Danilov, M., *et al.* (2003) Aging studies for the muon detector of HERA-B. *Nucl. Instr. and Meth.* **A515**, 202.
Davies-White, W., *et al.* (1972) A large cylindrical drift chamber for the Mark II detector at SPEAR. *Nucl. Instr. and Meth.* **160**, 227.
Davisson, C. M. and Evans, R. D. (1952) Gamma-ray absorption coefficients. *Rev. Modern Phys.* **24**, 79.
De Boer, W., *et al.* (1978) Performance of drift chambers without field shaping in high magnetic fields. *Nucl. Instr. and Meth.* **156**, 249.
De Cataldo, G., *et al.* (2011) The ALICE-HMPID detector control system: its evolution towards an expert and adaptive system. *Nucl. Instr. and Meth.* **A639**, 211.
De Graaf, E. J., *et al.* (1979) Construction and application of a delay line for position readout of wire chambers. *Nucl. Instr. and Meth.* **166**, 139.
De Lima, E. P., *et al.* (1982) Fano factors of rare gases and their mixtures. *Nucl. Instr. and Meth.* **192**, 575.
De Lima, E. P., *et al.* (1985) The gain divergence in the transition to the Self-Quenching Streamers. *IEEE Trans. Nucl. Sci.* **NS-32**, 510.
De Palma, M., *et al.* (1983) A system of large multiwire proportional chambers for a high intensity experiment. *Nucl. Instr. and Meth.* **217**, 135.
Decamp, D., *et al.* (1990) ALEPH: a detector for electron–positron annihilations at LEP. *Nucl. Instr. and Meth.* **A294**, 121.
Delbart, A. (2010) Production and calibration of 9 m^2 of bulk micromegas detectors for the readout of the ND280/TPCs of the T2K experiment. *Nucl. Instr. and Meth.* **A623**, 105.
Delbart, A., *et al.* (2001) New developments of micromegas detector. *Nucl. Instr. and Meth.* **A461**, 84.
Delbart, A., *et al.* (2002) Performance of micromegas with preamplification at high intensity hadron beams. *Nucl. Instr. and Meth.* **A478**, 205.
den Boggende, A. J. F., *et al.* (1969) Comments on the ageing effect of gas-filled proportional counters. *J. Phys. E: Sci. Instrum.* Ser.2 Vol. **2**, 701.
Derenzo, S. E., *et al.* (1974) Electron avalanche in liquid xenon. *Phys. Rev. A* **9**, 2582.
Derré, J., *et al.* (2000) Spatial resolution in Micromegas detectors. *Nucl. Instr. and Meth.* **A459**, 523.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

DeWulf, J. P. (1986) The results of the streamer-tube system of the CHARM II neutrino detector. *Nucl. Instr. and Meth.* **A252**, 443.
Di Mauro, A. (2004) Recent CsI-RICH developments. *Nucl. Instr. and Meth.* **A525**, 173.
Di Mauro, A., *et al.* (2011) The VHMPID RICH upgrade project for ALICE at LHC. *Nucl. Instr. and Meth.* **A639**, 274.
Dias, T. H. V. T., *et al.* (1991) The Fano factor in gaseous xenon: a Monte Carlo calculation for X-rays in the 0.1 to 25 keV energy range. *Nucl. Instr. and Meth.* **A307**, 341.
Dick, L., *et al.* (2004) FGLD: a novel and compact micro-pattern detector. *Nucl. Instr. and Meth.* **A535**, 347.
Dighe, P. M., *et al.* (2003) Boron-lined proportional counters with improved neutron sensitivity. *Nucl. Instr. and Meth.* **A496**, 154.
Dixit, M. S., *et al.* (2004) Position sensing from charge dispersion in micro-pattern gas detectors with a resistive anode. *Nucl. Instr. and Meth.* **A 518**, 721.
do Carmo, S. J. C., *et al.* (2008) Experimental study of the w-values and Fano factors of gaseous xenon and Ar-Xe mixtures for X-rays. *IEEE Trans. Nucl. Sci.* **NS55**, 2637.
Doke, T. (1982) Recent developments of liquid xenon detectos. *Nucl. Instr. and Meth.* **196**, 87.
Doke, T. and Masuda, K. (1999) Present status of liquid rare gas scintillation detectors and their new application to gamma-ray calorimeters. *Nucl. Instr. and Meth.* **A420**, 62.
Doke, T., *et al.* (1992) Fano factors in rare gases and their mixtures. *Nucl. Instr. and Meth.* **B 63**, 373.
Doll, P., *et al.* (1988) Large area Multiwire Chamber DE-E telescope for (n,Z) studies in a continuous energy neutron beam. *Nucl. Instr. and Meth.* **A270**, 437.
Dominik, W., *et al.* (1989) A gaseous detector for high-accuracy autoradiography of radioactive compounds with optical readout of avalanche positions. *Nucl. Instr. and Meth.* **A278**, 779.
Doroud, K., *et al.* (2009a) Recombination: an important effect in multigap resistive plate chambers. *Nucl. Instr. and Meth.* **A610**, 649.
Doroud, K., *et al.* (2009b) Simulation of temperature dependence of RPC operation. *Nucl. Instr. and Meth.* **A602**, 723.
Dörr, R., *et al.* (1985) Characteristics of a multiwire circular electrodeless drift chamber. *Nucl. Instr. and Meth.* **A238**, 238.
Drumm, H., *et al.* (1980) Experience with the Jet-Chamber of the JADE detector at PETRA. *Nucl. Instr. and Meth.* **176**, 333.
Druyvesteyn, M. J. and Penning, F. M. (1940) The mechanism of electrical discharges in gases of low pressure. *Rev. Mod. Phys.* **12**, 87.
Dubbert, J., *et al.* (2007a) Integration, commissioning and installation of monitored drift tube chambers for the ATLAS barrel muon spectrometer. *Nucl. Instr. and Meth.* **A572**, 53.
Dubbert, J., *et al.* (2007b) Modelling of the space-to-drift-time relationship of the ATLAS monitored drift-tube chambers in the presence of magnetic fields. *Nucl. Instr. and Meth.* **A572**, 50.
Duchazeaubeneix, J. C., *et al.* (1980) Nuclear scattering radiography. *J. Comp. Ass. Tomography*, **4**, 803.
Duerdoth, P., *et al.* (1975) Measurements of the time resolution and rate capability of Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **129**, 461.
Durand, E. (1966) *Electrostatique*, Paris, Masson et Cie.
Ekelöf, T. (1984) The experimental method of ring-imaging Cherenkov (RICH) counters, CERN-EP/84–168, CERN.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Ekelöf, T., *et al.* (1981) The Cherenkov Ring Imaging detector: recent progress and new developments. *Phys. Scripta* **23**, 718.
Engelfried, J. (2011) Cherenkov light imaging – fundamentals and recent developments. *Nucl. Instr. and Meth.* **A639**, 1.
Erskine, G. A. (1972) Electrostatic problems in Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **105**, 565.
Erskine, G. A. (1982) Charges and current induction induced by moving ions in multiwire chambers. *Nucl. Instr. and Meth.* **198**, 325.
Erzen, B., *et al.* (1999) Analysis of the DELPHI RICH data at LEP II. *Nucl. Instr. and Meth.* **A433**, 247.
Esbensen, H., *et al.* (1977) Channeling of protons, pions and deuterons in the GeV region. *Nucl. Phys. B* **127**, 281.
Evans, C. J. (1969) The development of incined sparks in a track-following spark chamber. *Nucl. Instr. and Meth.* **69**, 61.
Evans, R. D. (1958) Compton effect, *in* Handbook der Physik, Flügge, J. (ed.) p. 218, Berlin, Springer Verlag.
Fabbietti, L., *et al.* (2003) Photon detection efficiency in the CsI based HADES RICH. *Nucl. Instr. and Meth.* **A502**, 256.
Fano, U. (1963) Penetration of protons, alpha particles and mesons. *Ann. Rev. Nuclear Science*, **13**, 1.
Farmer, E. C., Brown, S. C. (1948) A study of the deterioration of methane-filled Geiger–Müller counters. *Phys. Rev*. **74**, 902.
Farr, F., *et al.* (1978) Space resolution of drift chambers operated at high gas pressure. *Nucl. Instr. and Meth.* **154**, 175.
Ferguson, T., *et al.* (2003a) Swelling phenomena in anode wires aging under a high accumulated dose. *Nucl. Instr. and Meth.* **A515**, 266.
Ferguson, T., *et al.* (2003b) Gas gain and space charge effects in aging tests of gaseous detectors. *Nucl. Instr. and Meth.* **A515**, 283.
Ferguson, T., *et al.* (2005) Anode front-end electronics for the cathode strip chambers of the CMS Endcap Muon detector. *Nucl. Instr. and Meth.* **A539**, 386.
Ferroni, F. (2009) The second generation BaBar RPCs: final evaluation of performances. *Nucl. Instr. and Meth.* **A602**, 649.
Filatova, N. A., *et al.* (1977) Study of drift chamber system for a K-e scattering experiment at the Fermi National Accelerator. *Nucl. Instr. and Meth.* **143**, 17.
Fischer, G. and Plch, J. (1972) The high voltage read-out for Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **100**, 515.
Fischer, H. M., *et al.* (1989) The OPAL Jet Chamber. *Nucl. Instr. and Meth.* **A283**, 492.
Fischer, J. and Shibata, S. (1972) The hybrid chamber: a proportional chamber with gated spark readout. *Nucl. Instr. and Meth.* **101**, 401.
Fischer, J., *et al.* (1976) Large proportional multiwire chambers for transition radiation detection with unambiguous position readout. *Nucl. Instr. and Meth.* **136**, 19.
Fischer, J., *et al.* (1978) Spatial distribution of the avalanches in proportional counters. *Nucl. Instr. and Meth.* **151**, 451.
Fischle, H., *et al.* (1991) Experimental determination of ionization cluster size distributions in counting gases. *Nucl. Instr. and Meth.* **A301**, 202.
Florent, J. J., *et al.* (1993) The electrostatic field in microstrip chambers and its influence on detector performances. *Nucl. Instr. and Meth.* **A329**, 125.
Foeth, H., *et al.* (1973) On the localization of the position of the particle along the wire of a multiwire proportional chamber. *Nucl. Instr. and Meth.* **109**, 521.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Fonte, P. (1996) A model of breakdown in parallel-plate detectors. *IEEE Trans. Nucl. Sci.* **NS-43**, 2135.
Fonte, P., *et al.* (1991) Feedback and breakdown in parallel-plate chambers. *Nucl. Instr. and Meth.* **A305**, 91.
Fonte, P., *et al.* (1999) A spark-protected high-rate detector. *Nucl. Instr. and Meth.* **A431**, 154.
Fonte, P., *et al.* (2000) A new high-resolution TOF technology. *Nucl. Instr. and Meth.* **A 443**, 201.
Ford, J. L. C. (1979) Position sensitive proportional counters as focal plane detectors. *Nucl. Instr. and Meth.* **162**, 277.
Ford, W. T., *et al.* (1987) Trigger drift chambers for the upgraded MARK II detector at PEP. *Nucl. Instr. and Meth.* **A255**, 486.
Fourletov, S. (2004) Straw tube tracking detector (STT) for ZEUS. *Nucl. Instr. and Meth.* **A535**, 191.
Fowler, I. L. (1973) Very large boron trifluoride proportional counters. *Rev. Sci. Instrum.* **34**, 731.
Fowler, R. H. (1931) The analysis of photoelectric sensitivity curves for clean metals at various temperatures. *Phys. Rev.* **38**, 45.
Fraenkel, Z., *et al.* (2005) A hadron blind detector for the PHENIX experiment at RHIC. *Nucl. Instr. and Meth.* **A 546**, 466.
Fraga, F. A. F., *et al.* (2002) CCD readout of GEM-based neutron detectors. *Nucl. Instr. and Meth.* **A478**, 357.
Fraga, M. M., *et al.* (1992) Fragments and radicals in gaseous detectors. *Nucl. Instr. and Meth.* **A323**, 284.
Fraga, M. M. R., *et al.* (2001) Pressure dependence of secondary NIR scintillation in Ar and Ar/CF4. *IEEE Trans. Nucl. Sci.* **48**, 330.
Franzen, W. and Cochran, L. W. (1956) Pulse Ionization Chambers and Proportional Counters, in *Nuclear Instruments and their Use*, Snell, A. H. (ed.) p. 3–81. New York, Wiley.
Friedman, H. (1960) The Sun's ionizing radiation, in *Physics of the Upper Atmosphere*, Ratcliffe, J. (ed.), New York, Academic Press.
Friedrich, D., *et al.* (1979) Positive ion effects in large-volume drift chambers. *Nucl. Instr. and Meth.* **158**, 81.
Friese, J., *et al.* (1999) Enhanced quantum efficiency for CsI grown on a graphite-based substrate coating. *Nucl. Instr. and Meth.* **A438**, 86.
Frieze, W., *et al.* (1976) A high resolution Multiwire Proportional Chamber System. *Nucl. Instr. and Meth.* **136**, 93.
Frolov, A. R., *et al.* (1991) Position resolution of the spark counter with a localized discharge. *Nucl. Instr. and Meth.* **A307**, 497.
Fuchs, M. (1995) Very high multiplicity tracking in heavy ion collisions with the NA49 TPC detector. *Nucl. Instr. and Meth.* **A367**, 349.
Fujii, K., *et al.* (1984) Study of limited streamer drift tube performance. *Nucl. Instr. and Meth.* **A225**, 23.
Fujimoto, J., *et al.* (1986) Cathode readout of limited streamer tubes with conductive plastic walls. *Nucl. Instr. and Meth.* **A252**, 53.
Fujita, K., *et al.* (2007) A high-resolution two-dimensional 3He neutron MSGC with pads for neutron scattering experiments. *Nucl. Instr. and Meth.* **A580**, 1027.
Fukui, S. and Miyamoto, A. (1959) A new type of particle detector: the discharge chamber. *Nuovo Cimento* **11**, 113.
Fulbright, H. W. (1958) Ionization chambers in nuclear physics, in *Encyclopedia of Physics*, Flügge, S. (ed.), Berlin, Springer Verlag. p. 1–51.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Garber, D. I. and Kinsey, R. R. (1976) Neutron cross sections, BNL Report No. 325 Vol II, BNL.
Gatti, E., *et al.* (1979) Optimum geometry for strip cathodes or grids in MWPC for avalanche localization along the anode wires. *Nucl. Instr. and Meth.* **163**, 83.
Geiger, H. and Müller, W. (1928) Das Elektronenzählrohr. *Phys. Zeits.* **29**, 839.
Gilmore, R. S. (1980) Particle identification by Cherenkov and transition radiation, SLAC-PUB-2606, SLAC.
Gilmore, R. S., *et al.* (1983) An optical readout for accurate positioning of UV photons in an Avalanche Chamber. *Nucl. Instr. and Meth.* **206**, 189.
Giomataris, I., *et al.* (1996) Micromegas: a high-granularity, position-sensitive gaseous detector for high particle flux environments. *Nucl. Instr. and Meth.* **A376**, 29.
Giomataris, I., *et al.* (2006) Micromegas in a bulk. *Nucl. Instr. and Meth.* **A560**, 405.
Giubellino, P., *et al.* (1986) Investigation of breakdown conditions in drift chambers. *Nucl. Instr. and Meth.* **A245**, 155.
Golovatyuk, V. M., *et al.* (1985) Some characteristics of plastic streamer tubes. *Nucl. Instr. and Meth.* **A236**, 300.
Gordon, J. S. and Mathieson, E. (1984) Cathode charge distributions in multiwire chambers: I. Measurement and theory. *Nucl. Instr. and Meth.* **227**, 267.
Gray, D. E. (ed.) (1963) *The American Institute of Physics Handbook*, New York, McGraw Hill.
Grishin, V. M., *et al.* (1991) Ionization energy loss in very thin absorbers. *Nucl. Instr. and Meth.* **A309**, 476.
Grunberg, C., *et al.* (1970) Multiwire Proportional and Semiproportional Counter with a variable sensitive volume. *Nucl. Instr. and Meth.* **78**, 102.
Guirl, L., *et al.* (2002) An aging study of triple GEMs in Ar-CO2. *Nucl. Instr. and Meth.* **A 478**, 263.
Gustavino, C., *et al.* (2001) A glass resistive plate chamber for large experiments. *Nucl. Instr. and Meth.* **A457**, 558.
Haddad, Y., *et al.* (2013) High rate resistive plate chamber for the LHC detector upgrades. *Nucl. Instr. and Meth.* **A718**, 424.
Hallewell, G. D. (1994) Long-term, efficient RICH detector operation with TMAE. *Nucl. Instr. and Meth.* **A343**, 250.
Hallewell, G. (2011) Aspects of the use of saturated fluorocarbon fluids in high energy physics. *Nucl. Instr. and Meth.* **A639**, 207.
Hammarström, R., *et al.* (1980a) Large multiwire proportional chambers for experiment NA3 at the CERN PS. *Nucl. Instr. and Meth.* **174**, 45.
Hammarström, R., *et al.* (1980b) Multitube proportional chambers for high counting rates. *Nucl. Instr. and Meth.* **176**, 181.
Hansen, T. C., *et al.* (2008) The D20 instrument at the ILL: a versatile high-intensity two-axis neutron diffractometer. *Meas. Sci. Technol.* **19**, 034001.
Hanson, G. (1986) The new drift chamber for the Mark II detector at the SLAC linear collider. *Nucl. Instr. and Meth.* **A252**, 343.
Hargrove, C. K., *et al.* (1984) The spatial resolution of the time projection chamber at Triumf. *Nucl. Instr. and Meth.* **219**, 461.
Hasted, J. B. (1964) *Physics of Atomic Collisions*, London, Butterworths.
Heintze, J. (1978) Drift chambers and recent developments. *Nucl. Instr. and Meth.* **156**, 227.
Heintze, J. (1982) The jet-chamber of the JADE experiment. *Nucl. Instr. and Meth.* **196**, 333.
Hempel, G., *et al.* (1975) Development of Parallel-Plate Avalanche Counters for the detection of fission fragments. *Nucl. Instr. and Meth.* **131**, 445.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Hendricks, R. W. (1969) Space charge effects in proportional counters. *Rev. Sci. Instrum.* **40**, 1216.
Henke, B. L., *et al.*, (1993), X-Ray interactions: photoabsorption, scattering, transmission and reflection E = 50–300000 eV, Z = 1–92: www.cxro.lbl.gov/optical_constants/.
Hess, D. W. (1986) Plasma chemistry in wire coatings. *Proc. Workshop on Radiation Damage to Wire Chambers* **LBL-21170**, 15.
Hildebrandt, M. (2003) Aging tests with GEM-MSGCs. *Nucl. Instr. and Meth.* **A515**, 255.
Hilke, H. J. (1986a) Detector calibration with lasers: a review. *Nucl. Instr. and Meth.* **A252**, 169.
Hilke, H. J. (1986b) Summary of aging studies in wire chambers by AFS, DELPHI and EMC groups. *Proc. Workshop on Radiation Damage to Wire Chambers* **LBL21170**, 153.
Hoedlmoser, H., *et al.* (2006) Production technique and quality evaluation of CsI photocathodes for the ALICE/HMPD detector. *Nucl. Instr. and Meth.* **566**, 338.
Hoedlmoser, H., *et al.* (2007) Long term performance and ageing of CsI photocayhodes for the ALICE/HMPID detector. *Nucl. Instr. and Meth.* **A574**, 28.
Hohlmann, M., *et al.* (2002) Aging phenomena in gaseous detectors–perspectives from the 2001 workshop. *Nucl. Instr. and Meth.* **A 494**, 179.
Holder, M., *et al.* (1978) A detector for high-energy neutrino interactions. *Nucl. Instr. and Meth.* **148**, 235.
Holroyd, R., *et al.* (1987) Measurement of the quantum efficiency of TMAE and TEA from threshold to 120 nm. *Nucl. Instr. and Meth.* **A261**, 440.
Hott, T. (2003) Aging problems of the inner tracker at HERA-B. *Nucl. Instr. and Meth.* **515**, 242.
Hu, J., *et al.* (2006) Time expansion chamber system for characterization of TWIST low-energy muon beams. *Nucl. Instr. and Meth.* **A566**, 563.
Huffman, R. E., *et al.* (1955) Near ultraviolet absorption cross sections of argon, krypton and xenon. *Bull. Am. Phys. Soc.* **7**, 457.
Hurst, G. S. and Klots, C. E. (1976) Elementary processes in irradiated noble gases. *Adv. Rad. Chem.* **5**, 1.
Huxley, L. G. and Crompton, R. W. (1974) *The Diffusion and Drift of Electrons in Gases*, New York, Wiley.
Iacobaeus, C., *et al.* (2000) A novel portal imaging device for advanced radiation therapy. *IEEE Trans. Nucl. Sci.* **NS-48**, 1496.
Iacobaeus, C., *et al.* (2001) Sporadic electron jets from cathodes – the main breakdown-triggering mechanism in gaseous detectors. *IEEE Trans. Nucl. Sci.* **49**, 1622.
Iarocci, E. (1983) Plastic streamer tubes and their applications in high energy physics. *Nucl. Instr. and Meth.* **217**, 30.
Igo, G. J., *et al.* (1952) Statistical fluctuations in ionization by 3.5 MeV protons. *Phys. Rev.* **89**, 879.
Isobe, T., *et al.* (2006) Development of a Time Projection Chamber using CF4 gas for relativistic heavy ion experments. *Nucl. Instr. and Meth.* **A 564**, 190.
Ivanouchenkov, Y., *et al.* (1999) Breakdown limit studies in high rate gaseous detectors. *Nucl. Instr. and Meth.* **A422**, 300.
Jamil, M., *et al.* (2012) GEANT4 Monte Carlo simulation response of parallel plate avalanche counter for fast neutron detection. *Rad. Meas.* **47**, 277.
Janssen, M. E., *et al.* (2006) R&D studies ongoing at DESY on a Time Projection Chamber for a detector at the International Linear Collider. *Nucl. Instr. and Meth.* **A 566**, 75.
Järvinen, M. L. and Sipilä, H. (1982) Effects of pressure and admixture of neon Penning mixtures on proportional counters resolution. *Nucl. Instr. and Meth.* **193**, 53.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Jean-Marie, B., *et al.* (1979) Systematic measurements of electron drift velocity and study of some properties of four gas mixtures: A-CH4, A-C2H4, A-C2H6, A-C3H8. *Nucl. Instr. and Meth.* **159**, 213.
Jeavons, A. P. (1978) The high-density proportional chamber and its applications. *Nucl. Instr. and Meth.* **156**, 41.
Jeavons, A. P. and Cate, C. (1976) The proportional Chamber Gamma Camera. *IEEE Trans. Nucl. Sci.* **NS-23**, 640.
Jeavons, A. P., *et al.* (1975) The high-density multiwire drift chamber. *Nucl. Instr. and Meth.* **124**, 491.
Jelenak, Z. M., *et al.* (1993) Electronic excitation of the 750- and 811-nm lines in argon. *Phys. Rev. E* **47**, 3566.
Jones, A. R. and Holford, R. M. (1981) Application of Geiger-Müller counters over a wide range of counting rates. *Nucl. Instr. and Meth.* **189**, 503.
Juricic, I. and Kadyk, J. A. (1986) Results from some anode wire aging tests, *Proc. Workshop on Radiation Damage to Wire Chambers*. Berkeley. LBL-21170 141.
Kadyk, J. (1986) *Workshop on Radiation Damage to Wire Chambers*. Berkeley. LBL-21170.
Kageyama, K., *et al.* (1996) Space charge effects in a thin rectangular proportional counter. *Nucl. Instr. and Meth.* **A369**, 151.
Kaminski, J., *et al.* (2006) *GEM TPC Anode Pad Shape Studies TPC Application Workshop*. Berkeley, CA (USA).
Kamyshov, Y., *et al.* (1987) The self-quenching streamer discharge in Ar-CO2 mixtures. *Nucl. Instr. and Meth.* **A257**, 125.
Kane, S., *et al.* (2003) An aging study of a Micromegas with GEM preaplification. *Nucl. Instr. and Meth.* **A515**, 261.
Kanter, K. (1961) Electron scattering by thin foils for energies below 10 kev. *Phys. Rev.* **121**, 461.
Kappler, S., *et al.* (2004) Design and construction of a GEM-TPC prototype for R&D purposes. *IEEE Trans. Nucl. Sci.* **NS-51**, 1524.
Keirim-Markus, I. B. (1972) The relative luminescence yield of gas proportional counters. *Instruments and Experimental Techniques* **15**, 1337.
Ketzer, B., *et al.* (2001) GEM detectors for COMPASS. *IEEE Trans. Nucl. Sci.* **NS-48**, 1065.
Ketzer, B., *et al.* (2004) Performance of triple GEM tracking detectors in the COMPASS experiment. *Nucl. Instr. and Meth.* **A535**, 314.
Khorashad, L. K., *et al.* (2011) Simulation of resistive plate chamber in streamer mode operation. *Nucl. Instr. and Meth.* **A628**, 470.
Killenberg, M., *et al.* (2004) Charge transfer and charge broadening of GEM structures in high magnetic fields. *Nucl. Instr. and Meth.* **A530**, 251.
Kim, H. C., *et al.* (2009) Quantitative aging study with intense irradiation tests for the CMS. *Nucl. Instr. and Meth.* **A602**, 771.
Kiselev, O., *et al.* (1995) Measurement of electron drift velocities and Lorentz angles in fast gas mixtures. *Nucl. Instr. and Meth.* **A367**, 306.
Klein, M. and Schmidt, C. J. (2011) CASCADE neutron detectors for highest count rates in combination with ASIC/FPGA based readout electronics. *Nucl. Instr. and Meth.* **A 628**, 9.
Klyancho, A. V., *et al.* (2012) A GEM-based dose imaging detector with optical readout for proton radiotherapy. *Nucl. Instr. and Meth.* **A694**, 271.
Knoll, G. (1989) *Radiation Detection and Measurements*, New York, Wiley & Sons.
Kobayashi, M., *et al.* (2011) Cosmic ray test of a GEM-based TPC prototype operated in Ar-CF4-isobutane gas mixtures. *Nucl. Instr. and Meth.* **A 641**, 37.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Kobetich, E. J. and Katz, R. (1968) Energy deposition by electron beams and δ ray *Phys. Rev.* **170**, 391.
Koike, T., *et al.* (2011) A new gamma-ray detector with gold-plated gas electron multiplier. *Nucl. Instr. and Meth.* **A 648**, 180.
Kollefrath, M., *et al.* (1998) Ageing studies for the ATLAS-monitored drift tubes. *Nucl. Instr. and Meth.* **A419**, 351.
Koori, N., *et al.* (1984) Other magic gas mixtures for multiwire proportional chambers. *Nucl. Instr. and Meth.* **220**, 453.
Koori, N., *et al.* (1986a) Self-quenching streamers in magic gas mixtures. *Nucl. Instr. and Meth.* **A243**, 486.
Koori, N., *et al.* (1986b) Self-quenching streamer transitions induced by α- and β-rays in a gas counter. *Jap. J. Appl. Phys.* **25**, 986.
Koori, N., *et al.* (1989) Comparison of self-quenching streamer transitions in Xe-, Kr-, and Ar-mixtures *IEEE Trans. Nucl. Sci*. **NS-36**, 223.
Koori, N., *et al.* (1990) A self-quenched streamer tube operated with Ne-and He-mixtures. *Nucl. Instr. and Meth.* **A299**, 80.
Koori, N., *et al.* (1991) On the mechanism of self-quenching streamer formation. *Nucl. Instr. and Meth.* **A307**, 581.
Korff, S. A. (1955) *Electron and Nuclear Counters*, New York, Van Nostrand.
Kotthaus, R. (1986) A laboratory study of radiation damage to drift chambers. *Nucl. Instr. and Meth.* **A252**, 531.
Krämer, M., *et al.* (2008) First results of the PixelGEM central tracking system for COMPASS. *IEEE Nucl. Sci. Symp. Conf. Rec.* p. 2920.
Krienen, F. (1962) Digitized spark chambers. *Nucl. Instr. and Meth.* **16**, 262.
Kruithof, A. A. and Penning, F. M. (1937) Determination of the Towns end ionization coefficient α for mixtures of neon and argon. *Physica* **4**, 430.
Krusche, A., *et al.* (1965) Nanosecond lifetime measurements with a fast gaseous counter. *Nucl. Instr. and Meth.* **33**, 177.
Kubo, H., *et al.* (2003) Development of a time projection chamber with micro-pixel electrodes. *Nucl. Instr. and Meth.* **A513**, 94.
Kubo, T., *et al.* (2003) Study of the effect of water vapor on a glass RPC with and without freon. *Nucl. Instr. and Meth.* **A508**, 50.
Kuhlmann, W. R., *et al.* (1966) Ortsempfindliche Zählrohre. *Nucl. Instr. and Meth.* **40**, 118.
Kurvinen, K., *et al.* (2003) Analysis of organic compounds formed in electron avalanches in a proportional counter filled with Ar/C2H4 gas mixture. *Nucl. Instr. and Meth.* **A515**, 118.
Lami, S., *et al.* (2006) A triple-GEM telescope for the TOTEM experiment. arXiv:physics/0611178v1.
Landi, G. (2003) Properties of the center of gravity as an algorithm for position measurements: two-dimensional geometry. *Nucl. Instr. and Meth.* **A497**, 511.
Langhoff, P. W. and Karplus, M. (1969) Padé summations of the Cauchy dispersion equation. *J. Opt. Soc. Am.* **59**, 863.
Lapique, F. and Piuz, F. (1980) Simulation of the measurement by primary cluster counting of the energy lost by a relativistic ionizing particle in argon. *Nucl. Instr. and Meth.* **175**, 297.
Ledermann, B., *et al.* (2007) Development studies for the ILC: measurements and simulations for a Time Projection Chamber with GEM technology. *Nucl. Instr. and Meth.* **A 581**, 232.
Lehraus, I., *et al.* (1981) Resolution limits of ionization sampling in high pressure drift detectors. *Phys. Scripta* **23**, 727.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Lehraus, I., *et al*. (1982) dE/dx measurements in Ne, Ar, Xe and pure hydrocarbons. *Nucl. Instr. and Meth*. **200**, 199.
Lehraus, I., *et al.* (1984) *Dependence of Drift Velocity and Signal Amplitude on Gas Mixture Pressure and Purity*, CERN-EF Division N-TPC Note 84–6, CERN, Geneva.
Lightfoot, P. K., *et al.* (2005) Developmet of a double-phase Xenon cell using micromegas charge readout for applications in dark matter physics. *Nucl. Instr. and Meth.* **A 554**, 266.
Lindner, E. G. (1930) Organic reactions in gaseous electrical discharge I. Normal paraffin hydrocarbons. *Phys. Rev.* **36**, 1375.
Lintereur, A., *et al*. (2011) 3He and BF3 neutron detectors pressure effect and model comparison. *Nucl. Instr. and Meth*. **A652**, 347.
Lippmann, C. and Riegler, W. (2004) Space charge effects in Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A517**, 54.
Litt, J. and Meunier, R. (1973) Cherenkov counter techniques in high-energy physics. *Ann. Rev. Nucl. Sci.* **23**, 1.
Llopart, X., *et al.* (2002) Medipix2: A 64-k pixel readout chip with 55-μm square elements working in single photon counting mode. *IEEE Trans. Nucl. Sci.* **NS-49**, 2279.
Llopart, X., *et al.* (2007) Timepix, a 65k programmable pixel readout chip for arrival time, energy and/or photon counting measurements. *Nucl. Instr. and Meth.* **A581**, 485.
Loeb, L. B. (1961) *Basic Processes of Gaseous Electronics*, Berkeley, University of California Press.
Lorents, D. C. (1976) The physics of electron beam excited rare gases at high densities. *Physica* **82C**, 19.
Lowke, J. J. and Parker, J. J. (1969) Theory of electron diffusion parallel to electric fields. II: Application to real gases. *Phys. Rev.* **181**, 302.
Lu, C. and McDonald, K. T. (1994) Properties of reflective and semitransparent CsI photocathodes. *Nucl. Instr. and Meth.* **A343**, 135.
LUX luxdarkmatter.org/
LXCAT Electron Scattering Database, www.lxcat.laplace.univ-tlse.fr/
Mahesh, L. (1976) On the counting rate-dependent amplitude shifts in proportional counters. *Nucl. Instr. and Meth.* **133**, 57.
Majewski, S. (1986) Results on ageing and stability with pure DME and isobutane-methylal mixture in thin high-rate multiwire chambers. *Proc. Workshop on Radiation Damage to Wire Chambers* **LBL-21170**, 239.
Majewski, S. and Sauli, F. (1975) *Support lines and beam killers for large size multiwire proportional chambers*, CERN NP Int. Rep. 75–14, CERN.
Majewski, S., *et al.* (1983) A thin multiwire chamber operating in the high multiplication mode. *Nucl. Instr. and Meth.* **217**, 265.
Malai, J., *et al.* (2011) An integrated Micromegas UV-photon detector. *Nucl. Instr. and Meth.* **A633**, 5194.
Malter, L. (1936) Thin film emission. *Phys. Rev.* **50**, 48.
Mangiarotti, A., *et al.* (2004) Exactly solvable model for the time response function of RPC. *Nucl. Instr. and Meth.* **A533**, 16.
Marel, G., *et al.* (1977) Large Planar Drift Chambers. *Nucl. Instr. and Meth.* **141**, 43.
Margato, L. M. S., *et al.* (2004) Performance of an optical readout GEM-based TPC. *Nucl. Instr. and Meth.* **A535**, 231.
Marr, G. V. (1967) *Photoionization Processes in Gases*, New York, Academic Press.
Marsh, J. B., *et al.* (1979) Glow discharge, its sensitivity to infra-red radiation, RL-79-038, Didcot, Rutherford Laboratory

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Marshall, T. (2003) Restoring contaminated wires, removing gas contaminants, and aging studies of drift tube chambers. *Nucl. Instr. and Meth.* **A515**, 50.
Martin, F. (2007) The ATLAS transition radiation tracker (TRT) from construction to installation. *Nucl. Instr. and Meth.* **A581**, 535.
Martinez, J. C., *et al.* (2007) Automatic method to manufacture 2D Multiwire Proportional Counter frames. *Nucl. Instr. and Meth.* **A573**, 41.
Martoff, C. J., *et al.* (2000) Suppressing drift chamber diffusion without magnetic field. *Nucl. Instr. and Meth.* **A440**, 355.
Martoff, C. J., *et al.* (2005) Negative ion drift and diffusion in a TPC near 1 bar. *Nucl. Instr. and Meth.* **A555**, 55.
Masaoka, S., *et al.* (2003) Optimization of a micro-strip gas chamber as a two-dimensional neutron detector using gadolinium converter. *Nucl. Instr. and Meth.* **A513**, 538.
Massey, H. S. W., *et al.* (1969) *Electronic and Ionic Impact Phenomena*, Vols. I to IV, Oxford, Oxford University Press.
Mathieson, E. (1986) Dependence of gain on count rate due to space charge in coaxial and multiwire proportional counters. *Nucl. Instr. and Meth.* **A249**, 413.
Mathieson, E. and Harris, T. J. (1978) Induced charges in a multi-wire proportional chamber. *Nucl. Instr. and Meth.* **154**, 189.
Mathieson, E. and Harris, T. J. (1979) Evaluation of the initial angular width of the avalanche in a proportional chamber. *Nucl. Instr. and Meth.* **159**, 483.
Mathieson, E. and Smith, G. (1988) Charge distribution in Parallel Plate Avalanche Chambers. *Nucl. Instr. and Meth.* **A273**, 518.
McCarty, R., *et al.* (1986) Identification of large transverse momentum hadrons using a Ring-Imaging Cherenkov Counter. *Nucl. Instr. and Meth.* **A248**, 69.
McDaniel, E. W. and Mason, E. A. (1973) *The Mobility and Diffusion of Ions in Gases*, New York, Wiley & Sons.
McGregor, D. S., *et al.* (2003) Design considerations for thin-film coated semiconductor thermal neutron detectors – I: basics regarding alpha particle emitting neutron films. *Nucl. Instr. and Meth.* **A500**, 272.
McMaster, W. H. (1969) Compilation of X-ray cross sections, UCRL-50174, Liver more.
Meek, J. and Cragg, J. D. (1953) *Electrical Breakdown of Gases*, Oxford, Clarendon Press.
Meinschad, T., *et al.* (2004) GEM-based photon detector for RICH applications. *Nucl. Instr. and Meth.* **A535**, 324.
Melchart, G., *et al.* (1981) The multistep avalanche chamber as detector for thermal neutrons. *Nucl. Instr. and Meth.* **186**, 613.
Miernik, K., *et al.* (2007) Optical Time Projection Chamber for imaging nuclear decays. *Nucl. Instr. and Meth.* **A 581**, 194.
Miller, G. L., *et al.* (1971) A position sensitive detector for a magnetic spectrograph. *Nucl. Instr. and Meth.* **91**, 389.
Miller, L. S., *et al.* (1968) Charge transport in solid and liquid Ar, Kr and Xe. *Phys. Rev.* **166**, 871.
Mills, W. R., *et al.* (1962) Low voltage He3-filled proportional counters for efficient detection of thermal and epithermal neutrons. *Rev. Sci. Instrum.* **33**, 866.
Miné, P., *et al.* (1988) A BaF2-TMAE detector for positron emission tomography. *Nucl. Instr. and Meth.* **A273**, 881.
Miśkowiec, D. and Braun-Munzinger, P. (2008) Laser calibration systems for the CERES Time Projection Chamber. *Nucl. Instr. and Meth.* **A593**, 188.
Mitchell, J. H. and Ridler, K. E. W. (1934) The speed of positive ions in nitrogen. *Proc. Royal Soc. London* **A146**, 911.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Montgomery, G. C. and Montgomery, D. D. (1941) Geiger–Mueller Counters. *J. Franklin Inst.* **231**, 447.
Morii, H., *et al.* (2004) Quenching effects in nitrogen gas scintillation. *Nucl. Instr. and Meth.* **A526**, 399.
Mörmann, D., *et al.* (2003) GEM-based gaseous photomultipliers for UV and visible photon imaging. *Nucl. Instr. and Meth.* **A504**, 93.
Morozov, A., *et al.* (2011) Effect of electric field on the primary scintillation from CF4. *Nucl. Instr. and Meth.* **A628**, 360.
Morse, P. M. and Feshbach, H. (1953) *Methods of Theoretical Physics*, New York, McGraw-Hill.
Morse, P. M., *et al.* (1935) Velocity distributions for elastically colliding electrons. *Phys. Rev.* **48**, 412.
Moshaii, A. and Doroud, K. (2009) Study on the effect of humidity on the RPC performance. *Nucl. Instr. and Meth.* **A602**, 727.
Mota, B., *et al.* (2004) Performance of the ALTRO chip on data acquired on an ALICE TPC next term prototype. *Nucl. Instr. and Meth.* **A535**, 500.
Mountain, R. J., *et al.* (1999) The CLEO III ring imaging Cherenkov detector. *Nucl. Instr. and Meth.* **A433**, 77.
Mueller, E. R. (1989) A simple method to measure wire tension in multiwire chambers. *Nucl. Instr. and Meth.* **281**, 652.
Müller, T. (1986) A microvertex detector for experiment UA1 at the CERN proton–antiproton collider. *Nucl. Instr. and Meth.* **A252**, 387.
Nappi, E. and Seguinot, J. (2005) Ring Imaging Cherenkov Detectors: the state of the art and perspectives. *Riv. Nuovo Cimento* **28**, 1.
Nishio, K., *et al.* (1997) A system for correlation measurement of fission fragments and prompt neutrons for thermal neutron induced fission. *Nucl. Instr. and Meth.* **A385**, 171.
Nohtomi, A., *et al.* (1994) Count-loss mechanism of self-quenching streamer (SQS) tubes. *Nucl. Instr. and Meth.* **A342**, 538.
Northcliffe, L. C. (1963) Passage of heavy ions through matter. *Ann. Rev. Nuclear Science* **13**, 67.
Nygren, D. and Marx, J. (1978) The Time Projection Chamber. *Physics Today* **31**, 46.
Ochi, A., *et al.* (2002) Development of micro pixel chamber. *Nucl. Instr. and Meth.* **A478**, 196.
Oda, S. X., *et al.* (2006) Development of a time projection chamber using gas electron multipliers (GEM–TPC). *Nucl. Instr. and Meth.* **A 566**, 312.
Oed, A. (1988) Position-sensitive detector with micro-strip anode for electron multiplication with gases. *Nucl. Instr. and Meth.* **A263**, 351.
Oed, A. (2004) Detectors for thermal neutrons. *Nucl. Instr. and Meth.* **A525**, 62.
Ogren, H. (1995) The straw tracker for the SDC detector. *Nucl. Instr. and Meth.* **A367**, 133.
Oh, S. H., *et al.* (1991) Construction and performance of a 2.7 m long straw drift tube prototype chamber for the SSC. *Nucl. Instr. and Meth.* **A309**, 368.
Ohgaki, H., *et al.* (1990) Space charge effect in SQS transitions in a gas counter. *Nucl. Instr. and Meth.* **A295**, 411.
Ohnuki, T., *et al.* (2001) Measurement of carbon disulfide anion diffusion in a TPC. *Nucl. Instr. and Meth.* **A 463**, 142.
Okuno, H., *et al.* (1979) Azimuthal spread of the avalanche in proportional chambers. *IEEE Trans. Nucl. Sci.* **NS-26**, 160.
Openshaw, R., *et al.* (1991) Etching of anode wire deposits with CF4/isobutane (80:20) avalanches. *Nucl. Instr. and Meth.* **A307**, 298.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Östling, J., *et al.* (2000) Novel detector for portal imaging in radiation therapy. *Progr. Biomedical Optics and Imaging* **P7 3977**, 84.
Östling, J., *et al.* (2003) Study of hole-type gas multiplication structures for portal imaging and other high counting rate applications. *IEEE Trans. Nucl. Sci.* **NS-50**, 809.
Pacella, D., *et al.* (2001) Ultrafast soft X ray 2D plasma imaging system based on Gas Electron Multiplier detector with pixel read-out. *Rev. Scient. Instrum.* **72**, 1372.
Pacella, D., *et al.* (2003) X-VUV spectroscopic imaging with a micropattern gas detector. *Nucl. Instr. and Meth.* **A 508**, 414.
Palladino, V. and Sadoulet, B. (1974) Applications of the classical theory of electrons in gases to multiwire proportional and drift chambers, LBL-3013, Berkeley.
Palladino, V. and Sadoulet, B. (1975) Applications of classical theory of electrons in gases to drift proportional chambers. *Nucl. Instr. and Meth.* **128**, 323.
Pansky, A., *et al.* (1993) Detection of X-ray fluorescence of light elements by electron counting in a low-pressure gaseous electron multiplier. *Nucl. Instr. and Meth.* **A330**, 150.
Pansky, A., *et al.* (1995) The scintillation yield of CF_4 and its relevance to detection science. *Nucl. Instr. and Meth.* **A354**, 262.
Parker, J. D., *et al.* (2013) Neutron imaging detector based on the μPIC micro-pixel chamber. *Nucl. Instr. and Meth.* **A697**, 23.
Parker, J. H. and Lowke, J. J. (1969) Theory of electron diffusion parallel to electric fields. I: Theory. *Phys. Rev.* **181**, 290.
Peisert, A. (1983) The Parallel Plate Avalanche Chamber as end-cap detector for Time Projection Chambers. *Nucl. Instr. and Meth.* **217**, 229.
Peisert, A. and Sauli, F. (1984) Drift and diffusion of electrons in gases: a compilation, CERN 84–08, Geneva.
Perez-Mendez, V. and Pfab, J. M. (1965) Magnetostrictive readout for "wire spark chambers". *Nucl. Instr. and Meth.* **33**, 141.
Periale, L., *et al.* (2002) Detection of the primary scintillation light from dense Ar, Kr and Xe with novel photosensitive gaseous detectors. *Nucl. Instr. and Meth.* **A478**, 377.
Periale, L., *et al.* (2004) The developemnt of gaseous detectors with solid photocathodes for low-temperature applications. *Nucl. Instr. and Meth.* **A535**, 517.
Peskov, V. and Fonte, P. (2009) Research on discharges in micropattern and small gap gaseous detectors, arXiv:0911.0463.
Pestov, Y. N. (1982) Status and future developments of spark counters with a localized discharge. *Nucl. Instr. and Meth.* **196**, 45.
Pestov, Y. N. (2002) Review on counters with localized discharge. *Nuc. Phys. B (Proc. Suppl.)* **A494**, 447.
Pestov, Y. N., *et al.* (2000) Timing performance of spark counters and photon feedback. *Nucl. Instr. and Meth.* **A456**, 11.
Petersen, G., *et al.* (1980) The multistep avalanche chamber as detector in radiochromatography imaging. *Nucl. Instr. and Meth.* **176**, 239.
Piuz, F. (2003) Ring Imaging Cherenkov systems based on gaseous photo-detectors: trends and limits around particle physics accelerators. *Nucl. Instr. and Meth.* **A502**, 76.
Piuz, F., *et al.* (1982) Evaluation of systematic errors in the avalanche localization along the wire with cathode strips readout MWPC. *Nucl. Instr. and Meth.* **196**, 451.
Platzman, R. L. (1967) Energy spectrum of primary activations in the action of ionizing radiation, in *Radiation Research*, G. Silini (ed.), Amsterdam, North Holland. p. 20.
Policarpo, A. J. L. P. (1977) The Gas Scintillation Proportional Counter. *Space Sci. Instr.* **3**, 77.
Policarpo, A. J. P. L., *et al.* (1970) The gas proportional scintillation counter under X-ray bombardment: resolution and pulse correlations. *Nucl. Instr. and Meth.* **77**, 309.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Policarpo, A. J. P. L., *et al.* (1972) Improved resolution for low energies with gas proportional scintillation counters. *Nucl. Instr. and Meth.* **102**, 337.
Policarpo, A. J. P. L., *et al.* (1974) Detection of soft X-rays with a xenon Proportional Scintilation Counter. *Nucl. Instr. and Meth.* **118**, 221.
Policarpo, A. P. J. (1981) Light production and gaseous detectors. *Phys. Scripta* **23**, 539.
Prete, G. and Viesti, G. (1985) Discrimination capability of avalanche counters detecting different ionizing particles. *Nucl. Instr. and Meth.* **A234**, 276.
Price, L. E., *et al.* (1982) Investigation of Long Drift Chambers for a Nucleon Decay Detector. *IEEE Trans. Nucl. Sci.* **29**, 383.
Price, W. J. (1958) *Nuclear Radiation Detectors*, New York, McGraw Hill.
Procureur, S., *et al.* (2011) Discharge studies in micromegas detectors in a 150 GeV/c pion beam. *Nucl. Instr. and Meth.* **A 659**, 91.
Puill, G., *et al.* (1999) MICROMEGAS: high rate and radiation hardness results. *IEEE Trans. Nucl. Sci.* **NS-46**, 1894.
Rabus, H., *et al.* (1999) Quantum efficiency of caesium iodide photocathodes in the 120–220 nm spectral range traceable to a primary detector standard. *Nucl. Instr. and Meth.* **A438**, 94.
Radicioni, E. (2007) Design, construction and performance of a large GEM-TPC prototype. *Nucl. Instr. and Meth.* **A572**, 195.
Raether, H. (1964) *Electron Avalanches and Breakdown in Gases*, London, Butterworth.
Rahman, M., *et al.* (1981) A multitrack drift chamber with 60 cm drift space. *Nucl. Instr. and Meth.* **188**, 159.
Ramo, S. (1939) Currents induced by electron motion. *Proc. of IRE* **27**, 584.
Ramsey, B. D. and Agrawal, P. C. (1989) Xenon-based Penning mixtures for proportional counters. *Nucl. Instr. and Meth.* **278**, 576.
Rapp, D. and Englander-Golden, P. (1965) Total cross sections for ionization and attachment in gases by electron inpact. I. Positive ionization. *J. Chem. Phys.* **43**, 1464.
Ravazzani, A., *et al.* (2006) Characterization of 3He proportional counters. *Rad. Meas.* **41**, 582.
Regan, T. (1984) A sensitive instrument for measuring wire tension in multiwire proportional and drift chambers. *Nucl. Instr. and Meth.* **219**, 100.
Rehak, P., *et al.* (2000) First results of the Micro Pin Array detector (MIPA). *IEEE Trans. Nuc. Sci.* **NS-47**, 1426.
Rhodes, C. K. (1979) *Excimer Lasers*, Berlin, Springer-Verlag.
Riegler, W. (2002a) High accuracy wire chambers. *Nucl. Instr. and Meth.* **A494**, 173.
Riegler, W. (2002b) Induced signals in resistive plate chambers. *Nucl. Instr. and Meth.* **A491**, 258.
Riegler, W. (2004) Extended theorems for signal induction in particle detectors VCI 2004. *Nucl. Instr. and Meth.* **A535**, 287.
Riegler, W. and Lippmann, C. (2004) The physics of Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A518**, 86.
Riegler, W., *et al.* (2000) Resolution limits of drift tubes. *Nucl. Instr. and Meth.* **A443**, 156.
Riegler, W., *et al.* (2007) Gain reduction due to space charge in wire chambers. *Nucl. Instr. and Meth.* **A582**, 469.
Robin, M. B. (1974) *Higher Excited States of Polyatomic Molecules*, New York, Academic Press.
Roessler, D. M. and Walker, C. (1967) Optical constants of magnesium oxide and lithium fluoride in the far ultraviolet. *J. Opt. Soc. Am.* **57**, 835.
Rohrbach, F. (1988) Streamer chambers at CERN during the past decade and visual techniques of the future, CERN / EF 88–17, CERN.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Rossegger, S. and Riegler, W. (2010) Signal shape in a TPC wire chamber. *Nucl. Instr. and Meth.* **A623**, 927.
Rossegger, S., *et al.* (2010) An analytical approach to space charge distortions for time projection chambers. *Nucl. Instr. and Meth.* **A617**, 193.
Rossegger, S., *et al.* (2011) Analytical solutions for space charge fields in TPC drift volumes. *Nucl. Instr. and Meth.* **A632**, 52.
Rossi, B. and Staub, H. (1949) *Ionization Chambers and Counters*, New York, McGraw-Hill.
Rotherburg, E. and Walsh, S. (1993) Mechanism of wire breaking due to sparks in proportional or drift chambers. *Nucl. Instr. and Meth.* **A333**, 316.
RPC2005 (2006) 8th International Workshop on Resistive Plate Chambers. *Nucl. Phys. B (Proc. Suppl.)* **158**.
RPC2007 (2009) IX International Workshop on Resistive Plate Chambers. *Nucl. Instr. and Meth.* **A602**.
Rutherford, E. and Geiger, H. (1908) An electrical method of counting the number of α-particles from radio-active substances. *Proc. Royal Soc. A* **81**, 141.
Saito, M., *et al.* (2008) Fluctuation of ionization, scintillation and proportional scintillation yields due to apha-particles in gaseous xenon under normal pressures. *Nucl. Instr. and Meth.* **A593**, 407.
Sakai, H., *et al.* (2002) Study of the effect of water vapor on a resistive plate chamber with glass electrodes. *Nucl. Instr. and Meth.* **A484**, 153.
Salete Leite, M. S. C. P. (1980) Radioluminescence of rare gases. *Portugal Phys.* **11**, 53.
Santonico, R. (2009) An overview of RPC at the LHC startup. *Nucl. Instr. and Meth.* **A602**, 627.
Santonico, R. (2012) RPC impact in today's physics and perspectives for a new R&D phase. *Nucl. Instr. and Meth.* **A661**, S2.
Santonico, R. and Cardarelli, R. (1981) Development of resistive plate counters. *Nucl. Instr. and Meth.* **187**, 377.
Saquin, Y. (1992) The DELPHI time projection chamber. *Nucl. Instr. and Meth.* **A323**, 209.
Saudinos, J., *et al.* (1973) Localisation de particules par compteur à migration. *Nucl. Instr. and Meth.* **111**, 77.
Saudinos, J., *et al.* (1975) Nuclear scattering applied to radiography. *Phys. Med. Biol.* **20**, 890.
Sauli, F. (1977) Principles of operation of multiwire proportional and drift chambers, CERN 77–09, Geneva.
Sauli, F. (1978) Limiting accuracies in multiwire proportional and drift chambers. *Nucl. Instr. and Meth.* **156**, 147.
Sauli, F. (1992) Applications of gaseous detectors in astrophysics, medicine and biology. *Nucl. Instr. and Meth.* **A323**, 1.
Sauli, F. (1997) GEM: a new concept for electron amplification in gas detectors. *Nucl. Instr. and Meth.* **A386**, 531.
Sauli, F. (1998) Development of high rate MSGCs: overview of results from RD-28. *Nucl. Phys. B (Proc. Suppl.)* **61B**, 236.
Sauli, F. (2003) Fundamental understanding of aging processes: review of the workshop results. *Nucl. Instr. and Meth.* **A515**, 358.
Sauli, F. (2005) Novel Cherenkov photon detectors. *Nucl. Instr. and Meth.* **A 533**, 18.
Sauli, F. (2014) Gas Electron Multiplier (GEM) detectors: principles of operation and applications, in *Comprehensive Biomedical Physics*, Brahme, A. (ed.), Elsevier, in press.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Sauli, F. and Sharma, A. (1999) Micro pattern gaseous detectors. *Ann. Rev. Nucl. Part. Sci.* **49**, 341.
Saxon, D. H. (1988) Multicell Drift Chambers. *Nucl. Instr. and Meth.* **A265**, 20.
Schilly, P., *et al.* (1970) Construction and performance of large multiwire proportional chambers. *Nucl. Instr. and Meth.* **91**, 221.
Schindler, H., *et al.* (2010) Calculation of gas gain fluctutions in uniform fields. *Nucl. Instr. and Meth.* **A624**, 78.
Schins, E. (1996) *Thesis at Wuppertal University*, WUB-DIS 96–22.
Schlumbohm, H. (1958) Zur Statistik der Elektronenlawinen im ebenen Field. *Zeit. Phys.* **151**, 563.
Schmidt, B. (1998) Microstrip Gas Chambers: recent developments, radiation damage and long term behaviour. *Nucl. Instr. and Meth.* **A 419**, 230.
Schmidt, H. R. (1999) Pestov spark counters: work principle and applications. *Nuc. Phys. B (Proc. Suppl.)* **78**, 372.
Schreiner, A. (2001) Humidity dependence of anode corrosion in HERA-B Outer Tracker Chambers operated with Ar/CF4/CO2. *Nucl. Instr. and Meth.* **A515**, 146.
Schuh, S., *et al.* (2004) A high precision X-ray tomograph for quality control of the ATLAS Muon Monitored Drift Tube Chambers. *Nucl. Instr. and Meth.* **A518**, 73.
Schultz, G. (1976) Etude d'un Détecteur de Particules a très haute précision spatiale. *Thesis at Université Louis Pasteur*, Strasbourg,
Schultz, G. and Gresser, J. (1978) A study of transport coefficients of electrons in some gases used in proportional and drift chambers. *Nucl. Instr. and Meth.* **151**, 413.
Schultz, G., *et al.* (1977) Mobilities of positive ions in some gas mixtures used in proportional and drift chambers. *Rev. Physique Appliquée* **12**, 67.
Schyns, E. (2002) Status of large area CsI photocathode developments. *Nucl. Instr. and Meth.* **A494**, 441.
Seguinot, J. and Ypsilantis, T. (1977) Photo-ionization and Cherenkov ring imaging. *Nucl. Instr. and Meth.* **142**, 377.
Seguinot, J. and Ypsilantis, T. (1994) A historical survey of ring imaging Cherenkov counters. *Nucl. Instr. and Meth.* **A343**, 1.
Séguinot, J., *et al.* (1980) Imaging Cherenkov detectors: photo-ionization of tri-ethyl-amine. *Nucl. Instr. and Meth.* **173**, 283.
Séguinot, J., *et al.* (1990) Reflective UV photocathodes with gas-phase electron extraction: solid, liquid, and adsorbed thin films. *Nucl. Instr. and Meth.* **A297**, 133.
Seravalli, E., *et al.* (2009) 2D dosimetry in a proton beam with a scintillating GEM detector. *Phys. Med. Biol.* **54**, 3755.
Sernicki, J. (1983) A versatile large area Parallel Plate Avalanche Counter (PPAC) for broad-range magnetic spectrographs. *Nucl. Instr. and Meth.* **212**, 195.
Sharma, A. (1996) Study and optimization of the tracking detector for the FINUDA experiment. *Thesis at Université de Genève*,
Sharma, A. (2009) Summary of RPC2007 the IX International Workshop. *Nucl. Instr. and Meth.* **A602**, 854.
Sharma, A. (2012) Muon tracking and triggering with gaseous detectors and some applications. *Nucl. Instr. and Meth.* **A666**, 98.
Sharma, A. and Sauli, F. (1992) A measurement of the first Townsend coefficient in argon based mixtures at high fields. *Nucl. Instr. and Meth.* **A323**, 280.
Shockley, W. (1938) Currents to conductors induced by a moving point charge. *J. Appl. Phys.* **9**, 635.
Shotanus, P., *et al.* (1986) Development study of a new gamma camera for positron emission tomography. *Nucl. Instr. and Meth.* **A252**, 255.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Siegmund, O. H. W., *et al.* (1983) Improved energy resolution capability of an imaging proportional counter using electron counting techniques. *IEEE Trans. Nucl. Sci.* **NS-30**, 350.
Sipilå, H. (1976) Energy resolution of the proportional counter. *Nucl. Instr. and Meth.* **133**, 351.
Sipilä, H. and Kiuru, E. (1978) On energy dispersive properties of the proportional counter channel, in *Advances in X-ray analysis*, Newkirk, J. B. and Ruud, C. O. (eds.), New York, Plenum Publishing.
Sipilä, H., *et al.* (1980) Mathematical treatment of space charge effects in proportional counters. *Nucl. Instr. and Meth.* **176**, 381.
Smirnov, I. B. (2005) Modeling of ionization produced by fast charged particles in gases. *Nucl. Instr. and Meth.* **A554**, 474.
Smirnov, I. B., (2012), HEED: consult.cern.ch/writeup/heed/.
Smith, G. C., *et al.* (1990) A low pressure, parallel plate avalanche chamber for detection of soft X-ray fluorescence. *Nucl. Instr. and Meth.* **A291**, 135.
Smith, G. C., *et al.* (1992) High rate, high resolution, two-dimensional gas proportional detectors for X-ray synchrotron radiation experiments. *Nucl. Instr. and Meth.* **A323**, 78.
Sorensen, P., *et al.* (2009) The scintillation and ionization yield of liquid xenon for nuclear recoils. *Nucl. Instr. and Meth.* **A601**, 339.
Spielberg, N. and Tsarnas, D. I. (1975) Counting rate dependent gain shifts in flow proportional counters. *Rev. Sci. Instrum.* **46**, 1085.
STAR drupal.star.bnl.gov/STAR/public/img/.
Staric, M. (1989) Analytical approach to the development of charge signals in multiwire proportional chambers. *Nucl. Instr. and Meth.* **A283**, 744.
Staric, M., *et al.* (1983) Some simple approaches used in the construction of multiwire proportional chambers. *Nucl. Instr. and Meth.* **216**, 67.
Staub, H. (1953) Detection methods, in *Experimental Nuclear Physics*, Segré, E. (ed.), New York, Wiley. p. 1.
Steinhaeuser, P., *et al.* (1997) Simulation of the electromagnetic properties of a Pestov spark counter. *Nucl. Instr. and Meth.* **A390**, 86.
Stelzer, H. (1976) A large area parallel plate avalanche counter. *Nucl. Instr. and Meth.* **133**, 409.
Suzuki, M. (1983) Recombination luminescence from ionization tracks produced by alpha particles in high-pressure argon, krypton and xenon gases. *Nucl. Instr. and Meth.* **215**, 345.
Suzuki, M. and Kubota, S. (1979) Mechnism of proportional scintillation in argon, krypton and xenon. *Nucl. Instrum. and Meth.* **164**, 197.
Suzuki, M., *et al.* (1987) The emission spectra of Ar, Kr and Xe+TEA. *Nucl. Instr. and Meth.* **A254**, 556.
Suzuki, M., *et al.* (1988) On the optical readout of Gas Avalanche Chambers and its applications. *Nucl. Instr. and Meth.* **A263**, 237.
Szarka, J. and Povinec, P. (1979) Electrostatic problems in multi-element proportional counters. *Nucl. Instr. and Meth.* **164**, 463.
Takahashi, H., *et al.* (2004) Development of a two-dimensional multi-grid-type microstrip gas chamber for spallation neutron source. *Nucl. Instr. and Meth.* **A529**, 348.
Takahashi, T., *et al.* (1983) Emission spectra from Ar-Xe, Ar-Kr, Ar-N_2, Ar-CH_4, Ar-CO_2 and Xe-N_2 gas scintillation proportional counters. *Nucl. Instr. and Meth.* **205**, 591.
Tanaka, Y., *et al.* (1953) Absorption coefficients of gases in the vacuum ultraviolet. Part IV. Ozone. *J. Chem. Phys.* **21**, 1651.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Teyssier, J. L., *et al.* (1963) Les scintillateurs gazeux: structure, mécanisme et applications. *J. Phys. Rad.* **24**, 55.
Thiess, P. E. and Miley, G. H. (1975) New near-infrared and ultraviolet gas-proportional scintillation counters. *IEEE Trans. Nucl. Sci.* **NS-21**, 125.
Thompson, A. C., (2004), X-Ray data booklet: xdb.lbl.gov.
Thompson, J. R., *et al.* (1985) Cathode charge distribution in multiwire chambers 3: distribution in anode wire direction. *Nucl. Instr. and Meth.* **A234**, 505.
Thomson, G. M., *et al.* (1973) Mobility, diffusion and clustering of K^+ ions in gases. *J. Chem. Phys.* **58**, 2402.
Titov, M. (2004) Radiation damage and long-term aging in gas detectors. arXiv:physics/0403055.
Titov, M. (2007) New developments and future perspectives of gaseous detectors. *Nucl. Instr. and Meth.* **A581**, 25.
Titov, M. (2012) Gaseous detectors, in *Handbook of Particle Detection and Imaging*, Grupen, C. and Buvat, I. (eds.), Berlin, Springer Verlag.
Titt, U., *et al.* (1998) A Time Projection Chamber with optical readout for charged particle track structure imaging. *Nucl. Instr. and Meth.* **A416**, 85.
Tomitani, T. (1972) Analysis of potential distribution in a gaseous counter of rectangular cross-section. *Nucl. Instr. and Meth.* **100**, 179.
Townsend, J. (1947) *Electrons in Gases*, London, Hutchinson.
TPC (1983) *The Time Projection Chamber*. AIP Conf. Proc. 108, Vancouver American Institute of Physics.
Trinchero, G. C., *et al.* (2003) A study of new techniques for large-scale glass RPC production. *Nuc. Phys. B (Proc. Suppl.)* **A508**, 102.
Trippe, T. (1969) *Minimum Tension Requirements for Charpak Chambers' Wires*, CERN NP Int. Rep. 69–18, CERN.
Trower, W. P. (1966) Range–energy end dE/dx plots of charged particles in matter, UCRL–2426, Livermore.
Tsyganov, E. N. (1976) Estimates of cooling and bending processes for charged particle penetration through a monocrystal, Report TM-684, FERMILAB.
Ullaland, O. (1986) The OMEGA and SFMD experience in intense beams. *Proc. Workshop on Radiation Damage to Wire Chambers*. Berkeley. LBL-21170 107.
Ullaland, O. (2005) Fluid systems for RICH detectors. *Nucl. Instr. and Meth.* **A553**, 107.
Urban, M., *et al.* (1981) A position sensitive parallel plate avalanche counter to detect minimum ionizing particles. *Nucl. Instr. and Meth.* **188**, 47.
Va'vra, J. (1986a) High Resolution Drift Chambers. *Nucl. Instr. and Meth.* **A244**, 391.
Va'vra, J. (1986b) *Review of Wire Chamber Aging Workshop on Radiation Damage to Wire Chambers Berkeley.* LBL-21170263.
Va'vra, J. (1992) Wire chamber gases. *Nucl. Instr. and Meth.* **A323**, 34.
Va'vra, J. (1997) Wine ageing with the TEA photocathode. *Nucl. Instr. and Meth*. **A 387**, 183.
Va'vra, J. (2003) Physics and chemistry of aging-early developments. *Nucl. Instr. and Meth.* **A515**, 1.
van der Graaf, H. (2007) GridPix: an integrated readout system for gaseous detectors with a pixel chip as anode. *Nucl. Instr. and Meth.* **A580**, 1023.
van der Graaf, H. (2011) Gaseous detectors. *Nucl. Instr. and Meth.* **A628**, 27.
Veenhof, R. (1998) GARFIELD, recent developments. *Nucl. Instr. and Meth.* **A419**, 726.
Veenhof, R. (2002) GARFIELD, rjd.home.cern.ch/rjd/garfield/.
Vellettaz, N., *et al.* (2004) Two-dimensional gaseous microstrip detector for thermal neutrons. *Nucl. Instr. and Meth.* **392**, 73.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Veress, I., Montvai, A. (1978) Survey on Multiwire Proportional Chambers. *Nucl. Instr. and Meth.* **156**, 73.
Viertel, G. M. (1995) The L3 forward muon detector. *Nucl. Instr. and Meth.* **367**, 115.
Villa, F. (1983) Dimethylether: a low velocity, low diffusion drift chamber gas. *Nucl. Instr. and Meth.* **217**, 273.
Villa, M., *et al.* (2011) Progress on large area GEMs. *Nucl. Instr. and Meth.* **A 628**, 182.
Volpe, G., *et al.* (2008) Gas Cherenkov detectors for high momentum charged particle identification in the ALICE experiment at LHC. *Nucl. Instr. and Meth.* **A595**, 40.
Wagner, E. B., *et al.* (1967) Time-of-Flight Investigations of Electron Transport in Some Atomic and Molecular Gases. *J. Chem. Phys.* **47**, 3138.
Walenta, A. H. (1973) A system of large Multiwire Drift Chambers. *Nucl. Instr. and Meth.* **111**, 467.
Walenta, A. H. (1978) Left-right assignment in drift chambers and MWPCs using induced signals. *Nucl. Instr. and Meth.* **151**, 461.
Walenta, A. H. (1979) The Time Expansion Chamber and single ionization cluster measurement. *IEEE Trans. Nucl. Sci.* **NS-26**, 73.
Walenta, A. H. (1981) Performance and development of dE/dx counters. *Phys. Scripta* **23**, 354.
Walenta, A. H. (1983) State-of-the art and applications of Wire Chambers. *Nucl. Instr. and Meth.* **217**, 65.
Walenta, A. H., *et al.* (1971) The Multiwire Drift Chamber: a new type of proportional wire chamber. *Nucl. Instr. and Meth.* **92**, 373.
Walkowiak, W. (2000) Drift velocity of free electrons in liquid argon. *Nucl. Instr. and Meth.* **A449**, 288.
Walz, C. (2010) Optimization and characterization of Gas Electron Multipliers. *Thesis at Hochschule Offenburg*,
Wang, J. G. (2003) RPC performance at KLM/BELLE. *Nucl. Instr. and Meth.* **A508**, 133.
Warren, R.W. and Parker, J.H. (1962) Ratio of the Diffusion Coefficient to the Mobility Coefficient for Electrons in He, Ar, N2, H2, D2, CO and CO2. *Phys. Rev.* **128**, 2661.
Watanabe, K. and Zelikoff, M. (1953) Absorption coefficients of water vapor in the vacuum ultraviolet. *J. Opt. Soc. Am.* **43**, 753.
Watanabe, T. (1999) A computational analysis of intrinsic detection efficiency of Geiger–Mueller tubes for photons. *Nucl. Instr. and Meth.* **A438**, 439.
White-Grodstein, G. (1957) X-ray attenuation coefficients from 10 keV to 100 MeV, *National Bureau of Standards Circular* **583**, NBS.
Wiedner, D., *et al.* (2008) The use of n-perfluorocarbons as RICH radiators. *Nucl. Instr. and Meth.* **A595**, 216.
Wilkinson, D. H. (1950) *Ionization Chambers and Counters*, Cambridge, Cambridge University Press.
Wilkinson, D. H. (1992) The Geiger discharge revisited Part I. The charge generated. *Nucl. Instr. and Meth.* **A321**, 195.
Wilkinson, D. H. (1996a) The Geiger discharge revisited Part II. Propagation. *Nucl. Instr. and Meth.* **A383**, 516.
Wilkinson, D. H. (1996b) The Geiger discharge revisited Part III. Convergence. *Nucl. Instr. and Meth.* **A383**, 523.
Wilkinson, D. H. (1999) The Geiger discharge revisited Part IV. The fast component. *Nucl. Instr. and Meth.* **A435**, 446.
Williamson, C. and Boujot, J. P. (1962) Tables of range and rates of energy loss of charged particles of energy 0.5 to 150 MeV, Saclay, CEN.
XENON: xenon.astro.columbia.edu.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press

Yamashita, T., *et al.* (1992) Measurements of electron drift velocities and positive ion mobilities for gases containing CF4 II. *Nucl. Instr. and Meth.* **A317**, 213.
Yasuda, H. (2003) New insights into aging phenomena from plasma chemistry. *Nucl. Instr. and Meth.* **A515**, 15.
Ye, J., *et al.* (2008) Study of position resolution of resistive plate chambers. *Nucl. Instr. and Meth.* **A591**, 411.
Yeddanapalli, L. M. (1942) The decomposition of methane in glow discharge at liquid-air temperature. *J. Chem. Phys.* **10**, 249.
You, W. (2012) Particle identification of the ALICE TPC via dE.dx. *Nucl. Instr. and Meth.* **A706**, 55.
Ypsilantis, T. (1981) Cherenkov Ring Imaging. *Phys. Scripta* **23**, 371.
Ypsilantis, T. and Seguinot, J. (1994) Theory of ring imaging Cherenkov counters. *Nucl. Instr. and Meth.* **A343**, 30.
Zeballos, E. C., *et al.* (1996) A comparison of the wide gap and narrow gap resistive plate chamber. *Nucl. Instr. and Meth.* **A373**, 35.
Zech, G. (1983) Electrodeless drift chambers. *Nucl. Instr. and Meth.* **217**, 209.
Zeuner, T. (2000) The MSGC-GEM inner tracker for HERA-B. *Nucl. Instr. and Meth.* **A 446**, 324.
Zhang, J., *et al.* (2010) The BESIII muon identification system. *Nucl. Instr. and Meth.* **A614**, 196.
Zhang, W., *et al.* (1989) Excitation and ionization of freon molecules 1. *Chem. Phys.* **137**, 391.
Ziegler, J. F. (1977) *The Stopping Power of Ions in Matter*, New York, Pergamon.
Ziegler, M., *et al.* (2001) A triple GEM detector with two dimensional readout. *Nucl. Instr. and Meth.* **A 471**, 260.

https://doi.org/10.1017/9781009291248.020 Published online by Cambridge University Press