Index

$A_0 = 0$ gauge, 192–193
ADHM construction
  larger groups, 228–231
  SU(2), 223–227
adjoint group, 303
Alice strings, 71–74, 77
anomalous central charge, 160
anti-de Sitter spacetime, 274–275
axial anomaly, 236–239
axial gauge, 201–202
axion, 251

background gauge condition, 52, 97
baryon number nonconservation
  by instantons, 246–247
  by sphalerons, 247–248
Bogomolny equation, 152
bosonization, 36–37, 106
bounce, 181
  action, 260
  boundary conditions, 257, 276
  curved spacetime, 275–280
  field theory, 255–265
  finite temperature, 271
  O(3)×O(2) symmetry, 290
  O(4) symmetry, 257, 275
BPS dyon, 150
BPS kink, 159–160
BPS limit, 150
BPS mass bound, 152
BPS monopole, 150–153, 308–311
BPS vortex, 153–154, 306–308
Brandt–Neri–Coleman instability, 112, 114
bubble cluster, 293
bubble collisions, 293
bubble evolution, 265, 291–292
  anti-de Sitter spacetime, 293–294
  initial conditions, 265, 289–291
bubble interior, 267, 292–293
bubble nucleation
  anti-de Sitter bubbles, 283–284
  Coleman–Weinberg potential, 262
  curved spacetime, 275–280
  false vacuum bubbles, 281–282
  finite temperature, 267–272
  zero temperature, 255–265
bubble nucleation rate, 262
bubble wall, 265–266

Callan–Rubakov effect, 128–129
Cartan subalgebra, 296
center of group, 62, 303–304
Cheshire charge, 74
chiral symmetry, 245
chromodyons, 125–127
collective coordinates, 22–23, 50, 97, 98, 184, 191
conventions, 3–5
cosmic strings, 141–142
  formation, 137–138
cosmological phase transitions, 135–136
CP violation in kaon decays, 249
critical bubble, 269–270

D-branes, 231
de Sitter spacetime, 273–274
  Penrose diagram, 274
  static coordinates, 274
  static patch, 274
Derrick's theorem, 42–43, 256
dilute-gas approximation, 186, 235, 260
Dirac quantization condition, 84, 88–89
  dyons, 84
Dirac string, 82
Dirac vector potential, 82
domain walls, 27, 137
  bounds on mass scale, 141
  gravitational effects, 140
dual root, 299
duality, 2, 37
Dynkin diagrams, 300
dyon charge
  quantization, 84
  θ dependence, 251–253
dyons, 98–100
  Julia–Zee, 98–99
  statistics, 101–104

effective Lagrangian, 244, 246

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 15 Nov 2026 at 01:58:56, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9781139017787.017

electric–magnetic duality, 81, 172–174
η symbol, 207–209

false vacuum, 254
finite temperature effective potential, 134
first Chern number, 204–205
fractional fermion number, 26, 105
Friedmann equation, 131
fundamental group, 59–61
  non-Abelian, 61, 74
  of Lie groups, 63–64
fundamental monopoles, 168

Gell-Mann matrices, 296
Georgi–Glashow model, 89–90
Gibbons–Hawking temperature, 274
Ginzburg temperature, 138

Hawking–Moss solution, 280
high-temperature symmetry restoration, 133–135
homotopy, 58–59
  free, 65
homotopy group
  first, *see* fundamental group
  higher, 77, 78
  second, 74–77, 79, 80
  third, 79

index of an operator, 214, 305
index theorems, 305–311
  and spectral flow, 242
  fermions, 242
  instantons, 214–223
  monopoles, 161, 168, 171, 308–311
  vortices, 161, 306–308
inflation, 147
instanton, 180
instanton number, 207

Kibble mechanism, 136–137
kink, 6–13
  classical mass in ϕ^4 theory, 10
  classical mass in sine-Gordon theory, 12
  ϕ^4 theory, 6–11
  quantum corrections to mass, 16–22, 33
  sine–Gordon theory, 12

Langacker–Pi model, 147
large gauge transformations, 195

magnetic charge, 82
  quantization, 89, 91, 110, 113–115, 167
magnetic monopoles, 81–129
  angular momentum, 86–87
  astrophysical bounds, 145–146
  evolution of density, 142–144
  experimental limits, 146
  GUT, 121–125
  mass, 93
  multiply charged, 96–97, 120–121, 125
  Parker bound, 145
  primordial formation, 138–139
  't Hooft–Polyakov, 92–96
  with half-integer spin, 100–101
  Z_2, 119–120
magnetic weights, 112
massive Thirring model, 35
massless monopole clouds, 171
measure problem, 282
metastable state
  decay, 177–178
moduli space, 163
moduli space approximation, 163–166
  magnetic monopoles, 164–166
  massless monopoles, 171
  vortex–vortex scattering, 164
moduli space metric, 164
  Atiyah–Hitchin, 166
  distinct monopoles, 169
  massless monopoles, 171
monopole spherical harmonics, 87–88
monopole–fermion scattering, 105–107, 128–129
Montonen–Olive duality, 172–174
multi-instanton solutions
  Jackiw–Nohl–Rebbi solutions, 213
  't Hooft solutions, 212, 226–230
multimonopole solutions, 162–163, 168–171
  axial symmetry, 162
  Platonic symmetry, 163

N-ality, 304
n-vacua, 197–199
Nahm construction, 162
negative modes, 187–191, 265, 271, 290
neutron electric dipole moment, 250
new inflation, 293

oscillating bounce, 280, 290
oscillons, 34
overshoot–undershoot argument, 258–259

parameter counting, *see* index theorems
particle horizon, 133, 138
Peccei–Quinn mechanism, 251
pendulum, 203
percolation, 293

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 15 Nov 2026 at 01:58:56, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9781139017787.017

periodic potential, 203
polyacetylene, 27
primordial monopole problem, 146

quaternions, 223

rigid rotor, 248
Robertson–Walker metric, 130
root diagram, 296
roots, 295–302
  classical Lie algebras, 299
  exceptional Lie algebras, 299

second Chern number, 205–206
short supermultiplets, 158
simple roots, 300
simply connected manifold, 60
sine-Gordon theory, 12
  and massive Thirring model, 34–37
  breather, 31–33
  kink, 12
  multikink solutions, 29–30
small gauge transformations, 195
soliton mass, 1–2
spectral flow, 240–243
sphalerons, 247
spinor representations, 304
strong CP problem, 250
superconducting string, 56
superconductors, 49
supersymmetric Yang–Mills theory, 156–158
supersymmetry
  and Bogomolny equation, 158
  and BPS states, 159
  central charges, 155, 157
symmetric double well, 176–177, 182–186

θ-term, 200, 202
  and fermion mass matrix, 251
θ-vacua, 199–200
thin-wall approximation, 263–264, 282–283
  curved spacetime, 277–280
't Hooft symbol, 207–209
threshold bound states, 173, 174
topological charge, 11, 89, 154
topological current, 10
topological defects, 137
triality, 63, 304
tunneling
  and path integrals, 182–190
  WKB approximation, 175

U(1) problem, 245–246
universal covering group, 63, 302

vacuum manifold, 57–58
vortices, 68–74
  gauged, 44–47
  global, 38–42
  multivortex solutions, 47–48
  semilocal, 71
  vortex–vortex interactions, 48–49, 164
  Weinberg–Salam theory, 70, 71
  Z_2, 69
vorticity, 39, 44, 45

weight lattice, 302
weights, 302
winding number, 39, 77–78
  Yang–Mills vacua, 195–197
WKB approximation
  many degrees of freedom, 178–181
  tunneling, 175

Yang–Mills instanton, 192–235
  $A_0 = 0$ gauge, 194–200
  axial gauge, 201–202
  chirality change, 242
  nonsingular form, 210
  one-loop corrections, 231–235
  projection to four-sphere, 207
  running coupling, 234
  self-duality, 209
  singular form, 211

zero modes, 18, 22, 52, 97, 161–162, 168, 184, 191, 233, 260, 261
  and spectral flow, 241
  fermionic, 25, 28, 53–55, 104–105, 173, 243–244

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 15 Nov 2026 at 01:58:56, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9781139017787.017