Index

Compiled by Stanley Thorley

Abnormal Involuntary Movements Scale 125
adoption: Finnish family study 29–32
aetiology 9–14
Affective Style (AS) system 108–110 & Tab. I, 113, 136
akinesia: neuroleptics 46
anergia 34–35 & Figs 1–2
Angus Scale for Extrapyramidal Symptoms (EPS) 34, 36
anxiety 77
anxiety/depression 34–35 & Figs 1–2
apprehension
  COGLAB 70, 72 Figs 1–2
  communication deviance (CD) 84–85
arousal
  attentional disorders 58, 60–62
  autonomic: environmental relationships 84–89
  basic dysfunction 78 & Fig. 5, 80
  electrodermal activity (EDA) 51–54, 56
  physiological correlates 136–137
  transmitting system 18
  withdrawal 90–91
attention
  communication deviance (CD) 84–85
  dysfunction 75
  selective
    breakdown 37–38
    distractability 63, 66
  transmitting system 18
attentional disorders 57–62
  choice 57, 60 & Fig. 2
  objective attention performance 57
  psychophysiological activation 57
  subjective activation 57
  subjective performance 57
  tests 58–60 & Figs 1–2
auto-protective strategies 128

basic disorders: coping behaviour 128, 131–132 & Fig. 3, 134
Beavers-Timberlawn Family Evaluation Scale 31
binocular depth inversion 38–39
biometry 10
Brief Psychiatric Rating Scale (BPRS)
  cognitive therapy 76
  coping styles 109
  distractability 64
  thymosthenic agents 34–36 & Figs 1–3
burning out 23

Camberwell Family Interview (CFI)
  electrodermal activity 42
  management programmes 113–114
  patterns of Expressed Emotion (EE) 107–110
cerebral pathology: family history 92
chronicity
  apparent 11
  vulnerability 90
Clinical Global Impression (CGI) 34–35 Fig. 3
cognition 69–70, 73
cognitive laboratory (COGLAB) 70–73 & Figs 1–2
cognitive therapy 69–73
communication deviance (CD) 84–89, 136
Community Adjustment Scale outcome score 102
community mental health centres (CMHCs) 119–120
compliance 121
computer program: 'GW-BASIC' (Microsoft; 1983–84) 101 Fig. 2, 103
computerised Life Chart methods 100–106
conceptualisation 74–75
Continuous Performance Task (CPT)
  coping behaviour 129–130
  information processing 84–86
  vigilance 70
Contorted; Peculiar Language factor 86–87 & Tab. 1
coping
  attentional disorders 57–62
  behaviour 128–135
  differentiation from illness 22–23, 26–27
  life situations 81
  stress 136–137
  styles 107–111
    Coping Style (CS) system 108–109 Tab. II
'critical periods': development 11
criticism 108–110 & Tabs I–II & Fig. 1
culture
  Expressed Emotion (EE) 96
  stress 96
  vulnerability 96

decompensation
  depression 46–48
  psychosis 15–16 & Fig. 1
deficiencies; vulnerability-linked 128–135
delusions 22, 27
depression 46–49 & Tab. II
development
  'critical periods' 11
  models 11–12
dichotic shadowing: distractability 63
disabilities: rehabilitation 117
disease
  (see also) illness
  therapy 9
distractability
  state or trait aspects 63–64, 66
  system breakdown 80

https://doi.org/10.1192/S0007125000296141 Published online by Cambridge University Press

dopamine-metabolism: psycho-biological mediator 18
drugs *see also* neuroleptics and thymosthenic agents
  specific *see* pimpamparone; risperidone; ritanserin and setoperone
DSM-III
  criteria 29, 64
  schizophrenia 100–106
dynamics
  complex biological–psychosocial systems 15–21
  mediators 22–28
dysequilibrium; functional: three-component-system-hypothesis 37–39
dysfunctions; basic psychological: therapy 74–83
dysphoria: implications for relapse 45–50

early signs 47–49
  Early Signs Questionnaire (ESQ) 48–49 & Tab. III, 125
ecology
  models 11–12
  niches 10–11, 12
  socioeconomic factors 95–96
electrodermal activity (EDA)
  environmental relationships 88
  Expressed Emotion (EE) 41–42 & Fig. 1, 51–56
  high risks 41 & Fig. 1
  hyperactivity 85
  orienting responses (OR) 41 & Fig. 1
  vulnerability research 40–45
environmental relationships 84–89, 90–99
  autonomic arousal 84–89
  communication deviance (CD) 84–89
  Expressed Emotion (EE) 90–91
  Finnish adoptive family study 29–32
  information processing 84–89
  models 13
  stressful life events 84–89
episode markers 63
evolution; long-term 15–21
Expressed Emotion (EE)
  culture 96
  electrodermal activity (EDA) 41–42 & Fig. 1, 51–56
  environmental relationships 90–91
  management programmes 112–115
    high (HEE) and low (LEE) 112–115
  patterns 107–111
    HEE and LEE 108–110 & Tabs I–II & Fig. 1
  relapse 17
extrapyramidal side-effects 46

families
  cerebral pathology 92
  direct interaction 108
  discourse: physiological correlates 136–143
  Finnish adoptive study 29–32
  management programmes 112–116
  patterns of Expressed Emotion 107–111
  psychosocial influences 94–95
  Salford interventions 53–56 & Tab. 1 & Fig. 4
  season of births 96–97
'filter-deficiency' hypothesis 37–38
Finland: adoptive family study 29–32
Five-Minute Speech Sample (FMSS) 108–110
forced choice span of apprehension task 84–86
Frankfurt Complaints Questionnaire (FBF) 76, 129, 131
Frankfurt Self-Concept Scales (FSKN) 132–133 Fig. 5

genetic–environmental interaction 91–93
  life events 92
  stress 92
  vulnerability 92
genetics
  Finnish adoptive family study 29–32
  models 13
Global Assessment Scale (GAS) 125
  outcome score 102

hallucinations 22, 27, 38
'halo effect': Finnish adoptive family study 30
handicaps: rehabilitation 117
healing
  internal environment 13
  natural 9, 13–14
high risks: electrodermal activity (EDA) 41 & Fig. 1
Hilfe für Psychisch Erkrankte (HPE) 144
hyperarousal
  genetic tendency 16
  HEE relatives 113–115
  stressor/vulnerability 88–89
hypotheses
  'filter-deficiency' 37–38
  three-component-system of psychoses 37–39

illness *see also* disease
  differentiation from coping 22–23, 26–27
impairments: rehabilitation 117
information processing
  dysfunctions 74–75 & Fig. 1
  environmental relationships 84–89
  model 37
  perceptual and conceptual 77–80
  perceptual filter defects 91
  vulnerability 97
institutional environments: psychosocial influences 94
Integrated Psychological Treatment Programme (IPT) 75–76, 81
inversion; binocular depth 38–39
IPC Questionnaire 132–133 & Fig. 6

learning theory: models 12–13
Levels of Function Scale outcome score 102
Life Chart methods 100–106
life events
  genetic liability 92
  stressful 84–89
  'triggers' 93–94
  vulnerability 90
locus of control 80, 128, 132

https://doi.org/10.1192/S0007125000296141 Published online by Cambridge University Press

male susceptibility: vulnerability 92–93
mediators
  biological–psychosocial: systems theory 18–19 & Fig. 4
  environmental relationships 85, 87
  new dynamics 22–28
  psycho-biological 15–21
    dopamine-metabolism 18
    neural plasticity 17–18, 19
    stress 17
medication; intermittent: management programmes 115
3-methoxy-4-hydroxyphenylglycol (MHPG) 43–44
Meyer–Leighton Life Chart 101–104 & Figs 1–4
migration 95
MMPI
  Finnish adoptive family study 30, 31
  Schizophrenia Scale 64
models
  aetiology 9–14
  biological–psychosocial evolutionary 15–17 & Figs 1–3
    long-term evolution 15 Fig. 1, 16–17 & Figs 2–3, 19 Fig. 4
    premorbid phase 15 Fig. 1, 16, 19 Fig. 4
    psychotic decompensation 15 Fig. 1, 16, 19 Fig. 4
  cognitive 69–70
  developmental 11–12
  diathesis-stress 97
  ecological 11–12
  genetic 13
  internal environment 13
  learning theory 12–13
  neurophysiological and neuroanatomical 13
  three-component-model of psychosis 38
  vulnerability 9, 10–11, 90
    stress 51, 88
    two factor 97
Müller-Lyer illusion 70, 72 Figs 1–2

National Alliance for the Mentally Ill (NAMI) 144
National Schizophrenia Fellowship (NSF) 144
network; social: vulnerability 10–11
neuroleptics
  akinesia 46
  relapse 13
neurophysiology and neuroanatomy: models 13
niches; ecological 10–11, 12
non-compliance 120
Nurses' Observations Scale for Inpatient Evaluation (NOSIE) 76

orienting responses (OR): electrodermal activity (EDA) 41 & Fig. 1
oscillations: longitudinal patterns 25–26
outcome
  DSM-III schizophrenia 100–106
  electrodermal activity (EDA) and expressed emotion (EE) 51–56
overstimulation: psychoses 17, 62

patterns; longitudinal 23
  low turning points 24–25
  oscillations 25–26
  woodshedding 23–24
perception
  basic dysfunction 74–76, 80
  filter defects: information-processing 91
  three component system 38–39
performance
  continuous 57–58
  objective attention 57
  subjective 57
personality; premorbid: vulnerability 10–11
physiological correlates of stress 136–143
pimpamperone 33
plasticity; neural: psychobiological mediators 17–18, 19
Present State Examination (PSE)
  attentional disorders 58
  coping behaviour 129–130 & Fig. 2
  coping styles 107
  dysphoria: implications for relapse 46
  electrodermal activity (EDA) 43
  Finnish adoptive family study 29
Problem Appraisal Scale 124–125
processes
  capacity 70–71
  semi-independent 22, 26
  systemic: coping with attentional disorders 57–62
prodromal episodes 123–127
Psychiatric Epidemiology Research Interview for Life Events (PERI-LE) 88
psychosocial influences 93–95
  family environments 94–95
  institutional environments 94
  life events 93–94
  stress 93
psychometry: prerequisites for cognitive therapy 69–73
psychopathology 10, 125–135
psychoses
  decompensation 15–16 & Fig. 1
  overstimulation 17, 62
  three-component-system-hypothesis 37–39
  vulnerability 18 & Fig. 4

quality *v.* quantity 9–10, 13–14

reaction time
  attentional disorders 57–58
  COGLAB 70, 72 Figs 1–2
  measurements 129
rehabilitation 112, 117–122
relapse
  electrodermal activity (EDA) 51–52, 56
  environmental relationships 85
  Expressed Emotion (EE) 17, 110
  implications of dysphoria 45–50
  internal environment 13
  prevention 11, 112–116
  prodromal episodes 123–127
  rehabilitation 117, 120

https://doi.org/10.1192/S0007125000296141 Published online by Cambridge University Press

relatives
non-vulnerable (NVR) and vulnerable (VR) 129–133
work 144–150
groups 144
self-help 145
Research Diagnostic Criteria (RDC)
coping styles 107
environmental relationships 85
Finnish family study 29
risperidone 34–35 & Figs 1 & 3, 36
ritanserin 34 & Fig. 1
Rorschach protocols: Finnish adoptive family study 31

Salford family interventions 53–56 & Tab. 1 & Fig. 4
Scale for the Assessment of Negative Symptoms (SANS) 43
season of birth
family history 96–97
self-confidence 81
self-help 144–147 & Figs 1–2
organisations 144–146
relatives 144
Self-Image Scale (SIS) 76
setoperone 33
side-effects; extrapyramidal 46
signs; early 47–49
size estimation 70–71
skills training modules 117–122
skin conductance
attentional disorders 58–59 & Fig. 1
electrodermal activity (EDA); expressed emotion and outcome 51
non-specific responses (NS-SCR) 51–55 Figs 1–4 & 6
skin conductance levels (SCL) 51 & Fig. 1, 53, 55 Fig. 7
life event assessment procedures 88
social class 95
social functioning 69–70
social skills 75–76, 81
training 117, 119
socioeconomic factors 95–97
culture 96
ecology 95–96
migration 95
season of birth 96–97
social class 95
Span of Apprehension task; forced choice 84–87, 129–130
stress
attentional disorders 58, 61
circumstances 93
coping 133–134
culture 96
dopamine-metabolism 18
electrodermal activity (EDA) 43, 53
genetic–environmental interaction 92
increased sensitivity 16
life events: environmental relationships 84–89
physiological correlates 136–143
psychobiological mediator 17
vulnerability 74–75, 90, 97
stressors
electrodermal activity (EDA) 51, 53, 56
neuroleptics 13
vulnerability 10–11
Symptom Check List 90 (SCL-90) 47–49 & Tab. II
symptoms
negative 22, 34–35 Fig. 3, 36, 115
Scale for the Assessment of Negative Symptoms (SANS) 43
positive 22
systems
complex biological–psychosocial
dynamics 15–21
theory 18–19 & Fig. 4
three-component-system-hypothesis of psychoses 37–39

Tachistopic Signal Discrimination scores 86–87
Test–Operate–Test–Exit 76–77
Thematic Apperception Test (TAT) 86–87
therapy 9–14, *see also* medication and rehabilitation
basic psychological dysfunctions 74–83
cognitive 69–73
disease or patient 9
neuroleptics 13
thymosthenic agents 33–36
thought disorder 86–87
thymosthenic agents 33–36
transmitting systems
arousal 18
attention 18
turning points; low: longitudinal patterns 24–25

Union Nationale des Amis et des Familles des Malades Mentaux (UNAFAM) 144

Vermont Longitudinal Research Project 100–102
vigilance 70, 72 Figs 1–2
vulnerability
attentional disorders 57
basic psychological dysfunction 74–75, 80–81
chronicity 90
culture 96
distractability 63
ecological niches 10–11
electrodermal activity (EDA) 40–45, 53
Finnish adoptive family study 29–32
functional dysequilibrium 37
genetic–environmental interaction 92
indicators 128, 134
information-processing 97
life events 90
linked deficiencies 128–135
male susceptibility 92–93
markers 63, 66–67
models 9, 10–11, 136

https://doi.org/10.1192/S0007125000296141 Published online by Cambridge University Press

outcome 16–17
premorbid personalities 10–11, 19 & Fig. 4
psychoses 18 & Fig. 4
social networks 10–11
stress 90, 97
  electrodermal activity (EDA) 51
stressors 10–11
Wisconsin Card Sorting Test 70
withdrawal
  arousal 90–91
  basic dysfunction 77, 80
woodshedding
  longitudinal patterns 23–24
work with relatives 144–150

https://doi.org/10.1192/S0007125000296141 Published online by Cambridge University Press