Author Index

ABDELRAHMAN, M.M., ELBAYOUMI, G.M., NABAWY, M.R.A. and ELNOMROSSY, M.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

AIRIAU, C., RONA, A. and MONTI, M.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G., ALLEGRI, G. and ISIKVEREN, A.T.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

ALAVI, S.M. and FIROUZ-ABADI, R.D.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins, pp 777-792.

ALLEGRI, G., ISIKVEREN, A.T., AJAJ, R.M., FRISWELL, M.I. and DETTMER, W.G.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

ANDERSON, S., COOPER, J., GUDDE, N. and HOWES, J.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

ANDERSON, D., MURRAY-SMITH, D., BAGIEV, M. and THOMSON, D.G.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

ARIAS-MONTAÑO, A. and RODRÍGUEZ-CORTÉS, H.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms, pp 175-188.

BABU, V. and JANARTHANAM, S.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet, pp 833-846.

BAGIEV, M., THOMSON, D.G., ANDERSON, D. and MURRAY-SMITH, D.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

BAKER, N., RHEAD, A.T., BUTLER, R. and LIU, W.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

BARAKOS, G.N. and LAWSON, S.J.
Influence of stores on the flow inside UCAV weapon bays, pp 199-215.

BARAKOS, G.N. and DEHAEZE, F.
Hovering rotor computations using an aeroelastic blade model, pp 621-649.

BARBER, T.J., NEELY, A.J., MYRE, D.D. and DOIG, G.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

BARBER, T.J., NEELY, A.J., MYRE, D.D. and DOIG, G.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

BELL, M., ROBINSON, T.D. and ROBINSON, D.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

BENISSAAD, S., NEMOUCHI, Z., DAHDI, B., MAMOU, M. and KHALID, M.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

BIANCHI, F., ZHANG, X. and LIU, H.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G., KLUG, M. and SUAREZESPINOZA, P.A.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

BOJDO, N. and FILIPPONE, A.
Operational performance of inlet barrier filters for rotorcraft, pp 847-869.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

BOQUET, A. and ROGERS, R.O.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots, pp 1015-1039.

BOTEZ, R.M., POPOV, A.V., MAMOU, M., MÉBARKI, Y. and GRIGORIE, T.L.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

BOTEZ, R.M., POPOV, A.V., MAMOU, M., MÉBARKI, Y. and GRIGORIE, T.L.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

BRESSLOFF, N.W., KEANE, A.J., HOLDEN, C.M.E. and NURDIN, A.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

BROMFIELD, M.A. and GRATTON, G.B.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane, pp 467-499.

BUTLER, R., LIU, W., BAKER, N. and RHEAD, A.T.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

CANIBEK, M. and ÖZGEN, S.
In-flight ice formation simulation on finite wings and air intakes, pp 337-362.

CANTWELL, W.J., ZHOU, J. and GUAN, Z.W.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

CAO, Y., LI, G. and HESS, R.A.
Helicopter flight characteristics in icing conditions, pp 963-979.

CAVALIERI, A.V.G. and SOVIERO, P.A.O.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method, pp 391-406.

CENKO, A., O'BRIEN, C.W., SNYDER, M.R. and HALLBERG, E.N.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

CHAN, W., GALBRAITH, R. and SHENG, W.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

CHAN, W. and PERRY, J.
Use of aerofoil section dynamic stall synthesis methods in rotor design, pp 501-520.

CHAPLIN, R., STOLLERY, J., MIFSUD, M., ESTRUCH-SAMPER, D. and MACMANUS, D.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

CLIFTON, A., LEE, J., ELGHALI, L., FRANCE, C. and LLOYD, S.
A framework for environmental risk management, pp 941-961.

COOKE, A.K., LONE, M.M. and RUSENO, N.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

COOPER, J., GUDDE, N., HOWES, J. and ANDERSON, S.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

DAHDI, B., MAMOU, M., KHALID, M., BENISSAAD, S. and NEMOUCHI, Z.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

DAOUD, F., SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U. and HÖRNLEIN, H.R.E.M.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

DATTOMA, V., DEGIORGI, M., GIANCANE, S., MANCO, P. and MORABITO, A.E.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

DEGIORGI, M., GIANCANE, S., MANCO, P., MORABITO, A.E. and DATTOMA, V.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

DEHAEZE, F. and BARAKOS, G.N.
Hovering rotor computations using an aeroelastic blade model, pp 621-649.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

DETTMER, W.G., ALLEGRI, G., ISIKVEREN, A.T., AJAJ, R.M. and FRISWELL, M.I.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

DOIG, G., BARBER, T.J., NEELY, A.J. and MYRE, D.D.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

DOIG, G., BARBER, T.J., NEELY, A.J. and MYRE, D.D.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

ELBAYOUMI, G.M., NABAWY, M.R.A., ELNOMROSSY, M.M. and ABDELRAHMAN, M.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

ELGHALI, L., FRANCE, C., LLOYD, S., CLIFTON, A. and LEE, J.
A framework for environmental risk management, pp 941-961.

ELNOMROSSY, M.M., ABDELRAHMAN, M.M., ELBAYOUMI, G.M. and NABAWY, M.R.A.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

ESTRUCH-SAMPER, D., MACMANUS, D., CHAPLIN, R., STOLLERY, J. and MIFSUD, M.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

FALZON, B., MUTHU, N., MAITI, S.K. and GUIAMATSI, I.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

FAROKHI, S., JIN, W. and TAGHAV, R.R.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

FIELDING, J., STOCKING, P. and JEMITOLA, P.O.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

FILIPPONE, A. and MOHAMED-KASSIM, Z.
Multi-disciplinary simulation of propeller-turboprop aircraft flight, pp 985-1014.

FILIPPONE, A. and BOJDO, N.
Operational performance of inlet barrier filters for rotorcraft, pp 847-869.

FIROUZ-ABADI, R.D. and ALAVI, S.M.
Effect of thickness and angle-of-attack on the aeroelastic stability of supersonic fins, pp 777-792.

FORREST, J.S., PADFIELD, G.D., OWEN, I. and HODGE, S.J.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

FRANCE, C., LLOYD, S., CLIFTON, A., LEE, J. and ELGHALI, L.
A framework for environmental risk management, pp 941-961.

FRISWELL, M.I., DETTMER, W.G., ALLEGRI, G., ISIKVEREN, A.T. and AJAJ, R.M.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

FRITZ'JOHL, W.A.T.
A further case for variable geometry, pp 023-44.

GALBRAITH, R., SHENG, W. and CHAN, W.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

GANGULI, R., HARURSAMPATH, D. and MURUGAN, M.S.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

GARRY, K.P., MORARIS, V.M. and LAWSON, N.J.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers , pp 757-767.

GENNARETTI, M., MURO, D., MOLICACOLELLA, M. and SERAFINI, J.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

GIANCANE, S., MANCO, P., MORABITO, A.E., DATTOMA, V. and DEGIORGI, M.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

GINGRAS, D.R. and RALSTON, J.N.
Aerodynamics modelling for training on the edge of the flight envelope, pp 67-86.

GÖRTZ, S. and ZIMMERMANN, R.
Improved extrapolation of steady turbulent aerodynamics using a non-linear POD-based reduced order model, pp 1079-1100.

GRATTON, G.B. and BROMFIELD, M.A.
Factors affecting the apparent longitudinal stick-free static stability of a typical high-wing light aeroplane, pp 467-499.

GRATTON, G.B. and HOFF, R.I.
Camera tracking and qualitative airflow assessment of a two-turn erect spin, pp 541-562.

GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V., MAMOU, M. and MÉBARKI, Y.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V., MAMOU, M. and MÉBARKI, Y.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

GUAN, Z.W., CANTWELL, W.J. and ZHOU, J.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

GUDDE, N., HOWES, J., ANDERSON, S. and COOPER, J.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

GUIAMATSIA, I., FALZON, B., MUTHU, N. and MAITI, S.K.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

HALLBERG, E.N., CENKO, A., O'BRIEN, C.W. and SNYDER, M.R.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

HARURSAMPATH, D., MURUGAN, M.S. and GANGULI, R.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

HENDERSON, R.P., MARTINS, J.R.R.A. AND PEREZ., R.E.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

HESS, R.A., CAO, Y. and LI, G.
Helicopter flight characteristics in icing conditions, pp 963-979.

HODGE, S.J., FORREST, J.S., PADFIELD, G.D. and OWEN, I.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

HODZIC, A., SOUTIS, C. and MOHAMED, G.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

HOFF, R.I. and GRATTON, G.B.
Camera tracking and qualitative airflow assessment of a two-turn erect spin, pp 541-562.

HOLDEN, C.M.E., NURDIN, A., BRESSLOFF, N.W. and KEANE, A.J.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A. and BLETZINGER, K-U.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

HOWES, J., ANDERSON, S., COOPER, J. and GUDDE, N.
Aviation renewable fuels: technical status and challenges for commercialisation, pp 1103-1122.

HSIAO, F-B. and LEE, C-S.
Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle, pp 895-914.

ISIKVEREN, A.T., AJAJ, R.M., FRISWELL, M.I., DETTMER, W.G. and ALLEGRI, G.
Performance and control optimisations using the adaptive torsion wing, pp 1061-1077.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

JANARTHANAM, S. and BABU, V.
Numerical simulations of the flow through the inlet and isolator of a Mach 4 dual mode scramjet, pp 833-846.

JARVIS, S., NASCIMENTO, F.A.C. and MAJUMDAR, A.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

JEMITOLA, P.O., FIELDING, J. and STOCKING, P.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

JIAO, Y., WANG, J., PAN, X. and ZHOU, H.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

JIN, W., TAGHAV, R.R. and FAROKHI, S.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

JUNG, S.N. and PARK, J.-S.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight, pp 229-249.

KASHTALYAN, M. and WOODWARD, B.
Finite element modelling of sandwich panels with graded core under various boundary conditions, pp 1289-1314.

KEANE, A.J., HOLDEN, C.M.E., NURDIN, A. and BRESSLOFF, N.W.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

KHALID, M., BENISSAAD, S., NEMOUCHI, Z., DAHDI, B. and MAMOU, M.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

KHANAL, B., KNOWLES, K. and SADDINGTON, A.J.
Computational investigation of cavity flow control using a passive device, pp 153-174.

KINGSTON, J. and TSITAS, S.R.
6U CubeSat commercial applications, pp 189-198.

KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F. and SCHUHMACHER, G.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

KNOWLES, K., SADDINGTON, A.J. and KHANAL, B.
Computational investigation of cavity flow control using a passive device, pp 153-174.

LAMAR, J.
A career in vortices edge forces , pp 101-152.

LAWSON, N.J., GARRY, K.P. and MORARIS, V.M.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers , pp 757-767.

LAWSON, S.J. and BARAKOS, G.N.
Influence of stores on the flow inside UCAV weapon bays, pp 199-215.

LEE, J., ELGHALI, L., FRANCE, C., LLOYD, S. and CLIFTON, A.
A framework for environmental risk management, pp 941-961.

LEE, C-S. and HSIAO, F-B.
Implementation of vision-based automatic guidance system on a fixed-wing unmanned aerial vehicle, pp 895-914.

LI, G., HESS, R.A. and CAO, Y.
Helicopter flight characteristics in icing conditions, pp 963-979.

LIU, W., BAKER, N., RHEAD, A.T. and BUTLER, R.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

LIU, H., BIANCHI, F. and ZHANG, X.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

LLOYD, S., CLIFTON, A., LEE, J., ELGHALI, L. and FRANCE, C.
A framework for environmental risk management, pp 941-961.

LONE, M.M., RUSENO, N. and COOKE, A.K.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

MACMANUS, D., CHAPLIN, R., STOLLERY, J., MIFSUD, M. and ESTRUCH-SAMPER, D.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

MAITI, S.K., GUIAMATSIA, I., FALZON, B. and MUTHU, N.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

MAJUMDAR, A., JARVIS, S. and NASCIMENTO, F.A.C.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

MAMOU, M., KHALID, M., BENISSAAD, S., NEMOUCHI, Z. and DAHDI, B.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M. and POPOV, A.V.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M. and POPOV, A.V.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

MANCO, P., MORABITO, A.E., DATTOMA, V., DEGIORGI, M. and GIANCANE, S.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

MARTINS, J.R.R.A., PEREZ., R.E. and HENDERSON, R.P.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V. and MAMOU, M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

MÉBARKI, Y., GRIGORIE, T.L., BOTEZ, R.M., POPOV, A.V. and MAMOU, M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

MELEGA, M., TROIANI, E., MOLINARI, G. and MENEGHIN, I.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MENEGHIN, I., MELEGA, M., TROIANI, E. and MOLINARI, G.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MIFSUD, M., ESTRUCH-SAMPER, D., MACMANUS, D., CHAPLIN, R. and STOLLERY, J.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

MOHAMED, G., HODZIC, A. and SOUTIS, C.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

MOHAMED-KASSIM, Z. and FILIPPONE, A.
Multi-disciplinary simulation of propeller-turboprop aircraft flight, pp 985-1014.

MOLICACOLELLA, M., SERAFINI, J., GENNARETTI, M. and MURO, D.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

MOLINARI, G., MENEGHIN, I., MELEGA, M. and TROIANI, E.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

MONTI, M., AIRIAU, C. and RONA, A.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

MORABITO, A.E., DATTOMA, V., DEGIORGI, M., GIANCANE, S. and MANCO, P.
A parametric associative modelling of aeronautical structural concepts under C0 C1 or C2 continuity constraints, pp 727-741.

MORARIS, V.M., LAWSON, N.J. and GARRY, K.P.
Aerodynamic and performance characteristics of a passive leading edge Kruger flap at low Reynolds numbers, pp 757-767.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

MURO, D., MOLICACOLELLA, M., SERAFINI, J. and GENNARETTI, M.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

MURRAY-SMITH, D., BAGIEV, M., THOMSON, D.G. and ANDERSON, D.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 087-98.

MURUGAN, M.S., GANGULI, R. and HARURSAMPATH, D.
Surrogate based design optimisation of composite aerofoil cross-section for helicopter vibration reduction, pp 709-725.

MUTHU, N., MAITI, S.K., GUIAMATSIA, I. and FALZON, B.
Computation of stress intensity factors in functionally graded materials using partition-of-unity meshfree method, pp 1263-1287.

MYRE, D.D., DOIG, G., BARBER, T.J. and NEELY, A.J.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

MYRE, D.D., DOIG, G., BARBER, T.J. and NEELY, A.J.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

NABAWY, M.R.A., ELNOMROSSY, M.M., ABDELRAHMAN, M.M. and ELBAYOUMI, G.M.
Aerodynamic shape optimisation, wind tunnel measurements and CFD analysis of a MAV wing, pp 685-708.

NASCIMENTO, F.A.C., MAJUMDAR, A. and JARVIS, S.
Factors affecting safety during night visual approach segments for offshore helicopters, pp 303-322.

NEELY, A.J., MYRE, D.D., DOIG, G. and BARBER, T.J.
Aerodynamics of an aerofoil in transonic ground effect: numerical study at full-scale Reynolds numbers , pp 407-430.

NEELY, A.J., MYRE, D.D., DOIG, G. and BARBER, T.J.
Aerodynamics of an aerofoil in transonic ground effect: Methods for blowdown wind-tunnel scale testing, pp 599-620.

NEMOUCHI, Z., DAHDI, B., MAMOU, M., KHALID, M. and BENISSAAD, S.
Investigation of skin porosity damping effects on free stream disturbance induced unsteady wing loads, pp 1041-1060.

NEWMAN, B. and OMRAN, A.
Analytical Volterra-based models for nonlinear low order flight dynamics approximation systems, pp 1123-1153.

NG, Y.T.
Characterising low-speed, transitional cavity flow, pp 1185-1199.

NURDIN, A., BRESSLOFF, N.W., KEANE, A.J. and HOLDEN, C.M.E.
Shape optimisation using CAD linked free-form deformation, pp 915-939.

O'BRIEN, C.W., SNYDER, M.R., HALLBERG, E.N. and CENKO, A.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

OCHIENG, W., SCHUSTER, W. and PORRETTA, M.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 045-66.

OLSSON, R.
Modelling of impact damage zones in composite laminates for strength after impact, pp 1349-1365.

OMRAN, A. and NEWMAN, B.
Analytical Volterra-based models for nonlinear low order flight dynamics approximation systems, pp 1123-1153.

OWEN, I., HODGE, S.J., FORREST, J.S. and PADFIELD, G.D.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application, pp 1155-1184.

ÖZGEN, S. and CANIBEK, M.
In-flight ice formation simulation on finite wings and air intakes, pp 337-362.

PADFIELD, G.D., OWEN, I., HODGE, S.J. and FORREST, J.S.
Simulating the environment at the helicopter-ship dynamic interface: research, development and application,
pp 1155-1184.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

PAN, X., ZHOU, H., JIAO, Y. and WANG, J.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

PARK, J.-S. and JUNG, S.N.
Comprehensive multibody dynamics analysis for rotor aeromechanics predictions in descending flight, pp 229-249.

PEREZ., R.E., HENDERSON, R.P. and MARTINS, J.R.R.A.
Aircraft conceptual design for optimal environmental performance, pp 1-22.

PERRY, J. and CHAN, W.
Use of aerofoil section dynamic stall synthesis methods in rotor design, pp 501-520.

PINEDA, E.J. and WAAS, A.M.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations, pp 1221-1246.

POPOV, A.V., MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L. and BOTEZ, R.M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 1: Morphing system mechanisms and controller architecture design, pp 433-449.

POPOV, A.V., MAMOU, M., MÉBARKI, Y., GRIGORIE, T.L. and BOTEZ, R.M.
A hybrid fuzzy logic proportional-integral-derivative conventional on-off controller for morphing wing actuation using shape memory alloy. Part 2: Controller implementation validation, pp 451-465.

PORRETTA, M., OCHIENG, W. and SCHUSTER, W.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 45-66.

PUNNIYAKOTTI, S. and STOLLERY, J.L.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed, pp 1207-1215.

RALSTON, J.N. and GINGRAS, D.R.
Aerodynamics modelling for training on the edge of the flight envelope, pp 67-86.

RHEAD, A.T., BUTLER, R., LIU, W. and BAKER, N.
The influence of surface ply fibre angle on the compressive strength of composite laminates containing delamination, pp 1315-1330.

ROBINSON, T.D., ROBINSON, D. and BELL, M.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

ROBINSON, D., BELL, M. and ROBINSON, T.D.
Numerical investigation of optimal pin location on a supersonic projectile, pp 271-286.

RODRÍGUEZ-CORTÉS, H. and ARIAS-MONTAÑO, A.
Robust geometric sizing of a small flying wing planform based on evolutionary algorithms, pp 175-188.

ROGERS, R.O. and BOQUET, A.
The benefits and limitations of ground-based upset-recovery training for general aviation pilots, pp 1015-1039.

RONA, A., MONTI, M. and AIRIAU, C.
On the generation of the mean velocity profile for turbulent boundary layers with pressure gradient under equilibrium conditions, pp 569-598.

RUSENO, N., COOKE, A.K. and LONE, M.M.
Towards understanding effects of non-linear flight control system elements on inexperienced pilots (Technical Note), pp 1201-1206.

SADDINGTON, A.J., KHANAL, B. and KNOWLES, K.
Computational investigation of cavity flow control using a passive device, pp 153-174.

SCHUHMACHER, G., KLUG, M., SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M. and DAOUD, F.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

SCHUSTER, W., PORRETTA, M. and OCHIENG, W.
High-accuracy four-dimensional trajectory prediction for civil aircraft, pp 45-66.

SERAFINI, J., GENNARETTI, M., MURO, D. and MOLICACOLELLA, M.
An optimal control approach for alleviation of tiltrotor gust response, pp 651-666.

SHENG, W., CHAN, W. and GALBRAITH, R.
Advancement of aerofoil section dynamic stall synthesis methods for rotor design, pp 521-539.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

SHI, Y. and SOUTIS, C.
A finite element analysis of impact damage in composite laminates, pp 1331-1347.

SNYDER, M.R., HALLBERG, E.N., CENKO, A. and O'BRIEN, C.W.
Effects of targeting pod modification on F/A-18C Hornet weapons release, pp 743-755.

SOUTIS, C., MOHAMED, G. and HODZIC, A.
Performance of Glare panels subjected to intense pressure pulse loading, pp 667-679.

SOUTIS, C. and SHI, Y.
A finite element analysis of impact damage in composite laminates, pp 1331-1347.

SOVIERO, P.A.O. and CAVALIERI, A.V.G.
Analysis of compressible potential flow over aerofoils using the dual reciprocity method, pp 391-406.

STOCKING, P., JEMITOLA, P.O. and FIELDING, J.
Joint fixity effect on structural design of a box wing aircraft, pp 363-372.

STOLLERY, J., MIFSUD, M., ESTRUCH-SAMPER, D., MACMANUS, D. and CHAPLIN, R.
A case study on the aerodynamic heating of a hypersonic vehicle, pp 873-893.

STOLLERY, J.L. and PUNNIYAKOTTI, S.
The estimation of aerodynamic forces on flat plate aerofoils at hypersonic and supersonic speed, pp 1207-1215.

SUAREZESPINOZA, P.A., BLETZINGER, K-U., HÖRNLEIN, H.R.E.M., DAOUD, F., SCHUHMACHER, G. and KLUG, M.
Shape optimisation in the design of thin-walled shells as components of aerospace structures, pp 793-814.

TAGHAV, R.R., FAROKHI, S. and JIN, W.
Flow distortion in an S-duct inlet with simulated icing effect and heat transfer, pp 251-270.

THOMSON, D.G., ANDERSON, D., MURRAY-SMITH, D. and BAGIEV, M.
Predictive inverse simulation of helicopters in aggressive manoeuvring flight, pp 87-98.

TROIANI, E., MOLINARI, G., MENEGHIN, I. and MELEGA, M.
Parametric damage tolerance design of metallic aeronautical stiffened panels, pp 815-831.

TSITAS, S.R. and KINGSTON, J.
6U CubeSat commercial applications, pp 189-198.

VECHTEL, D.
Flight simulator study on the influence of vortex curvature on wake encounter hazard using LES wind fields, pp 287-302.

WAAS, A.M. and PINEDA, E.J.
Modelling progressive failure of fibre-reinforced laminated composites: mesh objective calculations, pp 1221-1246.

WANG, J., PAN, X., ZHOU, H. and JIAO, Y.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

WOODWARD, B. and KASHTALYAN, M.
Finite element modelling of sandwich panels with graded core under various boundary conditions, pp 1289-1314.

ZHANG, X., LIU, H. and BIANCHI, F.
Predicting low-velocity impact damage in composites by a quasi-static load model with cohesive interface elements, pp 1367-1381.

ZHOU, H., JIAO, Y., WANG, J. and PAN, X.
Influence analysis of measurement errors in satellite attitude determination based on extended Kalman filter, pp 373-389.

ZHOU, J., GUAN, Z.W. and CANTWELL, W.J.
The perforation resistance of sandwich structures subjected to low velocity projectile impact loading, pp 1247-1262.

ZIMMERMANN, R. and GÖRTZ, S.
Improved extrapolation of steady turbulent aerodynamics using a non-linear POD-based reduced order model, pp 1079-1100.

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press

Referees: January – December 2012

The editorial staff would like to thank all the referees who provided valuable comments throughout 2012. Those who assisted on papers which reached a conclusion during 2012 are listed below:

D J Allerton
F Anselmet
K J Badcock
G Balas
R Banerjee
G Barakos
S Barbarino
M Blair
H A P Blom
A Bocci
V Bond
C Bruno
W Cantwell
Y Cao
R Chapman
L Chen
G Coleman
A Cross
A Darlington
W B S Dobie
J K Edgley
B Finlay
C R Forsey
R A McD Galbraith
R Gent
B German
L F Gonzalez
B Gray
D Guffon
M Guillaume
A Harrison
W Hass
J Heijstek
M E J Hickmott
D H Hodges
S S Houston
R I Horton
D Howe
W Huebsch
L L Hyde
I-S Jeung
J Jupp
W Joon
N A J Lieven
R Lind
P Mantegazza
S Marques
C P Massey
D Mavris
R C Mehta
T Melin
K Menzies
J V Miller
H P Monner
J Morrison
P M Murray
R Nangia
S J Newman
A Ordys
N Qin
T Rahulan
J Ralph
T Rendall
G T Roberts
C Roper
M Smart
P Spalart
D Stinton
I W Strachan
C Suchomel
K Takeda
D G Thomson
B N Tomlinson
H Torode
D Vorley
J Walsh
Z Wang
W Warmbrodt
P Weaver
B R Williams
C Winkler

The editorial staff also thank the Associate Editors for their guidance throughout 2012.

Volume CXVI

Number 1175	January	pp 1-98
Number 1176	February	pp 101-226
Number 1177	March	pp 229-335
Number 1178	April	pp 337-430
Number 1179	May	pp 433-566
Number 1180	June	pp 569-682
Number 1181	July	pp 685-774
Number 1182	August	pp 777-869
Number 1183	September	pp 873-983
Number 1184	October	pp 985-1100
Number 1185	November	pp 1103-1215
Number 1186	December	pp 1219-1400

https://doi.org/10.1017/S0001924000007703 Published online by Cambridge University Press