EDINBURGH JOURNAL OF BOTANY 71 (3): 409–430 (2014)
© Trustees of the Royal Botanic Garden Edinburgh (2014)
doi:10.1017/S0960428614000274

GENERAL INDEX TO VOLUME 71 (2014)

Note: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps, appendices (App.) and reviews (Rev.) are indicated; tables are not annotated separately.

Abutilon
  bidentatum Hochst. ex A.Rich., 176
Acacia
  gerrardii, 177
  tortilis, 175
Acalypha
  indica L., 175
Acanthaceae, 173
Acerosae, 313
Acmopyle, 330
Acramphibrya, 312
Adenophora, 69
Adhikari, B., 297–308
Adinandra Jack, 379–383
  griffithii Dyer, 379
  kamalae M.K.Pathak, Bhaumik & G.Krishna, 379–382 [**380**, 381–382 Figs]
  latifolia L.K.Ling, 379–380
Aegean
  archipelago, 135–160
  islands, 275–285* [276 Map]
Aegilops
  biuncialis Vis., 158 App.
  kotschyi Boiss., 171
  triuncialis L., 158 App.
Aframomum, 206
  melegueta (Roscoe) K.Schum., 206
Africa
  southern, 3
  tropical, 3–13
Afrocarpus (J.Buchholz & N.E.Gray) Gaussen ex C.N.Page, 310, 313, 319–320, 322–323, 330, 332–334, 336–338
  falcatus (Thunb.) C.N.Page, 321
Agaricaceae, 16
Agaricales, 16
Agathis, 89
Agavaceae, 281
Agave
  americana L., 138, 145, 153 App., 281
Agricultural economy, Greece, 275–285
Aikinia Salisb. ex Fourr., 65
  hederacea (L.) Fourr., 70
Aira
  elegantissima Schur, 158 App.
Aizoaceae, 278
Al Harthy, L., 161–180
Alien species, in Greece, 275–285*
Allium
  ampeloprasum L., 153 App.
  pilosum Sm., 143–144
Almasi, M., 75–82
Alpine flora, 23–33*
Alpinia, 193, 202
Alseodaphne
  semecarpifolia Nees var. *angustifolia* Meisn., 59–60
Alternanthera
  pungens Kunth, 173
  tenella Colla var. *bettzickiana* Veldk., 167
Amaranthaceae, 167, 173, 278, 390
Amaranthus, 282–283
  albus L., 283
  blitoides S.Watson, 275, 278, 282–283
  caudatus L., 278
  hybridus L., 278
  retroflexus L., 275, 278, 282–283
  viridis L., 278
Amaryllidaceae, 140, 143, 153 App.
Ammi
  majus L., 153 App., 278
Amomum Roxb., 193–258* [195–197 Figs, 199–203 Figs, **204**, 252–254 Figs]
  aculeatum Roxb., 196, 201, **208**–210 [209 Map], 229, 252 Fig.
  angustipetalum S.Sakai & Nagam., 214
  apiculatum K.Schum., 194, 196, 199, 201–202, 207–211 [209 Map, **210**, 211 Fig.], 214, 252 Fig.
  aromaticum Roxb., 204
  beccarianum Kuntze, 257

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

calcaratum Lamxay & M.F.Newman, 199
calyptratum S.Sakai & Nagam., 195, 240–241
cardamomum auct., non L., 218
centrocephalum A.D.Poulsen, 194, 208, **212**–213 [213 Map]
cerasinum Ridl., 194–195, 197–200, 202, 204, 206–207, 213–215 [213 Map, **214**, 215 Fig.], 233, 235, 238, 252 Fig.
chinense Chun, 204
citrinum (Ridl.) Holttum, 197, 207, **217** Map
compactum Sol. ex Maton, 196–197, 202, 207, 217–**218** [217 Map], 220, 248, 254 Fig.
cylindraceum Ridl., 194, 206, **220** Map, 245 Fig., 254 Fig.
cylindrostachys Ridl., 217
dealbatum Roxb., 196, 201, **251**, 253 Fig.
echinatum Willd., 214
echinocarpum Alston, 210
elephantorum Pierre ex Gagnep., 210
flavum Ridl., 210
globba J.F.Gmel., 204
gracile Blume, 204, 206, 220, **222**, 247, 253 Fig.
gyrolophos R.M.Sm., 195, 201, 208, 220 Map, **223**–224 [223 Fig.], 254 Fig.
hastilabium Ridl., 195, 198–200, 207, **225**–227 [225 Fig, 226 Map], 252 Fig.
holttumii Ridl., 225
kepulaga Sprague & Burkill, 218
koenigii J.F.Gmel., 204
krervanh Pierre ex Gagnep., 247
lappaceum Ridl., 198, 208, 226 Map, **228**–229
laxesquamosum K.Schum., 207–208, 226 Map, **229**–230, 241, 254 Fig.
longiligulare T.L.Wu, 222–223, 247
longipes Valeton, 194–195 [195 Fig.], 197, 200, 204, 207, **230**–233 [231 Map, 232 Fig.], 254 Fig.
maximum Roxb., 255
mentawaiense A.J.Droop, 193–194, 207, 231 Map, **233**–234 [234 Fig.], 253 Fig.
ochreum Ridl., 197, 204, 206, 233, **235**–237 [236 Fig.], 240 Map, 254 Fig.
oliganthum K.Schum., 241
oligophyllum A.J.Droop, 193–195, 198, 200, 207, 230, **238**–241 [239 Fig., 239 Map], 253 Fig.
ovoideum Pierre ex Gagnep., 244
padangense K.Schum., 257
paucifolium R.M.Sm., 195, 238, 241
perakense Ridl., 228
robustum K.Schum., 244
roseisquamosum Nagam. & S.Sakai, 245 Fig., **256**
somniculosum S.Sakai & Nagam., 241
spiceum Ridl., 251
squarrosum Ridl., 218
stenocarpum Valeton, 194, 206, 240–242 [240 Map, **241**]
stenoglossum Baker, 248
subulatum Roxb., 204
sumatrense Ridl., 257
tephrodelphys K.Schum., 194, 198, 201, 208, **242**–243 [242 Fig., 243 Map]
testaceum Ridl., 248
uliginosum J.Koenig, 194, 200–202, 204, 207, 222, 243–247 [243 Map, **244**, 245 Fig.], 253 Fig.
utriculosum (Ridl.) Holttum, 204, **255**–256
verum Blackw., 194, 202, 207, 220, 243 Map, **247**–248, 252 Fig.
vestitum K.Schum., 257
villosum Lour., 222, 247
xanthoglossum Ridl., 225
xanthophlebium Baker, 194, 198–199, 207, 241–242, **248**–251 [249 Fig., 250 Map], 253 Fig.
Anagallis
arvensis L., 159 App., 178
pumilla Sw., 172
tenella, 70
Anaphalis DC., 29
Anaphalis L., 297
Anchusa L., 137
azurea Mill., 154 App.
undulata L.
subsp. *sartorii* (Guşul.) Selvi & Bigazzi, 141
Anderson, C., 361–378
Anemone
pavonina Lam., 159 App.
Aneura
pinguis, 134 Rev.
Angiospermae, 117–132*, 153 App., 278, 281
Anisantha
rigida (Roth) Hyl., 158 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

sterilis (L.) Nevski, 158 App.
Anogeissus
dhofarica, 172
Antennaria Gaertn., 29
Antennatula Fr. ex F.Strauss, 16
Anthemis L., 137, 144
odontostephana Boiss., 174
rigida Boiss. ex Heldr.
subsp. *liguliflora* (Halácsy) Greuter, 135, 141, 144, 153 App.
werneri Stoj. & Acht., 141, 144, 153 App.
Anthyllis
vulneraria L.
subsp. *rubriflora* (DC.) Arcang., 155 App.
Antirrhinum
majus L., 281
Apiaceae, 138, 153 App., 167, 278
Aplodon
wormskioldii, 134 Rev.
Apocynaceae, 153 App., 167–169 [169 Fig.], 173
Aptenia
cordifolia (L.f.) Schwantes, 278
Arabia, 161–180*
Peninsula of, 117–132*
Araceae, 153 App., 269–273
Araliaceae, 70
Araucaria Juss., 313
Araucariaceae, 324, 332, 336
Araucariales, 336
Ardaka, I Made, 259–268
Ardi, W.H., 259–268
Ardisia, 382
Argent, G., 83–115, 189–192
Argyrolobium
roseum Jaub. & Spach, 175
Arisaema Mart., 269
sect. *Sinarisaema* Nakai, 269–273*
attenuatum E.Barnes & C.E.C.Fisch., 269–273*
madhuanum Nampy & Manudev, **269**–273* [271 Fig.]
tylophorum C.E.C.Fisch., 272
Arisarum
vulgare O.Targ.Tozz., 153 App.
Artemisia
sieberi, 164 Fig.
Articulatae, 313
Arunachal Pradesh, India, 181–188*, 379–383*
Ascomycota, 15–21*
Asparagaceae, 140, 143, 153 App.
Aspleniaceae, 153 App.
Asplenium
ceterach L., 153 App.
Assadi, M., 35–49
Asteraceae, 51–56, 138, 140–141, 153 App., 164 Fig., 168, 174, 279
tribe Cardueae, 51–56
tribe Gnaphalieae, 23–33
Astragalus L., 137
hamosus L., 155 App.
pelecinus (L.) Barneby, 155 App.
Atractylis
arabica Rech.f., 168
Atriplex
rosea L., 279
Auricularia
cornea (Ehrenb.: Fr.) Ehrenb. ex Engel, **17**
polytricha (Mont.) Sacc., 17
Auriculariaceae, 17
Auriculariales, 17
Avena
barbata Pott ex Link, 158 App.
subsp. *barbata*, 53–54
sterilis L., 158 App.
Azorina
vidalii (H.C.Watson) Feer, 69

Baliousis, E., 275–285
Ballota
acetabulosa (L.) Benth., 157 App.
Banisteria
macrophylla A.Juss., 369–370
macrophylla Colla, 369–370, 377
velutina A.Juss., 369
velutina Colla, 369
Barleria
samhanensis S.G.Knees, A.G.Mill. & A.Patzelt, 173
Basidiomycota, 15–21*
Begonia L., 259–268*
sect. *Petermannia*, 259–260, 263
aptera Blume, 267
capituliformis Irmsch., 263, 266
chiasmogyna M.Hughes, 263, 267
cuneatifolia Irmsch., 266
didyma D.C.Thomas & Ardi, 259, 266
gambutensis Ardi & D.C.Thomas, 259–263 [**260**, 261 Map, 262 Fig.], 267

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

gemella Warb. ex L.B.Sm. & Wassh., 266
guttapila D.C.Thomas & Ardi, 259
heteroclinis Miq. ex Koord., 266
hispidissima Zipp. ex Koord., 263, 267
humilicaulis Irmsch., 266
insularum Irmsch., 267
macintyreana M.Hughes, 263, 267
masarangensis Irmsch., 263, 267
mendumiae M.Hughes, 263, 266
nobmanniae D.C.Thomas & Ardi, 266
ozotothrix D.C.Thomas, 266
prionota D.C.Thomas & Ardi, 263, 266
rieckei Warb., 267
siregarii Ardi & D.C.Thomas, 259, 261 Map, **263**–264 [264 Fig.], 266–267
strachwitzii Warb. ex Irmsch., 267
Begoniaceae, 259–268
Bellardia
latifolia (L.) Cuatrec., 160 App.
trixago (L.) All., 160 App.
Berberidaceae, 297–308*
Berberis L., 297–308*
angulosa Wall. ex Hook.f. & Thomson, 298–299, **302**–304 [304 Fig.]
aristata DC., 298–299, **302**–304 [304 Fig.]
asiatica Roxb. ex DC., 298–299
buxifolia Lam., 298
chitria Lindl., 299
var. *chitria*, 299
var. *occidentalis* Ahrendt, 300
concinna Hook.f., 298, 300
var. **concinna**, **302**–304 [304 Fig.]
var. **extensiflora** Ahrendt, 302–**305** [304 Fig.]
coriaria Royle, 300
heterophylla Juss., 298
jaeschkeana C.K.Schneid., 305
var. **usteriana** C.K.Schneid., 302–**305** [304 Fig.]
lycium Royle, 300
var. *lycium*, 300
var. *subfascicularis* Ahrendt, 300
mucrifolia Ahrendt, 302–**305** [304 Fig.]
napaulensis (DC.) Laferr., 298, 300–301
nervosa Pursh, 306
orthobotrys Bienert ex Aitch., 306
subsp. *orthobotrys*, 301
pendryi Bh.Adhikari, 302–**305** [304 Fig.]
thomsoniana C.K.Schneid., 302–**305** [304 Fig.]
ulicina Hook.f. & Thomson, 301
umbellata Wall. ex G.Don, 301
wallichiana DC., 298, 301, 303–**305** [304 Fig.]
Bergia
polyantha Sond., 171
Bhaumik, M., 379–383
Biodiversity, 135–160*
Biogeography, 23–33*
Bituminaria
bituminosa (L.) C.H.Stirt., 155 App.
Book review
England's Rare Mosses and Liverworts: Their History, Ecology and Conservation (R.D. Porley), 133–134
Boopis
graminea Phil., 389
Boraginaceae, 75–82*, 140–141, 154 App., 169, 174, 390
tribe Lithospermeae Dumort., 75
Borah, S., 181–188
Botryosphaeria Ces. & De Not., **19**
cocoicola (Sivan.) K.D.Hyde & P.F.Cannon, 19
Botryosphaeriaceae, 19
Botryosphaeriales, 19
Bracket fungi, 15–21*
Braidwood, D.W., 385–406
Brassicaceae, 138, 140–141, 155 App., 170, 174
Brazil, 361–378*
Briza
maxima L., 158 App.
Bromus
hordeaceus L., 158 App.
scoparius L., 158 App.
Buddleja, 133 Rev.
Buglossoides
tenuiflora (L.f.) I.M.Johnst., 169
Bupleurum
euboeum Beauverd & Topali, 275, 278

Cactaceae, 155 App., 279
Cadaba
heterotricha Stocks, 175, 178–179
Calceolaria
flabellifolia Kraenzl., 387
llaimae Kraenzl., 387
Callipeltis
cucullaris (L.) Steven, 178

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Calyceraceae, 389
Campanopsis
hederacea (L.) Kuntze, 70
Campanula, 63–64, 66–69
sect. *Quinqueloculares* Phitos, 67
angustiflora Eastw., 68
aparinoides Pursh, 68
californica (Kellogg) A.Heller, 68
edulis Forssk., 69
exigua Rattan, 68
glomerata, 68
hederacea L., 64, 70
hederifolia Salisb., 70
incurva Aucher ex A.DC.
mollis L., 69
pentagonophylla Vuk., 70
peregrina, 64
primuliflora, 64
ptarmicifolia Lam., 67
rapunculus, 64, 69
robinsiae Small, 68
sartorii Boiss. & Heldr., 67
scoparia (Boiss. & Hausskn.) Damboldt, 67
Campanulaceae, 63–74*
subfam. Campanuloideae, 63–64, 66–67, 69
subfam. Canarinoideae, 64
subfam. Prismatocarpoideae Kolak., 64
subfam. Wahlenbergioideae Kolak., 64
tribe Campanuleae, 67
tribe Wahlenbergieae Endl., 63–65, 67–68
subtribe Wahlenbergiinae, 67
Campanuloids, 63–74*
Campylanthus
antonii Thulin, 171, 178
sedoides A.G.Mill., 177
Capnobotrys
dingleae Hughes, 15
Capnodiaceae, 19
Capnodiales, 19
Capnophialophora S.Hughes, 16
Capparidaceae, 175
Caprifoliaceae, 170, 175
Capsule dehiscence
in *Hesperocodon*, 63–74
Capsule morphology, 63–74*
Cardamomum Kuntze, 204–205
aculeatum (Roxb.) Kuntze, 208
dealbatum (Roxb.) Kuntze, 251
minus Kuntze, 204
uliginosum (J.Koenig) Kuntze, 244
Cardamomum Noronha, 205
Cardamomum Salisb., 205–206
Carduus
pycnocephalus L.
subsp. *albidus* (M.Bieb.) Kazmi, 153 App.
Carex
flacca Schreb., 155 App.
Carpobrotus
edulis (L.) N.E.Br., 278
Carthamus
creticus L., 153 App.
dentatus (Forssk.) Vahl, 279
Caryophyllaceae, 138, 140–142, 155 App., 389
Cassia auct. non L., 118
Cassia L., 117–132*
subgen. *Senna* (Mill.) Benth., 118
sect. *Senna* (Mill.) DC. ex Collad., 118
acutifolia Delile, 119
adenensis Benth., 124
alexandrina (Mill.) Spreng., 119
alexandrina Thell., 120
angustifolia Vahl, 120
aschrek Forssk., 125
didymobotrya Fresen., 118, 121
holosericea Fresen., 118, 122
hookeriana Gillies ex Hook., 124
italica (Mill.) Lam. ex F.W.Andr., 124
subsp. *micrantha* Brenan, 126
occidentalis L., 127
obovata Collad., 125
obtusata Hayne, 118
obtusifolia L., 126
oocarpa Baker, 123
senna L., 119
socotrana Serrato, 128
sophera L., 128
tora L., 129
Castellia
tuberculosa, 178
Casuarinaceae, 313
Catapodium
marinum (L.) C.E.Hubb., 158 App.
rigidum (L.) C.E.Hubb., 158 App.
Caudanthera
edulis (Edgew.) Meve & Liede, 173, 178
Cenchrus
echinatus L., 172
Centaurea L., 51–56*
sect. *Cynaroides* Boiss. ex Walp., 51–56*
sect. *Phalolepis* (Cass.) DC., 51–56*

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

amadanensis Sch.Bip.
subsp. *gymnoclada* (Jaub. & Spach) Wagenitz, 53
aziziana Rech.f., 51, **56**
behen L., 53–54
calcitrapa L., 279
haradjianii Wagenitz, 54
raphanina Sm.
subsp. *mixta* (DC.) Runemark, 141, 154 App.
subsp. *raphanina*, 141, 144, 146
regia Boiss.
subsp. *regia*, 51, 53–56
shehbazii Ranjbar & Negaresh, **51**, 53–55
solitaria Ranjbar & Negaresh, 51, **53**–56
Centaurium
tenuiflorum (Hoffmans. & Link) Fritsch
subsp. *acutiflorum* (Schott) Zeltner, 156 App.
Cephalotaxaceae, 319, 329
Cephaloziella
integerrima, 134 Rev.
massalongi, 134 Rev.
Ceratonia
oreothauma
subsp. *oreothauma*, 163 Fig., 174
Cereus
deserticola Werderm., 387
Cervicina
hederacea (L.) Druce, 70
Chalara
fraxinea, 133 Rev.
Chamaecrista Moench, 117
Charybdis
maritima (L.) Speta, 153 App.
Cheilothela
chloropus, 134 Rev.
Chenopodiaceae, 155 App., 279
Chenopodium
album L., 279
giganteum D.Don, 279
Chile, 385–406 [400–406 Maps]
Chimanimani massif, 3–13*
Chorological groups
of Kimolos Island, 139
Chromosome numbers
in *Berberis*, 297–308*
in *Leontopodium*, 23–33
Cichorium
intybus L., 154 App.
Cienfuegosia
welshii (T.Anders.) Garcke, 176
Cinnamomum Schaeff., 16
verum J.Presl, 16
Cirsium
creticum (Lam.) d'Urv.
subsp. *creticum*, 279
vulgare (Savi) Ten., 279
Cistaceae, 155 App.
Classification
of *Podocarpus*, 309–360*
Clausena
indica Oliv., 60
Clypeola
jonthlaspi L.
subsp. *microcarpa* (Moris) Arcang., 155 App.
Cocos, 19
nucifera L., 15–16, 18–19
Colchicaceae, 155 App.
Colchicum
cupanii Guss., 155 App.
Colutea L., 35–49 & Map
sect. **Armata** Browicz, 35–36, 44–46 [**45**, 46 Fig.]
sect. **Colutea**, 35–36, **38**–39 & Fig.
sect. *Eucolutea* Boiss., 38, 40
sect. *Multiflora* Browicz, 35
sect. **Oreophysa** Bunge ex Boiss., 35–36, **46**–47 [47 Fig.]
sect. **Rostrata** Browicz, 35–36, **40**–41 [41 Fig.], 43–44
subsect. *Arborescentes* Browicz, 38
subsect. **Centralasiaticeae** Browicz, 35, 37, **41**, 44–45
subsect. **Colutea**, 35–36, **38**
subsect. **Gifana** Pooyan, F.Ghahrem. & Assadi, 35, 37, **43**–45
subsect. **Graciles** Browicz, 35–36, **38**
subsect. *Orientales*, 44–45
subsect. **Uniflora** Pooyan, F.Ghahrem. & Assadi, 35, 37, **44**
arborescens L., 38
armata Hems. & Lace, 45
buhsei (Boiss.) Shap., 37 & Map, 40–**41** [41 Fig.]
cilicica Boiss. & Balansa, 36–39 [37 Map, **38**, 39 Fig.]

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

gifana Parsa, 37 & Map, 41 Fig., **44**, 48
gracilis Freyn & Sint. ex Freyn, 36–40 [37 Map, **38**]
komarovii Takht., 36–38 [37 Map], **45**–46 [46 Fig.]
orientalis Mill., 40
persica Boiss., 37 & Map, 39–**40** [39 Fig.]
var. *gracilis* Freyn, 39
var. *gracilis* (Freyn) Parsa, 39
porphyrogramma Rech.f., 37–38 [37 Map], **45**–46 [46 Fig.], 48
triphylla Bunge ex Boiss., 36–37 [37 Map], 46–**47** [47 Fig.]
uniflora G.Beck ex Stapf, 37 & Map, 41 Fig., **44**
Commiphora, 175
Comores, 3
Compositae, 390
tribe Gnaphalieae, 23–33
Conamomum Ridl., 204
citrinum Ridl., 217
utriculosum Ridl., 204, 255
Coniferae, 312, 314, 319
Coniferales, 316
Conservation
of *Adinandra*, 382
of *Amomum*, 193–258
of *Hedyotis*, 57–61*
in Oman, 164–165
of *Senna*, 117–132*
of *Streptocarpus*, 3–13*
Consolida
regalis S.F.Gray
subsp. *paniculata* (Host) Soó, 280, 283
Contribution
to the flora of Greece, 135–160
Convolvulaceae, 155 App., 167, 175, 279
Convolvulus
acanthocladus Boiss. & Kotschy, 175
althaeoides L.
subsp. *althaeoides*, 155 App.
arvensis L., 155 App., 283
Coptosperma
graveolens (S.Moore) Degreef
subsp. *arabicum* (Cuf.) Degreef, 172
Coriolaceae, 18
Coriolopsis
aspera (Jung) Teng, **18**
Coronilla
scorpioides (L.) W.D.J.Koch, 155 App.
Crassulaceae, 140, 142, 155 App.
Craterocapsa
congesta, 64
Crepis L., 137
foetida L., 154 App.
hellenica Kamari
subsp. *hellenica*, 141
Cressa
cretica L., 279
Crithmum
maritimum L., 153 App.
Crocus
cartwrightianus Herb., 143, 157 App.
laevigatus Bory & Chaub., 143–144, 157 App.
tournefortii J.Gay, 143–144, 157 App.
Croton
lactifer L., 59
Cruciferae, 390
Crupina
crupinastrum (Moris) Vis., 154 App.
Cryptantha
werdermanniana I.M.Johnst., 393
Cucurbitaceae, 155 App., 170
Cupido, C.N., 63–74
Cupressaceae, 153 App., 332
Cupressus
arizonica Greene, 390
Curcuma, 199, 206
Cuscuta
campestris Yunck., 279
Cutandia
maritima (L.) Benth., 158 App.
Cyclamen L., 137
graecum Link
subsp. *graecum*, 142, 159 App.
Cyclodictyon
laetevirens, 134 Rev.
Cymbalaria
muralis G.Gaertn., B.Mey. & Schreb.
subsp. *muralis*, 281
Cymbopogon
jwarancusa, 169, 172
Cynosurus
echinatus L., 158 App.
Cyperaceae, 155 App., 281
Cyperus
rotundus L., 281
Cyphiaceae, 64
Cytinaceae, 155 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Cytinus
hypocistis (L.) L.
subsp. *clusii* Nyman, 155 App.

Daboecia
cantabrica (Huds.) C.Koch, 71
Dacrycarpus de Laub., 310, 312, 316–317, 320–324, 330, 332, 338
dacrydioides (A.Rich.) de Laub., 318
Dacrydium Sol. ex Forst., 310, 312–313, 317–319, 330
Dactylis
glomerata L., 158 App.
Darbyshire, I., 3–13
Datura
innoxia Mill., 281
stramonium L., 281–282
Decussocarpus de Laub., 310, 330, 334
Dehiscence mechanisms, 63–74*
Desmidorchis
lavranii (Rauh & Wertel) Meve & Liede, 168–169 [169 Fig.]
Dianthus
diffusus Sm., 141
fruticosus L.
subsp. *amorginus* Runemark, 141, 144, 146
Diatrypaceae, 20
Diatrypella, 20
Dichrostachys
cinerea (L.) Wight & Arn., 176, 179
Dickoré, W.B., 23–33
Dicotyledones, 278
Dicranaceae, 389
Digitaria
sanguinalis (L.) Scop., 281
Diplycosia Blume, 83–115* [**84**]
aperta J.J.Sm., **87**, 97, 115
baclayensis Elm., 110
balgooyi Argent, 83, 86, **88**, 91 Fig.
brachyantha Sleumer, 99, 101
capitata Sleumer, **89**, 92
var. **capitata**, 85, 87, **89**, 92
var. **crassiramea** (Sleumer) Argent, 85, 87, **91**–92
caryophylloides J.J.Sm., **92**
var. **caryophylloides**, 86, **92**
var. **longipes** Sleumer, 87, **93**
celebensis J.J.Sm., 86, **93**–95 [94 Fig.], 102
commutata Sleumer, 109
crassiramea Sleumer, 91–92
filipes Sleumer, 87, **96**
gallowayana Argent, 83, 87, **96**–97, 99 Fig.
glaucicaulis Argent, 83, 85, **99**–101 [100 Fig.]
gracilipes J.J.Sm., 86, 88–89, **101**, 109
haemantha Sleumer, 86, **102**
hendriana Argent, 83, 86, **103**–104 [104 Fig.]
heterophylla Blume, 95, 110
hirsuta Sleumer, 87, **105**
kjellbergii J.J.Sm., 87, **105**
ledermannii Schltr., 99, 101
minutiflora Sleumer, 86, **106**
var. *crassiramea* (Sleumer) Argent, 83
var. **glandulifera** Argent, 85, **106**, 108 Fig.
var. **minutiflora**, 85, **106**
pilosa Blume, 103
pokapindjangensis J.J.Sm., 87
pseudorufescens Sleumer, 96–97, 99
var. *elliptifolia* Sleumer, 97
retusa Sleumer, 85, **109**
rubidiflora J.J.Sm., 85, **109**–110
sagittanthera J.J.Sm., 86, **110**–111, 113
stenophylla Sleumer, 86, **111**
supyanii Argent, 83, 86, **111**, 113 Fig.
triangulanthera J.J.Sm., 87, **113**
undata J.J.Sm., 87–88, **114**–115
Ditrichum
cornubicum, 134 Rev.
Dittrichia Greuter, 137
graveolens (L.) Greuter, 279
viscosa (L.) Greuter, 154 App., 282–283
Diversification
in *Berberis*, 297–308
Dothideomycetes, 19
Draba
praecox Steven, 155 App.
Droop, A.J., 193–258
Drupiferae, 313
Dumortiera, 133 Rev.
Dysphania
ambrosioides (L.) Mosyakin & Clemants, 279

Eastern Himalaya, 379–383*
Ecballium
elaterium (L.) A.Rich., 155 App.
Echinochloa
crus-galli (L.) P.Beauv., 281

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Echinops, 54
spinosissimus Turra
subsp. *spinosissimus*, 154 App.
Echium
diffusum Sm., 154 App.
plantagineum L., 154 App.
Eddie, W.M.M., 63–74
Edelweiss, 23–33
Edraianthus, 66–68
group '*Protoedraianthus*', 67
tarae Lakušić, 67
Ehlers, K., 23–33
Elatinaceae, 171
Eleocharis
palustris (L.) R.Br., 155 App.
Elettaria, 193
cardamomum (L.) Maton, 206
Elettariopsis Baker, 193–194, 198
Eleusine
indica (L.) Gaertn., 281
Elytrigia
sartorii (Boiss. & Heldr.)
H.Scholz, 158 App.
Embelia
ribes Burm.f., 382
Endemism
in Arabia, 161–180*
in *Colutea*, 35–49*
in Greece, 135–160*
in *Onosma*, 75
Engelhardtia
spicata Lesch. ex Blume, 382
Entoloma (Fr.) P.Kumm., 17
Entolomataceae, 16
Ephedra L., 313
pachyclada, 164 Fig.
Ephedraceae, 164 Fig.
Epilobium
hirsutum L., 280
Eragrostis
cilianensis (All.) F.T.Hubb., 281
Erica
ciliaris L., 71
mackaiana Bab., 71
Ericaceae, 71, 83–115*, 189–192*
Erica–Dodonaea bushland, 7
Erigeron
bonariensis L., 279, 283
canadensis L., 154 App., 275, 279, 282–283
sumatrensis Retz., 275, 279, 282–283
Erodium
cicutarium (L.) L'Hér.
subsp. *cicutarium*, 157 App.
gruinum (L.) L'Her., 157 App.
moschatum (L.) L'Her., 157 App.
Eryngium
maritimum L., 153 App.
Erysimum
senoneri (Heldr. & Sart.) Wettst.
subsp. *senoneri*, 141
Escalloniaceae, 389
Etlingera Giseke, 193–194, 198–199, 212
solaris (Blume) R.M.Sm., 257
Euantennaria Speg., 16
tropicola Speg., 16
Eucalyptus
camaldulensis Dehnh., 280
Euphorbia
balsamifera
subsp. *adenensis*, 172
chamaesyce L., 279
exigua L., 155 App.
helioscopia L., 155 App.
larica, 175
maculata L., 279
peplus L., 155 App., 279
prostrata Aiton, 279
schimperiana Scheele, 171
Euphorbiaceae, 155 App., 171, 175, 279

Fabaceae, 35–49, 117–132*, 138, 140, 142, 155 App., 163 Fig., 171, 175, 280
subfam. Caesalpinioideae, 117–132
subfam. Papilionoideae, 35–49*
Fagaceae, 89
Falcatifolium de Laub., 330
Favolaschiaceae, 17
Feeria Buser, 63, 66–67, 69
angustifolia (Schousb.) Buser, 67
Ferula
communis L., 153 App.
Filago
aegaea Wagenitz
subsp. *aristata* Wagenitz, 154 App.
eriocephala Guss., 154 App.
pygmaea L., 154 App.
Filimban, F.Z., 117–132
Fissidens
serrulatus, 134 Rev.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Flora Iranica, 75
Flora Malesiana, 83–84
Flora of Iran, 35
Flora of Tropical East Africa, 3–4, 7
Flora
of Arabia, study XXX, 117–132
study XXXI, 161–180
of Indonesia, 189–192*
of Limnos, Greece, 275–285
of the South Aegean Volcanic Arc (SAVA), 135–160 [136 Map]
Floristic dynamics, 275–285*
Foeniculum
vulgare Mill., 153 App.
Foliicolous fungi, 15–21*
Forrest, L., 133–134 Rev.
Forsskaolea
viridis Ehrenb., 178
Frankenia
hirsuta L., 156 App.
Frankeniaceae, 156 App.
Fraxinus L., 20
Fumaria
bastardii Boreau, 158 App.
kralikii Jord., 158 App.
officinalis L.
subsp. *officinalis*, 158 App.

Gadellia
lactiflora, 64
Galium
aparine L., 159 App.
murale (L.) All., 159 App.
recurvum DC., 159 App.
setaceum, 178
spurium L., 159 App.
verrucosum Huds., 159 App.
Gardner, M.F., 385–406
Gastrocotyle
hispida (Forssk.) Bunge, 174
Gaultheria, 85, 101
Geanthus
echinatus Valeton, 212
Geastraceae, 18
Geastrum
dubowskii Pat., **18**
javanicum, 18
Gentiana L., 289–296
sect. *Frigida* Kusn., 289, 295
sect. *Phyllocalyx* (Kusn.) T.N.Ho, 289, 295
phyllocalyx C.B.Clarke, 289–290, 292, 295
springateana D.Maity, **289**–296* [293–294 Figs]
urnula Harry Sm., 289–290, 295
Gentianaceae, 156 App., 280, 289–296*
Geocallis Horan., 204
fasciculata (Roscoe) Horan., 204
Geocharis, 193
Georgiadis, T., 135–160
Georgiou, O., 135–160
Geostachys, 193
sumatrana Valeton, 257
Geraniaceae, 157 App.
Geranium
dissectum L., 157 App.
molle L., 157 App.
Gesneriaceae, 3–13
Ghahremaninejad, F., 35–49
Ginkgo L., 332
Githopsis Nutt., 66–67, 69
diffusa, 64
Glebionis
coronaria (L.) Spach, 154 App.
segetum (L.) Fourr., 154 App.
Glossostemon
bruguieri Desf., 177–178
Gnaphalium L., 29
Gnetaceae, 313
Gnetales, 321
Gnetum L., 312
Gogoi, R., 181–188
Gramineae, 389–390
Greece, 135–160
NE Aegean, 275–285 [276 Map]
Gymnopilus P.Karst., 17
hybridus (Sowerby) Maire, **17**
penetrans (Fr.) Murrill, 17
sapineus (Fr.) Maire, 17
Gymnospermae, 153 App., 312

Halacsyella
parnassica (Boiss. & Spruner) Janch., 67
Halocarpus Quinn, 313, 331
Harrison, T., 161–180
Hartutiningsih, 259–268
Hedera
helix, 70
Hedyotis L., 57–61*
rajasekaranii Karupp. & Ravichandran, 57–60 [**59**, 60 Fig.]

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

shettyi K.Ravik. & V.Lakshm., 57–59
Helichrysum Mill., 29
italicum (Roth.) G.Don, 154 App.
Helicia
nilagirica Bedd., 382
Helictochloa
agropyroides (Boiss.) Romero Zarco, 143
Heliotropium, 283
digynum (Forssk.) Asch. ex C.Chr., 170
hirsutissimum Grauer, 154 App.
Herbarium specimens, Chilean held at E, 385–406
Hesperocodon Eddie & Cupido, 63–74 [**70**]
hederaceus (L.) Eddie & Cupido, 64–66 [65–66 Figs], **70**–71 [71 Fig.]
Heterocaryum
szovitsianum (Fisch. & C.A.Mey.) A.DC., 170
Heterocodon Nutt., 68–69
rariflorum, 64
Hibiscus
scindicus Stocks, 177
Himalaya, 297–308*
Eastern, 379–383*
Hippocrepis
ciliata Willd., 156 App.
Hiraea Jacq., 361–378*
cuneata Griseb., 361–378 [**362**, 363 Fig.]
var. *acuminata*, 362, 369, 372
var. *eglandulosa* Griseb., 372
var. *obtusa* Nied., 362
f. *eglandulosa* Nied., 362–363, 370, 372
f. *glandulifera* Nied., 362
gaudichaudiana, 363
hatschbachii C.E.Anderson, 361–378 [**365**, 366 Fig.]
houlletiana A.Juss., 369–370
macrophylla (Colla) P.L.R.Moraes & Guglielmone, 361–378 [**370**, 371 Fig.]
occhionii C.E.Anderson, 361–378 [**367**, 368 Fig.]
reitzii C.E.Anderson, 361–378 [**372**, 373 Fig.]
restingae C.E.Anderson, 361–378 [**375** Fig.]
ternifolia (Humb., Bonpl. & Kunth) A.Juss., 369
var. *wiedeana* (A.Juss.) Nied., 370
wiedeana A.Juss., 361–362, 369–370
Historical review
of *Podocarpus*, 309–360*
Holzhauer, S.I.J., 23–33
Homocodon D.Y.Hong, 68–69
Homomallium
incurvatum, 134 Rev.
Hordeum
marinum Huds., 158 App.
murinum L.
subsp. *leporinum* (Link) Arcang., 159 App.
Hormisciomyces Bat. & Nascim., 16
Hormiscium Kunze, 16
Hornstedtia, 193–194, 212, 257
Hymenonema
graecum (L.) DC., 141, 144, 146
Hyoscyamus
albus L., 160 App.
Hyparrhenia
hirta (L.) Stapf, 159 App.
Hypericaceae, 157 App.
Hypericum
triquetrifolium Turra, 157 App.
Hypoxylon
serpens (Pers.) J.Kickx f., 20

Identification keys *see under* Keys
Impatiens
salpinx Launert, 11
India, 57–61*, 181–188*, 269–273*, 379–383*
Indonesia, 83–115*, 193–258*, 259–268
New Guinea, 189–192
Invasiveness, 275–285*
Ipomoea
purpurea (L.) Roth, 279
Iran, 35–49, 51–56*, 75–82
Iridaceae, 140, 143, 157 App.
Iris
tuberosa L., 157 App.
Island economy, Greece, 275–285
IUCN, 193–258*

Jaeger, M., 23–33
Jasione L., 63–64, 66–67, 69
Juncaceae, 157 App., 281, 389
Juncus
acutus L., 157 App.
articulatus L., 281
bufonius L., 157 App.
maritimus Lam., 157 App.
subulatus Forssk., 157 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Juniperus L., 313
excelsa
subsp. *polycarpos*, 163
oxycedrus L.
subsp. *macrocarpa* (Sm.) Ball, 153 App.
Jurinea
berardioides (Boiss.) O.Hoffm., 174

Karuppusamy, S., 57–61
Keys
to *Amomum*, 206–208
to *Arisaema*, 272
to *Begonia*, 266–267
to *Colutea*, 35–49*
to *Diplycosia*, 85–87
to *Musa*, 185–186
to *Onosma*, 77
to *Senna*, 119, 125
Kickxia
elatine (L.) Dumort.
subsp. *crinita* (Mabille) Greuter, 281
spuria (L.) Dumort.
subsp. *integrifolia* (Brot.) R.Fern., 281
Kiklades, Greece, 135–160
Kimolos Island, Greece, 135–160
Knees, S.G., 117–132, 161–180
Koelpinia
linearis Pall., 174
Kougioumoutzis, K., 135–160
Krishna, G., 379–383

Lactuca
saligna L., 279
Lagarostrobos Quinn, 331
Lagurus
ovatus L., 159 App.
Lamiaceae, 140, 142, 157 App., 176, 280
Lamium
amplexicaule L., 157 App.
Lantana
camara L., 281
Lathyrus
annuus L., 156 App.
Lavandula
hasikensis A.G.Mill., 176
Laxmanniaceae, 389
Lectotypification
of *Centaurea*, 51–56*
in *Tilia*, 287–288
Legousia Durande, 70
Leguminosae, 117–132, 390
subfam. Caesalpinioideae, 117–132
Lentibulariaceae, 71
Leontodon
tuberosus L., 154 App.
Leontopodium (Pers.) R.Br., 23–33
sect. *Leontopodium*, 26, 28–30
sect. *Nobilia*, 26, 29–30
alpinum Cass., 24, 30
calocephalum (Franch.) Beauverd, 23, 26, 28–30 [28 Map]
campestre, 29
dedekensii (Bureau & Franch.) Beauverd, 23, 26, 28–30 [28 Map]
discolor Beauverd, 26, 28–29 [28 Map]
fauriei, 29
franchetii Beauverd, 26, 28–30 [28 Map]
haplophylloides Hand.-Mazz., 26, 28–30 [28 Map]
hayachinense, 29
var. *miyabeanum*, 29
himalayanum DC., 26, 28–29 [28 Map]
jacotianum Beauverd, 26, 28–29 [28 Map]
kurilense Takeda, 26, 28–30
leontopodinum (DC.) Hand.-Mazz., 26, 28–30 [28 Map]
leontopodioides (Willd.) Beauverd, 26, 28–29 [28 Map]
nivale (Ten.) Huet ex Hand.-Mazz., 26–29 [27 Figs, 28 Map]
ochroleucum Beauverd, 23, 26, 28–30 [28 Map]
pusillum (Beauverd) Hand.-Mazz., 26–28 [27 Figs, 28 Map], 30
sinense Hemsl., 23, 26, 28–30 [28 Map]
souliei (Hook.f.) C.B.Clarke ex Hemsl., 23, 26–30 [27 Figs, 28 Map]
stracheyi (Hook.f.) C.B.Clarke ex Hemsl., 26, 28–29 [28 Map]
Lepidium
sativum L., 174, 179
Leptaleum
filifolium (Willd.) DC., 170
Leptonia (Fr.) P.Kumm.
gnopholodes (Berk. & Br.) Sacc., **16**
Life forms
of Kimolos Island, 139
Lignum
emanum Rumphius, 311

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Ligustrum
perrottetii A.DC., 59
Lilaeopsis
sinuata A.W.Hill, 387
Limnos, Greece, 275–285 [276 Map]
Limonium, 283
ocymifolium (Poir.) O.Kuntze, 142
palmare (Sm.) Rech.f., 142, 158 App.
roridum (Sm.) Brullo & Guarino, 158 App.
sinuatum (L.) Mill., 158 App.
virgatum (Willd.) Fourr., 158 App.
Linaceae, 157 App.
Linnaeopsis Engl., 3–4
Linum
bienne Mill., 157 App.
strictum L.
subsp. *strictum*, 157 App.
Lobelia
serrata Meyen, 387
Lobeliaceae, 64
Loculicidal dehiscence, 63–74*
Lonicera
hypoleuca Decne., 175
Lophosoria
quadripinnata (J.F.Gmel.) C.Chr., 389
Lophozia
herzogiana, 133–134 Rev.
Lotus
cytisoides L., 156 App.
peregrinus L., 156 App.
Lugrayasa, I Nyoman, 259–268
Lupinus
angustifolius L.
subsp. *angustifolius*, 156 App.
Lusitanian distribution, 63–74*
Lycogala
epidendrum (L.) Fr., 16
Lysimachia
linum-stellatum L., 172

Mackinder, B., 117–132
Macrophoma
collabens Berg. & Vogl., 16
Madagascar, 3
Mahonia Nutt., 297
Maity, D., 289–296
Maki
foetens Kaempfer, 311
spuria Kaempfer, 311
Malpighiaceae, 361–378*
Malva
multiflora (Cav.) Soldano, Banfi & Galasso, 157 App.
neglecta Wallr., 157 App.
nicaeensis All., 157 App.
Malvaceae, 157 App., 176, 390
Manudev, K.M., 269–273
Marasmiaceae, 17
Marasmius Fr., 17
sect. *Sicci* Singer, 17
haematocephalus (Mont.) Fr., **17**
Margbensonia Bobrov & Melikian, 336
Massingue, A.O., 3–13
Matricaria
chamomilla L., 154 App.
Matthiola
incana (L.) R.Br., 155 App.
Mayland-Quellhorst, E., 23–33
Medicago
disciformis DC., 156 App.
lupulina L., 171
marina L., 156 App.
murex Willd., 156 App.
polymorpha L., 156 App.
sativa L.
subsp. *sativa*, 280
Medinilla
assamica (C.B.Clarke) C.Chen, 382
Meiotic behaviour, in *Onosma*, 75–82*
Meistera Giseke, 204
Melica
minuta L., 159 App.
Melilotus
indicus (L.) All., 156 App.
siculus (L.) All., 156 App.
Mentha
pulegium L.
subsp. *erinoides* (Heldr.) Kokkini, 142, 157 App.
Mercurialis
annua L., 155 App.
Merremia
dissecta (Jacq.) Hallier f., 167
Microcachrys Hook.f., 312–313, 319
Mill, R.R., 309–360
Milos volcanic field, 136
Mirabilis
jalapa L., 280
Möller, M., 297–308

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Moltkiopsis
ciliata (Forssk.) I.M.Johnst., 170
Momordica
balsamina L., 170
Monocotyledones, 281
Monographic revision
of *Podocarpus*, 309–360
Morales, V., 385–406
Mozambique, 3–13*
Musa L., 181–188*
sect. *Australimusa*, 181
sect. *Callimusa*, 181, 185
sect. *Ingentimusa*, 181
sect. *Musa*, 181, 185
sect. *Rhodochlamys*, 181
argentii Gogoi & Borah, 181–188 [**182**, 183–184 Figs]
chunii Häkkinen, 185
hirta Becc., 185
ingens N.W.Simmonds, 181
itinerans Cheesman, 185
var. *iterans*, 185
velutina H.Wendl. & Drude, 182, 185
subsp. *markkuana*, 185
subsp. *velutina*, 185–186
zaifuii Häkkinen & H.Wang, 185
Musaceae, 181–188*
Muscari
commutatum Guss., 153 App.
comosum (L.) Mill., 153 App.
cycladicum P.H.Davis & D.C.Stuart, 143–144, 146, 153 App.
pulchellum Heldr. & Sart.
subsp. *clepsydroides* Karlén, 143
weissii Freyn, 153 App.
Musella
lasiocarpa, 185
Mussaenda
belilla Buch.-Ham., 60
Musschia Dumort., 69
aurea, 64
Mycena
sect. *Basipedes* (Fr.) Kühner, 17
chlorophos (Berk. & Curt.) Sacc., **17**
Mycota, of the Seychelles, 15–21
Myrtaceae, 102, 280
Myxogastria, 16

Nageia Gaertn., 310, 316–318, 320–321, 323–324, 330, 332, 334, 338
sect. *Dammaroideae* (Benn.) R.R.Mill., 312
nagi, 312
wallichiana, 312
Nampy, S., 269–273
Nandina Thunb., 297
Narcissus
tazetta L., 153 App.
Native species
in Greece, 275–285*
of *Senna*, 117–132
Naturalised species
of *Senna*, 117–132
Negaresh, K., 51–56
Nemania Gray, 20
serpens (Pers.: Fr.) Gray, **20**
Nepal, 297–308*
Nepeta
melissifolia Lam., 142, 144, 146, 157 App.
Nerium
oleander L., 153 App.
New genus
Hesperocodon, 63–74
New Guinea, Indonesian, 189–192
New name
in Campanulaceae, 63–74
New records
from Oman, 161–180
New species
in *Adinandra*, 379–383
in *Amomum*, 193–258 [**233**, **238**]
in *Arisaema*, 269–273
in *Begonia*, 259–268*
in *Centaurea*, 51–56*
in *Diplycosia*, 83–115*
in *Gentiana*, 289–296
in *Hedyotis*, 57–61
in *Hiraea*, 361–378*
of invasive aliens in Greece, 275–285
in *Musa*, 181–188*
in *Onosma*, 75–82*
in *Streptocarpus*, 3–13
in *Vaccinium*, 189–192*
New subsection
in *Colutea*, 35–49*
New variety
in *Diplycosia*, 83–115*
Newman, M.F., 1, 193–258
Nigella
arvensis L., 283

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

degenii Vierh.
subsp. *degenii*, 142
Nolana
spathulata Ruiz & Pav., 390
Nomenclature
of *Tilia*, 287–288*
Notobasis
syriaca (L.) Cass., 154 App.
Nyctaginaceae, 280

Ochlopoa
annua (L.) H.Scholz, 159 App.
Oldenlandia L., 57
Olea
europaea L., 177
subsp. *cuspidata*, 163
var. *sylvestris* (Mill.) Lehr, 157 App.
Oleaceae, 157 App.
Oman, 161–180*
Central Desert of, 165 Fig.
northern mountains of, 163–164 Figs
southern mountains of, 162–163 [162 Fig.]
western oasis settlements of, 166 Fig.
Onagraceae, 280
Onobrychis
caput-galli Lam., 156 App.
Onosma L., 75–82*
sect. *Aponosma* DC., 75–82
sect. *Asterotricha* Boiss., 75–76
sect. *Euonosma* DC., 75
sect. *Haplotricha* Boiss., 75–76
sect. *Heterotricha* Boiss., 75–76
sect. *Onosma*, 76
sect. *Protonosma* Popov, 76
subsect. *Asterotricha* (Boiss.) Gürke, 76
subsect. *Onosma*, 76
ambigens Lacaita, 75
bisotunensis Attar & Hamzeh'ee, 75
cornuta Riedl, 75
elegans Koch, 80
estahbanensis Ranjbar & Almasi, 75
iranshahrii Ghahr. & Attar, 75
khorassanica Attar & Joharchi, 75
kurdica Teppner, 75
mahabadensis Ranjbar & Almasi, 75–80 [**77**, 78 Fig.]
procera Boiss., 75
rechingeri Riedl, 75
sericea Willd., 75–77, 80
soltanabadensis Ranjbar & Almasi, 75
straussii (Riedl) Khat., 75
subsericea Freyn, 77
tripartita Hochst., 80
tschichtatschevii Popov, 75
Onychium
divaricatum (Poir.) Alston, 173
Ophrys
andria P.Delforge
subsp. *halkionis* (G.Kretzschmar & H.Kretzschmar) Kreutz, 143
Opuntia
ficus-indica (L.) Mill., 138, 145, 155 App., 279
Orchidaceae, 138, 140, 143
Oreocnide
integrifolia (Gaudich.) Miq., 382
Oreophysa, 35–49*
microphylla (Jaub. & Spach) Browicz, 36, 47
triphylla (Bunge ex Boiss.) Bornm., 47
Oriastrum
werdermannii A.M.R.Davies, 387
Ornithogalum
montanum Cirillo, 153 App.
Orobanchaceae, 157 App.
Orobanche
nana (Reut.) Beck, 157 App.
tacnaensis Mattfeld, 390
Ortachne
breviseta Hitchc., 389
Orthotrichum
pumilum, 133 Rev.
Osbeckia
aspera Blume
var. *wightiana* Trimen, 60
Oxalidaceae, 158 App., 280
Oxalis
corniculata L., 280
lomana Diels, 390
pes-caprae L., 138, 145, 158 App.
Oxychloe
andina Phil., 389
Oxystelma
esculentum (L.f.) R.Br., 167

Pallenis
spinosa (L.) Cass., 154 App.
Paludana Giseke, 204
Pancratium
maritimum L., 153 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Papaver
rhoeas L.
var. *rhoeas*, 158 App.
var. *strigosum* Boenn., 158 App.
Papaveraceae, 158 App.
Papua, West New Guinea, 189–192
Paramomum S.Q.Tong, 204
petaloideum S.Q.Tong, 204
Parapholis
incurva (L.) C.E.Hubb., 159 App.
Parasitaxus de Laub., 310, 330–331
Parthenocissus
quinquefolia (L.) Planch., 281
Paspalum
distichum L., 281
Pathak, M.K., 379–383
Patzelt, A., 161–180
Pedaliaceae, 171
Pedalium
murex L., 171
Pendry, C.A., 297–308
Pennington, R.T., 117–132
Pentaphylacaceae, 379–383*
Pentodon
pentandrus (Schumach. & Thonn.) Vatke, 172
Peracarpa Hook.f. & Thomson, 68–69
Peru, 400 Map
Petkovia
orphanidea (Boiss.) Stef., 67
Phagnalon
rupestre (L.) DC.
subsp. *graecum* (Boiss. & Heldr.) Batt., 154 App.
Phalaris
paradoxa L., 159 App.
Phallales, 18
Pherosphaera W.Archer, 319
Phleum
arenarium L., 159 App.
Phlomis
fruticosa L., 157 App.
olivieri Benth., 53
Phoebe
wightii Meisn., 60
Phragmites
australis (Cav.) Steud., 159 App.
Phyllocladus Rich. ex Mirb., 310, 313, 318–319, 330–331, 334
aspleniifolius (Labill.) Hook.f., 310
Phylogeny
of *Hesperocodon*, 63–74*
Phytogeography, 135–160*, 161–180*
Phytolacca
americana L., 280
australis Phil., 389
Phytolaccaceae, 280, 389
Pigott, C.D., 287–288
Pimpinella
anisum L., 167
Pinaceae, 309, 318, 322, 332
Pinguicula
grandiflora Lam., 71
Pinopalmae, 313
Pinus L., 312–313
Piptatherum
coerulescens (Desf.) Beauv., 159 App.
miliaceum (L.) Coss., 159 App.
Plagiostachys, 193
Plantae Chilenses, 385–406
Plantaginaceae, 158 App., 171, 177, 280
Plantago
amplexicaulis Cav., 158 App.
bellardii All.
subsp. *deflexa* (Pilg.) Rech.f., 158 App.
coronopus L., 158 App.
lagopus L., 158 App.
lanceolata L., 158 App.
major L., 280
weldenii Rchb., 158 App.
Plumbaginaceae, 140, 142, 158 App.
Poaceae, 138, 140, 143, 158 App., 171, 281
Podocarpaceae, 309–360*
subfam. Podocarpoideae (Pilg.) Pilg., 319
Podocarpeae, 312
Podocarpopsida, 336
Podocarpus L'Hér. ex Pers., 309–360*
subgen. *Foliolatus* de Laub., 320, 329–331, 336–337, 339–340
subgen. *Podocarpus*, 320, 329–331, 337, 339–340
subgen. *Protopodocarpus* Engl., 320, 322
subgen. *Stachycarpus* (Endl.) Pilg., 320, 322, 324
sect. *Afrocarpus* J.Buchholz & N.E.Gray, 324–325, 330, 332
sect. *Australis* de Laub., 323, 328–329, 338
sect. *Calophyllus* Nelson, 315
sect. *Dacrycarpus* (Endl.) Gordon, 315, 317, 319–320, 323, 325, 330, 332, 338

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

sect. *Dacrydioideae* Benn., 312
sect. *Dammaroideae* Benn., 312
sect. *Eupodocarpus* (Endl.) Gordon, 311, 315–317, 319–321, 323, 325
sect. *Microcarpus* Pilg., 319–320, 325
sect. *Nageia* (Endl.) Henkel & Hochst., 312, 315, 317, 320, 323, 325, 330, 332, 338
sect. *Podocarpus*, 310, 329, 331, 338
sect. *Polypodiopsis* C.E.Bertr., 323, 325, 330, 332
sect. *Scytopodium*, 329
sect. *Stachycarpus* (Endl.) Gordon, 315, 317, 319–320, 325, 332
sect. *Sundacarpus* J.Buchholz & N.E.Gray, 324–325, 330, 332
sect. *Taxoideae* Benn., 312
group *Dacrycarpus* Endl., 312–313, 315
group *Eupodocarpus* Endl., 312–313, 315
group *Nageia* Endl., 312–313, 315–316
group *Stachycarpus* Endl., 312–313, 315
acutifolius Kirk, 319, 323, 329
alpinus R.Br. ex Hook., 316–317, 321, 328
var. *lawrencii*, 317
amarus Blume, 322
ballivianensis Silba, 335
brevifolius (Stapf) Foxw., 333
chilinus, 317
chinensis Wall. ex J.Forbes, 311, 318, 321, 339
coriaceus Rich., 321–322
cunninghamii Colenso, 321
curvifolius Carrière, 316
dacrydioides A.Rich., 318
drouynianus F.Muell., 323–324, 328
elatus R.Br. ex Endl., 316, 329, 334
elongatus (Sol.) L'Hér. ex Pers., 310–311, 316, 320–322
gaussenii Woltz, 332
gnidioides, 323
hallii Kirk, 321, 323, 329
henkelii Stapf ex Dallim. & A.B.Jacks., 333, 337
lambertii Klotzsch ex Endl., 337
latifolius (Thunb.) R.Br. ex Mirb., 311, 326, 331, 337, 339
latifolius Wall. non (Thunb.) R.Br. ex Mirb. nec Blume, 312
lawrencei Hook.f., 312, 317, 335
macrophyllus (Thunb.) Sweet, 311, 321, 326, 333–334, 336–337, 339
matudae Lundell, 339
milanjianus Rendle, 320, 334, 339
nageia R.Br., 312
nakaii Hayata, 329, 334
neriifolius D.Don, 319, 323, 333, 339–340
nivalis Hook., 312, 317, 319, 321, 323–324, 329, 334, 337
novae-caledoniae Vieill., 317
nubigenus Lindl., 319–321, 323, 329, 333–334, 339
orarius R.R.Mill & M.Whiting, 336
parlatorei Pilg., 323, 337, 339
polystachyus R.Br. ex Endl., 321, 323, 334
purdieanus Hook., 334
rostratus L.Laurent, 328
rumphii Blume, 311
salignus D.Don, 317, 323, 326, 334, 339
salomoniensis Wasscher, 323
sellowii Klotzsch ex Endl., 334
spathoides de Laub., 310, 332, 336
spicatus R.Br., 312
spinulosus (Sm.) R.Br. ex Mirb., 311, 321, 323, 328
taxifolius Kunth, 311
tixieri Gaussen ex Silba, 335
totara G.Benn. ex D.Don, 311, 317, 319, 321, 323–324, 329, 337–338
ustus (Vieill.) Brongn. & Gris, 319
Podocarpus Labill., 310
aspleniifolius Labill., 310
Podospermum
laciniatum (L.) DC., 154 App.
Polygonaceae, 159 App., 177, 280
Polygonum, 283
icaricum Rech.f., 275, 280
Polyploidy
in *Berberis*, 297–308
in *Leontopodium*, 23–33*
Polypogon
monspeliensis (L.) Desf., 159 App.
Polyporales, 18
Pooyan, P., 35–49
Poricidal dehiscence, 63–74*
Portulaca
oleracea L.
subsp. *oleracea*, 280
Portulacaceae, 280, 390
Posidonia
oceanica (L.) Delile, 159 App.
Posidoniaceae, 159 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Primulaceae, 70, 140, 142, 159 App., 172, 280
Prismatocarpus
sessilis Eckl. ex A.DC., 68
Prospero
autumnale (L.) Speta, 153 App.
Protoedraianthus
tarae Lakušić, 67
Prumnopitys Phil., 310, 313, 316, 319, 321–324, 328, 330–331, 334, 337
andina (Poepp. ex Endl.) de Laub., 324, 328
ferruginea (D.Don ex A.Cunn.) de Laub., 320
montana (Humb. & Bonpl. ex Willd.) de Laub., 311
taxifolia (Sol. ex D.Don) de Laub., 312, 324
Prunus
arabica (Oliv.) Meikle, 163–164 Figs, 174, 177
armeniaca, 166 Fig.
dulcis (Mill.) D.A.Webb, 280
Pteridaceae, 173
Pteridophyta, 153 App.
Puccinia
antucensis Syd., 386
Pulicaria
arabica (L.) Cass., 168
Pycnoporus
cinnabarinus (Jacq.) P.Karst., 18
coccineus (Fr.) Bond & Singer, 18
sanguineus (L.: Fr.) Murrill, 16, **18**
Pyrostria
phyllanthoides (Baill.) Bridson, 172

Radiation
in *Leontopodium*, 23–33*
Ranjbar, M., 51–56, 75–82
Ranunculaceae, 140, 142, 159 App., 280
Ranzania T.Ito, 298
Ravichandran, V., 57–61
Reichardia Roth, 137
Retrophyllum C.N.Page, 310, 323, 330, 332, 334
Revisions
of *Amomum*, 193–258*
of *Podocarpus*, 309–360
Rhagadiolus
stellatus (L.) Gaertn., 154 App.
Rhamnaceae, 163 Fig.
Rhododendron L., 133–134 Rev., 297
Ricinus
communis L., 280
Roella
ciliata, 64
Romulea
bulbocodium (L.) Sebast. & Mauri, 157 App.
Rosaceae, 159 App., 163–164 Figs, 166 Fig., 177, 280
Rostraria
pumila, 178
Roucela Dumort., 65
hederacea (L.) Dumort., 70
Royal Botanic Garden Edinburgh (RBGE), 385–406
Rubiaceae, 57–61*, 159 App., 172, 178
subfam. Rubioideae, 57
tribe Hedyotideae, 57
tribe Spermacoceae, 57
Ruellia
discifolia Oliv., 173
Rumex
limoniastrum Jaub. & Spach, 177
pulcher L.
subsp. *raulinii* (Boiss.) Rech.f., 159 App.
Rumphia, 312
Rydingia
persica (Burm.f.) Scheen & V.A.Albert, 176

Safer, S., 23–33
Saintpaulia H.Wendl., 3
Salicornia
perennans Willd.
subsp. *perennans*, 155 App.
Salix, 71
Salsola
soda L., 279
Salvia
verbenaca L., 157 App.
viridis L., 280
Samolus
valerandi L., 280
Sanguisorba
verrucosa (G.Don) Ces., 159 App.
Sarcopoterium
spinosum (L.) Spach, 278
Satureja
thymbra L., 157 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

Saurauia
armata Kurz, 382
Saxegothaea Lindl., 319, 333
Saxifraga L., 306
hirsuta L., 71
Saxifragaceae, 71
Scabiosa
rotata M.Bieb., 53–54
Scandix
pecten-veneris L., 153 App.
Schenkia
spicata (L.) G.Mans., 280
Schizoboea (Fritsch) B.L.Burtt, 3
Schultesia Roth, 65
hederacea (L.) Roth, 70
SCHWAIGER, S., 23–33
Sciadopitys
verticillata Siebold & Zucc., 318
Scirpoides
holoschoenus (L.) Soják, 155 App.
Scorzonera
mollis M.Bieb., 154 App.
Scrophularia
lucida L., 160 App.
Scrophulariaceae, 160 App., 178
SEAWARD, M.R.D., 15–21
Sections
of *Podocarpus*, 309–360*
Sedum L., 297
eriocarpum Sm.
subsp. *eriocarpum*, 135, 142, 144, 155 App.
Senecio
leucanthemifolius Poir.
subsp. *vernalis* (Waldst. & Kit.) Greuter, 154 App.
Senna Mill., 117–132 [**118**]
sect. *Psilorhegma*, 117
acutifolia (Delile) Batka, 119
alata (L.) Roxb., 118
alexandrina Garsault, 120
alexandrina Mill., 118–**119**, 122, 124
var. **alexandrina**, **120**–121, 124, 131
var. *obtusata* (Brenan) Lock, 121
angustifolia (Vahl) Batka, 120
artemisioides (DC.) Randell
subsp. *artemisioides*, 118
auriculata Roxb., 118
birostris (Vogel) H.S.Irwin & Barneby
var. *hookeriana* (Gillies ex Hook.) H.S.Irwin & Barneby, 124
didymobotrya (Fresen.) H.S.Irwin & Barneby, 119, **121**–122, 131
holosericea (Fresen.) Greuter, 119, 121–124 [**122** Fig.], 131
hookeriana Batka, 118, **124**, 131
italica Mill., 118–119, 122, **124**–125, 131
subsp. **italica**, **125**, 131
subsp. **micrantha** (Brenan) Lock, 125–**126**, 131
var. *italica*, 122 Fig.
multiglandulosa (Jacq.) H.S.Irwin & Barneby, 118
obtusifolia (L.) H.S.Irwin & Barneby, 119, **126**–127, 130–131
occidentalis (L.) Link, 119, **127**–129, 131
ovalifolia Batka, 118, 123
sophera (L.) Roxb., 119, 122 Fig., **128**–129, 131
tora (L.) Roxb., 119, 127, **129**–131
Senra
incana Cav., 177
Setaria
adhaerens (Forssk.) Chiov., 281
pumila (Poir.) Roem. & Schult., 281
Seychelles, mycota of, 15–21
Sherardia
arvensis L., 159 App.
Sideritis
curvidens Stapf, 157 App.
Sideroxylon
mascatense, 163
Sikkim Himalaya, 289–296* [293 Fig.]
Silene
cythnia (Halácsy) Walters, 142, 144
sartorii Boiss. & Heldr., 142
Sinapis
arvensis L., 155 App.
Sino-Himalayan flora, 23–33*
Slime-mould, 15–21*
Solanaceae, 160 App., 167–168 [168 Fig.], 281, 390
Solanum
elaeagnifolium Cav., 283
Sonchus
asper (L.) Hill
subsp. *glaucescens* (Jordan) Ball, 154 App.
bulbosus (L.) N.Kilian & Greuter

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

subsp. *microcephalus* (Rech.f.) N.Kilian & Greuter, 154 App.
oleraceus L., 154 App.
Sordariomycetes, 19
Sørensen's index, 135, 137, 145
Sorghum
halepense (L.) Pers., 281
South Aegean Volcanic Arc (SAVA), 135–160 [136 Map]
Southbya
nigrella, 133 Rev.
Southern Western Ghats, India, 269–273*
Speciation
in *Leontopodium*, 23–33*
Specimens, 385–406
Specularia Heister ex A.DC., 70
sect. *Hesperocodon* Webb & Berthel., 70
Spergula
pissisi (Phil.) Volponi, 389
Spergularia
media (L.) C.Presl, 155 App.
Spermatophyta, 278
Sphaerophysa
microphylla Jaub. & Spach, 47
Splachnales, 134 Rev.
Sporobolus
pungens (Schreb.) Kunth, 159 App.
Stachycarpus Tiegh., 319, 332
STILLE, J.S., 23–33
Stipa
capensis Thunb., 159 App.
Streptocarpus Lindl., 3–13
subgen. *Streptocarpus*, 4, 7
acicularis I.Darbysh. & Massingue, 3–4, **7**, 9, 11–12 & Fig.
actinoflorus T.J.Edwards & M.Hughes, 3
aylae T.J.Edwards, 3
bullatus Mansf., 4, 7
burttianus Pócs, 3
cooperi C.B.Clarke, 12
dolichanthus Hilliard & B.L.Burtt, 7, 11–12
eylesii S.Moore, 3–4
subsp. *eylesii*, 12
grandis N.E.Br.
subsp. *septentrionalis* Hilliard & B.L.Burtt, 12
leandrii Humbert ex B.L.Burtt, 7
mazumbaiensis I.Darbysh., 3–8 [**4**, 5 Fig.], 13
mbeyensis I.Darbysh., 3
michelmorei B.L.Burtt, 12
parensis auct. non B.L.Burtt, 4
parensis B.L.Burtt, 4, 7–8
primulifolius Gand., 12
rexii (Hook.) Lindl., 12
schliebenii Mansf., 4, 7–8
Strobilanthae, 313
Strophariaceae, 17
STUESSY, T.F., 23–33
STUPPNER, H., 23–33
Stylosanthes
fruticosa (Retz.) Alston, 171
Sulawesi, Indonesia, 83–115*, 259–268*
Sultanate of Oman *see* Oman
Sumatra, 193–258*
Sundacarpus (J.Buchholz & N.E.Gray) C.N.Page, 310, 319, 323, 328, 330, 333–334, 336
amarus (Blume) C.N.Page, 322
Symphyotrichum
squamatum (Spreng.) G.L.Nesom, 275, 279, 282–283
Synopses
of *Colutea*, 35–49
of *Senna*, 117–132
Syzygium
myhendrae (Bedd. ex Brandis) Gamble, 60
striganesanii K.Ravik. & V.Lakshm., 60

Tamil Nadu, India, 57–61
Tanzania, 3–13*
Taraxacum
aleppicum Dahlst., 154 App.
minimum (Guss.) N.Terracc., 154 App.
Taxaceae, 310, 313–314, 319, 329
subfam. Phyllocladoideae Pilg., 319
subfam. Podocarpoideae Pilg., 319
subfam. Taxoideae Pilg., 319
tribe Pherosphaereae Pilg., 319
tribe Podocarpeae, 319
Taxonomy
of *Adinandra*, 379–383*
of *Amomum*, 193–258*
of *Onosma*, 75–82
of *Podocarpus*, 309–360*
of *Senna*, 117–132*
of *Streptocarpus*, 3–13*
Taxus L., 311, 319
capensis Lam., 311

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

elongatus Sol., 311
latifolia Thunb., 311
macrophylla Thunb., 311
Telaranea
europea, 134 Rev.
Tetraploidy, in *Onosma*, 75–82*
Thamnobryum
alopecurum, 133 Rev.
angustifolium, 133 Rev
'*cataractarum*', 133 Rev.
Thapsia
garganica L., 278
Theligonum
cynocrambe L., 159 App.
Thomas, D.C., 259–268
Tilia, 287–288*
dictyoneura V.Engl. ex C.K.Schneid., 287–288
paucicostata Maxim., 287
subsp. *dictyoneura* (V.Engl.) Pigott, 287
subsp. **dictyoneura** (V.Engl. ex C.K.Schneid.) Pigott, 287–**288**
Tiliaceae, 287–288
Tillandsia
werdermannii Harms, 390
Tiniakou, A., 135–160
Tolpis
umbellata Bertol., 154 App.
Tordylium L., 137
apulum L., 153 App.
Torilis
leptophylla (L.) Rchb.f., 153 App.
Torreya Arn., 319
Torymenes Salisb., 206
officinalis Salisb., 206
Trachelium L., 67
Trachynia
distachya (L.) Link, 159 App.
Tragopogon
porrifolius L.
subsp. *porrifolius*, 154 App.
Trametes Fr., 18
badia Berk., 18
hirsutus (Schum.: Fr.) Pilát, 19
occidentale (Klotzsch) G.H.Cunn., 19
pubescens (Fr.) Pilát, **18**–19
Tribeles
australis Phil., 389
Tribulus
terrestris L., 281
Trichopetalum
plumosum J.F.Macbr., 389
Tridax
procumbens L., 174
Trifolium L., 137
angustifolium L.
var. *angustifolium*, 156 App.
arvense L.
var. *arvense*, 156 App.
campestre Schreb.
var. *lagrangei* (Boiss.) Zoh., 156 App.
fragiferum L., 280
grandiflorum Schreb., 156 App.
lappaceum L., 156 App.
nigrescens Viv.
subsp. *petrisavii* (Clem.) Holmboe, 156 App.
scabrum L., 156 App.
spumosum L., 156 App.
stellatum L.
var. *stellatum*, 156 App.
tomentosum L.
var. *tomentosum*, 156 App.
uniflorum L., 156 App.
Trigonella
corniculata
subsp. *balansae* (Boiss. & Reuter) Lassen, 156 App.
subsp. *rechingeri* (Širj.) Lassen, 142, 156 App.
monspeliaca L., 156 App.
Tripospermum Speg., 16, **19**
acerinum (P.Syd.) Speg., 16, 19
myrti (Lind) Hughes, 19–20
Triticum
turgidum
subsp. *dicoccon* (Schrank) Thell., 159 App.
Tropical Africa, 3–13
Tuberaria
guttata (L.) Fourr., 155 App.
Tulostoma
bonianum Pat., **16**
Typha
domingensis (Pers.) Steud., 281
Typhaceae, 281

Umbelliferae, 390
Umbilicus
horizontalis (Guss.) DC., 155 App.

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press

parviflorus (Desf.) DC., 142, 155 App.
Urospermum
picroides (L.) F.W.Schmidt, 154 App.
Urtica
pilulifera, 160 App.
Urticaceae, 160 App., 178
Usambara mountains, 3–13*

Vaccinium L., 85, 189–192
sect. *Bracteata* Nakai, 189–192
acrobracteatum K.Schum., 189
lucidum (Blume) Miq., 189
obatapaquiniorum Takeuchi, 189
tectiflorum Danet, 189
utteridgei Argent, 189–192* [**189**, 191 Fig.]
Valantia
hispida L., 159 App.
Valerianella
discoidea (L.) Loisel., 170
szovitsiana Fisch. & C.A.Mey., 170
Validation of name
in *Tilia*, 287–288*
Valvate dehiscence, 63–74*
Valvinterlobus
filiformis Dulac, 70
Verbascum
akhdarense (Murb.) Hub.-Mor., 178
Verbenaceae, 281
Vernonia
comorinensis W.W.Sm., 60
Veronica
cymbalaria Bodard, 160 App.
Veronicaceae, 281
Viburnum
colebrookeanum Wall. ex DC., 382
Vicia
bithynica (L.) L., 156 App.
cretica Boiss. & Heldr.
subsp. *aegaea* (Halácsy) P.W.Ball, 142, 156 App.
subsp. *cretica*, 156 App.
hybrida L., 156 App.
sativa L.
subsp. *cordata* (Hoppe) Asch. & Graebn., 156 App.
subsp. *nigra* (L.) Ehrh., 156 App.
subsp. *sativa*, 156 App.
Vitaceae, 281
Volcanic flora, 135–160*
Vulpia
ciliata Dumort., 159 App.

Wahlenbergia Schrad. ex Roth, 63–67
sect. *Aikinia*, 64
capensis (L.) A.DC., 65 Fig.
hederacea (L.) Rchb., 63–74
hederifolia Bubani, 70
procumbens (L.f.) A.DC., 68
Wahlenbergioids, 63–74*
Watling, R., 15–21
Werdermann, Erich, 385–406
Western Ghats, India, 57–61, 269–273*
Wissemann, V., 23–33
Withania
coagulans (Stocks) Dunal, 167–168 [168 Fig.]
Wurfbainia Giseke, 204
uliginosa (J.Koenig) Giseke, 204

Xanthium
orientale L.
subsp. *italicum* (Moretti) Greuter, 282–283
strumarium L., 169
Xylariaceae, 20
Xylariales, 20

Zedoaria Raf., 206
Zingiber
compactum (Sol. ex Maton) Stokes, 218
Zingiberaceae, 193–258*
tribe Alpinieae, 193
Ziziphus
hajarensis, 163 Fig.
Zoegea
leptaurea L., 53–54
Zygophyllaceae, 281

https://doi.org/10.1017/S0960428614000274 Published online by Cambridge University Press