COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX[1] VOLUME 30, 1982

F. A. MUMPTON

A

ADAMS, J. M. (with D. E. CLEMENT and S. H. GRAHAM), Synthesis of methyl-t-butyl ether from methanol and isobutene using a clay catalyst 129

Adsorption
- alkylphosphoric acid on kaolinite and smectite in water-decane solution 185
- anionic nitroxide spin probes on boehmite, gibbsite, noncrystalline alumina 438
- B on illite, montmorillonite, effect of ionic strength, exchangeable cations 341
- bidentate bridging of oxyanions on fresh, hydrous iron oxides 97
- Cu on alumina, boehmite, gibbsite, effect of pH 21
- Cu on alumina, boehmite, gibbsite, NH_3 ligand displacement reactions 21
- -density of allophanic soils, Canary Islands 103
- Fe on montmorillonite, characterization by Mössbauer spectroscopy 63
- fulvic acid on montmorillonite, review 1
- lanthanide ions, in excess of CEC, on montmorillonite 111
- lanthanide sorption on montmorillonite, effect of temperature 111
- methane, lack of, on montmorillonite 67
- Mg-stearate complex on chrysotile surface 91
- montmorillonite interaction with proteins, nucleic acid, polysaccharides, review 1
- N on sepiolite, surface area, pore-size distribution 347
- Na, Cl on allophane, imogolite, halloysite, relation to surface charge, morphology 143
- negative, relation to notional interfacial content 291
- Nisulam, Asulam on smectite, by IR, thin layer chromatography 306
- oxyanions on fresh, hydrous iron oxides 97
- phosphate on allophane, imogolite, halloysite, synthetic gibbsite, relation to surface charge, morphology 143
- polymers on montmorillonite, review 1
- polysulfone on montmorillonite, review 1
- polyvinyl alcohol on montmorillonite, review 1
- recovery of adsorbed alkylphosphoric acid on kaolinite and smectite 185
- stearic acid on chrysotile surface 91
- uranyl ions on synthetic type A zeolites, mechanism of reaction 135

Adsorption and catalytic decomposition of 4-nitrobenzenesulphonylmethylcarbamate by smectite, by Paolo Fusi, G. G. Ristori, and Marco Franci 306

Adsorption of alkylphosphoric acid on kaolinite and smectite in water-decane, by B. Siffert and J. J. Trescol 185

Adsorption of stearic acid by chrysotile, by V. E. Berkheiser 91

Aliettite
- nomenclature, regular interstratification 76

Alkylammonium
- exchange cation, orientation in vermiculite 215
- -vermiculites, layer charge heterogeneity, relation with basal spacings 215

Alkylphosphoric acid
- acid adsorption on kaolinite and smectite in water-decane solution 185
- acid recovery of adsorbed, on kaolinite and smectite 185

Allophane
- phosphate adsorption, in relation to surface properties, morphology 143
- -rich Andisols, Canary Islands, effect of silica content, desilicification on surface charge 103
- Si, Al, Fe analyses, IR, morphology 143

Alteration of andesite in wet, unstable soils of Oregon's western Cascades, by J. R. Glasmann 253

Alumina
- meeting, 5th International Conference of ICSOBA 449
- noncrystalline, adsorbed Cu^{2+} on, ESR 21
- noncrystalline, adsorption of anionic nitroxide spin probes 438
- noncrystalline, adsorption of Cu^{2+} on, function of pH 21
- noncrystalline, ESR of, with anionic nitroxide spin probes 438
- noncrystalline, NH_3 ligand displacement reaction of Cu adsorbed on 21

Aluminum
- adsorbed Cu on noncrystalline alumina, boehmite, gibbsite, by ESR 21
- book review, *Karst Bauxites*, by György Bárdossy 400
- -conservative biotite-to-chlorite reactions in quartz monzonite 81
- Cu^{2+} adsorption on noncrystalline alumina, boehmite, gibbsite, function of pH 21

[1] All items are indexed to the first page of the journal article in which they appear.

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

effect of, on iron oxide concentration in soils by 5 M NaOH 401
-goethite, XRD, TEM, effect of 5 M NaOH 401
meeting, 5th International Conference of ICSOBA 449
-substitution in ferrihydrite, on transformation to hematite, goethite 337
Amine
benzidine-vermiculite intercalate, structural model 297
benzidine-vermiculite intercalate, XRD, IR, hydrogen bonding 297
Ammonia
ligand displacement reactions of Cu adsorbed on alumina, boehmite, gibbsite 21
Ammonium
alkyl ammonium exchanged vermiculite, layer charge vs. basal spacing 215
-illite, first reported occurrence 161
-illites, from black shales associated with stratiform base metal deposit, IR, XRD, H, N, C analyses 161
Amphibolite
weathered, mixed-layer chlorite/vermiculite in soils of 156
Anauxite
Ione Formation, California; Belin, Czechoslovakia, SEM morphology, EDX 391
silica lepispheres in, SEM 391
Anauxite viewed by scanning electron microscopy, by W. D. Keller 391
Andesite
altered, in Oregon soils, formation of smectite, halloysite from 253
cobbles, alteration of, in Oregon soils 253
Andisols
allophane-, imogolite-rich, Canary Islands, surface area, surface charge, hydroxyl reactivity 103
Canary Islands, effect of silica content, desilicification on surface charge 103
Anion exchange
capacity, allophanitic soils, Canary Islands 103
Anion interactions with freshly prepared hydrous iron oxides, by J. B. Harrison and V. E. Berkheiser 97
Announcement
meeting, International Colloquium C.N.R.S., Petrology of Weathering and Soils 449
5th International Conference of ICSOBA 449
19th annual meeting, The Clay Minerals Society 79, 160
meeting, Minerals in the Refractories Industry 160
APRIL, R. H. (with NORMA VERGO), Interstratified clay minerals in contact aureoles, West Rock, Connecticut 237
Arsenate
adsorbed on fresh hydrous iron oxides, IR 97
reaction with fresh hydrous iron oxides 97
Asulam (4-aminobenzenesulphonylmethylcarbamate)
relation to Nisulam adsorption, catalytic decomposition on smectite 306
Attapulgite (see Palygorskite)
Augite
altered, petrography, SEM, 253
formation of smectite from, in andesite cobbles in Oregon soils 253
Authigenesis
formation of dolomite, Amargosa Desert, Nevada 327
formation of sepiolite, mixed-layer kerolite/stevensite, Amargosa Desert, Nevada 327

B

BACKHAUS, K.-O. (with K. DORNBERGER-SCHIFF and S. ĎUROVIĆ), Polytypism of micas: OD-interpretation, stacking symbols, symmetry relations 364
BAILEY, S. W. (with G. W. BRINDLEY, H. KODAMA, and R. T. MARTIN), Report of The Clay Minerals Society Nomenclature Committee for 1980–1981 76
BANIN, A. (with A. DIAMANT and M. PASTERNAK), Characterization of adsorbed iron in montmorillonite by Mössbauer spectroscopy 63
Basal spacings
Al-, Fe-, Cu-, Cr-exchanged smectites, intercalated with various organic solvents 129
alkylammonium vermiculites, relation with layer charge 215
biotite, vermiculitized, function of oxidation of Fe 287
chlorite/smectite, altered red beds 237
lanthanide-exchanged montmorillonite, as function of temperature 111
vermiculitized chlorite 215
Base metal deposit
Zn-Pb-Ag, stratiform, NH_4-illites in black shale associated with 161
BASTOVANOV, MARIJA (with G. W. BRINDLEY), Interactions of uranyl ions with synthetic zeolites of type A and the formation of compreignacite-like and becquerelite-like products 135
Bauxite
book review, *Karst Bauxites,* by György Bárdossy 400
meeting, 5th International Conference of ICSOBA 449
meeting, International Colloquium C.N.R.S., Petrology of Weathering and Soils 449

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Becquerelite
formation by reaction of uranyl ion with synthetic Ca-A zeolite 135
synthetic, XRD, unit-cell dimensions 135
Bentonite (see also Montmorillonite, Smectite)
adsorption, catalytic decomposition of herbicides Nisulam, Asulam on 306
illite/smectite in chemical composition, XRD, formation from smectite 445, 447
K-, chemical composition, formation 445, 447
prolonged triboluminescence, effect of hydration, grinding 73
Benzidine
-vermiculite intercalate, structural model, unit cell, benzidine domains in 297
-vermiculite intercalate, XRD, IR, hydrogen bonding in 297
BERKHEISER, V. E., Adsorption of stearic acid by chrysotile 91
BERKHEISER, V. E. (with J. B. HARRISON), Anion interactions with freshly prepared hydrous iron oxides 97
BERKHEISER, V. E. (with G. N. WHITE, F. N. BLANCHARD, and C. T. HALLMARK), Thin-film analysis of clay particles using energy dispersive X-ray analysis 375
Berthierine
chemical compositions, review 153
chemical compositions, similarity to chamosite 153
origin in coal measures 264
transformation to chamosite in coal measures 264
XRD, petrography, EDX analysis 264
Berthierine and chamosite in coal measures of Japan, by Azuma Iijima and Ryo Matsumoto 264
Bidentate bridging
formation by oxyanion reaction with fresh, hydrous iron oxides 97
Biopyribole
topotactic relation with orthopyroxene parent 11
weathering product of orthopyroxene, high resolution TEM, chemical analysis, unit-cell dimensions 11
Biotite
electron probe analyses, petrography 81
hydrothermal alteration to chlorite, in quartz monzonite 81
-to-chlorite reaction, Al-conservative, in quartz monzonite 81
vermiculitized, catalytic action of Cu on 287
vermiculitized, XRD, TGA, IR 287
Black shale
associated with stratiform basemetal deposit, NH_4-illites from, XRD, IR, H, N, C analyses 161
BLANCHARD, F. N. (with G. N. WHITE, V. E. BERKHEISER, and C. T. HALLMARK), Thin-film analysis of clay particles using energy dispersive X-ray analysis 375
BLOOM, P. R. (with R. M. WEAVER), Effect of the removal of reactive surface material on the solubility of synthetic gibbsites 281
Boehmite
adsorbed Cu^{2+} on, ESR 221
adsorption of anionic nitroxide spin probes 438
adsorption of Cu^{2+} on, function of pH 21
ESR of with anionic nitroxide spin probes 438
NH_3 ligand displacement reaction of Cu adsorbed on 21
BOLAND, J. N. (with R. A. EGGLETON), Weathering of enstatite to talc through a sequence of transitional phases 11
Book review
Clay Minerals, by Ernö Nemecz 400
Crystal Structures of Clay Minerals and their X-ray Identification, edited by G. W. Brindley and G. Brown 80
Eighth Conference on Clay Mineralogy and Petrology in Teplice, edited by J. Konta 159
Karst Bauxites, by György Bárdossy 400
Zeta Potential in Colloid Science—Theory and Application, by R. J. Hunter 159
BOOKIN, A. S. (with V. A. DRITS), Factors affecting orientation of OH-vectors in micas 415
BOOKIN, A. S. (with V. A. DRITS, I. V. ROZDESTVENSKAYA, T. F. SEMENOVA, and S. I. TSIPURSKY), Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations 409
BORGGAARD, O. K. (with H. B. LINDGREEN and STEEN MØRUP), Oxidation and reduction of structural iron in chlorite at 480°C 353
Boron
adsorption on illite, montmorillonite, effect of exchangeable cations, ionic strength 341
BRINDLEY, G. W., book review, *Eighth Conference on Clay Mineralogy and Petrology in Teplice,* edited by J. Konta 159
BRINDLEY, G. W., Chemical compositions of berthierines—a review 153
BRINDLEY, G. W. (with S. W. BAILEY, H. KODAMA, and R. T. MARTIN), Report of The Clay Minerals Society Nomenclature Committee for 1980–1981 76
BRINDLEY, G. W. (with MARIJA BASTOVANOV), Interactions of uranyl ions with synthetic zeolites of type A and the formation of compreignacite-like and becquerelite-like products 135
BYRNE, P. A. (with R. K. STOESSELL), Methane solubilities in clay slurries 67

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

C

Calcite
depth zonation in coal underclay, relation with illite/smectite mixed layering 422
lepidocrocite in well-drained, calcareous soil 394
occurrence with kerolite/stevensite, Amargosa Desert, Nevada 321, 327
prolonged triboluminescence, effect of hydration, grinding 73
relation of sepiolite-palygorskite clays, southern Spain, to calcareous deposits 191
Carbonate
adsorbed on fresh, hydrous iron oxide, IR 97
reaction with fresh, hydrous iron oxide 97
Carboxylic acid
synthesis of nordstrandite in 431
Catalysis
catalytic action of Cu on oxidation of structural Fe in vermiculitized biotite 287
catalytic decomposition of ethanol using sepiolite, effect of temperature 347
smectite, syntheses of methyl-t-butylether from methanol on isobutene using 129
Catalytic action of copper on the oxidation of structural iron in vermiculitized biotite, by Mahmut Sayin 287
Cation exchange
alkylammonium vermiculites, layer charge vs. basal spacing 215
effect of exchangeable cations on B adsorption on illite, montmorillonite 341
influence of exchangeable cations on size, shape of suspended montmorillonite particles 40
relation to notional interfacial content 291
sorption of lanthanides on montmorillonite, in excess of 111
uranyl ions on synthetic type A zeolites, mechanism of reaction 135
Cation-exchange capacity (CEC)
allophanitic soils, Canary Islands 103
hectorite, Hector, California 223
kerolite/stevensite mixed layer, Amargosa Desert, Nevada 321
montmorillonite, Wyoming 49
relation to notional interfacial content 291
smectite, in Japanese marine quick clays 275
Cation mobility
in Na-Ka montmorillonite gels 55
Celadonite
crystal structure of refinement by electron diffraction 409
hydroxyl-bond orientation by diffraction methods, electrostatic calculations 409
hydroxyl-bond orientation, factors affecting 415
Chabazite
Mount St. Helens tephra, SEM, 241
Chamosite
origin in coal measures 264
petrography, XRD, EDX analysis 264
similarity to berthierine in composition 153
transformation from berthierine in coal measures 264
Characterization of adsorbed iron in montmorillonites by Mössbauer spectroscopy, by A. Diamant, M. Pasternak, and A. Banin 63
Chemical analysis
Al-conservative biotite-to-chlorite reactions 81
allophane, Al, Si, Fe 143
altered red beds, rich in mixed-layer chlorite/smectite 237
berthierine, EDX, in coal measures 264
berthierine, review 153
berthierine-rich rocks, in coal measures 264
chamosite, EDX, in coal measures 264
chamosite-rich rocks, in coal measures 264
chlorite, biotite, from quartz monzonite, by electron microprobe 81
chlorite, hydrothermal, from quartz monzonite 81
chlorite, Mg-rich, Fe-rich 167
diagenetic illites, in sandstones of Kettleman North Dome, California, by electron microprobe 29
halloysite(10Å), Fe-rich, Hokkaido, Japan 315
halloysite, Al, Si, Fe 143
illite/smectite in Ordovician K-bentonites 445, 447
imogolite, Al, Si, Fe 143
interstitial water, associated with diagenetic illite, Kettleman North Dome, California 29
kaolinite, Georgia, thin-film EDX 375
kerolite/stevensite, Amargosa Desert, Nevada 321
N, C, H of illites containing ammonium cations 161
orthopyroxene, alteration products 11
pyrophyllite, Hillsborough, North Carolina, thin-film EDX 375
ripidolite (chlorite), Flagstaff Hill, California 353
sepiolite-palygorskite clays, southern Spain 191
talc, Fowler, New York, thin-film EDX 375
vermiculite, Young River, Western Australia, by XRF 297
water, Amargosa Desert, Nevada 327
zeolite, synthetic Na-A, Ca-A, K-A 135
Chemical compositions of berthierines—a review, by G. W. Brindley 153
Chemisorption (see also Adsorption)
copper on alumina, boehmite, gibbsite 21
Chlorite
amesite, hydroxyl-bond orientation, by diffraction methods, electrostatic calculations 409
authigenic, in sandstone, high resolution TEM, EDX analysis 232

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

hydrothermal formation, from biotite in quartz monzonite 81
hydroxyl-bond orientation, by diffraction methods, electrostatic calculations 409
Mg-rich, Fe-rich, chemical analyses, free energy of formation 167
Mg-rich, Fe-rich, solubility using multiple equilibria 167
replacing biotite in quartz monzonite, electron microprobe, chemical analysis, petrography 81
ripidolite, oxidation, reduction of Fe at 480°C 353
ripidolite, oxidized, reduced, XRD, IR, DTA, Mössbauer spectroscopy, chemical analysis, thermal treatment 353
/smectite, in altered red beds, XRD, basal spacings 237
/smectite, Mount St. Helens tephra, XRD, origin 241
/vermiculite, in soils from weathered gabbro, amphibolite 156
vermiculitized, layer charge, basal spacing 215
Chromium
-bearing kaolinite, dickite, O^{18}/O^{16} ratios, Teslić, Yugoslavia 318
Chromotography
thin layer, study of adsorption, catalytic decomposition of herbicides Nisulam, Asulam on smectite 306
Chrysotile (see also Asbestos, Serpentine)
adsorption of stearic acid by 91
Mg-stearate complex on surface of, IR 91
NaOAc-treated, IR 91
surface area 91
CHURCHMAN, G. J. (with B. K. G. THENG, M. RUSSELL, and R. L. PARFITT), Surface properties of allophane, halloysite, and imogolite 143
Clay minerals in the 1980 deposits from Mount St. Helens, by D. R. Pevear, D. P. Dethier, and D. Frank 241
Clay Minerals Society, The
announcement, 19th annual meeting 79, 160
Nomenclature Committee for 1980–1981, report 76
Clay-polymer interactions: Summary and perspectives, by B. K. G. Theng 1
Claystone
alteration to flint clay, by SEM morphology 150
CLEMENT, D. E. (with J. M. ADAMS and S. H. GRAHAM), Synthesis of methyl-t-butyl ether from methanol and isobutene using a clay catalyst 129
Coal
measures, formation of berthierine, chamosite in, under reducing conditions 264
underclay, variation of illite/smectite interlayered clay with depth 422
underclay, XRD, origin 422
Colloid
book review, *Zeta Potential in Colloid Science—Theory and Application* by R. J. Hunter 159
Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations, by A. S. Bookin, V. A. Drits, I. V. Rozdestvenskaya, T. F. Semenova, and S. I. Tsipursky 409
Compreignacite
formation by reaction of uranyl ion with synthetic zeolite A 135
synthetic, XRD, unit-cell dimensions 135
Contact metamorphism
red beds by basalt intrusive, formation of mixed-layer chlorite/smectite 237
Copper
adsorbed on noncrystalline alumina, boehmite, gibbsite, by ESR 21
adsorbed on noncrystalline alumina, boehmite, gibbsite, NH_3 ligand displacement reactions of 21
adsorption on noncrystalline alumina, boehmite, gibbsite, as function of pH 21
catalytic action of, on oxidation of structural Fe in vermiculitized biotite 287
-exchanged hectorite, ESR, thermal treatment 200
-exchanged hectorite, hydrolysis, dehydration reactions 200
interlayer in montmorillonite, reduction with H_2 397
-ligand orientation in hectorite, effect of hydrolysis, thermal treatment 200
Corrensite
nomenclature, regular interstratification 76
COYNE, L. M. (with N. LAHAV and J. G. LAWLESS), Prolonged triboluminescence in clays and other minerals 73
Crystal structure
benzidine-vermiculite intercalate, unit cell, benzidine domains 297
book review, *Crystal Structure of Clay Minerals and their X-ray Identification,* edited by G. W. Brindley and G. Brown 80
hydroxyl-bond orientation in chlorites, micas, dickite 409, 415
hydroxyl-bond orientation, in micas, factors affecting 415
Crystal-chemical study of layered $[Al_2Li(OH)_6]^+X^- \cdot nH_2O$, by C. J. Serna, J. L. Rendon, and J. E. Iglesias 180
Cu^{2+}-adsorption characteristics of aluminum hydroxide and oxyhydroxides, by M. B. McBride 21

D

DANDY, A. J. (with M. S. NADIYE-TABBIRUKA), Surface properties of sepiolite from Amboseli, Tan-

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

zania, and its catalytic activity for ethanol decomposition 347
Decane
-water solutions, adsorption of alkylphosphoric acid on kaolinite and smectite in 185
DETHIER, D. P. (with D. R. PEVEAR and D. FRANK), Clay minerals in the 1980 deposits from Mount St. Helens 241
Diagenesis (see also Authigenesis)
illite in sandstone, Kettleman North Dome, California, free energy of formation, solid solution of 29
sepiolite-palygorskite clays, southern Spain, relation to interbedded calcareous deposits 191
DIAMANT, A. (with M. PASTERNAK and A. BANIN), Characterization of adsorbed iron in montmorillonite by Mössbauer spectroscopy 63
Dickite
Cr-bearing, O^{18}/O^{16} ratios, Teslić, Yugoslavia 318
crystal structure refinement by X-ray diffraction 409
hydroxyl-bond orientation by diffraction methods and electrostatic calculations 409
Differential scanning calorimetry (DSC)
Wyoming montmorillonite, as function of water content 49
Differential thermal analysis (DTA)
andesite, altered, in Oregon soils 253
halloysite(10Å), Fe-rich 315
imogolite, synthetic, Ge- 123
ripidolite (chlorite), oxidizing, reducing conditions 353
Dissolution
5-M-NaOH concentration treatment for iron oxides in soil 401
ferrihydrite, synthetic, with 5 M NaOH 401
gibbsite-rich soil, concentration of iron oxides by 5-M-NaOH treatment 401
goethite hematite mixtures, with 5 M NaOH 401
goethite, synthetic, with 5 M NaOH 401
hectorite in dilute salt solutions, by hydrolysis, effect of pH, solution composition, 223
kaolinite-rich soil, concentration of iron oxides by 5-M-NaOH treatment 401
lepidocrocite, synthetic, with 5 M NaOH 401
Mg-rich, Fe-rich chlorites, in presence of kaolinite, hematite, gibbsite 167
Dolomite
authigenic, Mg-clay deposits, Amargosa Desert, Nevada 327
occurrence with sepiolite-kerolite/stevensite assemblages, Amargosa Desert, Nevada 321, 327
source of Mg for illite/smectite in Ordovician K-bentonite 445, 447
Double layer
electric, in clay-electrolyte systems, function of surface charge density 49
electric, in clay-electrolyte systems, used to calculate water film-thicknesses 49
DORNBERGER-SCHIFF, K. (with K.-O. BACKHAUS and S. ĐUROVIĆ), Polytypism of micas: OD-interpretation, stacking symbols, symmetry relations 364
DOWNEY, L. M. (with W. T. PARRY), Geochemistry of hydrothermal chlorite replacing igneous biotite 81
DRITS, V. A. (with A. S. BOOKIN), Factors affecting orientation of OH-vectors in micas 415
DRITS, V. A. (with A. S. BOOKIN, I. V. ROZDESTVENSKAYA, T. F. SEMENOVA, and S. I. TSIPURSKY), Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations 409
ĐUROVIĆ, S. (with K. DORNBERGER-SCHIFF and K.-O. BACKHAUS), Polytypism of micas: OD-interpretation, stacking symbols, symmetry relations 364

E

EBERL, D. D. (with B. F. JONES and H. N. KHOURY), Mixed-layer kerolite/stevensite from the Amargosa Desert, Nevada 321
EBERL, D. D. (with H. N. KHOURY and B. F. JONES), Origin of magnesium clays from the Amargosa Desert, Nevada 327
EBERL, D. D. (with S. M. RIMMER), Origin of an underclay as revealed by vertical variations in mineralogy and chemistry 422
Effect of exchangeable ions and ionic strength on boron adsorption by montmorillonite and illite, by R. Keren and G. A. O'Connor 341
Effect of the removal of reactive surface material on the solubility of synthetic gibbsites, by P. R. Bloom and R. M. Weaver 281
Effects of substitution of germanium for silicon in imogolite, by Shin-ichiro Wada and Koji Wada 123
Effects of temperature on the sorption of lanthanides by montmorillonite, by S. E. Miller, G. R. Heath, and R. D. Gonzalez 111
EGASHIRA, KAZUHIKO (with MASAMI OHTSUBO), Smectite in marine quick-clays of Japan 275
EGGLETON, R. A. (with J. N. BOLAND), Weathering of enstatite to talc through a sequence of transitional phases 11
Electrical conductivity
equivalent conductivity of exchangeable cations in Na/Ca-montmorillonite gels 55
hectorite suspensions, effect of hydrolysis on 223
Na/Ca-montmorillonite gels, as function of specific conductivity of interclay solutions 55
Electrical conductivity of Na/Ca montmorillonite gels, by I. Shainberg, J. D. Oster, and J. D. Wood 55

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Electrical potential
between clay double layers in clay-electrolyte systems 49
between clay double layers, used to calculate water-film thickness 49
Electrical potential between dissimilar clay double layers, by A. K. Helmy, I. M. Natale, and M. E. Mandolesi 49
Electrolyte
/clay systems, characterization by notional interfacial content 291
/clay systems, electric double layers in, to calculate water thickness 49
Na/Ca-montmorillonite gels, specific conductivities 55
Electron diffraction
celadonite, crystal structure refinement 409
muscovite, crystal structure refinement 409
phengite, crystal structure refinement 409
Electron microprobe analysis (see also Energy dispersive X-ray analysis)
berthierine, in coal measures 264
chamosite, in coal measures 264
chlorite, authigenic, in sandstone 232
chlorite, biotite from quartz monzonite 81
diagenetic illite in sandstone, Kettleman North Dome, California 29
kaolinite, noncrystalline silica in anauxite 391
kaolinite, thin-film analysis 375
pyrophyllite, thin-film analysis 375
smectite, Mount St. Helens tephra 241
talc, thin-film analysis 375
Electron spin resonance (ESR)
alumina, noncrystalline, with anionic nitroxide spin probes 438
boehmite, with anionic nitroxide spin probes 438
Cu^{2+} adsorbed on noncrystalline alumina, boehmite, gibbsite 21
gibbsite, with anionic nitroxide spin probes 438
hectorite, Cu-exchanged, effect of hydrolysis, thermal treatment 200
Electrostatic calculations
for hydroxyl-bond orientations, comparison with diffraction methods 409
for hydroxyl-bond orientations in micas, chlorites, dickite 409, 415
Energy dispersive X-ray analysis (EDX) (see also Electron microprobe analysis)
Enstatite
chemical analysis, unit-cell dimensions 11
oxidation of Fe during weathering 11
topotactic relation with weathering products 11
weathering of, to talc, biopyriboles, smectite, by high resolution TEM, optical microscopy 11
Entropy
driving force for adsorption of polymers on clays 1
Ethanol
catalytic decomposition with sepiolite, effect of temperature 347
dehydration, dehydrogenation with sepiolite catalysis 347
Ether
methyl-t-butyl, synthesis from methanol and isobutene using smectite catalyst 129

F

Factors affecting orientation of OH-vectors in micas, by A. S. Bookin and V. A. Drits 415
FANNING, D. S. (with M. C. RABENHORST and J. E. Foss), Regularly interstratified chlorite/vermiculite in soils over meta-igneous mafic rocks in Maryland 156
FERNANDEZ-CALDAS, E. (with A. GONZALES-BATISTA, J. M. HERNANDEZ-MORENO, and A. J. HERBILLON), Influence of silica content on the surface charge characteristics of allophanic clays 103
FERRERO, A. (with E. GALAN), Palygorskite-sepiolite clays of Lebrija, southern Spain 191
Ferrihydrite
synthesis 337, 401
synthetic, crystallization, dissolution effect of 5 M NaOH 401
synthetic, XRD, effect of 5 M NaOH on 401
transformation to hematite, goethite, effect of RH, Al-substitution 337
Fiber
acicular goethite, SEM, formed from Fe-kaolinite 207
adsorption of stearic acid by chrysotile 91
imogolite, Ge-, synthetic, by TEM 123
palygorskite-sepiolite clays, southern Spain 191
sepiolite, kerolite/stevensite, Amargosa Desert, Nevada 327
smectite, in altered andesite, in Oregon soils 253
5-M-NaOH concentration treatment for iron oxides in soils, The, by Nestor Kampf and Udo Schwertmann 401
Flint clay (see also Kaolin)
from claystone, SEM 150
illite, montmorillonite, kaolinite in, SEM 150
Flocculants
montmorillonite-polymer complexes as, review 1
Fluid inclusions
quartz, in quartz monzonite, for estimation of temperature of chlorite formation 81
FOSS, J. E. (with M. C. RABENHORST and D. S. FANNING), Regularly interstratified chlorite/vermiculite in soils over meta-igneous mafic rocks in Maryland 156
FRANCI, MARCO (with PAOLO FUSI and G. G. RISTORI), Adsorption and catalytic decomposition of 4-ni-

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

trobenzenesulphonylmethylcarbamate by smectite 306
FRANK, D. (with D. R. PEVEAR and D. P. DETHIER), Clay minerals in the 1980 deposits from Mount St. Helens 241
Free energies of formation of illite solid solutions and their compositional dependence, by Enrique Merino and Barbara Ransom 29
Free energy of formation
chlorite, Mg-rich, Fe-rich 167
illite, in sandstones of Kettleman North Dome, California, dependence on solid solution 29
Fulvic acid
adsorption by montmorillonite, review 1
FUSI, PAOLO (with G. G. RISTORI and MARCO FRANCI), Adsorption and catalytic decomposition of 4-nitrobenzenesulphonylmethylcarbamate by smectite 306

G

Gabbro
weathered, mixed-layer chlorite/vermiculite in soils from 156
GALAN, E. (with A. FERRERO), Palygorskite-sepiolite clays of Lebrija, southern Spain 191
Geochemistry of hydrothermal chlorite replacing igneous biotite, by W. T. Parry and L. M. Downey 81
Germanium
-imogolite, synthetic, XRD, DTA, TEM 123
Gibbsite
adsorbed Cu^{2+} on, ESR 21
adsorption of anionic nitroxide spin probes 438
adsorption of Cu^{2+} on, function of pH 21
ESR of, with adsorbed anionic nitroxide spin probes 438
NH_3 ligand displacement reactions of Cu adsorbed on 21
rich soil, iron oxide concentration by 5-M-NaOH treatment 401
solution equilibria with Mg-rich, Fe-rich chlorites 167
synthetic, effect of removal of surface material on solubility 281
synthetic, phosphate adsorption 143
synthetic, surface area, Na content, solubility, SEM 281
GLASMANN, J. R., Alteration of andesite in wet, unstable soils of Oregon's western Cascades 253
Glauconite
hydroxyl-bond orientation, factors affecting 415
Glow curve
thermoluminescence, of kaolinite, smectite, hectorite, palygorskite 311
Goethite
acicular, platy, from Fe-kaolinite, SEM, Mössbauer spectroscopy 207
Al-substituted, XRD, TEM, effect of 5 M NaOH 401
formation from ferrihydrite with 5 M NaOH 401
formation from ferrihydrite, effect of RH, Al-substitution 337
hematite mixtures, effect of 5 M NaOH 401
in well-drained, calcareous soil, XRD 394
synthetic, XRD, TEM, effect of 5 M NaOH 401
GONZALES-BATISTA, A. (with J. M. HERNANDEZ-MORENO, E. FERNANDEZ-CALDAS, and A. J. HERBILLON), Influence of silica content on the surface charge characteristics of allophanic clays 103
GONZALEZ, R. D. (with S. E. MILLER and G. R. HEATH), Effects of temperature on the sorption of lanthanides by montmorillonite 111
GRAHAM, S. H. (with J. M. ADAMS and D. E. CLEMENT), Synthesis of methyl-t-butyl ether from methanol and isobutene using a clay catalyst 129
Grinding
effect on triboluminescence of kaolinite, montmorillonite, calcite, quartz 73
GÜVEN, N., book review, *Crystal Structures of Clay Minerals and their X-ray Identification,* edited by G. W. Brindley and G. Brown 80
GUZMAN, R. (with J. TORRENT and M. A. PARRA), Influence of relative humidity on the crystallization of Fe(III) oxides from ferrihydrite 337

H

HALLMARK, C. T. (with G. N. WHITE, V. E. BERKHEISER, and F. N. BLANCHARD), Thin-film analysis of clay particles using energy dispersive X-ray analysis 375
Halloysite
Fe-rich, crumpled, lamellar morphology by TEM 315
Fe-rich, XRD, IR, chemical composition 315
origin in altered andesite in Oregon soils, TEM 253
phosphate adsorption, relation to surface properties, morphology 143
Si, Al, Fe analyses, IR, morphology 143
HARRISON, J. B. (with V. E. BERKHEISER), Anion interactions with freshly prepared hydrous iron oxides 97
HEATH, G. R. (with S. E. MILLER and R. D. GONZALEZ), Effects of temperature on the sorption of lanthanides by montmorillonite 111
Hectorite
Cu-exchanged, ESR, thermal treatment 200
Cu-exchanged, hydrolysis and dehydration reaction 200
electrical conductivity of suspensions 223
hydrolysis, decomposition of, in salt solutions 223
induced thermoluminescence, effect of heating 311

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

-like kerolite/stevensite, Amargosa Desert, Nevada, formation in playa lake deposits, transformation to sepiolite 327
-like kerolite/stevensite, Amargosa Desert, Nevada, O, D isotope ratios 327
-like trioctahedral smectite, Amargosa Desert, Nevada, XRD, SEM, chemical analysis 321
HELMY, A. K. (with I. M. NATALE and M. E. MANDOLESI), Electrical potential between dissimilar clay double layers 49
Hematite
formation from ferrihydrite by 5 M NaOH 401
formation from ferrihydrite, effect of RH, Al-substitution 337
from Fe-kaolinite, SEM, Mössbauer spectroscopy 207
goethite mixtures, XRD, TEM, effect of 5 M NaOH 401
solution equilibria with Mg-rich, Fe-rich chlorites 167
Herbicide
Nisulam adsorbed on smectite, IR, thin-layer chromatography 306
Nisulam, adsorption, catalytic decomposition on smectite 306
HERBILLON, A. J. (with A. GONZALES-BATISTA, J. M. HERNANDEZ-MORENO, and E. FERNANDEZ-CALDAS), Influence of silica content on the surface charge characteristics of allophanic clays 103
HERBILLON, A. J. (with J. F. KREIT and I. SHAINBERG), Hydrolysis and decomposition of hectorite in dilute salt solutions 223
HERNANDEZ-MORENO, J. M. (with A. GONZALES-BATISTA, E. FERNANDEZ-CALDAS, and A. J. HERBILLON), Influence of silica content on the surface charge characteristics of allophanic clays 103
High voltage electron microscopy of authigenic clay minerals in sandstones, by J. M. Huggett and S. H. White 232
HILL, V. G., book review, *Karst Bauxites,* by György Bárdossy 400
HUGGETT, J. M. (with S. H. WHITE), High voltage electron microscopy of authigenic clay minerals in sandstones 232
Hydrogen
bonding in benzidine-vermiculite intercalate, between amine oxygens and surface oxygens 297
reduction of interlayer Cu, Ni in montmorillonite 397
uptake by montmorillonite, function of temperature 397
Hydrolysis
Cu-exchanged hectorite, effect on ESR 200
effect on electrical conductivity of hectorite suspensions 223
hectorite, effect of pH, solution composition, in salt solutions 223
means of decomposition of hectorite suspensions 223
mechanism of lanthanide ion adsorption on montmorillonite 111
Hydrolysis and decomposition of hectorite in dilute salt solutions, by J. F. Kreit, I. Shainberg, and A. J. Herbillon 223
Hydrolysis and dehydration reactions of exchangeable Cu^{2+} on hectorite, by M. B. McBride 200
Hydrotalcite
-like, Li-Al double hydroxide, synthesis, XRD, IR, TEM 180
Hydrothermal
alteration of red beds by basalt intrusive, formation of chlorite/smectite 237
alteration zone, O^{18}/O^{16} analyses, Teslić, Yugoslavia 318
formation of chlorite from biotite in quartz monzonite textural relations, chemical analyses 81
Hydroxyl
-bond orientation in mica, chlorite, dickite, by diffraction methods, electrostatic calculations 409, 415
bond orientation in micas, factors affecting 409
hydroxy-Al polymers, effect on hydrolysis of hectorite 223
Li-Al double hydroxide, hydrotalcite-like, synthesis, XRD, TEM, IR 180
structural, reactivity of, in allophanitic soils, Canary Islands 103

I

IGLESIAS, J. E. (with C. J. SERNA and J. L. RENDON), Crystal-chemical study of layered $[Al_2Li(OH)_6]^+ X^- \cdot nH_2O$ 180
IIJIMA, AZUMA (with RYO MATSUMOTO), Berthierine and chamosite in coal measures of Japan 264
Illite
associated with sepiolite-palygorskite clays, southern Spain 191
B adsorption on, effect of exchangeable cations, ionic strength 341
diagenetic, in sandstones of Kettleman North Dome, California, electron microprobe analysis 29
diagenetic, in sandstones of Kettleman North Dome, California, free energy of formation dependence on solid solution 29
in flint clay, altered from claystone, SEM 150
NH_4-, first reported occurrence 161
NH_4-, in black shale associated with stratiform base metal deposit, XRD, IR, C, N, H analyses 161
/smectite, in Ordovician K-bentonite, chemical analysis 445, 447

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

/smectite mixed layering, in coal underclay, relation with depth 422
Imogolite
phosphate adsorption, relation to surface properties, morphology 143
Si, Al, Fe analyses, IR morphology 143
synthetic, Ge-, XRD, DTA, TEM, IR
Induced thermoluminescence of some clay minerals, by Kelly Lemons and J. L. McAtee, Jr. 311
Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension, by L. L. Schramm and J. C. T. Kwak 40
Influence of relative humidity on the crystallization of Fe(III) oxides from ferrihydrite, by J. Torrent, R. Guzman, and M. A. Parra 337
Influence of silica content on the surface charge characteristics of allophanic clays, by A. Gonzales-Batista, J. M. Hernandez-Moreno, E. Fernandez-Caldas, and A. J. Herbillon 103
Infrared spectroscopy (IR)
allophane, before, after dehydration 143
benzidine 297
benzidine-vermiculite intercalate 297
biotite, vermiculitized 287
chrysotile stearic acid-treated 91
goethite, Al-free, from Fe-rich kaolinite 207
halloysite(10Å), Fe-rich 315
halloysite, before, after dehydration 143
hydrotalcite-like, Li-Al double hydroxide 180
imogolite, before, after dehydration 143
imogolite, synthetic, Ge- 123
kaolinite, Fe-free, from Fe-rich kaolinite 207
Mg-stearate on chrysotite surface 91
montmorillonite lanthanide-sorbed, effect of temperature 111
NH_4-illites from black shales associated with stratiform base metal deposit 161
Nisulam herbicide adsorbed on smectite 306
oxyanions adsorbed on fresh, hydrous iron oxides 97
ripidolite, oxidized, reduced at 480°C 353
Interactions of uranyl ions with synthetic zeolites of type A and the formation of compreignacite-like and becquerelite-like products, by G. W. Brindley and Marija Bastovanov 135
Intercalation (see also Interlayering)
benzidine-vermiculite, structural model, hydrogen positions 297
benzidine-vermiculite, XRD, IR, unit cell, benzidine domains 297
Interlayer
Ni, Cu, in montmorillonite, reduction with H_2 397
Interstratification (see also Mixed layering)
chlorite/smectite, altered red beds, XRD, basal spacings 237
illite/smectite, in Ordovician K-bentonite, formation, chemical analysis 445, 447
regular, aliettite, nomenclature 76
regular, corrensite, nomenclature 76
regular, kulkeite, nomenclature 76
regular, nomenclature 76
regular, rectorite, nomenclature 76
regular, tarasovite, nomenclature 76
regular, tosudite, nomenclature 76
Interstratified clay minerals in contact aureoles, West Rock, Connecticut, by Norma Vergo and R. H. April 237
Ionic strength
effect of, on B adsorption on illite, montmorillonite 341
relation to clay swelling, tactoid formation 383
Iron
adsorbed on montmorillonite, nature of by Mössbauer spectroscopy 63
effect of RH on formation of goethite, hematite from ferrihydrite 337
fresh, hydrous iron oxides, bidentate complexes with oxyanions 97
fresh, hydrous iron oxides, oxyanion reactions by IR 97
in berthierine, chamosite in coal measures 264
in ripidolite, oxidation, reduction at 480°C, by Mössbauer spectroscopy 353
lepidocrocite, goethite in well-drained, calcareous soils 391
Mössbauer spectroscopy of, in Fe-kaolinite, hematite, goethite 207
oxidation of, in vermiculitized biotite, catalytic action of Cu on 287
oxidation, in transformation of Fe-kaolinite to Fe-free kaolinite 207
oxides, concentration in soils by 5-M-NaOH treatment 401
oxides, synthetic, TEM, XRD, effect of 5 M NaOH 401
-rich chlorites, free energy of formation, chemical analyses, solubility from multiple equilibria 167
-rich halloysite(10Å), morphology, XRD, IR, chemical analysis 315
Iron-rich halloysite(10Å) with crumpled lamellar morphology from Hokkaido, Japan, by Shin-Ichiro Wada and Chitoshi Mizota 315
Isobutene
synthesis of methyl-t-butyl ether from methanol and, using a clay catalyst 129
Isotope ratios
O, D, Mg-clays, Amargosa Desert, Nevada 327
O^{18}/O^{16}, argillitic alteration zone, Teslić, Yugoslavia 318
O^{18}/O^{16}, Cr-bearing kaolinite, dickite, Teslić, Yugoslavia 318

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

J

Japan
berthierine, chamosite in coal measures of 264
quick-clays, marine, smectite in 275
JONES, B. F. (with D. D. EBERL and H. N. KHOURY), Mixed-layer kerolite/stevensite from the Amargosa Desert, Nevada 321
JONES, B. F. (with H. N. KHOURY and D. D. EBERL), Origin of magnesium clays from the Amargosa Desert, Nevada 327

K

KAMPF, NESTOR (with UDO SCHWERTMANN), The 5-M-NaOH concentration treatment for iron oxides in soils 401
Kaolinite
adsorption of alkylphosphoric acid on, in water-decane solution 185
Cr-bearing, O^{18}/O^{16} ratios, Teslić, Yugoslavia 318
Fe-rich, alteration to Fe-free kaolinite, goethite, hematite 207
Fe-rich, Mössbauer spectroscopy, IR, XRD, SEM 207
flint clay altered from claystone, SEM 150
in anauxite, relation to noncrystalline silica intergrowths 391
in anauxite, SEM 391
induced thermoluminescence, effect of heating 311
prolonged triboluminescence, effect of hydration, grinding 73
reaction with siderite to form berthierine in coal measures 264
-rich soils, iron oxide concentration by 5-M-NaOH treatment 401
solution equilibria with Mg-rich, Fe-rich chlorites 167
thin film EDX, XRD 375
Karst
book review, *Karst Bauxites,* by György Bárdossy 400
KELLER, W. D., Anauxite viewed by scanning electron microscopy 391
KELLER, W. D., Scanning electron micrographs of claystone altering to flint clay 150
KEREN, R. (with G. A. O'CONNOR), Effect of exchangeable ions and ionic strength on boron adsorption by montmorillonite and illite 341
Kerolite
relation to talc-stevensite series 321
/stevensite mixed layer, Amargosa Desert, Nevada, formation in playa lake deposits, transformation to sepiolite 327
/stevensite mixed layer, Amargosa Desert, Nevada, O, D isotope ratios 327
/stevensite mixed layer, Amargosa Desert, Nevada, XRD, SEM, chemical analysis, CEC, Li-content 321
KHOURY, H. N. (with D. D. EBERL and B. F. JONES), Mixed-layer kerolite/stevensite from the Amargosa Desert, Nevada 321
KHOURY, H. N. (with D. D. EBERL and B. F. JONES), Origin of magnesium clays from the Amargosa Desert, Nevada 327
KITTRICK, J. A., Solubility of two high-Mg and two high-Fe chlorites using multiple equilbria 167
KLEIJN, W. B. (with J. D. OSTER), A model of clay swelling and tactoid formation 383
KODAMA, H. (with S. W. BAILEY, G. W. BRINDLEY, and R. T. MARTIN), Report of The Clay Minerals Society Nomenclature Committee for 1980–1981 76
KREIT, J. F. (with I. SHAINBERG and A. J. HERBILLON), Hydrolysis and decomposition of hectorite in dilute salt solutions 223
Kulkeite
nomenclature, regular interstratification 76
KWAK, J. C. T. (with L. L. SCHRAMM), Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension 40

L

LAGALY, GERHARD, Layer charge heterogeneity in vermiculites 215
LAHAV, N. (with L. M. COYNE and J. G. LAWLESS), Prolonged triboluminescence in clays and other minerals 73
Lanthanides
-sorbed montmorillonite, effect of temperature on IR, XRD, polarography 111
sorbed on montmorillonite in excess of CEC 111
LAWLESS, J. G. (with N. LAHAV and L. M. COYNE), Prolonged triboluminescence in clays and other minerals 73
Layer charge
heterogeneity in vermiculites 215
homogeneity in alkylammonium vermiculites 215
illite/smectite, in Ordovician K-bentonite 445, 447
kerolite/stevensite, Amargosa Desert, Nevada 321
vs. basal spacings of alkylammonium vermiculites 215
Layer charge heterogeneity in vermiculites, by Gerhard Lagaly 215
LEMONS, KELLY (with J. L. MCATEE, JR.), Induced thermoluminescence of some clay minerals 311

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Lepidocrocite
in well-drained, calcareous soil, XRD 394
synthetic, dissolution, crystallization effects of 5 M NaOH 401
synthetic, XRD, effect of 5 M NaOH on 401
Lepidocrocite in a calcareous, well-drained soil, by G. J. Ross and C. Wang 394
Ligand
exchange, mechanism of polymer adsorption 1
NH_3, displacement reactions of Cu adsorbed on noncrystalline alumina, boehmite, gibbsite 21
Light transmission
suspended montmorillonite, to determine particle size, shape 40
LINDGREEN, H. B. (with O. K. BORGGAARD and STEEN MØRUP), Oxidation and reduction of structural iron in chlorite at 480°C 353
Lithium
hydrotalcite-like, Li-Al double hydroxide, IR, XRD, TEM, synthesis 180
-rich, kerolite/stevensite, Amargosa Desert, Nevada 321, 327

M

Magnesium
clays, Amargosa Desert, Nevada, kerolite/stevensite in 321, 327
-rich chlorite, free energy of formation, solubility from multiple equilibria, chemical analysis 167
-stearate complex on chrysotile surface, from stearic acid adsorption 91
-stearate complex on chrysotile surface, IR 91
MAKSIMOVIĆ, ZORAN (with YUCH-NING SHIEH), Oxygen isotope study of chromium-bearing kaolinite and dickite from Teslić, Yugoslavia 318
MANDOLESI, M. E. (with A. K. HELMY and I. M. NATALE), Electrical potential between dissimilar clay double layers 49
MARTIN, R. T. (with S. W. BAILEY, G. W. BRINDLEY, and H. KODAMA), Report of The Clay Minerals Society Nomenclature Committee for 1980–1981 76
MATSUMOTO, RYO (with AZUMA IIJIMA), Berthierine and chamosite in coal measures of Japan 264
MCATEE, J. L., JR. (with KELLY LEMONS), Induced thermoluminescence of some clay minerals 311
MCBRIDE, M. B., Cu^{2+}-adsorption characteristics of aluminum hydroxide and oxyhydroxides 21
MCBRIDE, M. B., Hydrolysis and dehydration reactions of exchangeable Cu^{2+} on hectorite 200
MCBRIDE, M. B., Organic anion adsorption on aluminum hydroxides: spin probe studies 438
Meeting announcement
5th International Conference of ICSOBA 449
International Colloquium C.N.R.S., Petrology of Weathering and Soils 449
Minerals in the Refractories Industry 160
The Clay Minerals Society, 19th 79, 160
MERINO, ENRIQUE (with BARBARA RANSOM), Free energies of formation of illite solid solutions and their compositional dependence 29
Methane
solubility in clay slurries 67
Methane solubilities in clay slurries, by R. K. Stoessell and P. A. Byrne 67
Methanol
synthesis of methyl-t-butyl ether from isobutene and, using a smectite catalyst 129
Mica (see also individual minerals)
hydroxyl-bond orientation, by diffraction methods, electrostatic calculations 409
hydroxyl-bond orientation, factors affecting 415
meso-, hetero-, homooctahedral, polytypism, OD, stacking symbols 364
polymorphism, OD-interpretation, stacking symbols, symmetry relations 364
swelling, tactoid formation, relation to surface charge, ionic, strength 363
MILLER, S. E. (with G. R. HEATH and R. D. GONZALEZ), Effects of temperature on the sorption of lanthanides by montmorillonite 111
Mixed layer (see also Interstratification)
chlorite/smectite, Mount St. Helens tephra, XRD, origin 241
chlorite/vermiculite, regular, in soils from weathered gabbro, amphibotite 156
illite/smectite, relation of ordering to depth in coal underclay 422
illite/smectite, relation to calcite content in coal underclay 422
kerolite/stevensite, Amargosa Desert, Nevada, O, D, isotope ratios 327
kerolite/stevensite, Amargosa Desert, Nevada, origin in playa lake deposits, transformation to sepiolite 327
kerolite/stevensite, Amargosa Desert, Nevada, XRD, SEM, CEC, chemical analysis, Li-content 321
Mixed-layer kerolite/stevensite from the Amargosa Desert, Nevada, by D. D. Eberl, B. F. Jones, and H. N. Khoury 321
MIZOTA, CHITOSHI (with SHIN-ICHIRO WADA), Iron-rich halloysite(10Å) with crumpled lamellar morphology from Hokkaido, Japan 315
Model of clay swelling and tactoid formation, A, by W. B. Kleijn and J. D. Oster 383
Montmorillonite (see also Smectite, Bentonite)
adsorbed Fe, characterization by Mössbauer spectroscopy 63
adsorption of polymers, review 1
B adsorption on, effect of exchangeable cations, ionic strength 341

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

effect on nordstrandite synthesis 431
H_2 uptake as function of temperature 397
in flint clay altered from claystone, SEM 150
interaction with proteins, nucleic acid, polysaccharides, review 1
lanthanide-sorbed, IR, XRD, polarography, effect of temperature 111
morphology of polymers at surface of 1
particle size, shape of suspended, measured by viscosity, light transmission 40
-polymer complexes as flocculants, soil conditioners 1
reduction of interlayer Ni, Cu, with H_2 397
slurries, methane solubility in 67
sorption of lanthanides in excess of CEC 111
suspended, light transmission 40
suspended, viscosity 40
Wyoming, breakdown of tactoid formation with Na-adsorption 55
Wyoming, equivalent conductivity of exchangeable cations 55
Wyoming, Na/Ca-gels, electrical conductivity 55
Wyoming, surface area, DSC, CEC 49
Wyoming, surface charge density 49
Wyoming, water film thickness, using electric double layers in clay-electrolyte systems 49
Morphology
allophane, relation to surface properties, adsorption of phosphate 143
anauxite, California, Czechoslovakia, by SEM 391
berthierine, in coal measures, by petrographic analysis 264
chabazite, by SEM, Mount St. Helens tephra 241
chamosite, in coal measures, by petrographic analysis 264
flint clay, from claystone, by SEM 150
goethite, acicular, platy, by alteration of Fe-kaolinite 207
halloysite(10Å), Fe-rich, crumpled, lamellar, by TEM 315
halloysite, in altered andesite in Oregon soils 253
halloysite, relation to surface properties, adsorption of phosphate 143
hematite, by alteration of Fe-kaolinite, by SEM 207
hydrotalcite-like, Li-Al double hydroxide, by TEM 180
illitic in flint clay, by SEM 150
imogolite, Ge-, by TEM 123
imogolite, relation to surface properties, adsorption of phosphate 143
kaolinite, Fe-free, from Fe-rich kaolinite, by SEM 207
kerolite/stevensite, authigenic, Amargosa Desert, Nevada, by SEM 327
nordstrandite, synthetic, by SEM, TEM 431
nordstrandite, synthetic, relation to carboxylic acid strength 431
palygorskite-sepiolite clays, southern Spain, by TEM 191
phillipsite, by SEM, Mount St. Helens tephra 241
quartz, authigenic, Amargosa Desert, Nevada, by SEM 327
reactive surface material, on synthetic gibbsite, by SEM 281
sepiolite, authigenic, Amargosa Desert, Nevada, by SEM 327
silica lepispheres, in anauxite, by SEM 391
smectite, by SEM, Mount St. Helens tephra 241
smectite, fibrous, in altered andesite in Oregon soils 253
tridymite, by SEM, Mount St. Helens tephra 241
volcanic ash, by SEM, Mount St. Helens tephra 241
zeolites, by SEM, Mount St. Helens tephra 241
Morphology of nordstrandite, by P. Violante, A. Violante, and J. M. Tait 431
MØRUP, STEEN (with O. K. BORGGAARD and H. B. LINDGREEN), Oxidation and reduction of structural iron in chlorite at 480°C 353
Mössbauer spectroscopy
characterization of adsorbed iron on montmorillonite by 63
characterization of Fe in Fe-rich kaolinite, goethite, hematite 207
ripidolite, for oxidation, reduction of structural Fe 353

N

NADIYE-TABBIRUKA, M. S. (with A. J. DANDY), Surface properties of sepiolite from Amboseli, Tanzania, and its catalytic activity for ethanol decomposition 347
NATALE, I. M. (with A. K. HELMY and M. E. MANDOLESI), Electrical potential between dissimilar clay double layers 49
Natural ammonium illites from black shales hosting a stratiform base metal deposit, DeLong Mountains, northern Alaska, by E. J. Sterne, R. C. Reynolds, Jr., and Half Zantop 161
NEAL, C. (with A. G. THOMAS and V. W. TRUESDALE), Thermodynamic characterization of clay/electrolyte systems 291
Nickel
interlayer in montmorillonite, reduction with H_2 397
Nisulam (4-nitrobenzenesulphonylmethylcarbamate)
adsorbed on smectite, IR, thin layer chromatography 306
adsorption, catalytic decomposition on smectites 306

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Nitrate
adsorbed on fresh, hydrous iron oxides 97
reaction with fresh, hydrous iron oxides 97
Nitrogen (see also Ammonia, Ammonium)
adsorption on sepiolite, relation to pore-size distribution 347
Nomenclature
Committee for 1980–1981, of The Clay Minerals Society, report 76
corrensite, regular interstratification 76
kulkeite, regular interstratification 76
rectorite, regular interstratification 76, 445, 447
regular interstratifications 76
tarasovite, regular interstratification 76
tosudite, regular interstratification 76
Nordstrandite
synthesis in carboxylic acids 431
synthesis, effect of montmorillonite on 431
synthetic, morphology by SEM, TEM 431
Notional interfacial content (NIC)
means of characterizing clay/electrolyte systems 291
relation to CEC 291
relation to water adsorption, negative adsorption 291
Nucleic acid
adsorption by montmorillonite, review 1

O

O'Connor, G. A. (with R. Keren), Effect of exchangeable ions and ionic strength on boron adsorption by montmorillonite and illite 341
Octahedral composition
illite/smectite in Ordovician K-bentonites 445, 447
Ohtsubo, Masami (with Kazuhiko Egashira), Smectite in marine quick-clays of Japan 275
Optical microscopy (see also Petrography)
petrography of weathering orthopyroxene 11
relation of chemical analysis and 2V 11
Order-disorder (OD)
in micas, symbols 364
Organic anion adsorption on aluminum hydroxides: spin probe studies, by M. B. McBride 438
Origin of an underclay as revealed by vertical variations in mineralogy and chemistry, by S. M. Rimmer and D. D. Eberl 422
Origin of magnesium clays from the Amargosa Desert, Nevada, by H. N. Khoury, D. D. Eberl, and B. F. Jones 327
Oster, J. D. (with I. Shainberg and J. D. Wood), Electrical conductivity of Na/Ca montmorillonite gels 55
Oster, J. D. (with W. B. Kleijn), A model of clay swelling and tactoid formation 383
Oxidation
Fe in ripidolite (chlorite), at 480°C 353
Fe in vermiculitized biotite, by Cu 287
of iron in alteration of Fe-kaolinite to Fe-free kaolinite, hematite, goethite 207
of iron in altering pyroxene 11
Oxidation and reduction of structural iron in chlorite at 480°C, by O. K. Borggaard, H. B. Lindgreen, and Steen Mørup 353
Oxyanions (see also Anions)
adsorbed on fresh, hydrous iron oxides, IR 97
reactions with fresh, hydrous iron oxides 97
Oxygen isotope study of chromium-bearing kaolinite and dickite from Teslić, Yugoslavia, by Yuch-Ning Shieh and Zoran Maksimović 318

P

Palygorskite
-sepiolite clays, southern Spain, XRD, TEM, chemical analysis, genesis, sedimentation 191
induced thermoluminescence, effect of heating 311
Palygorskite-sepiolite clays of Lebrija, southern Spain, by E. Galan and A. Ferrero 191
Parfitt, R. L. (with B. K. G. Theng, M. Russell, and G. J. Churchman), Surface properties of allophane, halloysite, and imogolite 143
Parra, M. A. (with J. Torrent and R. Guzman), Influence of relative humidity on the crystallization of Fe(III) oxides from ferrihydrite 337
Parry, W. T. (with L. M. Downey), Geochemistry of hydrothermal chlorite replacing igneous biotite 81
Particle size
suspended montmorillonite, function of exchangeable cations, measured by viscosity, light transmission 40
Pasternak, M. (with A. Diamant and A. Banin), Characterization of adsorbed iron in montmorillonite by Mössbauer spectroscopy 63
Patel, Mahendra, Reduction of interlayer Ni^{2+} and Cu^{2+} in montmorillonite with hydrogen 397
Perchlorate
adsorbed on fresh, hydrous iron oxides 97
reaction with fresh, hydrous iron oxides 97
Petrography
alteration of andesite in Oregon soils 253
berthierine, chamosite in coal measures 264
chlorite replacing igneous biotite in quartz monzonite 81
formation of smectite, halloysite from andesite cobbles in Oregon soils 253
kerolite/stevensite, Amargosa Desert, Nevada 327
sepiolite, Amargosa Desert, Nevada 327
weathering of enstatite to talc, biopyribole, smectite by 11
Pevear, D. R. (with D. P. Dethier and D. Frank),

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Clay minerals in the 1980 deposits from Mount St. Helens 241
pH
effect of, on Cu adsorption on alumina, boehmite, gibbsite 21
suspension, effect on oxyanion adsorption on fresh, hydrous iron oxides 97
Phillipsite
Mount St. Helens tephra, SEM 241
Phosphate
adsorption on allophane, imogolite, halloysite, synthetic gibbsite, relation to surface properties, morphology 143
alkylphosphoric acid, adsorption on kaolinite and smectite in water-decane solution 185
Plagioclase
altered, petrography, SEM 253
formation of smectite from, in andesite in Oregon soils 253
Playa lake
deposits, origin of kerolite/stevensite, dolomite, sepiolite in, Amargosa Desert, Nevada 327
Polarographic analysis
lanthanide-sorbed montmorillonite, effect of temperature 111
Polymer
-clay interactions, summary, perspectives 1
-morphology at surface of montmorillonite 1
Polysaccharides
adsorption by montmorillonite, review 1
Polysulfone (diallyldimethylammonium chloride-SO_2)
adsorption by montmorillonite, review 1
Polytypism
micas, OD-interpretation, stacking symbols, symmetry relations 364
Polytypism of micas: OD-interpretation, stacking symbols, symmetry relations, by K. Dornberger-Schiff, K.-O. Backhaus, and S. Ďurović 364
Polyvinyl alcohol
adsorption by montmorillonite, review 1
Pore
micro, sepiolite, relation to surface area 347
size distribution, sepiolite 347
Prolonged triboluminescence in clays and other minerals, by N. Lahav, L. M. Coyne, and J. G. Lawless 73
Pseudomorphism
berthierine after authigenic kaolinite 264
in alteration of Fe-kaolinite to Fe-free kaolinite, hematite, goethite 207
Pumice (see Volcanic ash)
Pyrophyllite
swelling, tactoid formation, relation to surface charge, ionic strength 383
thin-film EDX, XRD 375
Pyroxene
chemical analysis, unit-cell dimensions 11
enstatite, weathering to talc, biopyriboles, smectite by high resolution TEM, optical microscopy 11
topotactic relation with alteration products 11

Q

Quartz
authigenic, Mg-clay deposits, Amargosa Desert, Nevada 327
fluid inclusions in, indicating temperature of chlorite alteration 81
prolonged triboluminescence, effect of hydration, grinding 73
Quick-clay
marine, Japanese, smectite rich, XRD, shear strength, CEC, surface area 275

R

RABENHORST, M. C. (with D. S. FANNING and J. E. FOSS), Regularly interstratified chlorite/vermiculite in soils over meta-igneous mafic rocks in Maryland 156
RANSOM, BARBARA (with ENRIQUE MERINO), Free energies of formation of illite solid solutions and their compositional dependence 29
RAUPACH, M. (with P. G. SLADE), Structural model for benzidine-vermiculite 297
Rectorite (allevardite)
nomenclature, regular interstratification 76, 445, 447
Reduction
Fe in ripidolite at 480°C, by Mössbauer spectroscopy 353
interlayer Ni, Cu in montmorillonite with hydrogen 397
Reduction of interlayer Ni^{2+} and Cu^{2+} in montmorillonite with hydrogen, by Mahendra Patel 397
Referees
Volume 30, *Clays and Clay Minerals* 446
Refractories
meeting announcement, Minerals in the Refractories Industry 160
Regularly interstratified chlorite/vermiculite in soils over meta-igneous mafic rocks in Maryland, by M. C. Rabenhorst, D. S. Fanning, and J. E. Foss 156
Relative humidity (RH)
effect on transformation of ferrihydrite to goethite, hematite 337
RENDON, J. L. (with C. J. SERNA and J. E. IGLESIAS), Crystal-chemical study of layered $[Al_2Li(OH)_6]^+ X^- \cdot nH_2O$ 180
Report of The Clay Minerals Society Nomenclature Committee for 1980–1981, by S. W. Bailey, G. W. Brindley, H. Kodama, and R. T. Martin 76
Review
clay-polymer interactions 1

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

REYNOLDS, R. C., book review, *Clay Minerals*, by Ernö Nemecz 400
REYNOLDS, R. C., JR. (with E. J. STERNE and HALF ZANTOP), Natural ammonium illites from black shales hosting a stratiform base metal deposit, DeLong Mountains, northern Alaska 161
RIMMER, S. M. (with D. D. EBERL), Origin of an underclay as revealed by vertical variations in mineralogy and chemistry 422
Ripidolite
Flagstaff Hill, California, oxidation, reduction of Fe at 480°C 353
Flagstaff Hill, California, XRD, DTA, IR, Mössbauer spectroscopy, chemical analysis 353
RISTORI, G. G. (with PAOLO FUSI and MARCO FRANCI), Adsorption and catalytic decomposition of 4-nitrobenzenesulphonylmethylcarbamate by smectite 306
ROSS, G. J. (with C. WANG), Lepidocrocite in a calcareous, well-drained soil 394
ROZDESTVENSKAYA, I. V. (with A. S. BOOKIN, V. A. DRITS, T. F. SEMENOVA, and S. I. TSIPURSKY), Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations 409
ROZENSON, ISRAEL (with BARUCH SPIRO and ISRAEL ZAK), Transformation of iron-bearing kaolinite to iron-free kaolinite, goethite, and hematite 207
RUSSELL, M. (with B. K. G. THENG, G. J. CHURCHMAN, and R. L. PARFITT), Surface properties of allophane, halloysite, and imogolite 143

S

Sandstone
chlorite in, examination by high voltage TEM 232
diagenetic illite in, Kettleman North Dome, California, free energy of formation of, solid solution in 29
interstitial waters in, chemical analysis, Kettleman North Dome, California 29
Saponite (see also Smectite)
in Mount St. Helens tephra, XRD, origin 241
SAYIN, MAHMUT, Catalytic action of copper on the oxidation of structural iron in vermiculitized biotite 287
Scanning electron micrographs of claystone altering to flint clay, by W. D. Keller 150
Scanning electron microscopy (SEM)
anauxite, Bilin, Czechoslalovakia 391
anauxite, Ione Formation, California 391
augite, altered, in andesite in Oregon soils 253
chabazite, Mount St. Helens tephra 241
flint clay from claystone 150
gibbsite, synthetic 281
goethite, acicular, from Fe-kaolinite 207
halloysite, altered, in andesite in Oregon soils 253
hematite, from Fe-kaolinite 207
illite, in flint clay 150
kaolinite, Fe-, transforming to goethite, hematite 207
kaolinite, in flint clay 150
kerolite/stevensite mixed layer, Amargosa Desert, Nevada 321, 327
montmorillonite, in flint clay 150
nordstrandite, synthetic 431
phillipsite, Mount St. Helens tephra 241
plagioclase, altered, in andesite in Oregon soils 253
sepiolite, Amargosa Desert, Nevada 321, 327
silica lepispheres, in anauxite, Belin, Czechoslovakia 391
smectite, altered, in andesite in Oregon soils 253
smectite, Mount St. Helens tephra 241
tridymite, Mount St. Helens tephra 241
volcanic ash, Mount St. Helens tephra 241
zeolites, Mount St. Helens tephra 241
SCHRAMM, L. L. (with J. C. T. KWAK), Influence of exchangeable cation composition on the size and shape of montmorillonite particles in dilute suspension 40
SCHWERTMANN, UDO (with NESTOR KAMPF), The 5-M-NaOH concentration treatment for iron oxides in soils 401
Sedimentation
sepiolite-palygorskite clays, southern Spain, relation to calcareous deposits 191
Selected area diffraction (SAD)
hydrotalcite-like Li-Al double hydroxide 180
Selenate
adsorbed on fresh hydrous iron oxide, IR 97
reaction with fresh hydrous iron oxide 97
SEMENOVA, T. F. (with A. S. BOOKIN, V. A. DRITS, I. V. ROZDESTVENSKAYA, and S. I. TSIPURSKY), Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations 409
Sepiolite
catalytic activity for ethanol decomposition 347
nitrogen adsorption, relation to pore-size distribution, surface area 347
-palygorskite clays, southern Spain, genesis, sedimentation, XRD, TEM, chemical analysis 191
playa lake deposits Amargosa Desert, Nevada, O, D isotope ratios, chemical composition 327
playa lake deposits, Amargosa Desert, Nevada, origin from kerolite/stevensite, SEM, petrography 327
surface area pore-size distribution 347
"wine earth," Lebrija, Spain 919
SERNA, C. J. (with J. L. RENDON and J. E. IGLESIAS), Crystal-chemical study of layered $[Al_2Li(OH)_6]^+X^- \cdot nH_2O$ 180

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Serpentine (see also individual minerals)
berthierine, review of chemical compositions 153
SHAINBERG, I. (with J. D. OSTER and J. D. WOOD), Electrical conductivity of Na/Ca montmorillonite gels 55
SHAINBERG, I. (with J. F. KREIT and A. J. HERBILLON), Hydrolysis and decomposition of hectorite in dilute salt solutions 223
Shale (see Black shale)
Shear strength
quick-clays, Japanese, marine, smectite-rich 275
SHIEH, YUCH-NING (with ZORAN MAKSIMOVIĆ), Oxygen isotope study of chromium-bearing kaolinite and dickite from Teslić, Yugoslavia 318
Siderite
berthierine replacing, petrography 264
reaction with kaolinite to form berthierine 264
SIFFERT, B. (with J. J. TRESCOL), Adsorption of alkylphosphoric acid on kaolinite and smectite in water-decane 185
Silica
cristobalite, tridymite, Mount St. Helens tephra, SEM, XRD, origin 241
effect of, on surface charge of allophanic soils, Canary Islands 103
lepispheres in anauxite, Czechoslovakia, SEM 391
noncrystalline in anauxite, California, SEM 391
substitution by germanium in synthetic imogolite, effect on XRD, IR, DTA, TEM 123
SLADE, P. G. (with M. RAUPACH), Structural model for benzidine-vermiculite 297
Smectite (see also Montmorillonite, Bentonite)
adsorption of alkylphosphoric acid on kaolinite and smectite in water-decane solution 185
Al-, Fe-, Cu-, Cr-exchanged, basal spacings of intercalates with organic solvents 129
associated with sepiolite-palygorskite clays, southern Spain, sedimentation 191
catalyst, Cu-, preparation 129
catalyst, synthesis of methyl-t-butyl ether from methanol and isobutene 129
catalytic decomposition of Nisulam, Asulam herbicides adsorbed on 306
/chlorite, in altered red beds, XRD, basal spacings 237
/chlorite, in Mount St. Helens tephra, XRD, origin 241
/illite mixed layering in coal underclay 422
/illite, in Ordovician K-bentonites, chemical analysis 445, 447
in altered andesite, in Oregon soils, SEM, origin 253
in marine, Japanese quick-clays, XRD, shear strength, swelling CEC, surface area, surface charge 275
in Mount St. Helens tephra, XRD, SEM, origin 241
induced thermoluminescence, effect of heating 311
kerolite/stevensite, Amargosa Desert, Nevada, XRD, SEM, chemical analysis, CEC 321
kerolite/stevensite, Amargosa Desert, Nevada, origin in playa lake deposits, transformation to sepiolite 327
kerolite/stevensite, Amargosa Desert, Nevada, O, D isotope ratios 327
Nisulam adsorbed on, IR, thin-layer chromatography 306
origin in altered andesite in Oregon soils, SEM, TEM 253
petrography of, from feldspar in altered andesite 253
precursor of illite/smectite in Ordivician K-bentonites 445, 447
topotactic relation with parent orthopyroxene 11
weathering product of orthopyroxene, high resolution TEM, unit-cell dimensions, chemical analysis 11
Smectite in marine quick-clays of Japan, by Kazuhiko Egashira and Masami Ohtsubo 275
Soil (see also Soil clay)
andisols, Canary Islands, allophanitic, effect of silica content on surface charge 103
5-M-NaOH concentration treatment for iron oxides in 401
from weathered gabbro, amphibolite, mixed-layer chlorite/vermiculite in 156
gibbsite-rich, iron oxide concentration by 5-M-NaOH treatment 401
kaolinite-rich, iron oxide concentration by 5-M-NaOH treatment 401
meeting, International Colloquium C.N.R.S., Petrology of Weathering and Soils 449
well-drained, calcareous, lepidocrocite, goethite in 394
well-drained, calcareous, XRD, extractable Al, Fe 394
wet, Oregon, alteration of andesite cobbles in 253
Soil conditioner
uncharged polymers, reactions with montmorillonite 1
Solid solution
illites, in sandstones of Kettleman North Dome, California, by electron microprobe analysis 29
illites, in sandstones of Kettleman North Dome, California, effect on free energy of formation 29
Solubility
gibbsite, synthetic, effect of removal of surface area on 281

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Mg-rich, Fe-rich chlorites using multiple equilibria 167
Solubility of two high-Mg and two high-Fe chlorites using multiple equilbria, by J. A. Kittrick 167
Source clays, CMS
bentonite, SWy-1, methane solubility in slurry of 67
chlorite (ripidolite), CCa-1, oxidation, reduction of Fe, IR, XRD, Mössbauer spectra, DTA 353
hectorite, SHCa-1, induced thermoluminescence 311
kaolinite, KGa-1, induced thermoluminescence 311
kaolinite, KGa-1, prolonged triboluminescence 73
kaolinite, KGa-1, thin-film EDX, XRD 375
kaolinite, KGa-2, induced thermoluminescence 311
kaolinite, KGa-2, prolonged triboluminescence 73
montmorillonite, SAz-1, induced thermoluminescence 311
montmorillonite, SAz-1, methane solubility in slurry of 67
montmorillonite, STx-1, induced thermoluminescence 311
montmorillonite, SWy-1, induced thermoluminescence 311
palygorskite, PFl-1, induced thermoluminescence 311
SPIRO, BARUCH (with ISRAEL ROZENSON and ISRAEL ZAK), Transformation of iron-bearing kaolinite to iron-free kaolinite, goethite, and hematite 207
Stearic acid
adsorption on chrysotile, to give Mg-stearate complex 91
Mg-stearate complex on chrysotile surface, IR 91
STERNE, E. J. (with R. C. REYNOLDS, JR. and HALF ZANTOP), Natural ammonium illites from black shales hosting a stratiform base metal deposit, DeLong Mountains, northern Alaska 161
Stevensite
/kerolite mixed layer, Amargosa Desert, Nevada, XRD, SEM, CEC, chemical analysis, Li-content 321
/kerolite mixed layer, Amargosa Desert, Nevada, formation in playa lake deposits, transformation sepiolite 327
/kerolite mixed layer, Amargosa Desert, Nevada, O, D isotope ratios 327
STOESSELL, R. K. (with P. A. BYRNE), Methane solubilities in clay slurries 67
Structural model for benzidine-vermiculite, by P. G. Slade and M. Raupach 297
Sulfate
adsorbed on fresh, hydrous iron oxide 97
reaction with fresh, hydrous iron oxide 97
Surface area
allophanitic soils, Canary Islands 103
gibbsite, synthetic 281
NaOAc-treated chrysotile 91
sepiolite, Amboseli, Tanzania 347
smectite, in Japanese, marine quick clays 275
Wyoming montmorillonite by orthophenanthroline adsorption 49
Surface charge
allophane, relation to phosphate adsorption 143
allophanitic soils, Canary Islands, effect of silica content, desilification on 103
density, effect on electric double layers 49
density, Wyoming montmorillonite, used to calculate water film thickness 49
halloysite, relation to phosphate adsorption 143
imogolite, relation to phosphate adsorption 143
pyrophyllite, relation to swelling, tactoid formation 383
smectite, in Japanese marine quick clays 275
talc, relation to swelling, tactoid formation 383
vermiculite, relation to swelling, tactoid formation 383
Surface material
morphology of, on synthetic gibbsite, by SEM 281
removal, effect of, on solubility of synthetic gibbsite 281
Surface properties of allophane, halloysite, and imogolite, by B. K. G. Theng, M. Russell, G. J. Churchman, and R. L. Parfitt 143
Surface properties of sepiolite from Amboseli, Tanzania, and its catalytic activity for ethanol decomposition, by A. J. Dandy and M. S. Nadiye-Tabbiruka 347
Swelling (see also Expansion)
pyrophyllite, relation to ionic strength, surface charge 383
quick clays, Japanese, marine, smectite-rich 275
talc, relation to ionic strength, surface charge 383
vermiculite, relation to ionic strength, surface charge 383
Symbols
stacking, in micas 364
Symmetry
in micas, symbols 364
Synthesis
becquerelite, by reaction of uranyl ions with Ca-A zeolite 135
compreignacite, by reaction of uranyl ions with type A zeolites 135
ferrihydrite, Al-ferrihydrite 337
goethite, hematite, from ferrihydrite at high RH 337
hydrotalcite-like, Li-Al double hydroxide 180
imogolite, Ge- 123
methyl-t-butyl ether from methanol and isobutene using a smectite catalyst 129
nordstrandite, in carboxylic acids 431

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

nordstrandite, relation of morphology to carboxylic acid strength 431
Synthesis of methyl-t-butyl ether from methanol and isobutene using a clay catalyst, by J. M. Adams, D. E. Clement, and S. H. Graham 129

T

Tactoid
formation in talc, pyrophyllite, vermiculite, electrostatic model 383
formation in talc, pyrophyllite, vermiculite, relation to surface charge, ionic strength 383
montmorillonite, size, number of plates as function of exchangeable cations, measured by viscosity, light transmission 40
montmorillonite, tactoid breakdown with Na adsorption 55
TAIT, J. M. (with P. VIOLANTE and A. VIOLANTE), Morphology of nordstrandite 431
Talc
end member of stevensite-kerolite series 11
relation with smectite, biopyriboles during weathering of orthopyroxene 11
swelling, tactoid formation, relation to surface charge, ionic strength 383
thin-film EDX, XRD 375
weathering of enstatite to, by high resolution TEM, optical microscopy 11
weathering product of enstatites, chemical analysis, unit-cell dimensions 11
Tarasovite
nomenclature, regular interstratification 76
Tellurate
adsorbed on fresh, hydrous iron oxides, IR 97
reaction with fresh, hydrous iron oxide 97
Tephra (see Volcanic ash)
THENG, B. K. G. (with M. RUSSELL, G. J. CHURCHMAN, and R. L. PARFITT), Surface properties of allophane, halloysite, and imogolite 143
THENG, B. K. G., Clay-polymer interactions: Summary and perspectives 1
Thermal gravimetric analysis (TGA)
vermiculitized biotite, saturated with Mg, Cu 287
Thermal treatment (see also Thermal stability)
DSC of Wyoming montmorillonite, as function of water content 49
effect of, on induced thermoluminescence of smectite, kaolinite, hectorite, palygorskite 311
hectorite, Cu-exchanged, effect on Cu-ligand orientation, ESR 200
lanthanide-sorbed montmorillonite, effect on IR, XRD polarography 111
TGA of Mg-, Cu- vermiculitized biotite 287
Thermodynamic characterization of clay/electrolyte systems, by C. Neal, A. G. Thomas, and V. W. Truesdale 291
Thermodynamics
free energy of formation, illite, Kettleman North Dome, California, dependence on solid solution 29
free energy of formation, Mg-rich, Fe-rich chlorites 167
Gibbs energy of electrostatic interaction, talc, pyrophyllite, vermiculite 383
notional interfacial content (NIC) means of characterizing clay-electrolyte system 291
solubility of Mg-rich, Fe-rich chlorites from multiple equilibria 167
Thermoluminescence (TL)
induced, attapulgite, effect of heating 311
induced, hectorite, effect of heating 311
induced, kaolinite, effect of heating 311
induced, montmorillonite, effect of heating 311
Thin-film analysis
kaolinite, EDX 375
pyrophyllite, EDX 375
talc, EDX 375
Thin-film analysis of clay particles using energy dispersive X-ray analysis, by G. N. White, V. E. Berkheiser, F. N. Blanchard, and C. T. Hallmark 375
THOMAS, A. G. (with C. NEAL and V. W. TRUESDALE), Thermodynamic characterization of clay/electrolyte systems 291
TORRENT, J. (with R. GUZMAN and M. A. PARRA), Influence of relative humidity on the crystallization of Fe(III) oxides from ferrihydrite 337
Tosudite
nomenclature, regular interstratification 76
Transformation of iron-bearing kaolinite to iron-free kaolinite, goethite, and hematite, by Israel Rozenson, Baruch Spiro, and Israel Zak 207
Transmission electron microscopy (TEM)
allophane 143
goethite, before, after 5-M-NaOH treatment 401
halloysite 143
halloysite(10Å), Fe-rich 315
halloysite, in altered andesite in Oregon soils 253
high resolution, topotactic relation between orthopyroxene and weathering products 11
high resolution, weathering of orthopyroxene to talc, smectite, biopyriboles 11
high voltage, authigenic chlorite in sandstone 232
high voltage techniques, means of improving spatial resolution 232
hydrotalcite-like, Li-Al double hydroxide 180
imogolite 143
imogolite, synthetic, Ge- 123
montmorillonite, in altered andesite in Oregon soils 253
nordstrandite, synthetic 431
sepiolite-palygorskite clays, southern Spain 191

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Travertine
-kerolite/stevensite, Amargosa Desert, Nevada 327
TRESCOL, J. J. (with B. SIFFERT), Adsorption of alkylphosphoric acid on kaolinite and smectite in water-decane 185
Triboluminescence
prolonged, in calcite 73
prolonged, in clays, effect of grinding, hydration 73
prolonged, in kaolinite 73
prolonged, in montmorillonite 73
prolonged, in quartz 73
TRUESDALE, V. W. (with C. NEAL and A. G. THOMAS), Thermodynamic characterization of clay/electrolyte systems 291
TSIPURSKY, S. I. (with A. S. BOOKIN, V. A. DRITS, I. V. ROZDESTVENSKAYA, and T. F. SEMENOVA), Comparison of orientations of OH-bonds in layer silicates by diffraction methods and electrostatic calculations 409

U

Underclay
coal, acid leaching origin 422
coal, variation of illite/smectite with depth 422
coal, XRD, origin 422
Unit cell
dimensions, bequerelite, synthetic 135
dimensions, compreignacite, compreignacite-like phases, synthetic 135
dimensions, orthopyroxene, talc, smectite alteration products 11
Uranium
uranyl ion, cation exchange, adsorption mechanism on synthetic zeolite A 135
uranyl ion, reaction with synthetic zeolite A to yield compreignacite, becquerelite 135

V

van Olphen, H., book review, *Zeta Potential in Colloid Science—Theory and Application,* by R. J. Hunter 159
VERGO, NORMA (with R. H. APRIL), Interstratified clay minerals in contact aureoles, West Rock, Connecticut 237
Vermiculite
alkylammonium exchanged, layer charge heterogeneity 215
alkylammoniun exchanged, basal spacings vs. layer charge 215
-benzidine intercalate, structural model, unit cell, benzidine domains 297
-benzidine intercalate, XRD, IR, hydrogen bonding 297
/chlorite, regular, in soils from weathered gabbro, amphibolite 156
swelling, tactoid formation, relation to ionic strength, particle charge 383
vermiculitized biotite, catalytic action of Cu on oxidation of structural Fe 287
vermiculitized biotite, XRD, IR, TGA 287
VIOLANTE, A. (with P. VIOLANTE and J. M. TAIT), Morphology of nordstrandite 431
VIOLANTE, P. (with A. VIOLANTE and J. M. TAIT), Morphology of nordstrandite 431
Viscosity
suspended montmorillonite, to determine particle size, shape 40
Volcanic activity
Mount St. Helens, clay minerals in tephra, origin of 241
Volcanic ash (glass) (see also Tuff)
allophane, imogolite, halloysite from, phosphate adsorption, surface properties 143
andisols, Canary Islands, effect of silica content, desilicification on surface charge 103
interstitial in andesite, alteration to smectite 253
Mount St. Helens tephra, origin of clay minerals in 241
Mount St. Helens tephra, SEM, XRD 241

W

WADA, KOJI (with SHIN-ICHIRO WADA), Effects of substitution of germanium for silicon in imogolite 123
WADA, SHIN-ICHIRO (with CHITOSHI MIZOTA), Iron-rich halloysite(10Å) with crumpled lamellar morphology from Hokkaido, Japan 315
WADA, SHIN-ICHIRO (with KOJI WADA), Effects of substitution of germanium for silicon in imogolite 123
WANG, C. (with G. J. ROSS), Lepidocrocite in a calcareous, well-drained soil 394
Water
adsorption, relation to notional interfacial content 291
-decane solution, adsorption of alkylphosphoric acid on kaolinite and smectite in 185
effect of, on prolonged triboluminescence of kaolinite, montmorillonite, calcite, quartz 73
-film thickness, Wyoming montmorillonite 49
-film thicknesses, calculated using electric double layers in clay-electrolyte systems 49
ground, Amargosa Desert, Nevada, composition 327
hydrolysis, dehydration reactions of exchangeable Cu^{2+} on hectorite 200
interlayer in montmorillonite, melting, effect on Mössbauer spectroscopy 63
interstitial in sandstone, Kettleman North Dome, California, chemical analysis 29
methane solubility in montmorillonite slurries 67

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press

Weathering
andesite cobbles in Oregon soils, clay mineral development 253
book review, *Clay Minerals*, by Ernö Nemecz 400
book review, *Karst Bauxites*, by György Bárdossy 400
enstatite to talc, biopyriboles, smectite, by high resolution TEM, optical microscopy 11
gabbro, amphibolite, mixed-layer chlorite/vermiculite in soils of 156
meeting, International Colloquium C.N.R.S., Petrology of Weathering and Soils 449
Weathering of enstatite to talc through a sequence of transitional phases, by R. A. Eggleton and J. N. Boland 11
WEAVER, R. M. (with P. R. BLOOM), Effect of the removal of reactive surface material on the solubility of synthetic gibbsites 281
WHITE, G. N. (with V. E. BERKHEISER, F. N. BLANCHARD, and C. T. HALLMARK), Thin-film analysis of clay particles using energy dispersive X-ray analysis 375
WHITE, S. H. (with J. M. HUGGETT), High voltage electron microscopy of authigenic clay minerals in sandstones 232
Wine
"wine earth," sepiolite-rich, Lebrija, Spain, stratigraphy, diagenesis, mineralogy 191
WOOD, J. D. (with I. SHAINBERG and J. D. OSTER), Electrical conductivity of Na/Ca montmorillonite gels 55

X

X-ray powder diffraction (XRD)
andesite, altered, in Oregon soils 253
basal spacings of alkylammonium vermiculites vs. layer charge 215
becquerelite products of reaction of uranyl ions with synthetic Ca-A zeolites 135
benzidine-vermiculite intercalate 297
berthierine, in coal measures 264
biotite, vermiculitized, basal spacings, function of oxidation of Fe 287
book review, *Crystal Structures of Clay Minerals and their X-ray Identification*, edited by G. W. Brindley and G. Brown 80
chamosite, in coal measures 264
chlorite/smectite, altered red beds 237
chlorite/smectite, Mount St. Helens tephra 241
compreignacite products of reaction of uranyl ions with type A zeolites 135
cristobalite, Mount St. Helens tephra 241
Fe-kaolinite transformation to Fe-free kaolinite, goethite, hematite 207
ferrihydrite, synthetic, effect of 5 M NaOH on 401
gibbsite, effect of 5 M NaOH on 401
goethite, effect of 5 M NaOH on 401
goethite in calcareous soil, Ontario 394
goethite, synthetic, effect of 5 M NaOH on 401
halloysite(10Å), Fe-rich 315
hematite, goethite mixtures, effect of 5 M NaOH on 401
hydrotalcite-like, Li-Al double hydroxide 180
illite/smectite, coal underclay, variation with depth 422
imogolite, synthetic, Ge- 123
kaolinite, effect of 5 M NaOH on 401
kerolite/stevensite mixed layer, Amargosa Desert, Nevada 321
lepidocrocite in calcareous soil, Ontario 394
mixed-layer chlorite/vermiculite, regular, from soils over weathered gabbro, amphibolite 156
montmorillonite, lanthanide-sorbed effect of temperature 111
NH_4-illites, from black shales associated with stratiform base metal deposits 161
palygorskite-sepiolite clays, southern Spain 191
pyrophyllite, Hillsborough, North Carolina 375
ripidolite (chlorite), oxidized, reduced 353
saponite, Mount St. Helens tephra 241
smectite, treated smectite, in Japanese marine quick clays 275
soil, well-drained, calcareous, Ontario 394
talc, Fowler, New York 375
tephra, Mount St. Helens 241
tridymite, Mount St. Helens tephra 241
underclay, coal, variation with depth 422

Z

ZAK, ISRAEL (with ISRAEL ROZENSON and BARUCH SPIRO), Transformation of iron-bearing kaolinite to iron-free kaolinite, goethite, and hematite 207
ZANTOP, HALF (with E. J. STERNE and R. C. REYNOLDS, JR.), Natural ammonium illites from black shales hosting a stratiform base metal deposit, DeLong Mountains, northern Alaska 161
Zeolite
chabazite, phillipsite in Mount St. Helens tephra, SEM, origin 241
type A, Na-, Ca-, K-, chemical analysis 135
type A, synthetic, reaction of uranyl ions with to form compreignacite, becquerelite 135
Zeta potential
book review, *Zeta Potential in Colloid Science—Theory and Applications*, by R. J. Hunter 159
measurements, allophanitic soils, Canary Islands 103

https://doi.org/10.1346/CCMN.1982.0300613 Published online by Cambridge University Press