© Trustees of the Royal Botanic Garden Edinburgh (2010)
doi:10.1017/S0960428610000235

GENERAL INDEX TO VOLUME 67 (2010)

Note: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps and appendices (App.) are indicated; tables are not annotated separately.

Abbotia Raf., 358
Abutilon
  bidentatum Hochst. ex A.Rich., 206 App.
  figarianum Webb, 206 App.
  fruticosum Guill. & Perr., 193, 206 App.
  pannosum (G.Forst.) Schltdl., 194, 206 App.
Acacia Mill., 193–194, 198–199
  ehrenbergiana Hayne, 193–194, 196, 198, 205 App.
  gerrardii Benth.
    var. *najdensis* Chaudhary, 41, 54 App.
  tortilis (Forssk.) Hayne, 42, 44–46, 196, 205 App.
    subsp. *raddiana* (Savi) Brenan, 55 App.
    subsp. *tortilis*, 193
Acalypha
  indica L., 205 App.
Acanthaceae, 51 App., 202 App., 231
Acanthonema Hook.f., 177
Achillea L., 247
  millefolium L., 241, 246, 253–254
Adelocaryum Brand, 141–154* [**145**]
  anchusoides (Lindl.) Brand, 141–144
  capusii (Franch.) Brand, 141, 143
  coelestinum (Lindl.) Brand, 141, 143–148 [**146**], 151–152
  coelestinum (Lindl.) R.R.Mill, 141
  erythraeum Brand, 141, 144
    f. *erythraeum*, 142
    f. *subexalata* H.Riedl, 142
  flexuosum Brand, 141
  lambertianum (C.B.Clarke) R.R.Mill, 141, 144–145, **152**
  malabaricum (C.B.Clarke) Brand, 141, 143–146, **152**
  nebulicola R.R.Mill, 141, 145–153 [**148**, 149–150 Figs]
  schlagintweitii Brand, 141
Adiantaceae, 51 App.
Adiantum
  capillus-veneris L., 45, 51 App.
Aeluropus
  lagopoides (L.) Trin. ex Thwaites, 194, 207 App.
Aerva
  javanica (Burm.f.) Juss. ex Schult., 41, 52 App., 194, 202 App.
Aeschynanthus Jack, 176
  bracteatus Wall. ex DC., 163, 175
  micranthus C.B.Clarke, 163, 175
Aethionema
  carneum (Banks & Sol.) B.Fedtsch., 53 App.
Africa
  Central, 219–233*
  South, 353–398*, 425–430*
Agalmyla Blume, 176
  biflora (Elmer) Hilliard & B.L.Burtt, 163, 175
  clarkei (Elmer) B.L.Burtt, 163, 175
Agapetes D.Don ex G.Don, 8, 437
Agaricaceae, 405
Agaricus, 405, 409
  ephemeroides DC., 406
Agrocybe
  fimicola (Speg.) Singer, **408**
  neocoprophila Singer, 408
Aidia Lour., 265, 283–284
  densiflora (Wall.) Masam., 270–271, 273, 284, 341 App., **342** App.
  racemosa (Cav.) Tirveng., 271, 273, 284, 341 App., **342** App.
Aizoaceae, 52 App., 202 App.
Aizoon
  canariense L., 52 App.
Ajuga
  arabica P.H.Davis, 197, 208 App.
Al-Abbasi, T.M., 25–35, 37–56, 189–208
Alcea
  striata (DC.) Alef., 42–43, 47, 55 App.
Alectoris
  melanocephala Ruppell, 41
Al-Farhan, A., 25–35, 37–56
Al-Harbi, R.J., 37–56, 189–208
Al-Khulaidi, A.W., 25–35
Alliaceae, 52 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Allium
dictyoprasum C.A.Mey. ex Kunth, 52 App.
Aloe
vera (L.) Burm.f., 208 App.
Al-Shammari, K.F., 37–56, 189–208
Al-Wetaid, A.H., 37–56, 189–208
Alysicarpus
glumaceus (Vahl) DC., 205 App.
Amaranthaceae, 52 App., 202 App.
Amaranthus
graecizans L., 202 App.
viridis L., 203 App.
Amaryllidaceae, 203 App.
Ammannia
baccifera L., 205 App.
Ammophila, 403
Anacardiaceae, 52 App.
Anamorphic fungi, **420**
Anaphalioides (Benth.) Kirp., 236, 248–249
subrigida (Colenso) Anderb., 241, 246, 250
Anaphalis DC., 248–249, 255
javanica Sch.Bip., 242, 246, 250
margaritacea Benth. & Hook.f., 242, 246, 250
nubigena DC., 242, 246, 250–252
Anarrhinum
forskallii (J.F.Gmel.) Cufod., 56 App.
Ancyclostemon
aureus (Franch.) B.L.Burtt, 163, 175
convexus Craib, 163, 175
Andrachne
aspera Spreng.
var. *glandulosa* Hochst. ex A.Rich., 206 App.
Anellaria
semiovata (Sowerby) A.Pearson & Dennis, 409
Anisosciadium
lanatum Boiss., 42, 56 App.
Anna
mollifolia (W.T.Wang) W.T.Wang & K.Y.Pan, 163, 175
submontana Pellegr., 164, 175
Anogeissus
dhofarica A.J.Scott, 151–152
Antennaria Gaertn., 236, 248–249, 252–255
anaphaloides Rydb., 242, 246, 250
carpatica (Wahlenb.) Bluff & Fingerh., 242, 246, 250, 252
dioica (L.) Gaertn., 242, 246, 249–252, 254
luzuloides Torr. & Gray, 242, 246, 252–253
Anticharis
glandulosa Asch., 208 App.
Anvillea
garcinii (Burm.f.) DC., 44, 52 App.
Aoranthe Somers, 267, 285
Apiaceae *see* Umbelliferae
Apocynaceae, 1–5, 52 App., 203 App.
subfam. Apocynoideae, 1–5*
tribe Mesechiteae, 1
Arabian Peninsula, Important Plant Areas (IPAs) in, 25–35*, 37–56*, 189–208
Arctic, 7–24*
Arecaceae *see* Palmae
Argyrolobium
arabicum (Decne.) Jaub. & Spach, 205 App.
Aristida
adscensionis L., 207 App.
funiculata Trin. & Rupr., 207 App.
Aristolochia
bracteolata Lam., 203 App.
Aristolochiaceae, 203 App.
Armeria
macloviana Cham., 403
Artemisia, 258
herba-alba Asso, 52 App.
sieberi Besser, 41, 52 App.
Arthraxon
inermis Hook.f., 147
purandharensis Bharucha, 147
Arthrocnemum
macrostachyum (Moric.) K.Koch, 194, 196 Fig., 203 App.
Arundinella, 448
Asclepiadaceae, 52 App.
Ascobolaceae, 412
Ascobolus, 412–413
albidus P.Crouan & H.Crouan, **412**
brantophilus Dissing, **412**
degluptus Brumm., **412**–413
furfuraceus Pers., **412**
hawaiiensis Brumm., **412**
immersus Pers., **412**
michaudii Boud., **413**

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

stictoideus Speg., 412–**413**
Ascomycota, 399–423* [**411**]
Asellia
patrizii DeBeaux, 190
Asia, Southeast, 75–121*
Asparagaceae, 52 App., 203 App.
Asparagus
aphyllus L., 52 App.
flagellaris (Kunth) Baker, 193, 203 App.
Asphodelaceae, 52 App.
Asphodelus
tenuifolius Cav., 42, 46, 52 App.
Asteraceae, 203 App., 235–264*, 400–401
tribe Anthemideae, 246, 248–249, 252–254
tribe Astereae, 246, 248–249, 252–254
tribe Gnaphalieae, 235–264*
see also Compositae
Asteriscus
pygmaeus (DC.) Coss. & Durieu, 44, 52 App.
Astracantha
echinus (DC.) Podlech
subsp. *arabica* Hedge & Podlech, 43, 47, 55 App.
Astragalus L., 208 App.
spinosus (Forssk.) Muschl., 44, 55 App.
Atractocarpus Schltr. & K.Krause, 265–342* [272 Fig.]
crosbyi (Burkill) Puttock, 267
heterophyllus (Montrouz.) Guillaumin & Beauvis., 265, 270–272 & Fig., 274, 276, 278, 284, 341 App., **342** App.
tenuiflorus (A.C.Sm.) Puttock, 267
Atractocarpus sensu Puttock, 285
Atractylis
carduus (Forssk.) C.Chr., 52 App.
Atriplex
farinosa Forssk., 203 App.
halimus L., 203 App.
Austin, D.F., 467–468
Auvray, G., 451–465
Avery, T.S., 7–24
Avicennia, 197
marina (Forssk.) Vierh., 192, 197, 202 App.

Baccharis, 401
Balaenoptera
acutorostrata Lacépède, 190
Ballota
undulata (Sieber ex Fresen.) Benth., 42, 54 App.
Barbeya
oleoides, 31
Barbeyaceae, 31
Barleria
hochstetteri Nees ex DC., 202 App.
Basilicum
polystachyon (L.) Moench, 194, 197, 205 App.
Basidiomycota, 399–423* [**404**]
Begonia, 123–140*
sect. *Diploclinium*, 123–140 [126 Maps]
sect. *Platycentrum*, 124
sect. *Reichenheimia*, 131
acclivis C.Coyle, 123–128 [**125**, 126 Map, 127 Fig.], 136
acuminatissima Merr., 134
anisoptera Merr., 124, 136
cleopatrae C.Coyle, 123–124, 126 Map, 127 Fig., **128**–129, 136
concanensis A.DC., 147
coronensis, 124, 126 Map, 127 Fig., **129**–131, 140
gueritziana Gibbs, 124, 138–139
gutierrezii C.Coyle, 123–124, 126 Map, 127 Fig., **131**–132
hernandioides Merr., 132
longiscapa Warb., 134
mindorensis Merr., 123, 125–126 Map, **132**–134 [133 Fig.]
nigritarum (Kamel) Steud., 123, 135
palawanensis, 131
pinamalayensis Merr., 132, 134
rhombicarpa A.DC., 134–135
rubiteae M.Hughes, 123, 125–126 Map, 133 Fig., **134**–135
sordidissima Elmer, 134
suborbiculata Merr., 124–126 Map, 128, 131, 133 Fig., **135**
tayabensis Merr., 132
wadei Merr., 124, 126 Map, 131, 133 Fig., **136**–137
wilkiei C.Coyle, 123–126 Map, **138**–139 Fig.
woodii Merr., 124, 126 Map, 130, **139** & Fig.
Begoniaceae, 123–140
Bhutan, 451–465
Biodiversity, 399–423*

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Biogeography
of *Porterandia*, 265–342*
Biscutella
didyma L., 53 App.
Bistella
digyna (Retz.) Bullock, 208 App.
Blechnum
magellanicum Desv., 403
Blepharis
ciliaris (L.) B.L.Burtt, 51 App., 193, 202 App.
Blöch, C., 235–264
Boea
hygrometrica (Bunge) R.Br., 164, 175
magellanica Lam., 164, 175
Boehmeria Jacq., 431–450*
densiflora Hook. & Arn., 449
erythropoda auct. non Miq., 441
erythropoda Miq., 444
hamiltoniana Wedd., 443, 445
heterophylla Wedd., 440
leptostachya Friis & Wilmot-Dear, 431–450* [**441**, 442–443 Fig., 444 Map]
listeri Friis & Wilmot-Dear, 431–450* [**432**, 433 Fig., 434 Map]
macrophylla D.Don
var. *listeri* sensu King, 437
manipurensis Friis & Wilmot-Dear, 431–450* [434 Map, **438**, 439 Fig.]
multiflora C.B.Rob., 449
penduliflora Wedd. ex D.G.Long, 436–437, 449
pilosiuscula (Blume) Hassk., 436
subintegra Friis & Wilmot-Dear, 431–450* [**444**, 446 Fig., 447 Map]
zollingeriana Wedd., 443, 445
Boeica C.B.Clarke, 177
ferruginea Drake, 164, 175
porosa C.B.Clarke, 164, 175
Boerhavia
diffusa L., 206 App.
Boesenbergia Kuntze, 75, 77, 97
anomala (Hallier f.) Schltr., 85
biloba (Ridl.) Schltr., 89
bractescens (Ridl.) Merr., 112
calophylla (Ridl.) Schltr., 89
concinna (Ridl.) Schltr., 95
gracilipes (K.Schum.) R.M.Sm., 97, 118
klossii (Ridl.) Loesen., 98
lancifolia (Ridl.) Schltr., 105
laxiflora (Valeton) Loesen., 112
malaccana (Baker) Govaerts, 105
minor (Baker) Kuntze, 90
oculata (Ridl.) Schltr., 108
reticosa (Ridl.) Merr., 113
scaphochlamys (Ridl.) Schltr., 105
Bolbitiaceae, 408
Bolbitius
boltonii (Pers.) Fr., 408
flavidus (Bolton) Massee, 408
fragilis (L.) Fr., 408
vitellinus Pers., **408**
Bolivia, 69–73*
Bombardioidea
stercoris (DC.) N.Lundq., **416**
Boraginaceae, 52 App., 141–154*, 203 App.
tribe Cynoglosseae, 141–154
Boreal zone, 7–24*
Borneo, 75–121, 265–342* [330 Map]
Brachiaria
ramosa (L.) Stapf, 207 App.
Brandella R.R.Mill, 141–154*
erythraea (Brand) R.R.Mill, 141–142, 144
f. **subexaltata** (H.Riedl) R.R.Mill, 141–**142**
Brassicaceae *see* Cruciferae
Brazil, Northeast, 1–5*
Breteler, F.J., 343–346
Briggsia
longipes (Hemsl. ex Oliv.) Craib, 164, 175
mihieri Craib, 164, 175
muscicola (Diels) Craib, 164, 175
rosthornii (Diels) B.L.Burtt, 164, 175
Bromus
fasciculatus C.Presl, 42, 54 App.
Bungarimba K.M.Wong, 265–342* [272 Fig.]
kahayanensis K.M.Wong, 271, 284, 341 App., **342** App.
ridsdalei K.M.Wong, 270–272 & Fig., 276 Fig., 281, 284, 341 App., **342** App.
sessiliflora (Ridl.) K.M.Wong, 271, 284, **327**, 341 App., **342** App.
Burbidgea Hook.f., 65
Burma, 451–465
Burseraceae, 203 App.

Caatinga, 1–5*
Cadaba
farinosa Forssk., 203 App.
glandulosa Forssk., 203 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

longifolia DC., 203 App.
rotundifolia Forssk., 203 App.
Calcareoboea
coccinea C.Y.Wu ex H.W.Li, 164, 175
Calotropis
procera (Aiton) Aiton f., 203 App.
Cambodia, 155–160*
Campanulaceae, 425–430*
Camptandra Ridl., 75
Canis
lupus arabs Pocock, 40
Cannabis, 281
Canscora, 155–160*
alata (Roth) Wall., 160
andrographioides auct., 158
andrographioides Griff. ex C.B.Clarke, 158, 160
bidoupensis Hul, 155, **158**–160 [159 Fig.]
diffusa (Vahl) R.Br. ex Roem. & Schult., 160
Cape Floristic Region, 353–398*
Cape Peninsula, 353–398*
Capparaceae, 52 App., 203 App.
Capparis
aphylla Hayne ex Roth, 203 App.
cartilaginea Decne., 203 App.
decidua (Forssk.) Edgew., 203 App.
spinosa L., 44, 52 App., 194, 204 App.
Capra
ibex nubiana F.Cuvier, 38
Caracal
caracal schmitzi Matschie, 40
Caralluma
acutangula (Decne.) N.E.Br., 203 App.
adscendens (Roxb.) Haw., 203 App.
edulis (Edgew.) Benth. ex Hook.f., 203 App.
Carpodacus
synoicus Temminck, 41
Carpolobia G.Don, 343–346*
alba G.Don, 343, 346
gabonica Breteler, **343**–346 [344 Fig., 345 Map]
goetzei Gürke, 343
gossweileri (Exell) E.M.A.Petit, 343, 346
lutea G.Don, 343
Caryophyllaceae, 52 App., 204 App.
Castroviejoa Galbany, L.Sáez & Benedi, 248–249, 255
frigida (Labill.) Galbany, L.Sáez & Benedi, 242, 246, 250
montelinasana (Em.Schmid) Galbany, L.Sáez & Benedi, 243, 246, 250
Cautleya (Royle ex Benth.) Hook.f., 451–465* [**454**]
cathcartii Baker, 452, 454, 458, 460
gracilis (Sm.) Dandy, 452–**455**, 460, 464
var. *gracilior* (K.Schum.) Sanjappa, 455
var. **gracilis**, **455**–456 Map, 464
var. **robusta** (K.Schum.) Sanjappa, 454, **458**–460 [459 Fig., 460 Map]
lutea (Royle) Hook.f., 451, 453, 455
var. *gracilior* K.Schum., 452, 455
var. *robusta* K.Schum., 452, 454, 458–460
petiolata Baker, 452–453, 462–464 [463 Fig.]
robusta Baker, 452, 454, 462
spicata (Sm.) Baker, 452–455, **460**–462 [461 Fig., 462 Map], 464
Cavendishia Lindl., 8
Caylusea
hexagyna (Forssk.) M.L.Green, 41, 55 App.
Celastraceae, 204 App.
Cenchrus
ciliaris L., 207 App.
pennisetiformis Hochst. & Steud., 54 App.
setigerus Vahl, 207 App.
Centaurea
eryngioides Lam., 44, 52 App.
pseudosinaica Czerep., 41, 52 App.
sinaica DC., 44, 52 App.
Central Africa, 219–233*
Ceratostomataceae, 417
Cerrado, 69–73*
Chaetomiaceae, 415
Chaetomium, 415
crispatum (Fuckel) Fuckel, **415**
Chaetosciadium
trichospermum (L.) Boiss., 46–47, 56 App.
Chascanum
marrubiifolium Fenzl ex Walp., 208 App.
Chassalia Comm. ex Poir., 219–233*
corallifera (A.Chev. ex De Wild.) Hepper, 220, 224
ischnophylla (K.Schum.) Hepper, 224

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

kolly (Schumach.) Hepper, 220, 224
lutescens O.Lachenaud & D.J.Harris, 219–224 [**220**, 221 Fig., 222 Map]
subherbacea (Hiern) Hepper, 224
subspicata K.Schum., 224
Chazaliella E.M.A.Petit & Verdc., 219, 228
letouzeyi Robbr., 228
oddonii (De Wild.) E.M.A.Petit & Verdc. var. **cameroonensis** Verdc., **220**
Cheilymenia, 412
coprinaria (Cooke) Boud., 411
var. *megaspora* Gamundi, 411
fimicola (de Not. & Bagl.) Dennis, **411**
humarioides Gamundi, 412
raripila (Phill.) Dennis, **411**
stercorea (Pers.) Boud., **411**
Chelonia
mydas L., 191
CHEN, W.-H., 161–184
Chenolea
diffusa Thunb., 393
Chenopodiaceae, 52 App.
Chiliadenus
montanus (Vahl) Brullo, 43, 52 App.
Chiliotrichum
diffusum (G.Forst.) Kuntze, 400
China, 161–184, 431–450*, 451–465
Chirita Buch.-Ham. ex D.Don, 177
asperifolia (Blume) B.L.Burtt, 164, 175–176
caliginosa C.B.Clarke, 164, 175
lavandulacea Stapf, 164, 175
pinnata W.T.Wang, 164, 175
pinnatifida (Hand.-Mazz.) B.L.Burtt, 164, 175
pumila D.Don, 165, 175
sinensis Lindl., 165, 175
urticifolia Buch.-Ham. ex D.Don, 165, 175
walkeri Gardner, 165, 175
Chiritopsis
repanda W.T.Wang
var. *guilinensis* W.T.Wang, 165, 175
Chloris
barbata (L.) Sw., 207 App.
Chrozophora
oblongifolia (Delile) A.Juss. ex Spreng., 53 App., 205 App.
Chrysopogon
plumulosus Hochst., 207 App.
Cibirhiza P.Bruyns, 152
Cinchona, 437
Circumscription
of *Porterandia*, 265–342
Cissus
quadrangularis L., 193, 208 App.
rotundifolia (Forssk.) Vahl, 208 App.
Cistaceae, 52 App.
Cistanche
phelypaea (L.) Cout., 46, 55 App.
tubulosa (Schenk) Hook.f., 206 App.
Citrullus
colocynthis (L.) Schrad., 53 App., 204 App.
Cleistanthus, 231
Cleome
brachycarpa Vahl ex DC., 204 App.
gynandra L., 204 App.
noeana Boiss. & Popov
subsp. *brachystyla* (Deflers) D.F.Chamb. & Lamond, 194, 197, 204 App.
tenella L.f., 204 App.
Clitocybe
amarescens Harmaja, **404**
harmajae Lamoure, 405
metachroa (Fr.) P.Kumm., 404
nitrophila Bon, 405
Clitopilus
hobsonii (Berk. & Broome) P.D.Orton var. *chilensis* Singer, 410
passeckerianus (Pilát) Singer, **410**
Clustering strategies, 7, 13–14, 16–17
Cocculus
pendulus (J.R.Forst. & G.Forst.) Diels, 206 App.
Coffea L., 273
subgen. *Baracoffea* (J.-F.Leroy) J.-F.Leroy, 273
subgen. *Coffea*, 273
Commelina
benghalensis L., 204 App.
forsskalii Vahl, 204 App.
Commelinaceae, 204 App.
Commicarpus
helenae (Roem. & Schult.) Meikle, 206 App.
Commiphora
erythraea (Ehrenb.) Engl., 194, 197, 200, 203 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

gileadensis (L.) C.Chr., 193, 203 App.
Compositae, 52 App.
see also Asteraceae
Conandron
ramondioides Siebold & Zucc., 165, 175
Congo Brazzaville, 343–346* [345 Map]
Coniochaeta
discospora (Auersw.) Cain, 415
hansenii (Oudem.) Cain, **415**
leucoplaca (Berk. & Ravenel) Cain, **415**
ligniaria (Grev.) Massee, **415**
saccardoi (Marchal) Cain, **415**
scatigena (Berk. & Broome) Cain, **415**
Coniochaetaceae, 415
Conocybe
cryptocystis (Atk.) Singer, 408
cryptocystis auct., 408
digitalina (Velen.) Singer, **408**
magnispora (Murrill) Singer, **408**
pubescens (Gillet) Kühner, **408**
subpubescens P.D.Orton, 408
Conservation
in Arabian Peninsula, 25–35*, 37–56*
of *Paraboea*, 209–217*
in Saudi Arabia, 189–208*
Convolvulaceae, 53 App., 204 App., 467–468
Convolvulus
arvensis L., 204 App.
glomeratus Choisy, 204 App.
hystrix Vahl, 53 App.
pilosellifolius Desr., 204 App.
rhyniospermus Hochst. ex Choisy, 204 App.
Coprinaceae, 405, 407
Coprinellus
brevisetulosus (Arnolds) Redhead, Vilgalys & Moncalvo, **405**
curtus (Kalchbr.) Vigalys, Hopple & Jacq.Johnson, **405**–406
heptemerus (M.Lange & A.H.Sm.) Vigalys, Hopple & Jacq.Johnson, **405**
pellucidus (P.Karst.) Redhead, Vigalys & Moncalvo, 405–**406**
Coprinopsis, 406
cordispora (T.Gibbs) Watling & M.J.Richardson, 399, **406**
ephemeroides (DC.) Watling & M.J.Richardson, 399, **406**
nivea (Pers.) Redhead, Vigalys & Moncalvo, **406**–407
pachysperma (P.D.Orton) Redhead, Vigalys & Moncalvo, **407**
radiata (Bolton: Fr.) Redhead, Vigalys & Moncalvo, **407**
stercorea (Fr.) Redhead, Vigalys & Moncalvo, **407**
vermiculifera (Joss. ex Dennis) Redhead, Vigalys & Moncalvo, **407**
Coprinus, 405, 407
brevisetulosus Arnolds, 405
bulbillosus Pat., 406
comatus (O.F.Müll.) Pers., 405
cordisporus T.Gibbs, 406
curtus Kalchbr., 405
ephemeroides (DC.) Fr., 406
heptemerus M.Lange & A.H.Sm., 405
latisporus P.D.Orton, 406
miser P.Karst., 407
niveus (Pers.) Fr., 406
pachyspermus P.D.Orton, 407
patouillardii Quél., 406
pellucidus P.Karst., 406
plicatiloides Buller, 405
radiatus (Bolton) Gray, 407
stellatus Sacc., 405
stercorarius (Bull.) Fr., 407
stercoreus Fr., 407
vermiculifer Joss. ex Dennis, 407
Coprobia
granulata (Bull.) Boud., **412**
Coprophilous fungi, of the Falkland Islands, 399–423 [401 Map]
Corallodiscus Batalin, 171, 174, 177
lanuginosus (Wall. ex R.Br.) B.L.Burtt, 165, 175
Corchorus
depressus (L.) Stocks, 206 App.
olitorius L., 206 App.
trilocularis L., 206 App.
Cornulaca
ehrenbergii Asch., 203 App.
Cortaderia
pilosa (d'Urv.) Hack., 403
Cotula
coronopifolia L., 391
scariosa (Cass.) Franch., 403
Coyle, C., 123–140
Crassulaceae, 53 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Craterocapsa, 425
Cressa
cretica L., 204 App.
Crotalaria
microphylla Vahl, 205 App.
persica (Burm.f.) Merr., 55 App.
Crucianella
ciliata Lam., 55 App.
membranacea Boiss., 55 App.
Cruciferae, 47, 53 App.
Cucumis
melo L., 204 App.
subsp. *agrestis* (Naudin) Pangalo, 204 App.
prophetarum L., 193, 204 App.
var. *dissectus* (Naudin) C.Jeffrey, 53 App.
Cucurbitaceae, 53 App., 204 App.
CUPIDO, C.N., 425–430
Cupressaceae, 53 App.
Curcuma, 79
sect. *Hitcheniopsis* Baker, 79
sect. *Mesantha* Horan., 79
kunstleri Baker, 79, 101
var. *rubra* Ridl., 102
lanceolata Ridl., 109
sylvestris Ridl., 79, 116
Cuscuta
planiflora Ten., 204 App.
Cycnogeton Endl., 358
Cymbopogon
schoenanthus (L.) Spreng., 42–43, 54 App.
Cymodocea
rotundata Asch. & Schweinf., 195, 204 App.
serrulata (R.Br.) Asch. & Magnus, 195, 204 App.
Cymodoceaceae, 204 App.
Cynodon
dactylon (L.) Pers., 207 App.
Cynoglossum L., 141–143
subgen. *Eleutherostylum* (Brand) H.Riedl, 145
sect. *Paracaryopsis* H.Riedl, 144–145
anchusoides Lindl., 142
coelestinum I.M.Johnston, 152
coelestinum Lindl., 142, 144–147
longiflorum Benth., 143
malabaricum (C.B.Clarke) H.Riedl, 142, 152
Cyperaceae, 204 App.
Cyperus
bulbosus Vahl, 204 App.
conglomeratus Rottb., 194–195, 204 App.
jeminicus Rottb., 208 App.
rubicundus Vahl, 204 App.
Cypholophus Wedd., 432, 449
Cyrtandra
cupulata Ridl., 165, 175
glabra Banks ex Gaertn., 165, 175
longifolia (Wawra) Hillebr. ex C.B.Clarke, 165, 175
pendula Blume, 165, 175

Dactyloctenium
aegyptium (L.) Willd., 207 App.
aristatum Link, 207 App.
scindicum Boiss., 207 App.
Dalechampia
scandens L.
var. *cordofana* (Hochst. ex Webb) Müll.Arg., 205 App.
Deconica
subcoprophila (Britzelm.) E.Horak, 411
Delitschia
niesslii Oudem., **419**
Delphinium
sheilae Kit Tan, 42–43, 47, 55 App.
Description
of *Boehmeria*, 431–450*
Desmostachya
bipinnata (L.) Stapf, 193, 207 App.
Dhofaria A.G.Mill., 152
Dianthus
strictus Banks & Sol., 52 App.
Dichanthium
foveolatum (Delile) Roberty, 207 App.
DICKORÉ, W.B., 235–264
Didymocarpoid Gesneriaceae, 161–184
Didymocarpus Wall., 171, 173, 176
antirrhinoides A.Weber, 165, 175
citrinus Ridl., 165, 175
cordatus Wall. ex DC., 165, 175
podocarpus C.B.Clarke, 166, 175
purpureobracteatus W.W.Sm., 166, 175
stenanthos C.B.Clarke, 166, 175
Didymostigma W.T.Wang, 178
Digera
muricata (L.) Mart., 203 App.
Digitaria
ciliaris (Retz.) Koeler, 207 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Dinebra
retroflexa (Vahl) Panz, 207 App.
Dipcadi Medik., 205 App.
Diplotaxis
harra (Forssk.) Boiss., 53 App.
Dipsacaceae, 53 App.
Dipterygium
glaucum Decne., 204 App.
Disjunction, 141–154*
Distichochlamys M.F.Newman, 75, 77, 347
DNA markers, 235–264
Dolicholoma D.Fang & W.T.Wang, 171–172, 176, 178
jasminiflorum D.Fang & W.T.Wang, 166, 175
Dolichorhynchus
arabicus, 46
Dothideales, 419
Douepea
arabica (Hedge & Kit Tan) O.Appel & Al-Shehbaz, 46–47, 48, 53 App.
Drake-Brockmania
somalensis (Hack.) Stapf, 197, 207 App.
Dugong
dugon Müller, 190

Ecbolium
viride (Forssk.) Alston, 202 App.
Echinops
glaberrimus DC., 46–47, 53 App.
hystrichoides Kit Tan, 41, 53 App.
Echium
rauwolfii Delile, 44, 52 App.
Ecology
of *Triglochin*, 353–398*
Edelweiss, molecular phylogeny of, 235–264
Elionurus
royleanus Nees ex A.Rich., 207 App.
Elymus, 403
Empetrum
rubrum Vahl, 401
Endemism
in *Paraboea*, 209
Enhalus
acoroides (L.f.) Royle, 205 App.
Entolomataceae, 410
Ephedra
aphylla Forssk., 53 App.
pachycalda Boiss.
subsp. *sinaica* (H.Riedl) Freitag & Majer-Stolte, 43, 47, 53 App.
Ephedraceae, 53 App.
Epipactis
veratrifolia Boiss. & Hohen., 45–47, 55 App.
Epitype, 185–187*
Eragrostis
ciliaris (L.) R.Br., 207 App.
lepida (A.Rich.) Hochst. ex Steud., 207 App.
minor Host, 207 App.
Eremobium
aegyptiacum (Spreng.) Asch. & Schweinf. ex Boiss., 53 App.
Eretmochelys
imbricata L., 191
Erica
arborea L., 190, 208 App.
Ericaceae, 7–24*, 401
tribe Vaccinieae, 8
Eriochloa
fatmensis (Hochst. ex Steud.) Clayton, 207 App.
Erodium, 44
hirtum (L.) Willd., 44, 53 App.
malacoides (L.) L'Hér., 44, 53 App.
neuradifolium Delile ex Godr., 44, 53 App.
oxyrhynchum M.Bieb., 44, 53 App.
Euphorbia
balsamifera Aiton, 151
collenetteae Al-Zahrani & El-Karemy, 194–195 & Fig., 197, 205 App.
fractiflexa S.Carter & J.R.I.Wood, 205 App.
granulata Forssk., 205 App.
Euphorbiaceae, 53 App., 205 App.
Evolvulus
alsinoides (L.) L., 204 App.
Ewartia Beauverd, 248–249, 252–253, 255
argentifolia N.A.Wakef., 243, 246, 250
catipes (Hook.f.) Beauverd, 243, 246, 250–254
meredithiae (F.Muell.) Beauverd, 243, 246, 250
planchonii (Hook.f.) Beauverd, 243, 246, 250
Ewartiothamnus Anderb., 248–249
sinclairii (Hook.f.) Anderb., 243, 246, 250
Exacum, 155–160*

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

darae Hul, **155**–157 & Fig.
pteranthum Wall. ex G.Don, 157–158
sutaepense auct., 156
sutaepense Hosseus ex Craib, 155–157
var. *gracile* Toyokuni, 155
f. *gracile* (Toyokuni) Toyokuni, 155
tetragonum Roxb., 158
External transcribed spacer (ETS), 235–264*

Fabaceae *see* Leguminosae
Fagonia
indica Burm.f., 56 App.
mollis Delile, 44, 56 App.
ovalifolia Hadidi, 46, 56 App.
tristis Sickenb., 42, 56 App.
Falkland Islands, coprophilous fungi of, 399–423 [401 Map]
Farasan Archipelago, Saudi Arabia, 189–208* [190 Fig.]
Farsetia
aegyptia Turra, 44, 53 App.
Felix
sylvestris tristrami Pocock, 40
Ferula
ovina Boiss., 41, 56 App.
rutbaensis C.C.Towns., 41, 56 App.
sinaica Boiss., 56 App.
Ficus
cordata Thunb.
subsp. *salicifolia* (Vahl) C.C.Berg, 43, 45–46, 55 App., 206 App.
glumosa Delile, 206 App.
palmata Forssk.
subsp. *virgata* (Roxb.) Browicz, 45, 55 App.
populifolia Vahl, 196–197, 200, 206 App.
vasta Forssk., 151
Filago L., 248–249, 255
pyramidata L., 243, 246, 250
Fioria
dictyocarpa (Webb) Mattei, 206 App.
Flora
of China, 161–184*
of Pakistan, 185–187
Flueggea
leucopyrus Willd., 197, 206 App.
virosa (Roxb. ex Willd.) Royle, 206 App.
Forsskaolea
tenacissima L., 56 App.
viridis Ehrenb. ex Webb, 208 App.
Friis, I., 431–450
Frost, 7–24*
Fungi, coprophilous, 399–423

Gabon, 343–346* [345 Map]
Gamochaeta Wedd., 248–249, 252–253
pensylvanica (Willd.) Cabrera, 243, 246, 254
spicata (Lam.) Cabrera, 244, 246, 250
Gardenia auct. non Ellis, 285
Gardenia Ellis, 267, 269
affinis Valeton ex Winkl., 313
anisophylla Jack ex Roxb., 268, 285, 290, 293
var. *macroptera* (Miq.) Valeton ex Winkl., 268, 312
var. *polyneura* Vahl ex Winkl., 268, 305
var. *subsessilis auct. non* Valeton ex Winkl., 307
var. *subsessilis* Valeton ex Winkl., 268, 325
macroptera Miq., 312
Gastrochilus D.Don, 79
Gastrochilus Wall., 79
anomalum (Hallier f.) K.Schum., 85
biloba Ridl., 79, 88
var. *lanceolata* Ridl., 89–90
bractescens Ridl., 112
calophylla Ridl., 89
concinna (Baker) Ridl., 79, 95
hallieri (Hallier f.) Ridl., 85, 87
klossii Ridl., 98
kunstleri (Baker) Valeton, 101
lanceolata Ridl., 103
lancifolius Ridl., 79, 105
laxiflorum Valeton, 112
longifolia Ridl., 90
minor Baker, 90
minor sensu Ridl., 89
oculata Ridl., 79, 108
reticosa Ridl., 112
scaphochlamys Ridl., 79, 105
subbilobus Ridl., 115
Gaultheria, 403
pumila (L.f.) D.J.Middleton, 401
Gazella
gazella Pallas, 40, 193
Gentiana
khammouanensis Hul, 155
Gentianaceae, 155–160*
Geraniaceae, 53 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Gesneriaceae, 161–184*, 209–217*
subfam. Didymocarpoideae Endl., 178
tribe Didymocarpeae Endl., 178
Gilbertiodendron
dewevrei (De Wild.) J.Léonard, 227, 231
Ginger, 75–121*
Globularia
arabica Jaub. & Spach, 43, 47, 53 App.
Globulariaceae, 53 App.
Glossonema
boveanum (Decne.) Decne., 203 App.
Gnaphalium L., 248–249, 252, 254–255
hoppeanum (L.) Hilliard & B.L.Burtt, 244, 246, 250
norvegicum Gunnerus, 244, 246, 250
supinum L., 244, 246, 250
sylvaticum L., 244, 246, 249–251
Gomphocarpus
sinaicus Boiss., 41, 46, 52 App.
Gossypium
hirsutum L., 206 App.
Gramineae, 54 App.
see also Poaceae
Grewia
erythraea Schweinf., 206 App.
tenax (Forssk.) Fiori, 193, 197, 206 App.
Gunnera, 403
Gymnocarpos
decandrus Forssk., 43–44, 52 App.
Gynandriris
sisyrinchium (L.) Parl., 54 App.
Gynandropsis
gynandra (L.) Briq., 204 App.
Gyps
fulvus Hablizl, 41

Haberlea Friv., 174, 177
rhodopensis Friv., 162, 166, 175
Hall, M., 25–35, 37–56, 189–208
Halodule
uninervis (Forssk.) Boiss., 195, 204 App.
Halopeplis
perfoliata (Forssk.) Bunge ex Asch. & Schweinf., 194, 196 Fig., 203 App.
Halophila
ovalis (R.Br.) Hook.f., 195, 205 App.
stipulacea (Forssk.) Asch., 195, 205 App.
Halopyrum
mucronatum (L.) Stapf, 207 App.
Haloragaceae, 54 App.
Haloxylon, 46
salicornicum (Moq.) Boiss., 42, 44, 46, 52 App.
Hamiyah in Arabian Peninsula, 29
Haplochorema K.Schum., 75, 77
gracilipes K.Schum., 97
petiolatum K.Schum., 110
polyphyllum K.Schum., 112
Haplophyllum
tuberculatum (Forssk.) A.Juss., 56 App.
Harris, D.J., 219–233
Hebe, 403
Helianthemum
lippii (L.) Dum.Cours., 42–43, 52 App.
Helichrysum Mill., 236, 248–249
leucopsideum DC., 244, 246, 251–252
Heliotropium
longiflorum (A.DC.) Jaub. & Spach, 203 App.
ramosissimum (Lehm.) Sieber ex A.DC., 52 App., 203 App.
strigosum Willd., 203 App.
zeylanicum (Burm.f.) Lam., 203 App.
Hemiboea
bicornuta (Hayata) Ohwi, 166, 175
cavaleriei H.Lév., 166, 175
gracilis Franch., 166, 175
subcapitata C.B.Clarke, 166, 175
Hexaglochin Nieuwl., 358
maritima (L.) Nieuwl., 358
Hibiscus
micranthus L.f., 206 App.
Himalaya, 57–64*, 235–264, 431–450*
Himas
in Arabian Peninsula, 29–30, 48
on Farasan Islands, 198
Hitcheniopsis (Baker) Ridl., 79
kunstleri (Baker) Ridl., 79, 101
var. *rubra* (Ridl.) Ridl., 102
lanceolata (Ridl.) Ridl., 79, 109
sylvestris (Ridl.) Ridl., 79, 116
Holcus
lanatus L., 403
Huaylla, H., 69–73
Hughes, M., 123–140
Hul, S., 155–160
Hyacinthaceae, 205 App.
Hyaena
hyaena sultana Pocock, 40
Hydrocharitaceae, 205 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Hymenocoleus Robbr., 228
axillaris Robbr., 228
Hyoscyamus
aureus L., 56 App.
pusillus L., 56 App.
Hyparrhenia
hirta (L.) Stapf, 44, 54 App., 207 App.
Hypericaceae, 54 App.
Hypericum
sinaicum Hochst. ex Boiss., 43, 47, 54 App.
Hyphaene
thebaica (L.) Mart., 45 & Fig., 55 App., 193, 196, 206 App.
Hypocopra, 418
brefeldii (Zopf) Zopf, **418**
merdaria (Fr.) J.Kickx f., 418
planispora J.C.Krug & Cain, 418
stephanophora J.C.Krug & Cain, **418**
Hypocreales, 417–418
Hystrix
indica Kerr, 41

Imperata
cylindrica (L.) Raeusch., 54 App.
Important Plant Areas (IPAs), 25–35*, 37–56*, 189–208*
India, 57–64*, 141–154*, 451–465
Indigofera
caerulea Roxb., 205 App.
hochstetteri Baker, 205 App.
linifolia (L.f.) Retz., 205 App.
oblongifolia Forssk., 193–194, 205 App.
semitrijuga Forssk., 205 App.
spinosa Forssk., 205 App.
volkensii Taub., 208 App.
Indo-China, 155–160
Indonesia, 65–68*, 347–352 [349 Map]
Internal transcribed spacer (ITS), 235–264*
Iodophanus
carneus (Pers.) Korf, **414**
testaceus (Moug. ex Fr.) Phill., 414
Iphiona
mucronata (Forssk.) Asch. & Schweinf., 43, 53 App.
Ipomoea
bernoulliana Peter, **467**–468
eriocarpa R.Br., 204 App.
hochstetteri House, 193–194, 197, 204 App.
obscura (L.) Ker-Gawl., 193, 204 App.
santae-rosae Standl. & Steyerm., 467
sinensis (Desr.) Choisy subsp. *blepharosepala* (A.Rich.) Meeuse, 208 App.
Iridaceae, 54 App.
Isatis
lusitanica L., 53 App.
IUCN conservation assessment, 353–398*
IUCN Red List, 123–140*

Jabal Qaraqir, Saudi Arabia, 37–56 [39 Map]
Jancaea Boiss., 176–177
heldreichii Boiss., 162, 166, 175
Jatropha
glauca Vahl, 205 App.
Julbernardia, 231
Juncaceae, 205 App.
Juncaginaceae, 353–398*
Juncago Ség., 358
chabraei Bubani, 363
Juncago Tourn. ex Moench, 358
Juncus, 389
acutus L., 363
rigidus Desf., 205 App.
Juniperus
phoenicea L., 43, 53 App.
Justicia
flava (Vahl) Vahl, 194, 202 App.

Kadereit, J.W., 353–398
Kaempferia L., 75, 77, 79
anomala Hallier f., 79, 85
biloba (Ridl.) K.Schum., 89
calophylla (Ridl.) K.Schum., 89
concinna Baker, 79, 94
cumingii K.Schum., 105–106
lancifolia (Ridl.) K.Schum., 105
lutea C.H.Wright, 101
malaccana (Baker) K.Schum., 105
Kailarsenia Tirveng., 269
Kaisupeea
herbacea (C.B.Clarke) B.L.Burtt, 166, 175
Kalimantan, Indonesia, 347–352* [349 Map]
Kedrostris
gijef (Forssk. ex J.F.Gmel.) C.Jeffrey, 204 App.
Key Biodiversity Area (KBA), 25–35*, 37
Kickxia
acerbiana (Boiss.) Täckh. & Boulos, 56 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

corallicola D.A.Sutton, 193–194, 197, 206 App.
hastata (R.Br. ex Benth.) Dandy, 206 App.
Kiew, R., 209–217
Köcke, A.V., 353–398
Kohautia
caespitosa Schnizl., 208 App.

Labiatae, 54 App., 452
see also Lamiaceae
Lachenaud, O., 219–233
Lamiaceae, 205 App.
see also Labiatae
Lappula
spinocarpa (Forssk.) Asch. ex Kuntze, 52 App.
Lasiobolus
ciliatus (J.C.Schmidt) Boud., **414**
cuniculi Velen., **414**
equinus (O.F.Müll.) P.Karst., 414
var. *pilosus* (Fr.) Sacc., 414
papillatus (Pers.) Sacc., 414
pilosus (Fr.) Sacc., 414
ruber (Quél.) Sacc., 414
Lasiosphaeriaceae, 416
Laudakia
stellio brachydactyla Haas, 41
Launaea
intybacea (Jacq.) Beauverd, 203 App.
procumbens (Roxb.) Ramayya & Rajagopal, 203 App.
spinosa (Forssk.) Sch.Bip., 42, 53 App.
Lavandula
coronopifolia Poir., 44, 54 App.
pubescens Decne., 54 App.
Lectotypes, 185–187*
Lectotypification
in *Adelocaryum*, 141–154*
in *Pedicularis*, 57–64*, 185–187
in *Rivea*, 467–468*
Leguminosae, 54 App., 205 App.
Leontopodium (Pers.) R.Br., 235–264*
sect. *Alpina* Hand.-Mazz., 256
sect. *Leontopodium*, 256
sect. *Nobilia* Hand.-Mazz., 257
alpinum Cass., 235–237, 246, 250–251, 253–254, 256
andersonii C.B.Clarke, 238, 250–253
artemisiifolium (H.Lév.) Beauverd, 238, 250–251, 254
aurantiacum, 255
caespitosum Diels, 238, 250–253, 257
calocephalum (Franch.) Beauverd, 238, 250–254, 256
dedekensii (Bureau & Franch.) Beauverd, 238, 250–252, 254, 257
discolor Beauverd, 239, 250
franchetii Beauverd, 239, 250–251
haastioides Hand.-Mazz., 239, 250–251, 255
himalayanum DC., 239, 250–251, 254
jacotianum Beauverd, 239, 250–252, 254, 256
japonicum Miq., 239, 250–251
leontopodinum (DC.) Hand.-Mazz., 239, 250–251
leontopodioides (Willd.) Beauverd, 239, 250–254, 256
lingianum (Y.L.Chen) Dickoré, 235, **254**–255
microphyllum Hayata, 240, 246, 250–254, 256–257
nanum Hand.-Mazz., 240, 250–251, 253–254
nivale (Ten.) Huet ex Hand.-Mazz., 235–236, 240, 246, 250–251, 253, 256
subsp. *alpinum* (Cass.) Greuter, 235
ochroleucum Beauverd, 240, 250–253, 256
pusillum (Beauverd) Hand.-Mazz., 240, 250–251, 253
sinense Hemsl., 241, 250–253, 257
souliei Beauverd, 241, 250–254, 256
stracheyi (Hook.f.) C.B.Clarke ex Hemsl., 241, 250–253
Lepisanthes
listeri King ex Radlk., 437
Leptadenia
pyrotechnica (Forssk.) Decne., 203 App.
Leptoboea Benth., 177
multiflora (C.B.Clarke) Gamble, 175
subsp. *grandifolia* B.L.Burtt, 166
Lepus
europaeus Pallas, 401
Leucas
urticifolia (Vahl) R.Br. ex Sm., 205 App.
Leucogenes Beauverd, 248–249, 252–253, 255
grandiceps (Hook.f.) Beauverd, 244, 246, 250, 252, 254
leontopodium (Hook.f.) Beauverd, 245–246, 250

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Leysera L., 247
gnaphalodes (L.) L., 245–246, 253–254
leyseroides (Desf.) Maire, 53 App.
Life history
of *Vaccinium*, 7–24*
Limonium, 194, 393
axillare (Forssk.) Kuntze, 194–196 & Fig., 207 App.
cylindrifolium (Forssk.) Verdc. ex Cufod., 195, 207 App.
Lindelofia Lehm., 141–154* [**143**]
sect. *Brandia* M.Popov, 143
anchusoides (Lindl.) Lehm., 142–144
longiflora (Benth.) Baill., 141, 143
spectabilis Lehm., 141, 143
Lindenbergia
indica (L.) Kuntze, 56 App.
indica (L.) Vatke, 206 App.
Litostigma Y.G.Wei, F.Wen & M.Möller, 161–184* [177 Fig., **178**]
coriaceifolium Y.G.Wei, F.Wen & M.Möller, 161–162 & Map, 167, 175, 177–181 [177 Fig., **179**, 180 Fig.]
crystallinum Y.M.Shui & W.H.Chen, 161–162 & Map, 167, 175–177 & Fig., 179, **181** & Fig.
Llewellyn, O.A., 25–35, 37–56, 189–208
Loranthaceae, 55 App.
Lotononis
platycarpa (Viv.) Pic.Serm., 55 App.
Loxostigma
fimbrisepalum K.Y.Pan, 167, 175
griffithii (Wight) C.B.Clarke, 167, 175
Lycium
shawii Roem. & Schult., 43, 46, 56 App.
Lycopodioides
dichotomum taxiforme, 72
Lysionotus D.Don, 178
chingii Chun ex W.T.Wang, 167, 175
forrestii W.W.Sm., 167, 175
pauciflorus Maxim., 167, 175
Lythraceae, 205 App.

Machilus
listeri King ex Hook.f., 437
Maerua
crassifolia Forssk., 52 App.
oblongifolia (Forssk.) A.Rich., 193, 204 App.
Malaysia, Peninsular, 75–121, 209–217*, 265–342* [329 Map]
Malvaceae, 55 App., 206 App.
Mandevilla Lindl., 1–2
subgen. *Exothostemon* (G.Don) Woodson, 1
subgen. *Mandevilla*, 1
catimbauensis Souza-Silva, Rapini & J.F.Morales, 1–5 [**2**, 3 Fig.]
dardanoi M.F.Sales, Kin-Gouv. & A.O.Simões, 1–2, 4
leptophylla (A.DC.) K.Schum., 2, 4
*mat*K, 235–264*
Matthiola
arabica Boiss., 42, 53 App.
longipetala (Vent.) DC., 53 App.
Mattiasrum
lambertianum (C.B.Clarke) Brand, 152
Maundia F.Muell., 358
Maytenus
parviflora (Vahl) Sebsebe, 193, 204 App.
senegalensis (Lam.) Exell, 208 App.
somalensis (Loes.) Cufod., 208 App.
Mediterranean Floristic Region, 353–398*
Megaptera
novaeangliae Borowski, 190
Melanospora
brevirostris (Fuckel) Höhn., **417**
Mellivora
capensis Schreber, 40
Menispermaceae, 206 App.
Mentha
longifolia (L.) L., 54 App.
Mering, S. von, 353–398
Micrococca
mercurialis (L.) Benth., 205 App.
Micromeria
imbricata (Forssk.) C.Chr., 54 App.
Microparacaryum (Popov ex H.Riedl) Hilger & Podlech, 142
Mill, R.R., 141–154, 185–187
Miller, A.G., 25–35, 37–56, 189–208
Molecular phylogeny
of *Leontopodium*, 235–264*
Möller, M., 161–184
Molluginaceae, 206 App.
Mollugo
nudicaulis Lam., 206 App.
Moraceae, 55 App., 206 App.
Morales, J.F., 1–5

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Morettia
canescens Boiss., 53 App.
Morphology
of *Triglochin*, 353–398*
Mucina, L., 353–398
Mucorales, 420
Myriophyllum
spicatum L., 45, 54 App.
Myxochlamys A.Takano & Nagam., 75, 347–352*
amphiloxa R.J.Searle, 347–352 [**347**, 348 Fig., 349 Map]
mullerensis A.Takano & Nagam., 347, 351
Myxomycetes, **421**

Nanorrhinum
hastatum (R.Br. ex Benth.) Ghebr., 206 App.
Neotropics, 1–5*
Nepal, 57–64*, 451–465
Nepeta, 147
sheilae Hedge & R.A.King, 43, 47, 54 App.
Nerium, 46–48
oleander L., 45–47 [45 Fig.], 52 App.
New combinations
in *Adelocaryum*, 141–154*
in *Pedicularis*, 185–187*
New genus
of Gesneriaceae, 161–184
New Guinea, 431–450*
New series
in *Pedicularis*, 185–187*
New species
in *Adelocaryum*, 141–154*
in *Begonia*, 123–140*
in *Boehmeria*, 431–450
in *Carpolobia*, 343–346*
in *Chassalia*, 219–233
in Gentianaceae, 155–160
in *Mandevilla*, 1–5
in *Myxochlamys*, 347–352*
in *Paraboea*, 209–217
in *Pedicularis*, 185–187*
in *Psychotria*, 219–233
in *Riedelia*, 65–68*
in *Roella*, 425–430*
New status
in *Pedicularis*, 57–64*
New taxa
of *Pedicularis*, 185–187
New variety
of *Pedicularis*, 185–187*
Newman, M.F., 65–68, 347–352, 451–465
Nothofagus, 9
Nothosaerva
brachiata (L.) Wight, 194, 197, 203 App.
Novitates Gabonenses 74, 343–346
Nyctaginaceae, 206 App.

Ochradenus
baccatus Delile, 42–44, 55 App., 207 App.
Oedera L., 247
squarrosa (L.) Anderb. & K.Bremer, 245–246, 253–254
Old World, 431–450
Oldenlandia
corymbosa L., 208 App.
Oman, 25–35, 141–154*
Ophioglossaceae, 55 App.
Ophioglossum
polyphyllum A.Braun, 55 App.
Opithandra
primuloides (Miq.) B.L.Burtt, 167, 175
Orchidaceae, 55 App.
Oreocharis
auricula (S.Moore) C.B.Clarke, 167, 175
Ornithoboea
arachnoidea (Diels) Craib, 167, 175
wildeana Craib, 167, 175
Orobanchaceae, 55 App., 57–64*, 185–187, 206 App.
Orthosiphon
pallidus Royle ex Benth., 205 App.
Oryctolagus, 401
cuniculus L., 401
Oryzopsis
holciformis (M.Bieb.) Hack.
subsp. *abyssinica* (Freitag) D.Heller, 44, 54 App.
Otostegia
fruticosa (Forssk.) Schweinf. ex Penzig, 44, 46, 54 App.

Pakistan, 185–187*
Palawan, Philippines, 123–140*
Palmae, 55 App., 206 App.
Panaeolus
antillarum (Fr.) Dennis, **408**–409
campanulatus (L.) Quél., 409
fimiputris auct., 410

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

papilionaceus (Bull.) Quél., **409**
phalaenarum (Fr.) Quél., 410
retirugis (Fr.) Gillet, 409
semiovatis (Sowerby) S.Lundell & Nannf., 408–**409**
var. *minor* (J.E.Lange) Bon, 409
var. *phalaenarum* (Fr.) Ew.Gerhardt, 409
separatus (L.) Quél., 410
speciosus P.D.Orton, 410
sphinctrinus (Fr.) Quél., 409
subfirmus P.Karst., **410**
Pancratium
maximum Forssk., 203 App.
Pandion
haliaetus L., 191
Panicum
coloratum L., 207 App.
turgidum Forssk., 54 App., 207 App.
Papua New Guinea, 431–450
Papua, Indonesia, 65–68*
Paraboea, 209–217*
acutifolia (Ridl.) B.L.Burtt, 168, 175
brunnescens, 213
caerulescens (Ridl.) B.L.Burtt, 216
capitata Ridl., 168, 175
crassifolia (Hemsl.) B.L.Burtt, 168, 175
gracillima Kiew, **209**–213 [210 Map, 211 Fig.]
lambokensis Kiew, 209–210 & Map, **213**–216 [214 Fig.]
laxa Ridl., 209, 212–213
rufescens (Franch.) B.L.Burtt
var. *umbellata* (Drake) K.Y.Pan, 168, 175
verticillata (Ridl.) B.L.Burtt, 213, 216
Paracaryopsis (H.Riedl) R.R.Mill, 141–154*
coelestina (Lindl.) R.R.Mill, 143–146
lambertiana (C.B.Clarke) R.R.Mill, 144, 152
malabarica (C.B.Clarke) R.R.Mill, 152
Paracaryum (A.DC.) Boiss., 141, 143–144
coelestinum (Lindl.) Benth. & Hook.f., 146–147
intermedium (Fresen.) Hiliger & Podlech, 41, 52 App.
lambertianum C.B.Clarke, 143, 152
malabaricum C.B.Clarke, 152
trinervium Duthie, 141
Paralagarosolen Y.G.Wei, 171–172, 176
fangianum Y.G.Wei, 168, 175
Parasola
misera (P.Karst.) Redhead, Vigalys & Hopple, **407**
Parietaria
alsinifolia Delile, 56 App.
Paspalidium
desertorum (A.Rich.) Stapf, 207 App.
Patzelt, A., 25–35
Pavonia
arabica Hochst. ex Steud., 206 App.
Pedicularis L., 62, 185–187*
sect. *Phanerantha* H.L.Li, 185
ser. **Bicornutae** R.R.Mill, **185**
ser. **Klotzschianae** R.R.Mill, 185–**186**
ser. *Macranthae* Prain ex Hurus., 185–186
ser. *Megalanthae* (Prain) Bonati, 185
ser. **Rhynchotrichae** R.R.Mill, 185–**186**
ser. *Tenuirostres* Maxim., 185–186
unranked *Macranthae* Bunge, 186
unranked *Macranthae* Prain, 185–186
unranked *Pectinatae* Prain, 186
bicornuta Klotzsch, 185–**186**
var. **adenocalyx** R.R.Mill, 185–**186**
var. *bicornuta*, 186
bipinnatifida (Pennell) R.R.Mill, 185–**186**
elephantoides, 185
eximia G.Watt, 186
heteroglossa (Prain) Pusalkar & D.K.Singh, **58**–62 [60 Fig.]
klotzschii Hurus., 186
macrantha Klotzsch, 186
murreeana R.R.Mill & R.Bone, 185, **187**
oederi Vahl, 59, 62
subsp. *heteroglossa* (Prain) Pennell, 58–59
subsp. *typica*, 57
var. *heteroglossa* Prain, 57–64*
var. *oederi*, 58, 62
f. *rubra* (Maxim.) P.C.Tsoong, 62
pectinata Wall. ex Benth., **187**
subsp. *bipinnatifida* Pennell, 186
subsp. **palans** (Prain) Pennell, **187**
var. *palans* Prain, 187
pyramidata, 187
rhynchotricha P.C.Tsoong, 186
staintonii R.R.Mill, 185, **187**
stewartii Pennell, 187
versicolor Royle, 61–62

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

versicolor Wahlenb.
var. *rubra* Maxim., 62
Peganum
harmala L., 41, 56 App.
Pelicanus
rufescens Gmelin, 191
Pennisetum, 46
divisum (J.F.Gmel.) Henrard, 46, 54 App.
setaceum (Forssk.) Chiov., 42, 54 App.
setigerum (Vahl) Wipff, 207 App.
Pentatropis
nivalis (J.F.Gmel.) D.V.Field & J.R.I.Wood, 193, 203 App.
Pernambuco State, Brazil, 1–5
Petrocodon Hance, 171, 173
dealbatus Hance, 168, 175
Petrocosmea Oliv., 161–184*
crystallina Y.M.Shui & W.H.Chen, 161–162, 175–176
kerrii Craib, 168, 175
minor Hemsl., 168, 175
nervosa Craib, 168, 175
sericea C.Y.Wu ex H.W.Li, 168, 175
Peziza
fimeti (Fuckel) Seaver, **414**
stercorea Pers., 411
Pezizaceae, 414
Pezizales, 411–413
Phaeotrichiaceae, 419
Phenology
of *Vaccinium*, 7–24*
Philippines, 123–140
Phlomis
brachyodon (Boiss.) Zohary ex Rech.f., 43, 47, 54 App.
Phoenix
dactylifera L., 45 & Fig., 55 App., 196, 206 App.
Phomatospora
coprophila M.J.Richardson, **418**
minutissima (P.Crouan & H.Crouan) N.Lundq., 419
Phragmites, 47
australis (Cav.) Trin. ex Steud., 45 & Fig., 54 App.
Phyllanthaceae, 206 App.
Phyllanthus
fraternus G.L.Webster, 206 App.
leucopyrus (Willd.) D.Koenig ex Roxb., 206 App.
maderaspatensis L., 206 App.
rotundifolius Klein ex Willd., 206 App.
Phylogeny
of Gesneriaceae, 161–184*
Physaraceae, 421
Physarales, 421
Physarum
didermoides (Ach. ex Pers.) Rostaf., **421**
Pilaira
anomala Y.Ling, 420
moreaui Y.Ling, **420**
Pilobolaceae, 420
Pilobolus
crystallinus (F.H.Wigg.) Tode
var. **crystallinus**, **420**
var. **kleinii** (Tiegh.) R.Y.Zheng & G.Q.Chen, **421**
roridus (Bolton) Pers.
var. **umbonatus** (Buller) F.M.Hu & R.Y.Zheng, **421**
Piptatherum
holciforme (M.Bieb.) Roem. & Schult., 54 App.
Piptocephalidaceae, 421
Piptocephalis, 421
repens Tiegh. & G.Le Monn., **421**
Pistacia
falcata Becc. ex Mart., 52 App.
khinjuk Stocks, 43, 52 App.
Plantaginaceae, 206 App.
Plastid markers, 235–264
Platystemma
violoides Wall., 168, 175
Pleosporales, 419
Pleuranthodium (K.Schum.) R.M.Sm., 65
Plicosepalus
acaciae (Zucc.) Weins & Polhill, 55 App.
Pluchea
dioscoridis (L.) DC., 203 App.
Plumbaginaceae, 207 App.
Poa
flabellata (Lam.) Raspail, 401
Poaceae, 207 App.
see also Gramineae
Podosordaria
ianthina J.C.Krug & Cain, **418**
Podospora, 416
australis (Speg.) Niessl, **416**
communis (Speg.) Niessl, **416**
curvula (de Bary ex G.Winter) Niessl, 416

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

decipiens (G.Winter ex Fuckel) Niessl, **416**
glutinans (Cain) Cain, 417
intestinacea N.Lundq., **416**
perplexans (Cain) Cain, **416**
setosa (G.Winter) Niessl, **416**
Poecilolepis, 391
ficoidea (DC.) Grau, 393
Polycarpaea
repens (Forssk.) Asch. & Schweinf., 204 App.
robbairea (Kuntze) Greuter & Burdet, 52 App.
spicata Arn., 195, 204 App.
Polygala
erioptera DC., 207 App.
schwartziana Paiva, 43, 55 App.
Polygalaceae, 55 App., 207 App., 343–346*
Polygonaceae, 55 App.
Polypogon
viridis (Gouan) Breistr., 54 App.
Polysphaeria
subnudifax Verdc., **220**
Porterandia Ridl., 265–342* [272 Fig., **285**, 329 Map]
anisophylla auct. non (Jack ex Roxb.) Ridl., 295–296, 313, 321
anisophylla (Jack ex Roxb.) Ridl., 265–266, 268, 270–271, 273–278 [275, 277 Figs], 280–282, 284–285, 289–292 [**290**, 291 Fig.], 329 Map
var. *macroptera* (Miq.) Masam., 268, 312–313
var. *polyneura* (Vahl ex Winkl.) Masam., 268, 305
beamanii Zahid, 270–271, 273–274, 278–280, 284, 289, **293**, 328, 330–331 & Map
bruneiensis Zahid, 274, 278–280, 284, 289, **295**, 329–332 & Map
catappifolia auct. non Ridl., 303
catappifolia Ridl., 274, 278–280, 284, 288, **296**, 301, 314, 329–331 & Map
celebica Zahid, 265, 274, 278, 280, 284, 286, 289, **297**, 328–329 & Map
chanii Zahid, 270–271, 274, 278–280, 284, 289, **298**, 329–331 & Map
congestiflora Zahid, 274–277 [275 Fig.], 279–280, 284, 287, **300**, 329–330 & Map
crosbyi (Burkill) A.C.Sm. & S.Darwin, 267, 269, 285
dinghoui Zahid & K.M.Wong, 265, 274, 276–279, 283, 287, **301**–302 & Fig., 329–331 & Map, 341 App.
glabrifolia Ridl., 274, 277–280, 284, 288, 296, **303**–304 & Fig., 328, 330–331 & Map
grandifolia Ridl., 274, 277–278, 280–281, 284, 288, **305**–306 & Fig., 308, 312, 325, 330–331 & Map
hosei (Merr.) Zahid, 274, 278–279, 281, 284, 289, **308**, 314, 328, 330–331 & Map
kalimantanensis Zahid, 274, 278–279, 281, 284, 288, **309**, 330–331 & Map
kelantansis Tirveng., 328
lambirensis Zahid, 274, 278–281, 284, 288, **310**, 329–332 & Map
laxiflora Zahid, 274, 277–279, 281, 284, 287, **311**, 329–332 & Map
macroptera (Miq.) Tirveng., 274, 279, 281, 284, 289–290, **312**, 330–331 & Map
minor Ridl., 274, 281, 284, 289, 296, 308, **314**, 325, 329–331 & Map
mussaendoides (Craib) Tirveng., 327
pauciflora Ridl., 274, 276–282, 284–285, 287, **315**–316 & Fig., 329–332 & Map
postarii Zahid, 270–271, 274–282 [275, 279 Figs], 284–285, 287, **317**, 328, 330–331 & Map
puffii Zahid, 274, 277, 279–281, 284, 287, **319**, 328, 330–331 & Map
rarissima Zahid, 274, 277, 279, 283, 288, **320**, 330–332 & Map, 341 App.
scortechinii (King & Gamble) Ridl., 265, 268, 270–274 [272 Fig.], 276 & Fig., 278–282, 284, 287, 290, **321**–323 & Figs, 329 Map, 332
sericantha (W.C.Chen) W.C.Chen, 327
sessiliflora Ridl., 268, 285, 327
subsessilis auct. non (Valeton) Ridl., 295
subsessilis (Valeton ex Winkl.) Ridl., 268, 274, 276–278, 280–281, 284, 288, **325**–326 & Fig., 329–330 & Map
tenuiflora (A.C.Sm.) A.C.Sm. & S.Darwin, 267, 285
Portulaca
oleracea L., 207 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Portulacaceae, 207 App.
Posoqueria
anisophylla Jack ex Burkill, 290
Pouzolzia
sanguinea (Blume) Merr., 440
var. *fulgens* (Wedd.) Hara, 440
Premna
resinosa (Hochst.) Schauer, 205 App.
Primula
listeri King ex Hook.f., 437
Primulina
tabacum Hance, 168, 175
Prismatocarpus
alpinus (Bond) Adamson, 429
Priva
adhaerens (Forssk.) Chiov., 208 App.
Prosopis, 198–200
cineraria (L.) Druce, 199
juliflora (Sw.) DC., 189, 193, 198–200 [199 Fig.], 205 App.
Psathyrella
falklandica Cotton, 399
Pseudochirita W.T.Wang, 178
Pseudognaphalium Kirp., 248, 255
luteoalbum (L.) Hilliard & B.L.Burtt, 245–246, 249–250
Psilocybe
coprophila (Bull.) P.Kumm., **410**
cubensis (Earle) Singer, **410**
merdaria (Fr.) Ricken, 410
moelleri Guzmán, **410**
subcoprophila (Britzelm.) Sacc., **410**
Psychotria L., 219–233*, 331
subgen. *Psychotria*, 219, 228
subgen. *Tetramerae* (Hiern) E.M.A.Petit, 219, 229, 232
sect. *Involucratae* E.M.A.Petit & Verdc., 219, 228
auxopoda E.M.A.Petit, **220**
gossweileri E.M.A.Petit, 232
leptophylla Hiern, 219, 229, 232
mortehanii De Wild., 228
mwinilungae Verdc., 226, 228
nodiflora O.Lachenaud & D.J.Harris, 219, **224**–229 [225 Fig., 226 Map]
pteropus O.Lachenaud & D.J.Harris, 219, 227, **229**–233 [230 Fig., 231 Map]
schnellii (Aké Assi) Verdc., 226, 228
Pteridophyta, 69–73
Pterocephalus
brevis Coult., 43, 47, 53 App.
Pterogaillonia
calycoptera (Decne.) Lincz., 43, 56 App.
Pulicaria
crispa (Forssk.) Oliv., 41, 53 App.
jaubertii E.Gamal-Eldin, 203 App.
Pusalkar, P.K., 57–64
Pycnocycla
tomentosa Decne., 56 App.
Pyronemataceae, 411

Qaraqir, Saudi Arabia, 37–56* [39 Map]
Quercus
listeri King, 437

Ramonda Rich., 174, 176–177
myconi (L.) Rchb., 162, 168, 175
Randia auct. non Houst. ex L., 285
Randia Houst. ex L., 266–267, 269
sect. *Anisophyllea* Hook.f., 268, 285
aculeata L., 266
anisophylla (Jack ex Roxb.) Hook.f., 266, 268, 285, 290
beccarii King & Gamble, 307
mitis L., 266
mussaendoides Craib, 328
scortechinii auct. non King & Gamble, 296, 314
scortechinii King & Gamble, 268, 285, 321
sericantha W.C.Chen, 268
Ranunculaceae, 55 App.
Raphiocarpus Chun, 178
begoniifolius (H.Lév.) B.L.Burtt, 169, 175–176
petelotii (Pellegr.) B.L.Burtt, 169, 175–176
Rapini, A., 1–5
Rare species
in Saudi Arabia, 189–208*
of *Selaginella*, 69–73
Red Sea, 189
Refuge, 37–56*
Relhania L'Hér., 247
calycina L'Hér., 245–246, 253–254
Relict species, 37–56*
Reseda
aucheri Boiss.
var. *bracteata* (Boiss.) Abdallah & De Wit, 55 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

pentagyna Abdallah & A.G.Mill., 46–47, 55 App.
Resedaceae, 55 App., 207 App.
Retama
raetam (Forssk.) Webb & Berth., 42, 44, 46, 55 App.
Revisions
of *Begonia*, 123–140
of *Cautleya*, 451–465*
of *Triglochin*, 353–398*
Rhabdothamnopsis Hemsl., 178
sinensis Hemsl., 169, 175
Rhamnaceae, 55 App., 207 App.
Rhizophora, 192, 197
mucronata Lam., 192–193 & Fig., 200, 207 App.
Rhizophoraceae, 207 App.
Rhynchosia
minima (L.) DC., 205 App.
Rhynchotechum
discolor (Maxim.) B.L.Burtt, 169, 175
parviflorum Blume, 169, 175
Richardson, M.J., 399–423
Riedelia Oliv., 65–68*
subgen. *Schefferia* Valeton, 65, 68
sect. *Cornuta* Valeton, 65
sect. *Geocharides* Valeton, 68
sect. *Macrantha* Valeton, 65, 68
charontis M.F.Newman, **65**, 66–68 [66 Fig.]
tenuifolia Valeton, 65, 68
Rivea Choisy, 467–468
bernoulliana (Peter) Hallier f., 467–468
Roella L., 425–430*
ser. *Ciliatae* Adamson, 425
ser. *Muscosae* Adamson, 425
ser. *Prostratae* Adamson, 425, 429
ser. *Roella*, 425
ser. *Spicatae* Adamson, 425
ser. *Squarrosae* Adamson, 425
goodiana, 428–429
insizwae (Zahlbr.) Hilliard & B.L.Burtt, 425
muscosa L.f., 425, 428–429
recurvata, 428–429
uncinata Cupido, **425**–429 [426–427 Figs, 428 Map]
Roscoea, 452
sect. *Cautlea* Royle ex Benth., 451, 454
elatior Sm., 455
gracilis Sm., 451–452, 455
lutea Royle, 455
lutea Sm., 451–452
petiolata, 464
spicata Sm., 451, 460
Rubiaceae, 55 App., 208 App., 219–233*, 265–342*
subfam. Cinchonoideae, 269
subfam. Ixoroideae, 269
tribe Aulacocalyceae, 269
tribe Coffeeae, 269
tribe Gardenieae A.Rich. ex DC., 265–342*
tribe Hypobatheae, 269
tribe Pavetteae, 269
tribe Psychotrieae, 219
tribe Vanguerieae, 269
Rubite, R.R., 123–140
Rumex
nervosus Vahl, 44, 55 App.
pictus Forssk., 55 App.
vesicarius L., 42, 55 App.
Rutaceae, 56 App.
Ryparobius
spegazzinii Gamundi, 415

Saccharum
ravennae (L.) Murr., 45 & Fig., 54 App.
Saccobolus
beckii Heimerl, **413**
depauperatus (Berk. & Broome) Rehm, **413**
quadrisporus Massee & E.S.Salmon, 412–**413**
verrucisporus Brumm., 413
versicolor (P.Karst.) P.Karst., **413**
Sageretia
thea (Osbeck) M.C.Johnst., 42, 55 App.
Saintpaulia Wendl., 177
tongwensis B.L.Burtt, 169, 175
velutina B.L.Burtt, 169, 175
Salsola
tetrandra Forssk., 42, 52 App.
Salvadora
persica L., 193–194, 196, 208 App.
Salvadoraceae, 208 App.
Salvia, 452
palaestina Benth., 43, 47, 54 App.
Samuel, R., 235–264
Sarcocornia
fruticosa (L.) A.J.Scott, 363

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

tegetaria S.Steffen, Mucina & G.Kadereit, 391
Satureja
thymbrifolia Hedge & Feinbrun, 43, 47, 54 App.
Saudi Arabia, 25–35, 37–56* [39 Map]
Farasan Archipelago in, 189–208* [190 Fig.]
Scandix
stellata Banks & Sol., 42, 56 App.
Scaphochlamys Baker, 75–121* [79 Fig., **80**], 347
abdullahii Y.Y.Sam & Saw, 82, **84**–85 Map
anomala (Hallier f.) R.J.Searle, 75, 82, **85**–86 Fig., 94 Map
argentea R.M.Sm., 82, **87**, 94 Map
atroviridis Holttum, 81, **88**–89 Map
biloba (Ridl.) Holttum, 81, 85 Map, **88**, 90
var. *lanceolata* (Ridl.) Holttum, 75, 89
breviscapa Holttum, 82, **91**–92 Map, 117
burkillii Holttum, 84–85 Map, **92**
calcicola A.D.Poulsen & R.J.Searle, 81, **93**–94 Map
concinna (Baker) Holttum, 82, 92 Map, **94**, 118
cordata Y.Y.Sam & Saw, 81, 85 Map, **95**
erecta Holttum, 79 Fig., 83–84, 89 Map, **96**
gracilipes (K.Schum.) S.Sakai & Nagam., 81, 94 Map, **97**
grandis Holttum, 84–85 Map, **97**
klossii (Ridl.) Holttum, 92 Map, **98**
var. **glomerata** Holttum, 83–84, **99**
var. **klossii**, 84, **98**
var. **minor** Holttum, 84, **100**
kunstleri (Baker) Holttum, **100**, 102 Map
var. **kunstleri**, 83, **101**, 103
var. **rubra** (Ridl.) Holttum, 83, **102**
var. **speciosa** C.K.Lim, 83, **103**
lanceolata (Ridl.) Holttum, 84, 102 Map, **103**
laxa Y.Y.Sam & Saw, 81, 85 Map, **104**–105
longifolia Holttum, 75, 90
malaccana Baker, 79–80, 83, 92 Map, **105**–106
mat-kilau C.K.Lim, 75, 104
minutiflora Jenjitt. & K.Larsen, 83, 89 Map, **106**
obcordata Sirirugsa & K.Larsen, 83–84, 89 Map, **107**
oculata (Ridl.) Holttum, 82, 102 Map, **108**
pennipicta Holttum, 82, 102 Map, **109**
perakensis Holttum, 83, 92 Map, **109**
petiolata (K.Schum.) R.M.Sm., 82, **110**–111 Map, 118
polyphylla (K.Schum.) B.L.Burtt & R.M.Sm., 83, **111** & Map
reticosa (Ridl.) R.M.Sm., 80, 82, 111 Map, **112**
rubescens Jenjitt. & K.Larsen, 82, 89 Map, **113**
rubromaculata Holttum, 83, 102 Map, **114**
subbiloba (Burkill ex Ridl.) Holttum, 83, 92 Map, **115**
sylvestris (Ridl.) Holttum, 82, 89 Map, **116**
tenuis Holttum, 83, 102 Map, **116**
Schimpera
arabica, 42
Schizothecium
conicum (Fuckel) N.Lundq., **416**
dakotense (Griffiths) N.Lundq., **417**
glutinans (Cain) N.Lundq., **417**
tetrasporum (G.Winter) N.Lundq., **417**
vesticola (Berk. & Broome) N.Lundq., **417**
Schumanniophyton Harms, 269
Schweinfurthia
pedicellata Benth. & Hook.f., 206 App.
pterosperma (A.Rich.) A.Braun, 208 App.
Scotland, R.W., 69–73
Scrophulariaceae, 56 App., 63, 208 App.
Searle, R.J., 75–121, 347–352
Seddera
latifolia Hochst. & Steud., 204 App.
virgata Hochst. & Steud., 204 App.
Selaginella P.Beauv.
arroyoana M.Kessler & A.R.Sm., **69**–73* [71 Fig., 72 Map]
chiquitana M.Kessler, A.R.Sm. & M.Lehnert, 69, 71–72
falcata (P.Beauv.) Spring, 71–72
kochii Hieron., 71
xiphophylla Baker, 71
Selaginellaceae, 69–73

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Selinia
pulchra (G.Winter) Sacc., 418
Semi-arid regions, Brazil, 1–5
Senecio
glaucus L., 42, 53 App.
Senna
alexandrina Mill., 205 App.
holosericea (Fresen.) Greuter, 205 App.
italica Mill., 46, 55 App., 205 App.
Senra
incana Cav., 206 App.
Setaria
verticillata (L.) P.Beauv., 207 App.
viridis (L.) P.Beauv., 207 App.
Shorea
curtisii Dyer ex King, 109
Shui, Y.-M., 161–184
Siamanthus K.Larsen & Mood, 65
Silene
grisea Boiss., 52 App.
Singh, D.K., 57–64
Sino-Himalayan flora, 235–264*
Sinoleontopodium Y.L.Chen, 235–264*
lingianum Y.L.Chen, 241, 249–251, 254
Sisymbrium
erysimoides Desf., 42, 53 App.
Solanaceae, 56 App., 208 App.
Solanum
coagulans Forssk., 208 App.
forskalii Dunal, 208 App.
surattense Burm.f., 208 App.
thruppii C.H.Wright, 208 App.
virginianum L., 208 App.
Solidago L., 248
rugosa Mill., 245–246, 253
Sordaria
fimicola (Roberge ex Desm.) Ces. & de Not., **417**
macrospora Auersw., 417
superba de Not., **417**
Sordariales, 415–416
South Africa, 353–398*, 425–430*
Southeast Asia, 75–121*
Southern hemisphere, 399–423*
Souza-Silva, R.F. de, 1–5
Spelaeanthus
chinii Kiew, A.Weber & B.L.Burtt, 169, 175
Sphaerodes
fimicola (E.C.Hansen) P.Cannon & D.Hawksw., **417**
Spores, 69–73*
Sporobolus
helvolus (Trin.) T.Durand & Schinz, 207 App.
ioclados (Trin.) Nees, 208 App.
spicatus (Vahl) Kunth, 207 App.
Sporormiaceae, 419
Sporormiella, 419
australis (Speg.) S.I.Ahmed & Cain, **419**
grandispora S.I.Ahmed & Cain ex J.C.Krug, **419**
intermedia (Auersw.) S.I.Ahmed & Cain ex Kobayasi, **419**
lageniformis (Fuckel) S.I.Ahmed & Cain ex Kobayasi, **420**
leporina (Niessl) S.I.Ahmed & Cain, **420**
megalospora (Auersw.) S.I.Ahmed & Cain, **420**
minima (Auersw.) S.I.Ahmed & Cain, **420**
ovina (Desm.) S.I.Ahmed & Cain, **420**
systenospora S.I.Ahmed & Cain, **420**
Stachys
aegyptiaca Pers., 43–44, 47, 54 App.
Staples, G.W., 467–468
Stenella
attenuate Gray, 190
longirostris Gray, 190
Stipa
arabica, 54 App.
Stipagrostis
ciliata (Desf.) De Winter, 54 App.
foëxiana (Maire & Wilczek) De Winter, 43, 54 App.
obtusa (Delile) Nees, 54 App.
plumosa (L.) Munro ex T.Anderson, 43, 54 App.
Streptocarpus Lindl., 176–177
andohahelensis Humbert, 169, 175
beampingaratrensis Humbert, 169, 175
dunnii Hook.f., 169, 175
hilsenbergii R.Br., 169, 175
holstii Engl., 170, 175
ibityensis Humbert, 170, 175
papangae Humbert, 170, 175
rexii Lindl., 170, 175
saxorum Engl., 170, 175
Striga
gesnerioides (Willd.) Vatke, 206 App.
Strix
butleri Hume, 41

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

Stropharia
semiglobata (Batsch) Quél., **411**
Strophariaceae, 410
Stuessy, T.F., 235–264
Suaeda, 190
aegyptiaca (Hasselq.) Zohary, 203 App.
fruticosa Forssk. ex J.F.Gmel., 194, 203 App.
monoica Forssk. ex J.F.Gmel., 194, 203 App.
vermiculata Forssk. ex J.F.Gmel., 203 App.
Sukunia A.C.Sm., 267
Sulawesi, 265–342* [329 Map]
Sumatra, 75–121, 265–342* [329 Map], 431–450*
Sundaland, 265–342*
Sylvilagus
floridanus J.A.Allen, 401
Symphyotrichum Nees, 248
novae-angliae (L.) G.L.Nesom, 245–246, 254
Synopses
of *Adelocaryum*, 141–154
of *Rivea*, 467–468
Syringodium
isoetifolium (Asch.) Dandy, 195, 204 App.

Tamaricaceae, 56 App., 208 App.
Tamarix L., 48, 208 App.
aphylla (L.) H.Karst., 46, 56 App.
nilotica (Ehrenb.) Bunge, 45, 56 App.
Tanacetum
sinaicum (Fresen.) Delile ex K.Bremer & Humphries, 53 App.
Taverniera
cuneifolia (Roth) Arn., 205 App.
lappacea (Forssk.) DC., 205 App.
Taxonomy
of *Boehmeria*, 431–450*
of *Cautleya*, 451–465*
of *Chassalia*, 219–233*
of *Mandevilla*, 1–5*
of *Porterandia*, 265–342*
of *Psychotria*, 219–233*
of *Selaginella*, 69–73*
of *Triglochin*, 353–398*
Taxus
baccata L., 72
Tephrosia
purpurea (L.) Pers., 205 App.
subtriflora Hochst. ex Baker, 205 App.
uniflora Pers., 205 App.
Tetraena, 190
alba (L.f.) Beier & Thulin, 208 App.
boulosii (A.I.Hosny) M.Hall, 200, **208** App.
coccinea (L.) Beier & Thulin, 208 App.
simplex (L.) Beier & Thulin, 193–195, 208 App.
Tetraphyllum, 177
Tetrapogon
tenellus (K.D.Koenig ex Roxb.) Chiov., 207 App.
Teucrium
leucocladum Boiss., 44, 46–47, 54 App.
popovii R.A.King, 54 App.
Thailand, 75–121, 155–160, 209–217*, 431–450*, 451–465
Thalassia
hemprichii Ehrenb. ex Solms, 195, 205 App.
Thalassodendron
ciliatum (Forssk.) Hartog, 195, 204 App.
Thelebolaceae, 414
Thelebolales, 414
Thelebolus, 414–415
crustaceus (Fuckel) Kimbr., 415
microsporus, 414
nanus Heimerl, 414
polysporus (P.Karst.) Otani & Kanzawa, 414
stercoreus Tode, **414**–415
Thomas, Z., 431–450
Tibet, 235–264
Timonius
hosei Merr., 308
Trianthema
portulacastrum L., 202 App.
sheilae A.G.Mill. & J.A.Nyberg, 202 App.
Trichodelitschia
bisporula (P.Crouan & H.Crouan) Munk, **419**
munkii N.Lundq., **419**
Tricholaena
teneriffae (L.f.) Link, 54 App., 207 App.
Tricholomataceae, 404
Triglochin L., 353–398* [**358**]
atlantica Willd. ex Kunth, 363
barrelieri Loisel., 353–355, 360 Fig., 361 Map, **362**–364, 369, 394–395
var. *maura* Pau, 355, 363

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

buchenaui Köcke, Mering & Kadereit, 353, 357 Fig., 360 Fig., 362, 384 Map, 389, **391**–394 [392 Fig.]
bulbosa L., 353–398 [**370**]
subsp. *barrelieri* (Loisel.) Rouy, 355, 357, 362
subsp. **bulbosa**, 353–354, 357, 359, 364, 371 Fig., 372 Map, 373–**374**, 385, 394
subsp. **calcicola** Mering, Köcke & Kadereit, 353–354, 357 Fig., 359, 371–374 [371 Fig., 372 Map], **376**–378 [377 Fig.], 394–395
subsp. *laxiflora* (Guss.) Rouy, 355, 357, 368
subsp. *maura* (Pau) Horn, 357
subsp. **quarcicola** Mering, Köcke & Kadereit, 353–354, 357 Fig., 371–374 [371 Fig., 372 Map], **379**–381 [380 Fig.], 394–395
subsp. **tenuifolia** (Adamson) Horn, 353–354, 357, 371–374 [371 Fig., 372 Map], **381**–382, 394
var. *genuina* Maire, 363
var. *maura* (Pau) Maire, 355, 363
β robustior Roem. & Schult., 371
compacta Adamson, 353–355, 357 & Fig., 359–360 & Fig., 362, 369, 373, 382–386 [**383**, 384 Map], 394–395
elongata Buchenau, 353–355, 357 & Fig., 360 Fig., 362, 369, 384 Map, **388**–389, 393–394
laxiflora Guss., 353–355, 360 Fig., 361 Map, 362, 364, **368**–369, 394–395
maritima L., 354, 358–359
milnei Horn, 353–354, 357, 359–360 & Fig., 362, 385–388 [**386**, 388 Map], 394
palustre Desf., non L., 368
palustris L., 354–355, 358, 363–364
patens Steud., 371
striata Ruiz & Pav., 354, 357, 359
tenuifolia Adamson, 355, 357, 373, 381–382
Trigonella
stellata Forssk., 42, 55 App.
Tristemon Raf., 358
*trn*L/F, 235–264*
Tropical zone, 7–24*
Trukia Kaneh., 269
Tursiops
truncatus Montagu, 190
Typha, 47
domingensis Pers., 45 & Fig., 56 App.
Typhaceae, 56 App.
Typification
of *Triglochin*, 353–398*

Ulex
europaeus L., 403
Umbelliferae, 56 App.
Umbilicus
horizontalis (Guss.) DC., 53 App.
Uragoga
mortehanii De Wild., 224
Urticaceae, 56 App., 208 App., 431–450*

Vaccinium, 7–24*
sect. *Baccula-nigra*, 11
sect. *Batodendrin*, 11
sect. *Calcicolus*, 10
sect. *Ciliata* Nakai, 11, 13
sect. *Conchophyllum*, 10
sect. *Cyanococcus* A.Gray, 10–11, 13, 19
sect. *Euepigynium* Schltr., 8, 10
sect. *Galeopetalum*, 10
sect. *Hemi-myrtillus*, 10–11
sect. *Herpothamnus*, 11
sect. *Myrtillus*, 10–11, 19
sect. *Nesococcus* Copel., 8, 10
sect. *Oreades*, 10
sect. *Oxycoccoides*, 11
sect. *Oxycoccus*, 11
sect. *Polycodium*, 11
sect. *Pyxothamnus*, 10–11
sect. *Vaccinium*, 10
sect. *Vitis-idaea*, 11
acrobracteatum K.Schum., 9–10
angustifolium Aiton, 11
arboreum Marshall, 11
arctostaphylos L., 11
auriculifolium Sleumer, 10
boreale I.V.Hall & Aalders, 10
calycinum Sm., 10
cereum G.Forst., 9–10
cespitosum Michx., 10
consanguineum Klotzsch, 10, 18
corymbosum L., 11, 18–19
crassifolium Andrews, 11
cylindraceum Sm., 10
darrowii Camp., 9, 11
deliciosum Piper, 10

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press

dentatum Sm., 10
erythrocarpum Michx., 11
fragile Franch., 11
gaultheriifolium (Griff.) Hook.f. ex C.B.Clarke, 7, 10
hirsutum Buckley, 11
hirtum Thunb., 11, 18
horizontale Sleumer, 7, 10
macrocarpon Aiton, 7, 11
membranaceum Douglas ex Torr., 10
meridionale Sw., 8, 10, 15
myrsinites Lam., 11
myrtilloides Michx., 11
myrtillus L., 10, 20
myrtoides (Blume) Miq., 7, 10
oldhamii Miq., 11
ovalifolium Sm., 9–10
ovatum Pursh, 7, 11
oxycoccus L., 11
padifolium Sm., 11, 18
pallidum Aiton, 11, 18
parvifolium Sm., 11, 19
poasanum Donn.Sm., 10
praestans Lamb., 10
pseudotonkinense Sleumer, 10, 18
reticulatum Sm., 7, 10, 15
ridleyi Sleumer, 10
scoparium Leiberg ex Coville, 9–10
smallii A.Gray, 11
stamineum L., 11
tenellum Aiton, 11
uliginosum L., 7–8, 10, 20
varingiifolium (Blume) Miq., 8, 10
vitis-idaea L., 11
Vahlia
digyna (Retz.) Kuntze, 208 App.
Vahliaceae, 208 App.
Vale do Catimba National Park, Brazil, 1–2
Valerianaceae, 56 App.
Valerianella
oxyrhyncha Fisch. & C.A.Mey., 43, 47, 56 App.
Vander Kloet, S.P., 7–24
Verbascum, 56 App.
deserticola (Murb.) Hub.-Mor., 46–47, 56 App.
sheilae Kit Tan, 45–46, 56 App.
sinaiticum Benth., 45–47, 56 App.
Verbenaceae, 208 App.
Vietnam, 155–160*, 451–465
Vitaceae, 208 App.
Volutella, **420**
ciliata (Alb. & Schwein.) Fr., **420**
Vulpes
vulpes L., 40

Watling, R., 399–423
Wei, Y.-G., 161–184
Wen, F., 161–184
Wentsaiboea D.Fang & D.H.Qin, 171, 173, 176
renifolia D.Fang & D.H.Qin, 170, 175
Western Cape, 425–430*
Wilmot-Dear, C.M., 431–450
Wong, K.M., 265–342
Wood, J.R.I., 69–73

Xanthorrhoeaceae, 208 App.
Xylariaceae, 418
Xylariales, 418

Yemen, 25–35
Yunnan, 431–450

Zahid, M.S., 265–342
Zaleya
pentandra (L.) C.Jeffrey, 202 App.
Zehneria
anomala C.Jeffrey, 204 App.
Zilla
spinosa (L.) Prantl, 42, 44, 53 App.
Zingiberaceae, 65–68*, 75–121*, 347–352*, 451–465*
subfam. Alpinioideae Link, 65
subfam. Zingiberoideae, 451
tribe Riedelieae W.J.Kress, 65
tribe Zingibereae Misn., 75–121*, 347
Ziziphus
spina-christi (L.) Desf., 193, 196, 207 App.
Zoega
purpurea Fresen., 53 App.
Zoopagales, 421
Zygomycota, **420**
Zygophyllaceae, 56 App., 208 App.
Zygophyllum
album L.f., 208 App.
boulosii A.I.Hosny, 208 App.
coccineum L., 208 App.
simplex L., 208 App.

https://doi.org/10.1017/S0960428610000235 Published online by Cambridge University Press