*Clays and Clay Minerals*, Vol. 37, No. 6, 577–604, 1989.

# COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX[1] VOLUME 37, 1989

F. A. MUMPTON


A

Acid
activation, palygorskite, mechanism 258
leaching, chrysotile, effect on XRD, IR, TGA, TEM 439
leaching, effect on porosity, surface area of rocks 288
Activity diagram
Al-Si-pH 135
K-Al-Si 135
Mg-Al-Si 135
Adsorption
D-glucosamine on $Cu^{2+}$-montmorillonite 377
diclofop, diclofop-methyl on bentonite 558
dioxin, biphenyl on montmorillonite, hydroxy-Al-treated montmorillonite, hydroxy-Al-treated kaolinite 487
EGME on nontronite, ferruginous smectite 547
hectorite, fluoro, shape-selective sorbents, review 385
hydrocarbons on hexacyanocobaltate-exchanged hydrotalcite-like minerals, relation to degree of anion exchange 173
N-methyl 8-hydroxy quinoline methyl sulfate on smectite 157
p-hydroxybenzoate on iron oxides 333
palygorskite, shape-selective sorbents, review 385
shape-selective sorbents based on clays, review 385
Si on ferrihydrite, influence on transformation to hematite, goethite 273
smectite, shape-selective sorbents, review 385
vermiculite, shape-selective sorbents, review 385
water, on homoionic montmorillonite, enthalpy, entropy 355
**Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector,** by M. A. Vicente, M. Sanchez-Camazano, M. J. Sanchez-Martin, M. del Arco, C. Martin, V. Rives, and J. Vicente-Hernandez 157
**Adsorption of Water by Homoionic Exchange Forms of Wyoming Montmorillonite (SWy-1),** by P. L. Hall and D. M. Astill 355
AEM (see Analytical electron microscopy)
Age dating
illite in shales, K/Ar, Bergen High area, North Sea 97
illite in shales, K/Ar, correlation factors 97
illite in shales, K/Ar, vs. degree of diagenesis 97
Aggregation (see Flocculation)
AHN, J. H. (with D. R. PEACOR), Illite/Smectite from Gulf Coast Shales: A Reappraisal of Transmission Electron Microscope Images 542
AIZENSHTAT, ZEEV (with LISA HELLER-KALLAI and IRENA MILOSLAVSKI), Reactions of Clay Volatiles with n-Alkanes 446
AKAI, J. (with KAZI TAZAKI, S. KIMURA, T. YOSHIMURA, and W. F. FYFE), Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan 219
Albite
-quartz-zeolite assemblage, oxygen isotope constraints on temperature of crystallization, type of pore fluid 409
Alcohol
alcohothermal treatment of gibbsite, formation of boehmite 71
products of alcohothermal treatment of gibbsite, XRD, SEM, TGA 71
**Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite,** by Masashi Inoue, Kazyhisa Kitamura, Hirokazu Tanino, Hiroyuki Nakayama, and Tomoyuki Inui 71
Alkaline lake deposit
analcime in mudstone of Green River Formation, diagenesis 419
phillipsite in, XRD, SEM, chemical composition, unit-cell parameters, optical data 243
Alkylammonium
exchanged vermiculite, relation of tilting angle of alkylammonium ion and layer charge 164
-exchanged vermiculite, XRD, TEM 164
method of layer-charge determination, evaluation, comparison with structural formula method 41
Allophane
-rich soils, apparent dissolution during ultrasonic dispersion 493
Almandine
weathered to goethite, hematite, gibbsite in soils, saprolite 19


[1] Items are indexed to the first page of the journal article in which they appear.



https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

weathered, XRD, Mössbauer spectroscopy, SEM 19
Aluminum
coordination in alteration products of sepiolite, palygorskite, by NMR 469
extractable, from hydroxy-Al-montmorillonite-tannic acid complex, after drying 235
-Fe oxide precipitation, mechanisms 12
precipitation during titration of Al-$Fe^{2+}$-$Fe^{3+}$ solution 12
solubility, relative, of oxides, oxyhydroxides, at standard state conditions 566
tetrahedral, chemical control of in quartz, halloysite, low-temperature silicates 135
tetrahedral, role in formation of tubular halloysite 135
Aluminum oxide
boehmite-rich products of alcohothermal treatment of gibbsite, XRD, TEM, SEM 71
products of alcohothermal treatment of gibbsite, TGA, TEM, XRD 71
AMARASIRIWARDENA, D. D. (with R. C. GRAHAM, S. B. WEED, L. H. BOWEN, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy 29
Analcime
in mudstone of Green River Formation, XRD, electron microprobe analysis, petrography, diagenesis 419
relation of Si/Al ratio and d(639) XRD peak 419
ANDERSON, M. A. (with P. M. BERTSCH, W. P. MILLER, and L. W. ZELAZNY), Coprecipitation of Iron and Aluminum during Titration of Mixed $Al^{3+}$, $Fe^{3+}$, and $Fe^{2+}$ Solutions 12
Anion exchange
oxidation state of Fe in hexacyanoferrate-exchanged hydrotalcite-like materials 553
preparation of hexacyanocobaltate-hydrotalcite-like materials by 173
preparation of hexacyanoferrate-hydrotalcite-like materials by 553
relation to hexane adsorption of hexacyanocobaltate-exchanged hydrotalcite-like materials 173
Announcement
CMS workshop, Rheology of Clay/Water Systems 288
26th annual meeting, The Clay Minerals Society 288
Apatite
alteration products, SEM, TEM, XRD, chemical analysis, SAD 113
rare earth element fractionation patterns in 113
weathering 113
**Apatite Replacement and Rare Earth Mobilization, Fractionation, and Fixation during Weathering,** by J. F. Banfield and R. A. Eggleton 113
Apparatus
electrostatic probe for cleaning samples for SEM fabric studies 283
environmental XRD chamber 211
vacuum microbalance, automated, for water adsorption measurements 355
**Apparent Dissolution During Ultrasonic Dispersion of Allophanic Soils and Soil Fractions,** by Mauricio Escudey, Maria de la Luz Mora, Patricia Diaz, and Gerardo Galindo 493
**Aqueous-Chemical Control of the Tetrahedral-Aluminum Content of Quartz, Halloysite, and Other Low-Temperature Silicates,** by Enrique Merino, Colin Harvey, and H. H. Murray 135
ARGAST, SCOTT, Expandable Sepiolite from Ninetyeast Ridge, Indian Ocean 371
Asbestos
chrysotile, acid-leached, XRD, TEM, IR, TGA 439
chrysotile, dry-ground, XRD, TEM, IR, TGA 439
chrysotile, XRD, SEM, IR, TGA 439
ASTILL, D. M. (with P. L. HALL), Adsorption of Water by Homoionic Exchange Forms of Wyoming Montmorillonite (SWy-1) 355
Atom positions
non-hydrogen atoms, electron diffraction evidence for C-centering of, in kaolinite 563
Attapulgite (see Palygorskite)
AUSTIN, G. S. (with H. D. GLASS and R. E. HUGHES), Resolution of the Polytype Structure of some Illite Clay Minerals that Appear to be 1*Md* 128
Authigenesis
halloysite, clinoptilolite in Porters Creek Formation 179

B

Back-scattered electron imaging (see Scanning electron microscopy)
BAILEY, S. W. (with HONG ZHENG), Structures of Intergrown Triclinic and Monclinic IIb Chlorites from Kenya 308
BAILEY, S. W. (with J. S. LISTER), Structures, Compositions, and X-ray Diffraction Identification of Dioctahedral Chlorites 193
BANFIELD, J. F. (with R. A. EGGLETON), Apatite Replacement and Rare Earth Mobilization, Fractionation, and Fixation during Weathering 113
BARRER, R. M., Shape-Selective Sorbents Based on Clay Minerals: A Review 385
Basal spacing
diclofop-, diclofop-methyl-treated bentonite 558
Laponite, Fe-containing, thermally treated 325
montmorillonite, Fe-containing, thermally treated 325
smectite, Mg-, effect of RH on EG expansion 429
vermiculite 263

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

vermiculite, chloritized 263
vermiculite/chloritized vermiculite 263
BATES, C. R. (with A. S. G. JONES), Electrostatic Probe for Cleaning Clays for Scanning Electron Microscopy Fabric Studies 283
BENITO, I. (with F. GONZALEZ, C. PESQUERA, S. MENDIOROZ, and J. A. PAJARES), Mechanism of Acid Activation of Magnesic Palygorskite 258
Bentonite (see also, Montmorillonite, Smectite)
Al-, Fe-, Cu-, treated with diclofop, IR, ESP 558
Al-, Fe-, Cu-, treated with diclofop-methyl, IR 558
catalyst for oxidation of pyrogallol to humic polymers 525
BERTSCH, P. M. (with W. P. MILLER, M. A. ANDERSON, and L. W. ZELAZNY), Coprecipitation of Iron and Aluminum during Titration of Mixed $Al^{3+}$, $Fe^{3+}$, and $Fe^{2+}$ Solutions 12
BIAŁOPIOTROWICZ, TOMASZ (with BRONISŁAW JANCZUK, EMIL CHIBOWSKI, MIECZYSŁAW HAJNOS, and JANSUZ STAWINSKI), Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles
Biotite
neutron activation analysis, SEM 113
weathered to biotite/vermiculite, vermiculite, kaolinite, gibbsite in soils, saprolite 19, 29
weathered, alkylammonium-exchanged, XRD, TEM 164
weathered, alkylammonium-exchanged, relation of layer charge and tilt angle 164
weathered, chemical analysis, CEC, XRD, TEM, layer charge 164
weathered, relation of layer charge and tilt angle 164
weathered, XRD, SEM, Mössbauer spectroscopy 19
Biphenyl
adsorption by montmorillonite, hydroxy-Al-treated montmorillonite, hydroxy-Al-treated kaolinite 487
Birnessite
-dihydroxylbenzene mixtures, ESR, oxygen uptake 341
-dihydroxylbenzene mixtures, oxidation of, in acid aqueous suspension, synthesis, IR 479
BISH, D. L. (with R. B. VON DREELE), Rietveld Refinement of Non-Hydrogen Atomic Positions in Kaolinite 289
Boehmite
mechanisms of formation by alcohol treatment of gibbsite 71
relative solubility at standard state conditions 566
-rich products of alcohol thermal treatment of gibbsite, XRD, TGA, SEM 71
BOLES, J. R. (with J. H. NOH), Diagenetic Alteration of Perlite in the Guryongpo Area, Republic of Korea 47
BOLES, J. R. (with M. L. STALLARD), Oxygen Isotope Measurements of Albite-Quartz-Zeolite Mineral Assemblages, Hokonui Hills, Southland, New Zealand 409
Bond lengths
chlorite, intergrown monoclinic, triclinic 308
Book review
*Clay Minerals and the Origin of Life*, A. G. Cairns-Smith and H. Hartman, eds. 287
*Spectroscopic Methods in Mineralogy and Geology*, F. C. Hawthorne, ed. 192
BOOKIN, A. S. (with A. PLANÇON, R. F. GIESE, JR., R. SNYDER, and V. A. DRITS), Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite 203
BOOKIN, A. S. (with V. A. DRITS, A. PLANÇON, and C. TCHOUBAR), Stacking Faults in the Kaolin-Group Minerals in the Light of Real Structure Features 297
BOUCHET, ALAIN (with ATSUYUKI INOUE, BRUCE VELDE, and ALAIN MEUNIER), Convenient Technique for Estimating Smectite Layer Percentage in Randomly Interstratified Illite/Smectite 227
BOWDEN, M. E. (with K. J. D. MACKENZIE, I. W. M. BROWN, and R. H. MEINHOLD), Structures and Thermal Transformations of Imogolite Studied by $^{29}Si$ and $^{27}Al$ High-Resolution Solid-State Nuclear Magnetic Resonance 317
BOWEN, L. H. (with R. C. GRAHAM, S. B. WEED, D. D. AMARASIRIWARDENA, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy 29
BOWEN, L. H. (with R. C. GRAHAM, S. B. WEED, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: I. Sand-size Primary Minerals 19
BOYD, S. A., Distinguished Member Award 96
BREGANZA, L. F. (with M. V. SMALLEY, R. K. THOMAS, and T. MATSUO), Effect of Hydrostatic Pressure on the Swelling of n-Butylammonium Vermiculite 474
BRIEDIS, N. A. (with J. R. GLASMANN, STEVE LARTER, and P. D. LUNDEGARD), Shale Diagenesis in the Bergen High Area, North Sea 97
BROWN, I. W. M. (with K. J. D. MACKENZIE, M. E. BOWDEN, and R. H. MEINHOLD), Structures and Thermal Transformations of Imogolite Studied by $^{29}Si$ and $^{27}Al$ High-Resolution Solid-State Nuclear Magnetic Resonance 317
BAUTIER, MARTINE (with JOSE HONNOREZ and GABRIELLE EHRET), Fe-Smectite-Glauconite Transition in Hydrothermal Green Clays from the Galapagos Spreading Center 532
BUOL, S. W. (with R. C. GRAHAM, S. B. WEED, L. H. BOWEN, and D. D. AMARASIRIWARDENA), Weathering of Iron-Bearing Minerals in Soils and Sap-

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

rolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy 29
BUOL, S. W. (with R. C. GRAHAM, S. B. WEED, and L. H. BOWEN), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: I. Sand-size Primary Minerals 19
BUONDONNO, A. (with D. FELLECA and A. VIOLANATE), Properties of Organo-Mineral Complexes Formed by Different Addition Sequences of Hydroxy-Al, Montmorillonite, and Tannic Acid 235

C

CARDILE, C. M., Tetrahedral Iron in Smectite: A Critical Commentary 185
CARDILE, C. M. (with V. LUCA), Cation Migration in Smectite Minerals: Electron Spin Resonance of Exchanged $Fe^{3+}$ Probes 325
Catalysis
oxidation of pyrogallol to humic polymers by bentonite, kaolinite, nontronite 525
reaction of clay volatiles with n-alkanes, with and without contact with clay 446
**Cation Migration in Smectite Minerals: Electron Spin Resonance of Exchanged $Fe^{3+}$ Probes,** by V. Luca and C. M. Cardile 325
Cation exchange
properties of vermiculite, alkylammonium cation with 164
Cation-exchange capacity (CEC)
glauconite-rich soil zones 59
hydroxy-Al-montmorillonite-tannic acid complexes 235
montmorillonite, SWy-1 355
palygorskite-rich rock, Spain 258
smectite 157
vermiculite 164
CEC (see Cation-exchange capacity)
Cement
sand dunes, gel in, XRD, TEM, SAD, XPS, scanning auger multiprobe analysis 219
CHAUMETTE, P. (with F. THEVENOT and R. SZYMANSKI), Preparation and Characterization of Al-rich Zn-Al Hydrotalcite-like Compounds 396
Chemical analysis
apatite, electron microprobe 113
biotite 164
biotite, neutron activation 113
chlorite, by electron microprobe 308, 511
chrysotile 439
clay fractions, deep-sea hydrothermal mounds 532
clinoptilolite 47
cookeite 193
dacite, unaltered, zeolitically altered, Greece 497
dioctahedral chlorite 193
donbassite 193
florencite, electron microprobe 113
granite, weathered, unweathered, neutron activation 113
hot springs, well water, bore-hole water, Santorini, Greece 497
iron oxide precipitation products, effect of montmorillonite, pH 451
lepidocrocite, synthetic montmorillonite-bearing 451
mordenite 47
opal-CT-rich pyroclastics, Greece 497
perlite 47
phillipsite, saline, alkaline lake deposits 243
rare earth elements in granite, biotite 113
sand dune cementing material by XRD, XPS 219
sepiolite, expandable 271
sudoite 193
vermiculite, weathered biotite 164
zeolitic tuffs, Greece 497
CHIBOWSKI, EMIL (with BRONISŁAW JANCZUK, MIECZYSŁAW HAJNOS, TOMASZ BIAŁOPIOTROWICZ, and JANUSZ STAWINSKI), Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles 269
Chlorine
effect of, in samples prepared on silver-metal-membrane mounts for XRD 381
Chlorite
chloritized vermiculite in Ultisol, TEM, HRTEM, layer order, basal spacing 263
cookeite, chemical composition 193
cookeite, crystal structure, stacking order, XRD identification 193
crystal structure, by neutron diffraction 511
dioctahedral, chemical composition 193
dioctahedral, crystal structure, XRD identification, stacking order 193
donbassite, crystal structure, stacking order, XRD identification 193
donbassite, chemical composition 193
electron microprobe analysis 511
hydrogen bonding in 511
intergrown mono-, triclinic, structure, microprobe analysis, bond lengths 308
-montmorillonite mixtures, treated with $Na_2CO_3$, XRD 89
-montmorillonite mixtures, treatment with $Na_2CO_3$ + other salts 89
SEM, XRD, Mössbauer spectroscopy 19
sudoite, chemical composition 193
sudoite, crystal structure, stacking order, XRD identification 193
weathering, resistance to, in soils, saprolite 19
**Chlorite/Vermiculite in a Korean Ultisol Studied by Ultramicrotomy and Transmission Electron Microscopy,** by Koji Wada and Yasuko Kakuto 263
Chromatography
gas, reaction products of clay volatiles and n-alkanes 446

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

high-performance liquid, metallic complexes of diclofop 558
Chrysotile
acid leached, XRD, TEM, IR, TGA 439
dry ground, XRD, TEM, IR, TGA 439
IR 439
SEM 439
TGA 439
XRD 439
**Clay Mineral Segregation by Flocculation in the Porters Creek Formation,** by A. R. Thomas and H. H. Murray 179
Clay Minerals Society, The
annual meeting, 26th, announcement 288
Pioneer in Clay Science, lecture 385
workshop, Rheology of Clay/Water Systems, announcement 288
**Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan,** by Kazue Tazaki, S. Kimura, T. Yoshimura, J. Akai, and W. S. Fyfe 219
Clay-organic complex
in gel cementing material of sand dunes, XPS, scanning auger multiprobe analysis 219
Clay-organic reactions
distinguished member award to M. M. Mortland 96
Clinoptilolite
alteration from perlite 47
diagenesis in altered tuff 497
-rich tuff, XRD, SEM, chemical composition 497
SEM, petrography, chemical analysis, electron probe analysis 47
thermal treatment 497
XRD 497
CMS source clays (see Source clays)
Cobalt
effect of, on formation of iron oxides from ferrihydrite 65
-goethite, from ferrihydrite, TEM, morphology 65
-hematite, from ferrihydrite, TEM, morphology 65
-magnetite, from ferrihydrite, TEM, morphology 65
Color
oxidized, reduced zones of glauconite-rich in soil column 59
vs. oxide composition, in clay weathering products in soils 29
COMMEAU, J. A. (with L. J. POPPE and G. M. PENSE), Effect of Chlorine in Clay-Mineral Specimens Prepared on Silver Metal-Membrane Mounts for X-ray Powder Diffraction Analysis 381
Computer simulation
HRTEM of illite/smectite 1
Contact angles
used to determine surface free energy of kaolinite 269
**Convenient Technique for Estimating Smectite Layer Percentage in Randomly Interstratified Illite/Smectite,** by Atsuyuki Inoue, Alain Bouchet, Bruce Velde, and Alain Meunier 227
Cookeite
chemical composition 193
crystal structure, XRD identification, stacking order 193
**Coordination Complexes of p-Hydroxybenzoate on Fe Oxides,** by K.-H Kung and M. B. McBride 333
Copper
-montmorillonite, adsorption of D-glucosamine 377
-montmorillonite, interlayer complex with D-glucosamine, IR, ESR 377
**Coprecipitation of Iron and Aluminum during Titration of Mixed $Al^{3+}$, $Fe^{3+}$, and $Fe^{2+}$ Solutions,** by P. M. Bertsch, W. P. Miller, M. A. Anderson, and L. W. Zelazny 12
CORNELL, R. M. (with R. GIOVANOLI), Effect of Cobalt on the Formation of Crystalline Iron Oxides from Ferrihydrite in Alkaline Media 65
**Correlation of Expandability with Mineralogy and Layering in Mixed-Layer Clays,** by Barbara Ransom and H. C. Helgeson 189
Corumdum
relative solubility at standard state conditions 566
COYNE, L. M., book review, *Clays in the Origin of Life,* edited by A. G. Cairns-Smith and H. Hartman 28
Cross-linked smectite (CLS) (see Pillared interlayer complex)
Crystal structure
chlorite, intergrown mono-, triclinic 308
chlorite, monoclinic II*b*-2, by neutron diffraction 511
cookeite 193
DABCO (1,4-diazobicyclo[2,2,2]octane)-vermiculite, using precession X-ray diffraction 81
dioctahedral chlorite 193
donbassite 193
electron diffraction evidence for C-centering of non-hydrogen atoms in kaolinite 563
imogolite, thermally treated 314
kaolinite, Rietveld refinement of non-hydrogen positions 289
sudoite 193
Crystallinity
kaolin-group minerals, defect structures 203
kaolin-group minerals, IR of structural-OH in 464
kaolin-group minerals, IR of structural-OH vs. Hinckley index as measure of crystallinity 464
kaolin-group minerals, use of Hinckley index 203
Crystallization
boehmite from gibbsite, mechanisms by alcohothermal treatment 71

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

gibbsite, goethite, kaolinite during weathering of hornblende 515
primitive clay domains in volcanic, igneous, nuclear waste-form glass, by HRTEM 348
zeolite, mechanisms, from Markov-chain model 433
zeolite, mechanisms, postulated elementary kinetic reactions 433

D

DABCO (1,4-diazabicyclo[2,2,2]octane)
-vermiculite intercalates, formation, crystal structure using precession X-ray diffraction 81
-vermiculite intercalates, unit-cell parameters 81
DAMEME, A. (with R. PROST, E. HUARD, J. DRIARD, and J. P. LEYDECKER), Infrared Study of Structural OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite 464
DE LA LUZ MORO, MARIA (with MAURICIO ESCUDEY, PATRICIA DIAZ, and GERARDO GALINDO), Apparent Dissolution During Ultrasonic Dispersion of Allophanic Soils and Soil Fractions 493
Deep Sea Drilling Project (DSDP)
hole 509B, Fe-clays, XRD, TEX, chemical analysis 532
hole 509B, Fe-smectite, EDX, TEM, HRTEM 532
hole 509B, Fe-smectite-glauconite transformation in hydrothermal mounds 532
hole 509B, glauconite, EDX, TEM, HRTEM 532
Defect structure
kaolin-group minerals, stacking faults in 203, 297
DEL ARCO, M. (with M. A. VICENTE, M. SANCHEZ-CAMAZANO, M. J. SANCHEZ-MARTIN, C. MARTIN, V, RIVES, and J. VICENTE-HERNANDEZ), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential use of the Clay Organic Product as an Ultraviolet Radiation Collector 157
D-glucosamine
adsorption on $Cu^{2+}$-montmorillonite 377
interlayer complex with $Cu^{2+}$ in montmorillonite, IR, ESR 377
**D-Glucosamine Sorption on Cu(II)-montmorillonite as the Protonated and Neutral Species,** by A. Pusino, G. Micera, A. Premoli, and C. Gessa 377
Dehydration
thermal, gibbsite, formation of alumina by 71
thermal, gibbsite, formation of boehmite by 71
**Deuterium Nuclear Magnetic Resonance Studies of Water Molecules Restrained by Their Proximity to a Clay Surface,** by Jean Grandjean and Pierre Laszlo 403
Diagenesis
alteration of perlite to smectite, zeolites 47
analcime in mudstone of Green River Formation 419
clinoptilolite, in altered tuff 497
hydration of perlite to zeolites 47
illite, via K/Ar age dating 97
illite/smectite shales, Bergen High area, North Sea 97
mordenite, in altered tuff 497
smectite illitization, Bergen High area, North Sea 97
zeolite-albite-quartz assemblage, oxygen isotope constraints on crystallization temperature, type of pore fluid 409
zeolites in altered tuff 497
**Diagenetic Alteration of Perlite in the Guryongpo Area, Republic of Korea,** by J. H. Noh and J. R. Boles 47
DIAZ, PATRICIA (with MAURICIO ESCUDEY, MARIA DE LA LUZ MORA, and GERARDO GALINDO), Apparent Dissolution During Ultrasonic Dispersion of Allophanic Soils and Soil Fractions 493
Diaspore
relative solubility at standard state conditions 566
Dickite
defect structures in 297
IR 464
IR of structural-OH in, measure of crystallinity 464
stacking faults 497
XRD, simulated 297
Diclofop
metallic complexes, IR, ESR 558
-methyl-treated Al-, Fe-, Cu-bentonite, IR 558
-treated Al-, Fe-, Cu-bentonite, IR, ESP 558
Differential thermal analysis (DTA)
hydroxy-Al-montmorillonite-tannic acid complexes 235
imogolite 317
montmorillonite, Rio Negro, Argentina 89
Diffuse reflectance infrared Fourier-transform spectroscopy (DRIFT) (see Infrared spectroscopy)
Dihydroxybenzene
birnessite mixtures, oxygen uptake, ESR 341
oxidation of aerated aqueous suspensions of birnessite 341
oxidation of, by birnessite in acidic aqueous suspension 479
reaction product with birnessite, IR 479
Dioxin
adsorption by hydroxy-Al-treated montmorillonite, hydroxy-Al-treated kaolinite 487
adsorption by hydroxy-Al-treated kaolinite, hydroxy-Al-treated kaolinite 487
adsorption by montmorillonite 487
**Dioxon Sorption by Hydroxy-Aluminum-Treated Clays,** by Tim Nolan, K. R. Srinivasan, and H. S. Folger 487
Dispersion
component of surface free energy of kaolinite, measured from contact angles 269
Dissolution
apparent, during ultrasonic dispersion of allophane-rich soils 493

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

chemical, used to estimate crystalline vs. noncrystalline content in kaolinite 364
**Distinguished Member Award,** by S. A. Boyd 96
Distinguished member citation
to M. M. Mortland 96
**Distribution and Origin of Analcime in Marginal Lacustrine Mudstones of the Green River Formation, South-Central Uinta Basin, Utah,** by R. R. Remy and R. E. Ferrell 419
DMSO (see Dimethylsulfoxide)
Domain
primitive clay, in volcanic, igneous, nuclear waste-form glass, by HRTEM 348
Donbassite
chemical composition 193
crystal structure, XRD identification, stacking order 193
Double layer
DLVO theory, relation to swelling of n-butylammonium vermiculite 474
DRIARD, J. (with R. PROST, A. DAMEME, E. HUARD, and J. P. LEYDECKER), Infrared Study of Structural OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite 464
DRITS, V. A. (with A. PLANÇON, R. F. GIESE, JR., R. SNYDER, and A. S. BOOKIN), Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite 203
DRITS, V. A. (with A. S. BOOKIN, A. PLANÇON, and C. TCHOUBAR), Stacking Faults in the Kaolin-Group Minerals in the Light of Real Structure Features 297
DTA (see Differential thermal analysis)

## E

EBINGER, M. H. (with D. G. SCHULZE), Mn-Substituted Goethite and Fe-Substituted Groutite Synthesized at Acid pH 151
EDX (see Energy-dispersive X-ray analysis)
**Effect of Chlorine in Clay-Mineral Specimens Prepared on Silver Metal-Membrane Mounts for X-ray Powder Diffraction Analysis,** by L. J. Poppe, J. A. Commeau, and G. M. Pense 381
**Effect of Cobalt on the Formation of Crystalline Iron Oxides from Ferrihydrite in Alkaline Media,** by R. M. Cornell and R. Giovanoli 65
**Effect of Hydrostatic Pressure on the Swelling of n-Butylammonium Vermiculite,** by M. V. Smalley, R. K. Thomas, L. F. Breganza, and T. Matsuo 474
**Effects of Dry Grinding and Leaching on the Crystal Structure of Chrysotile,** by Helèné Suquet 439
**Effects of Iron Oxidation State on the Specific Surface Area of Nontronite,** by P. R. Lear and J. W. Stucki 547
**Effects of Octahedral-Iron Reduction and Swelling Pressure on Interlayer Distances in Na-Nontronite,** by Jun Wu, P. F. Low, and C. B. Roth 211
**Effects of Relative Humidity on the Basal Expansion of Mg-Smectite Equilibrated with Ethylene Glycol at Low Vapor Pressure,** by Y. P. Hsieh 459
EG (see Ethylene glycol)
EGGLETON, R. A. (with J. F. BANFIELD), Apatite Replacement and Rare Earth Mobilization, Fractionation, and Fixation during Weathering 113
EGME (see Ethylene glycol monoethyl ether)
EHRET, GABRIELLE (with MARTINE BUATIER and JOSE HONNOREZ), Fe-Smectite-Glauconite Transition in Hydrothermal Green Clays from the Galapagos Spreading Center 532
Electron diffraction (see also Selected-area electron diffraction)
convergent-beam, kaolinite, evidence for C-centering of non-hydrogen atoms 563
**Electron Diffraction Evidence for C-Centering of Non-Hydrogen Atoms in Kaolinite,** by J. G. Thompson, J. D. Fitz Gerald, and R. L. Withers 563
Electron microprobe
analcime in mudstone, Green River Formation 419
chlorite, Ural Mountains 511
clinoptilolite 47
clinoptilolite-rich tuffs 497
hydrotalcite-like phases, Zn-containing, by EDX 396
mordenite 47
mordenite-rich tuffs 497
perlite 47
Electron paramagnetic resonance (EPR)
review, *Spectroscopic Methods in Mineralogy and Geology*, F. C. Hawthorne, ed. 192
Electron spin resonance (ESR)
bentonite, Cu-, treated with diclofop 558
birnessite-dihydroxybenzene mixtures 344
$Cu^{2+}$-D-glucosamine complex in montmorillonite 377
diclofop, metallic complexes of 558
humic polymers for oxidation of pyrogallol 525
Laponite, Fe-containing, before and after thermal treatment 325
montmorillonite, Fe-containing, before and after thermal treatment 325
used to monitor $Mn^{2+}$ in solution during oxidation of dihydroxybenzene by birnessite 479
**Electronic State of Iron Complexes in the Interlayer of Hydrotalcite-like Materials,** by Satoshi Idemura, Eiichi Suzuki, and Yochio Ono 553
Electrostatic probe
use for cleaning clays for SEM fabric studies 283
**Electrostatic Probe for Cleaning Clays for Scanning Electron Microscopy Fabric Studies,** by C. R. Bates and A. S. G. Jones 283
Energy-dispersive X-ray analysis (EDX)
Fe clays from deep-sea hydrothermal mounds 532

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

glauconite from deep-sea hydrothermal mounds 532
hydrotalcite-like phases, Zn-containing 396
smectite, ferruginous, from deep-sea hydrothermal mounds 532
Enthalpy
vermiculite, n-butylammonium, as calculated from heat capacity measured across swelling transition of 474
water adsorption on homoionic montmorillonite 355
Entropy
vermiculite, n-butylammonium, as calculated from heat capacity measured across swelling transition of 474
water adsorption in homoionic montmorillonite 355
ESCUDEY, MAURICIO (with MARIA DE LA LUZ MORA, PATRICIA DIAZ, and GERARDO GALINDO), Apparent Dissolution During Ultrasonic Dispersion of Allophanic Soils and Soil Fractions 493
ESR (see Electron spin resonance)
Ethylene glycol (EG)
effect of RH on basal expansion of Mg-montmorillonite by 459
-expandable sepiolite, XRD, TEM, chemical composition 371
retention by Mg-montmorillonite, effect of RH 459
treatment of illite, XRD 128
use in resolving illite polymorphs 128
Ethylene glycol-monoethyl ether (EGME)
adsorption on nontronite, ferruginous smectite, effect of oxidation state of octahedral Fe on 547
**Evaluation of the Alkylammonium Method of Determining Layer Charge,** by D. A. Laird, A. D. Scott, and T. E. Fenton 41
Expandability (see also Swelling)
correlation of, with mineralogy and layering in mixed-layer clays 189
hectorite, synthetic 218
saponite, synthetic 218
sepiolite, EG-expandable, XRD, SEM, chemical composition 371
Mg-montmorillonite, effect of RH on, by EG 459
**Expandable Sepiolite from Ninetyeast Ridge, Indian Ocean,** by Scott Argast 371

F

Fabric (see Texture)
FANNING, D. S. (with M. C. RABENHORST, LEOPOLD MAY, and D. P. WAGNER), Oxidation State of Iron in Glauconite from Oxidized and Reduced Zones of Soil-Geologic Columns 59
**Fe-Smectite-Glauconite Transition in Hydrothermal Green Clays from the Galapagos Spreading Center,** by Martine Buatier, Jose Honnorez, and Gabrielle Ehret 532
Feldspar (see also individual minerals)
K-feldspar, diagenetic, from altered perlite 47
FELLECA, D. (with A. BUONDONNO and A. VIOLANTE), Properties of Organo-Mineral Complexes Formed by Different Addition Sequences of Hydroxy-Al Montmorillonite, and Tannic Acid 235
FENTON, T. E. (with D. A. LAIRD and A. D. SCOTT), Evaluation of the Alkylammonium Method of Determining Layer Charge 41
FERRELL, R. E. (with R. R. REMY), Distribution and Origin of Analcime in Marginal Lacustrine Mudstones of the Green River Formation, South-Central Uinta Basin, Utah 419
Ferrihydrite
adsorption of Si 273
formation of iron oxides from, effect of Co on, in alkaline media 65
p-hydroxybenzoate adsorption 333
-p-hydroxybenzoate complexes, IR (DRIFT) 333
Si-containing, synthesis, transformation to hematite, geothite 273
Si-containing, XRD, IR 273
synthesis 333
Fiber
chrysotile, effect of dry grinding 469
goethite, TEM, synthetic 65, 273
mordenite, in zeolitic tuff, Greece, SEM 497
palygorskite, effect of hydrothermal treatment on 469
sepiolite, deep sea core, SEM 371
sepiolite, effect of hydrothermal treatment on 469
**First-Order Markov-Chain Model of Zeolite Crystallization, A,** by D. B. Hawkins 433
FITZ GERALD, J. D. (with J. G. THOMPSON and R. L. WITHERS), Electron Diffraction Evidence for C-Centering of Non-Hydrogen Atoms in Kaolinite 563
FITZPATRICK, J. J. (with R. A. SHEPPARD), Phillipsite from Silica Tuffs in Saline, Alkaline-Lake Deposits 243
Flocculation
differential, cause of illite, kaolinite, smectite segregation in Porters Creek Formation 179
differential, in Porters Creek Formation, as evidenced by syneresis cracks 179
Florencite
alteration product of apatite, chemical analysis, XRD, SEM 113
rare earth fractionation patterns in 113
XRD 113
FOLGER, H. S. (see TIM NOLAN and K. R. SRINIVASAN), Dioxon Sorption by Hydroxy-Aluminum-Treated Clays 487
FUESS, HARTMUT (with WERNER JOSWIG and S. A. MASON), Neutron Diffraction Study of a One-Layer Monoclinic Chlorite 511
FYFE, W. S. (with KAZUE TAZAKI and S. J. VAN DER

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

GAAST), Growth of Clay Minerals in Natural and Synthetic Glasses 348
FYFE, W. S. (with KAZUE TAZAKI, S. KIMURA, T. YOSHUMURA, and J. AKAI), Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan 219

G

Galindo, Gerardo (wth MAURICIO ESCUDEY, MARIA DE LA LUZ MORA, and PATRICIA DIAZ), Apparent Dissolution During Ultrasonic Dispersion of Allophanic Soils and Soil Fractions 493
GC (see Gas chromatography)
Gel
in sand-dune cement, XRD, TEM, XPS, SAD, scanning auger multiprobe analysis 219
osmotical swollen state of n-butylammonium vermiculite, effect of pressure on 474
Geothermometry
albite-quartz-zeolite assemblage, oxygen isotope constraints on crystallization temperature, type of pore fluid 409
GESSA, C. (with A. PUCINO, G. MICERA, and A. PREMOLI), D-Glucosamine Sorption on Cu(II)-Montmorillonite as the Protonated and Neutral Species 377
GESSA, C. (with A. PUSINO, G. MICERA, and S. PETRETTO), Interaction of Diclofop and Diclofop-methyl with $Al^{3+}$-, $Fe^{3+}$-, and $Cu^{2+}$-saturated Montmorillonite 558
GHABRU, S. K. (with A. R. MERMUT and R. J. ST. ARNAUD), Layer-Charge and Cation-Exchange Characteristics of Vermiculite (Weathered Biotite) Isolated from a Gray Luvisol in Northwestern Saskatchewan 164
Gibbsite
alcohotreatment of, mechanism of boehmite formation 71
alteration of almandine to, in soils, saprolite 19, 29
content of soil clay fractions in saprolite and residuum 29
crystallization during weathering of hornblende 515
relative solubility at standard state conditions 566
surface area 71
TGA, SEM 71
weathering product of hornblende 515
GIESE, R. F., JR. (with A. PLANÇON, R. SNYDER, V. A. DRITS, and A. S. BOOKIN), Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite 297
GIOVANOLI, R. (with R. M. CORNELL), Effect of Cobalt on the Formation of Crystalline Iron Oxides from Ferrihydrite in Alkaline Media 65
Glass
volcanic, igneous, nuclear waste-form, HRTEM, low-angle XRD, primitive clay domains in 348
GLASS, H. D. (with G. S. AUSTIN and R. E. HUGHES), Resolution of the Polytype Structure of some Illite Clay Minerals that Appear to be 1*Md* 128
GLASMANN, J. R. (with STEVE LARTER, N. A. BRIEDIS, and P. D. LUNGEGARD), Shale Diagenesis in the Bergen High Area, North Sea 97
Glauconite
formation from Fe-smectite in deep-sea hydrothermal mounds 532
in deep-sea hydrothermal mounds, TEM, EDX, HRTEM 532
in oxidized, reduced zones on soil, oxidation state of Fe in 59
in soil, petrography, CEC 59
Mössbauer spectroscopy 59
Goethite
adsorption of p-hydroxybenzoate 333
alteration of almandine to, in soils, saprolite 19, 29
Co-, from ferrihydrite, TEM, morphology 65
contents in residual vs. colluvial soil horizons 29
crystallization during weathering of hornblende 515
formation from ferrihydrite, effect of Co on 65
hydroxybenzoate, p-, complexes, IR (DRIFT) 333
in soil clay fractions, effect on color 29
in soil clay fractions, by XRD, Mössbauer spectroscopy 29
Mn-substituted, synthesis 151, 451
Mn-substituted, XRD, unit-cell dimensions 151
Mössbauer spectroscopy 29
synthesis, effect of $Mn^{2+}$, pH on 451
weathering product of hornblende 515
GONZALEZ, F. (with C. PESQUERA, I. BENITO, S. MENDIOROZ, and J. A. PAJARES), Mechanism of Acid Activation of Magnesic Palygorskite 258
GRAHAM, R. C. (with S. B. WEED, L. H. BOWEN, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: I. Sand-size Primary Minerals 19
GRAHAM, R. C. (with S. B. WEED, L. H. BOWEN, D. D. ARMARASIRIWARDENA, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy 29
GRANDJEAN, JEAN (with PIERRE LASZLO), Deuterium Nuclear Magnetic Resonance Studies of Water Molecules Restrained by Their Proximity to a Clay Surface 403
Granite
apatite in, alteration, rare earth element mobilization, fractionation, fixation during weathering 113
Grinding
dry, chrysotile, XRD, TEM, TGA, IR 439

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

dry, to produce noncrystalline material in kaolinite 364
Groutite
Fe-substituted, synthesis 151
Fe-substituted, XRD, unit-cell dimensions 151
**Growth of Clay Minerals in Natural and Synthetic Glasses,** by Kazue Tazaki, W. S. Fyfe, and S. J. van der Gaast 348
GUTHRIE, G. D., JR. (with D. R. VEBLEN), High-Resolution Transmission Electron Microscopy of Mixed-Layer Illite/Smectite: Computer Simulations 1

H

HAJNOS, MIECZYSŁAW (with BRONISŁAW JANCZUK, EMIL CHIBOWSKI, TOMASZ BIAŁOPIOTROWICZ, and JANUSZ STAWINSKI), Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles 269
Halite
in zeolitic tuffs, Santorini, Greece 497
HALL, P. L. (with D. M. ASTILL), Adsorption of Water by Homoionic Exchange Forms of Wyoming Montmorillonite (SWy-1) 355
Halloysite
authigenic, in Porters Creek Formation, SEM 179
chemical control of tetrahedral Al in 135
crystal morphology as function of tetrahedral Al 135
on Al-Si-pH activity diagrams 135
volatiles, reaction with n-alkanes 446
HARVEY, COLIN (with ENRIQUE MERINO and H. H. MURRAY), Aqueous-Chemical Control of the Tetrahedral-Aluminum Content of Quartz, Halloysite, and Other Low-Temperature Silicates 135
Hausmannite
synthesis in acid system 151
HAWKINS, D. B. A First-Order Markov-Chain Model of Zeolite Crystallization 433
Hectorite
evaluation of layer charge by alkylammonium vs. structural formula method, SHCa-1 41
synthesis 248
synthetic, XRD, TEM, layer charge, basal spacing, viscosity, rheological properties, expansion, partcle size, MB adsorption 248
HELGESON, H. C. (with BARBARA RANSOM), Correlation of Expandability with Mineralogy and Layering in Mixed-Layer Clays 189
HELLER-KALLAI, LISA (with IRENA MILOSLAVSKI and ZEEV AIZENSHTAT), Reactions of Clay Volatiles with n-Alkanes 446
HELMY, A. K. (with I. M. NATALE), Solid State Reaction of Sodium Carbonate with Montmorillonite at 550°C 89
Hematite
alteration of almandine to, in soils, saprolite 19, 29
Co-, from ferrihydrite, TEM, morphology 65
formation from ferrihydrite, effect of Co on 65
hydroxybenzoate, p-, adsorption 333
hydroxybenzoate, p-, complex, IR (DRIFT) 333
Mössbauer spectroscopy 29
synthesis 333
vs. color of soil clays 29
Heulandite
oxygen isotope constraints on crystallization temperature, type of pore fluid 409
Hexacyanocobaltate
-exchanged hydrotalcite-like materials, XRD, hydrocarbon adsorption 173
Hexacyanoferrate
-exchanged hydrotalcite-like materials, oxidation state of Fe in, by Mössbauer spectroscopy 553
High-resolution transmission electron microscopy (HRTEM)
glauconite, in deep-sea hydrothermal mounds 532
illite/smectite, computer simulation images 1
illite/smectite, ordering vs. polytypism, computer simulation 1
smectite, ferruginous, in deep-sea hydrothermal mounds 532
vermiculite 263
vermiculite, chloritized 263
vermiculite-hydrobiotite-biotite, problems with use of Spurr resin in sample preparation 280
volcanic, igneous, nuclear-waste form glass, primitive clay domains in 348
**High-Resolution Transmission Electron Microscopy of Mixed-Layer Illite/Smectite: Computer Simulations,** by G. D. Guthrie, Jr. and D. R. Veblen 1
Hinckley index
kaolin-group minerals, measure of crystallinity 203
kaolin-group minerals, vs. IR of structural-OH as measure of crystallinity 464
Hofmann-Klemen effect
$Fe^{3+}$ migration in montmorillonite, Laponite on thermal treatment 325
HONNOREZ, JOSE (with MARTINE BUATIER and GABRIELLE EHRET), Fe-Smectite-Glauconite Transition in Hydrothermal Green Clays from the Galapagos Spreading Center 532
Hornblende
alteration to gibbsite, goethite, kaolinite by dissolution-repecipitation 515
weathering mechanism 515
weathering products, SEM, petrography, XRD 515
HRTEM (see High-resolution transmission electron microscopy)
HSIEH, Y. P., Effects of Relative Humidity on the Basal Expansion of Mg-Smectite Equilibrated with Ethylene Glycol at Low Vapor Pressure 459

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

HUANG, P. M. (with G. S. R. KIRSHNAMURTI), Influence of $Mn^{2+}$ and pH on the Formation of Iron Oxides from Ferrous Chloride and Ferrous Sulfate Solutions 451
HUANG, P. M. (with M. C. WANG), Pyrogallol Transformations as Catalyzed by Nontronite, Bentonite, and Kaolinite 525
HUARD, E. (with R. PROST, A. DAMEME, J. DRIARD, and J. P. LEYDECKER), Infrared Study of Structural OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite 464
HUGHES, R. E. (with G. S. AUSTIN and H. D. GLASS), Resolution of the Polytype Structure of some Illite Clay Minerals that Appear to be 1*Md* 128
Humic polymers
  catalytic formation by oxidation of pyrogallol by bentonite, kaolinite, nontronite 525
  from oxidation of pyrogallol, IR, ESR, NMR 525
Hydration
  clay, wave model of liquid structure in 285
  of perlite, alteration to zeolites 47
Hydrobiotite
  XRD, TEM 280
Hydrocarbon
  adsorption on hexacyanocobaltate-exchanged hydrotalcite-like minerals 173
Hydrogen
  bonding, in chlorite, monoclinic II*b*-2 511
Hydrolysis
  $Fe^{2+}$, $Fe^{3+}$, Al, behavior, examined by potentiometric titration in precipitation of Fe-Al oxides 12
Hydrotalcite
  -like materials, hexacyanoferrate-exchanged, oxidation state of octahedral Fe in, by Mössbauer spectroscopy 553
  -like materials, hexacyanocobaltate-exchanged, hydrocarbon adsorption, XRD 173
  -like materials, synthesis, XRD 173, 553
  -like phases, Zn-containing, variation of lattice parameters with Zn/Al ratio 396
  -like phases, Zn-containing, XRD, NMR, EDX, STEM, synthesis 396
Hydrothermal
  alteration of sepiolite, palygorskite, mechanisms 409
  alteration products of sepiolite, palygorskite, XRD, TEM, NMR 409
  -mounds, deep-sea, Fe-smectite-glauconite transformation in 532
Hydroxybenzoate
  p-, coordination complexes on Fe oxides 333
Hydroxyl-Al
  -montmorillonite-tannic acid complexes, CEC, XRD, SEM, DTA, extractable Al 235
  -montmorillonite-tannic acid complexes, synthesis 235
  -treated montmorillonite, dioxin, biphenyl sorption 487
  -treated montmorillonite, surface area 487

I

IDEMURA, SATOSHI (with EIICHI SUZUKI and YOSHIO ONO), Electronic State of Iron Complexes in the Interlayer of Hydrotalcite-like Materials 553
IDEMURA, SATOSHI (with EIICHI SUZUKI and YOSHIO ONO), Properties of Hexacyanocobaltate(III)-Exchanged Hydrotalcite-like Minerals 173
Illite
  age, K/Ar, in shales, Bergen High area, North Sea 97
  detrital, authigenic, TEM, morphology 97
  diagenesis, Bergen High area, North Sea 97
  montmorillonite mixtures, treated with $Na_2CO_3$, XRD 89
  montmorillonite mixtures, treatment with $Na_2CO_3$ 89
  polytype determination 128
  segregation from kaolinite, smectite by differential flocculation in Porters Creek Formation 179
  /smectite, correlation of expandability with mineralogy and layering in 189
  /smectite, HRTEM imaging, computer simulation 1
  /smectite, ordered vs. polytypism, HRTEM computer simulation 1
Illite/smectite
  age, K/Ar, Bergen High area, North Sea 97
  coexisting with analcime in Green River Formation, petrography 419
  correlation of expandability with mineralogy and layering in mixed-layer clays 189
  deep-sea hydrothermal mounds, XRD 532
  diagensis, Bergen High area, North Sea 97
  disordered polytype determination 128
  expandability, Bergen High area, North Sea 97
  Gulf Coast shales, XRD, TEM, lattice-fringe images 542
  HRTEM images, computer simulation 1
  ordered vs. polytypism, HRTEM computer simulation 1
  percentage of smectite layers in, estimation by saddle method, evaluation 227
  polytype determination 128
  XRD, shales, Bergen High area, North Sea 197
**Illite/Smectite from Gulf Coast Shales: A Reappraisal of Transmission Electron Microscope Images,** by J. H. Ahn and D. R. Peacor 542
Imbibition
  smectite, as shape-selective sorbent, review 385
  vermiculite, as shape-selective sorbent, review 385

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Imogolite
DTA, dehydroxylation 317
NMR 317
structure of thermally treated, by NMR 317
Inelastic neutron scattering
Book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne ed. 192
**Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles,** by Bronisław Janczuk, Emil Chibowski, Mieczysław Hajnos, Tomasz Białopiotrowicz, and Janusz Stawinski 269
**Influence of $Mn^{2+}$ and pH on the Formation of Iron Oxides from Ferrous Chloride and Ferrous Sulfate Solutions,** by G. S. R. Krishnamurti and P. M. Huang 451
**Influence of Structural and Adsorbed Si on the Transformation of Synthetic Ferrihydrite,** by R. K. Vempati and R. H. Loeppert 273
Infrared spectroscopy (IR)
bentonite, Al-, Fe-, Cu-, treated with diclofop, diclofop-methyl 558
birnessite, synthetic 341
book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne, ed. 192
chrysotile 439
chrysotile, dry ground, acid leached 439
D-gluosamine-$Cu^{2+}$ interlayer complex in montmorillonite, IR, ESR 377
dickite 464
diclofop, metallic complexes of 558
estimate of crystalline vs. noncrystalline content of kaolinite samples 364
ferrihydrite, Si-containing, before and after incubation with wet heat 273
humic polymers from oxidation of pyrogallol 525
hydrotalcite-like materials anion-exchanged with hexacyanoferrate 553
hydroxybenzoate, p-, complexes with iron oxides 333
iron oxide precipitation products, effect of $Mn^{2+}$, pH 451
kaolinite 364, 464
kaolinite-pyridine intercalate 143
lepidocrocite, Mn-bearing, synthetic 451
nacrite 464
pyrogallol, unpolymerized 525
reaction production of birnessite after oxidation of dihydroxybenzene 479
structural-OH in kaolin-group minerals, measure of crystallinity 464
**Infrared Study of Strucutral OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite,** by R. Prost, A. Dameme, E. Huard, J. Driard, and J. P. Leydecker 464
INOUE, ATSUYUKI (with ALAIN BOUCHET, BRUCE VELDE, and ALAIN MEUNIER), Convenient Technique for Estimating Smectite Layer Percentage in Randomly Interstratified Illite/Smectite 227
INOUE, MASASHI (with KAZUHISA KITAMURA, HIROKAZU TANINO, HIROYUKI NAKAYAMA, and TOMOYUKI INUI), Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite 71
Instrument (see Apparatus)
**Interaction of Diclofop and Diclofop-methyl with $Al^{3+}$-, $Fe^{3+}$-, and $Cu^{2+}$-saturated Montmorillonite,** by A. Pusino, G. Micera, C. Gessa, and S. Petretto 558
Intercalation
DABCO (1,4-diazabiclo[2,2,2]octane)-vermiculite, formation, crystal structure, precision X-ray diffraction, unit-cell parameters 81
hexacyanoferrate in hydrotalcite-like materials, oxidation state of octahedral Fe in identification 553
hydrotalcite-like minerals and hexacyanocobaltate, XRD, hydrocarbon adsorption 173
kaolinite-pyridine, IR, XRD, NMR 143
kaolinite-pyridine, synthesis from hydrated kaolinite 143
smectite, as shape-selective sorbent, review 385
vermiculite, as shape-selective sorbent, review 385
Interlayer
distance, nontronite, effect of Fe reduction, swelling pressure on 211
glucosamine-$Cu^{2+}$ complex in montmorillonite, IR, ESR 377
space, in hydroxy-Al-montmorillonite-tannic acid complexes 235
Interstratification
correlation of expandability with mineralogy and layering in mixed-layer clays 189
illite/smectite, HRTEM images, computer simulation 1
illite/smectite, ordered vs. polytypism, HRTEM computer simulation 1
INUI, TOMOYUKI (with MASASHI INOUE, KAZUHISA KITAMURA, HIROKAZU TANINO, and HIROYUKI NAKAYAMA), Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite 71
Ion migration
$Fe^{3+}$ in montmorillonite, Laponite, on thermal treatment 325
Iron
-Al oxide precipitation, mechanisms 12
-bearing minerals, weathering of, in soils, saprolite 19, 29
-clays, deep-sea hydrothermal mounds, XRD, chemical analysis, TEM, HRTEM 532
ferrihydrite, Si-containing, IR, XRD 273
ferrihydrite, Si-containing, synthesis, transformation to hematite, goethite 273

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

ferruginous smectite, nontronite, oxidation state of octahedral Fe, effect on layer charge, specific surface area, swelling, EGME adsorption 547
ferruginous weathering products of hornblende, SEM, petrography, XRD 515
in glauconite, oxidation state by Mössbauer spectroscopy 59
migration in montmorillonite, Laponite, on thermal treatment 325
octahedral, reduction, effect of, on interlayer distances of nontronite 211
oxidation state of, in glauconite in oxidized, reduced zones in soil 59
oxidation state of, in hexacyanoferrate-exchanged hydrotalcite-like materials, by Mössbauer spectroscopy 553
oxides, Co-containing, from ferrihydrite, TEM, morphology 65
oxides, formation from ferrihydrite, effect of Co on 65
precipitation during titration of Al-$Fe^{2+}$-$Fe^{3+}$ solutions 12
-smectite, deep-sea hydrothermal mounds, precursor to glauconite 532
substituted groutite, XRD, unit-cell dimensions 151
tetrahedral, in smectite, nontronite, evidence from Mössbauer spectroscopy, commentary 185
Iron oxides
Al-containing, mechanisms of coprecipitation 12
alteration of almandine, chlorite, biotite, magnetite to, in soils, saprolite 19, 29
Co-containing, from ferrihydrite, TEM, morphology 65
formation from ferrihydrite, effect of Co on 65
hydroxybenzoate, p-, adsorption 333
lepidocrocite, Mn-bearing, synthetic, XRD, IR, TEM, chemical analysis 451
Mn-bearing, synthetic, XRD, IR, TEM, chemical analysis 451
precipitation during titration of Al-$Fe^{2+}$-$Fe^{3+}$ solutions 12
precipitation products, effect of $Mn^{2+}$, pH on formation 451
synthesis, IR 333
Isotopes
oxygen, albite 409
oxygen, heulandite 409
oxygen, laumontite 409
oxygen, quartz 409
oxygen, stilbite 409
oxygen, studies of albite, quartz, zeolites, as constraints on crystallization temperature, type of pore fluid 409
IWASAKI, TAKASHI (with YOSHIO ONODERA and KAZUO TORII), Rheological Properties of Organophilic Synthetic Hectorites and Saponites 248

J

JANCZUK, BRONISŁAW (with EMIL CHIBOWSKI, MIECZYSŁAW HAJNOS, TOMASZ BIAŁOPIOTROWICZ, and JANUSZ STAWINSKI), Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles 269
JONES, A. S. G. (with C. R. BATES), Electrostatic Probe for Cleaning Clays for Scanning Electron Microscopy Fabric Studies 283
JOSWIG, WERNER (with HARTMUT FUESS and S. A. MASON), Neutron Diffraction Study of a One-Layer Monoclinic Chlorite 511

K

KAKUTO, YASUKO (with KOJI WADA), "Chloritized" Vermiculite in a Korean Ultisol Studied by Ultramicrotomy and Transmission Electron Microscopy 263
Kaolinite
adsorption of dioxin, biphenyl by 487
alteration of biotite to, in soils, saprolite 19, 29
C-centering of non-hydrogen atoms in, from electron diffraction data 563
catalyst for oxidation of pyrogallol to humic polymers 525
contact angles 269
crystallization during weathering of hornblende 515
defect structures 203, 297
effect of exchangeable cation on surface free energy 269
Hinckley index as measure of crystallinity 203
hydrated, synthesis of kaolinite-pyridine intercalate from 143
hydroxy-Al-treated, adsorption of dioxin, biphenyl by 487
IR 364, 464
IR of strucutral-OH in, measure of crystallinity 464
-pyridine intercalate, IR, XRD, NMR 143
-pyridine intercalate, synthesis from hydrated kaolinite 143
Rietveld refinement of non-hydrogen positions 289
samples, estimates of crystalline vs. noncrystalline content, by XRD, IR, NMR, chemical composition methods 364
segregation from illite, smectite by differential flocculation in Porters Creek Formation 179
stacking faults in 203, 297
volatiles, reaction with n-alkanes 446
weathering product of hornblende 515
XRD 203, 364
XRD, simulated 203
**Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite,** by Yoshiuki Sugahara, Shigeo Satokawa, Ken-Ichi Yoshioka, Kazuyuki Kuroda, and Chuz Kato 143

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

KATAGAS, CHRISTOS (with PANAYOTA TSOLIS-KATAGAS), Zeolites in Pre-Caldera Pyroclastic Rocks of the Santorini Volcano, Aegean Sea, Greece 497
KATO, CHUZO (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, KEN-ICHI YOSHIOKA, and KAZUYUKI KURODA), Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite 143
KIMURA, S. (with KAZUE TAZAKI, T. YOSHIMURA, J. AKAI, and W. S. FYFE, Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan 219
KITAMURA, KAZUHISA (with MASASHI INOUE, HIROKAZU TANINO, HIROYUKI NAKAYAMA, and TOMOYUKI INUI), Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite 71
KODAMA, HIDEOMI (with L. S. KOTLYAR and J. A. RIPMEESTER), Quantification of Crystalline and Noncrystalline Material in Ground Kaolinite by X-Ray Powder Diffraction, Infrared, Solid-State Nuclear Magnetic Resonance, and Chemical-Dissolution Analysis 364
KOMARNENI, SRIDHAR, Mechanisms of Palygorskite and Sepiolite Alteration as Deduced from Solid-State $^{27}Al$ and $^{29}Si$ Nuclear Magnetic Resonance Spectroscopy 469
KOTLYAR, L. S. (with HIDEOMI KODAMA and J. A. RIPMEESTER), Quantification of Crystalline and Noncrystalline Material in Ground Kaolinite by X-Ray Powder Diffraction, Infrared, Solid-State Nuclear Magnetic Resonance, and Chemical-Dissolution Analysis 364
KRISHNAMURTI, G. S. R. (with P. M. HUANG), Influence of $Mn^{2+}$ and pH on the Formation of Iron Oxides from Ferrous Chloride and Ferrous Sulfate Solutions 451
KUNG, K.-H. (with M. B. MCBRIDE), Coordination Complexes of p-Hydroxybenzoate on Fe Oxides 333
KURODA, KAZUYUKI (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, KEN-ICHI YOSHIOKA, and CHUZO KATO), Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite 143

L

LAIRD, D. A. (with A. D. SCOTT and T. E. FENTON), Evaluation of the Alkylammonium Method of Determining Layer Charge 41
LAIRD, D. A. (with M. L. THOMPSON and A. D. SCOTT), Technique for Transmission Electron Microscopy and X-ray Powder Diffraction on the Same Clay Mineral Specimen 280
Laponite
  Fe-containing, basal spacing, magnetic susceptibility, NMR 325
  Fe-containing, thermally treated, basal spacing, magnetic susceptibility, NMR 325
LARTER, STEVE (with J. R. GLASMANN, N. A. BRIEDIS, and P. D. LUNDEGARD), Shale Diagenesis in the Bergen High Area, North Sea 97
LASZLO, PIERRE (with JEAN GRANDJEAN), Deuterium Nuclear Magnetic Resonance Studies of Water Molecules Restrained by Their Proximity to a Clay Surface 403
Lattice-fringe images
  illite/smectite, computer simulation 1
  illite/smectite, Gulf Coast shales 542
Laumontite
  oxygen isotope constraints on crystallization temperature, type of pore fluid 409
Layer charge
  effect of oxidation state of octahedral Fe on, for ferruginous smectite 547
  evaluation of, alkyammonium vs. structural formula methods 41
  hectorite, synthetic, organophyllic as function of nonnewtonian coefficient, particle size, basal spacing, synthesis temperature 248
  saponite, synthetic, organophyllic as function of nonnewtonian coefficient, particle size, basal spacing, synthesis temperature 248
  vermiculite, relationship with tilt angle of alkyammonium exchanged ions 164
**Layer-Charge and Cation-Exchange Characteristics of Vermiculite (Weathered Biotite) Isolated from a Gray Luvisol in Northwestern Saskatchewan,** by S. K. Ghabru, A. R. Mermut, and R. J. St. Arnaud 164
LEAR, P. R. (with J. W. STUCKI), Effects of Iron Oxidation State on the Specific Surface Area of Nontronite 547
Lepidocrocite
  synthesis, effect of $Mn^{2+}$, pH on 451
  synthetic, Mn-bearing, XRD, IR, TEM, chemical analysis 451
LEYDECKER, J. P. (with R. PROST, A. DAMEME, E. HUARD, and J. DRIARD), Infrared Study of Structural OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite 464
Life, prebiotic
  book review, *Clay Minerals and the Origin of Life,* A. G. Cairns-Smith and H. Hartman, editors 287
Liquid structure
  wave model of, in clay hydration 285
LISTER, J. S. (with S. W. BAILEY), Structures, Compositions, and X-ray Diffraction Identification of Dioctahedral Chlorites 193
Lithium
  chlorite, dioctahedral structure, chemical composition, XRD identification 193
LEOPPERT, R. H. (with R. K. VEMPATI), Influence of

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Structural and Adsorbed Si on the Transformation of Synthetic Ferrihydrite 273
Low, P. F. (with Jum Wu and C. B. Roth), Effects of Octahedral-Iron Reduction and Swelling Pressure on Interlayer Distances in Na-Nontronite 211
Luca, V. (with C. M. Cardile), Cation Migration in Smectite Minerals: Electron Spin Resonance of Exchanged $Fe^{3+}$ Probes 325
Lundegard, P. D. (with J. R. Glasmann, Steve Larter, and N. A. Briedis), Shale Diagenesis in the Bergen High Area, North Sea 97

M

MacKenzie, K. J. D. (with M. E. Bowden, I. W. M. Brown, and R. H. Meinhold), Structures and Thermal Transformations of Imogolite Studied by $^{29}Si$ and $^{27}Al$ High-Resolution Solid-State Nuclear Magnetic Resonance 317
Maghemite
synthesis, effect of $Mn^{2+}$, pH on 451
synthetic, Mn-bearing, XRD 451
Magnetic susceptibility
Laponite, Fe-containing, thermally treated montmorillonite 325
montmorillonite, Fe-containing, thermally treated montmorillonite 325
Magnetite
Co-, from ferrihydrite, TEM, morphology 65
formation from ferrihydrite, effect of Co on 65
weathered to hematite in soils, saprolite 19
weathered, Mössbauer spectroscopy, XRD 19
Manganese
-bearing lepidocrocite, chemical analysis, XRD, IR, TEM 451
birnessite, synthesis, IR 341
birnessite-dihydroxybenzene, oxidation of aqueous suspensions 341, 481
effect of $Mn^{2+}$ on, formation of iron oxide precipitation products 451
$Mn^{2+}$ in solution measured by ESR, UV-VIS 479
-substituted goethite, synthesis 151
-substituted goethite, XRD, unit-cell dimensions 151
Manganite
synthesis in acid systems 151
Markov-chain model
for zeolite crystallization 433
Martin, C. (with M. A. Vicente, M. Sanchez-Camazano, M. J. Sanchez-Martin, M. del Arco, V. Rives, and J. Vicente-Hernandez), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
MAS-NMR (see Magic angle spinning-neutron magnetic resonance)
Mason, S. A. (with Werner Joswig and Hartmut Fuess), Neutron Diffraction Study of a One-Layer Monoclinic Chlorite 511
Mass spectrometry
reaction products of clay volatiles and n-alkanes 446
Matsuo, T. (with M. K. Smalley, R. K. Thomas, and L. F. Breganza), Effect of Hydrostatic Pressure on the Swelling of n-Butylammonium Vermiculite 474
May, Leopold (with D. S. Fanning, M. C. Rabenhorst, and D. P. Wagner), Oxidation State of Iron in Glauconite from Oxidized and Reduced Zones of Soil-Geologic Columns 59
MB (see Methylene blue)
McBride, M. B., book review, *Spectroscopic Methods in Mineralogy and Geology,* edited by F. C. Hawthorne 192
McBride, M. B., Oxidation of 1,2- and 1,4-Dihydroxybenzene by Birnessite in Acidic Aquaeous Suspension 479
McBride, M. B., Oxidation of Dihydroxybenzenes in Aerated Aqueous Suspensions of Birnessite 341
McBride, M. M. (with K.-H. Kung), Coordination Complexes of p-Hydroxybenzoate on Fe Oxides 333
**Mechanism of Acid Activation of Magnesic Palygorskite,** by F. Gonzalez, C. Pesquera, I. Benito, S. Mendioroz, and J. A. Pajares 258
**Mechanisms of Palygorskite and Sepiolite Alteration as Deduced from Solid-State $^{27}Al$ and $^{29}Si$ Nuclear Magnetic Resonance Spectroscopy,** by Sridhar Komarneni 469
Meeting announcement
26th annual, The Clay Minerals Society 288
Meinhold, R. H. (with K. J. D. MacKenzie, M. E. Bowden, and I. W. M. Brown), Structures and Thermal Transformations of Imogolite Studied by $^{29}Si$ and $^{27}Al$ High-Resolution Solid-State Nuclear Magnetic Resonance 317
Mendioroz, S. (with F. Gonzalez, C. Pesquera, I. Benito, and J. A. Pajares), Mechanism of Acid Activation of Magnesic Palygorskite 258
Merino, Enrique (with Colin Harvey and H. H. Murray), Aqueous-Chemical Control of the Tetrahedral-Aluminum Content of Quartz, Halloysite, and Other Low-Temperature Silicates 135
Mermut, A. R. (with S. K. Ghabru and R. J. St. Arnaud), Layer-Charge and Cation-Exchange Characteristics of Vermiculite (Weathered Biotite) Isolated from a Gray Luvisol in Northwestern Saskatchewan 164
Methylene blue (MB)
adsorption, synthetic hectorite, saponite 248
Meunier, Alain (with Atsuyuki Inoue, Alain Bouchet, and Bruce Velde), Convenient Tech-

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

nique for Estimating Smectite Layer Percentage in Randomly Interstratified Illite/Smectite 227
MICERA, G. (with A. PUSINO, A. PREMOLI, and C. GESSA), D-Glucosamine Sorption on Cu(II)-Montmorillonite as the Protonated and Neutral Species 377
MICERA, G. (with A. PUSINO, C. GESSA, and S. PETRETTO), Interaction of Diclofop and Diclofop-methyl with $Al^{3+}$-, $Fe^{3+}$-, and $Cu^{2+}$-saturated Montmorillonite 558
MILLER, W. P. (with P. M. BERTSCH, M. A. ANDERSON, and L. W. ZELANZY), Coprecipitation of Iron and Aluminum during Titration of Mixed $Al^{3+}$, $Fe^{3+}$, and $Fe^{2+}$ Solutions 12
MILOSLAVSKI, IRENA (with LISA HELLER-KALLAI and ZEEV AIZENSHTAT), Reactions of Clay Volatiles with n-Alkanes 446
Mineralogy
quantification of crystalline, noncrystalline material in ground kaolinite 364
zeolitic tuffs, New Zealand 409
Mixed layering (see Interstratification)
**Mn-Substituted Goethite and Fe-Substituted Groutite Synthesized at Acid pH,** by M. H. Ebinger and D. G. Schulze 151
Montmorillonite
CEC 355
-chlorite mixtures, treatment with $Na_2CO_3$, other salts 89
$Cu^{2+}$-, adsorption of D-glucosamine 377
$Cu^{2+}$-, interlayer glucosamine complex, IR, ESR 377
Fe-containing, basal spacing, Mössbauer spectra, magnetic susceptibility, ESR, ion migration 325
Fe-containing, thermally treated, basal spacing, Mössbauer spectra, magnetic susceptibility, ESR, ion migration 325
homoionic, water adsorption, enthalpy, entropy 355
-hydroxy-Al-tannic acid complexes, synthesis 235
-hydroxy-Al-tannic acid complexes, XRD, SEM, CEC, extractable Al, DTA 235
-illite mixtures, treatment with $Na_2CO_3$, other salts 89
treated with $Na_2CO_3$, XRD 89
treatment with $Na_2CO_3$ plus other salts 89
volatiles, reaction with n-alkanes 446
Mordenite
alteration of perlite 47
diagenesis in altered tuffs 497
petrography 47
-rich tuff, chemical composition 497
SEM 497
Morphology
apatite alteration products, by SEM 113
apatite, by SEM 113
Co-containing iron oxides, by TEM 65
glauconite, in deep-sea hydrothermal mounds, by TEM 532
goethite, Co-, by TEM 65
hematite, Co-, by TEM 65
magnetite, Co-, by TEM 65
palygorskite, hydrothermal alteration products 469
phillipsite, saline, alkaline lake deposits, by SEM 243
rhabdophane, by SEM 113
sepiolite, hydrothermal alteration products 469
smectite, Fe-, in deep-sea hydrothermal mounds, by TEM 532
Mössbauer spectroscopy
almandine, weathered, in soil, iron minerals, by 16
book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne, editor 192
chlorite, weathered, in soil, iron minerals, by 16
evidence for tetrahedral Fe in smectite, nontronite, commentary 185
glauconite in oxidized, reduced zones in soil 59
hydrotalcite-like materials anion exchanged with hexacyanoferrate 553
magnetite, weathered, in soil, iron minerals, by 16
montmorillonite, Fe-containing, before, after heating 325
soil clays, iron minerals, by 29
soils, clay fraction, iron minerals, by 29
Mudstone
analcime-bearing, Green River Formation 419
origin of analcime in 419
MURRAY, H. H. (with A. R. THOMAS), Clay Mineral Segregation by Flocculation in the Porters Creek Formation 179
MURRAY, H. H. (with ENRIQUE MERINO and COLIN HARVEY), Aqueous-Chemical Control of the Tetrahedral-Aluminum Content of Quartz, Halloysite, and Other Low-Temperature Silicates 135

N

NAA (see Neutron activation analysis)
n-alkane
reaction of volatiles from montmorillonite, sepiolite, kaolinite, halloysitite with 446
products with clay volatiles, GC, mass spectrometry 46
n-butylammonium
-vermiculite, effect of pressure on swelling of 474
-vermiculite, enthalpy, entropy as calculated from heat capacity measured across swelling transition of 474
N-methyl 8-hydroxy quinoline
adsorption on smectite 157
-smectite complex, basal spacings 157
-smectite complex, use as a UV radiation collector 157

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

-smectite complex, UV/VIS-diffuse reflectance spectra 157
Nacrite
IR 464
IR of structural-OH in, measure of crystallinite 464
NAKAYAMA, HIROYUKI (with MASASHI INOUE, KAZUHISA KITAMURA, HIROKAZU TANINO, and TOMOYUKI INUI), Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite 71
NATALE, I. M. (with A. K. HELMY), Solid State Reaction of Sodium Carbonate with Montmorillonite at 550°C 89
Neutron activation analysis (NAA)
biotite 113
granite, fresh, weathered 113
rare earth elements, granite, biotite 113
Neutron diffraction
chlorite, monoclinic II*b*-2 511
vermiculite, n-butylammonium complex 471
**Neutron Diffraction Study of a One-Layer Monoclinic Chlorite,** by Werner Joswig, Hartmut Fuess, and S. A. Mason 511
NMR (see Nuclear magnetic resonance)
NOH, J. H. (with J. R. BOLES), Diagenetic Alteration of Perlite in the Guryongpo Area, Republic of Korea 47
NOLAN, TIM (with K. R. SRINIVASAN and H. S. FOLGER), Dioxon Sorption by Hydroxy-Aluminum-Treated Clays 487
Nomenclature
correlation of expandability with mineralogy and layering in mixed-layer clays 189
Noncrystalline
iron hydroxide, adsorption of p-hydroxybenzoate on 333
iron hydroxide-p-hydroxybenzoate complexes, IR (DRIFT) 333
primitive clay domains in volcanic glass, nuclear waste form glass 348
vs. crystalline content in kaolinite samples by XRD, NMR, IR, chemical dissolution methods 364
Nontronite
catalyst for oxidation of pyrogallol to humic polymers 525
effect of oxidation state of octahedral Fe on specific surface area, swelling, EGME adsorption 547
interlayer distance, effect of octahedral Fe reduction, swelling pressure on 211
tetrahedral Fe in, evidence from Mössbauer spectroscopy, commentary 185
XRD 211
Nuclear magnetic resonance (NMR)
book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne, editor 192
for silica diagrams, used in Markov-chain model of zeolite crystallization 433
humic polymers for oxidation of pyrogallol 525
hydrotalcite-like phases, Zn-containing 396
imogolite, thermally treated 317
kaolinite-pyridine intercalate 143
MAS-NMR, coordination of Al in kaolinite samples 364
MAS-NMR, noncrystalline vs. crystalline content in kaolinite 364
orientation of water molecules on smectite surface by NMR measurement of quadrupole splitting 403
palygorskite alteration products, coordination of Al in 469
sepiolite alteration products, coordination of Al in 469
smectite 403
Nuclear wastes
glass, growth of primitive clays in, by HRTEM 348

O

ONO, YOCHIO (with SATOSHI IDEMURA and EIICHI SUZUKI), Electronic State of Iron Complexes in the Interlayer of Hydrotalcite-like Materials 553
ONO, YOSHIO (with EIICHI SUZUKI and SATOSHI IDEMURA), Properties of Hexacyanocobaltate(III)-Exchanged Hydrotalcite-like Minerals 173
ONODERA, YOSHIO (with TAKASHI IWASAKI and KAZUO TORII), Rheological Properties of Organophilic Synthetic Hectorites and Saponites 248
Opal-CT
in zeolitically altered tuffs, SEM 497
Optical properties
phillipsite, saline, alkaline lake deposits 243
Order-disorder
cation ordering in chlorite monoclinic II*b*-2 511
illite, polytype mixtures 128
illite/smectite, disordered, HRTEM imaging 1
illite/smectite, ordering vs. polytypism 1
illite/smectite, polytype mixtures 128
kaolin-group minerals, crystallinity, Hinckley index, defect strucutre 203
Organo clay
hydroxy-Al-montmorillonite-tannic acid complexes, CEC, XRD, SEM, DTA, extractable Al 235
hydroxy-Al-montmorillonite-tannic acid complexes, synthesis 235
Orientation
smectite platelets in magnetic field 403
water molecules on smectite surface, determined from quadrupole splitting by NMR 403
Oxidation
dihydroxybenzene-birnessite mixtures 341, 481
$Fe^{2+}$ on $Fe^{3+}$ during precipitation of Fe-Al-oxides 12
pyrogallol by kaolinite, bentonite, nontronite catalysts 525

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

state of Fe in glauconite in oxidized, reduced zones of soil 59
state of octahedral Fe, effect on specific surface area, swelling, EGME adsorption of nontronite, ferruginous smectite 547
**Oxidation of 1,2- and 1,4-Dihydroxybenzene by Birnessite in Acidic Aquaeous Suspension,** by M. R. McBride 479
**Oxidation of Dihydroxybenzenes in Aerated Aqueous Suspensions of Birnessite,** by M. B. McBride 341
**Oxidation State of Iron in Glauconite from Oxidized and Reduced Zones of Soil-Geologic Columns,** by D. S. Fanning, M. C. Rabenhorst, Leopold May, and D. P. Wagner 59
Oxygen
isotope constraints on crystallization temperature, type of pore fluid of albite-quartz-zeolite assemblage 409
uptake by birnessite-dihydroxybenzene mixtures 341
**Oxygen Isotope Measurements of Albite-Quartz-Zeolite Mineral Assemblages, Hokonui Hills, Southland, New Zealand,** by M. L. Stallard and J. M. Boles 409

P

PAJARES, J. A. (with F. GONZALEZ, C. PESQUERA, I. BENITO, and S. MENDIOROZ), Mechanism of Acid Activation of Magnesic Palygorskite 258
Palygorskite
hydrothermal alteration products, XRD, TEM, NMR, coordination of Al in 469
mechanism of hydrothermal alteration 469
-rich rock, acid leached, surface area, porosity 258
-rich rock, CEC, surface area, porosity, acid activation 258
shape-selective sorbents, based on, review 385
Particle size
effect of layer content of crystallite on estimation of % smectite in illite/smectite by saddle method 227
PEACOR, D. R. (with J. H. AHN), Illite/Smectite from Gulf Coast Shales: A Reappraisal of Transmission Electron Microscope Images 542
PENSE, G. M. (with L. J. POPPE and J. A. COMMEAU), Effect of Chlorine in Clay-Mineral Specimens Prepared on Silver Metal-Membrane Mounts for X-ray Powder Diffraction Analysis 381
Periodicity
in illite/smectite 1,542
Perlite
alteration to zeolites, smectite 47
altered, petrography, chemical analysis, SEM 47
hydration to smectite, zeolites 47
PESQUERA, C. (with F. GONZALEZ, I. BENITO, S. MENDIOROZ, and J. A. PAJARES), Mechanism of Acid Activation of Magnesic Palygorskite 258
Pesticide
diclofop, diclofop-methyl, effect on Al-, Fe-, Cu-montmorillonite 558
PETRETTO, S. (with A. PUSINO, G. MICERA, and C. GESSA), Interaction of Diclofop and Diclofop-methyl with $Al^{3+}$-, $Fe^{3+}$-, and $Cu^{2+}$-saturated Montmorillonite 558
Petrography
analcime-bearing mudstone, Green River Formation 419
hornblende, weathered 515
perlite, altered 47
perlite, zeolitic 47
shale, Bergen High area, North Sea 97
soil zones 59
Pharmaceutical
N-methyl 8-hydroxy quindine methyl sulfate-smectite as a UV-radiation collector 157
Phillipsite
saline, alkaline lake deposits, SEM, XRD, unit-cell parameters, optical data 243
**Phillipsite from Silica Tuffs in Saline, Alkaline-Lake Deposits,** by R. A. Sheppard and J. J. Fitzpatrick 243
Phosphorus
-containing alteration products of apatite, SEM, TEM, XRD, chemical analyses 113
weathering of apatite in biotite 113
PILC (see Pillared interlayer complex)
PLANÇON, A. (with A. S. BOOKIN, V. A. DRITS, and C. TCHOUBAR), Stacking Faults in the Kaolin-Group Minerals in the Light of Real Structure Features 297
PLANÇON, A. (with R. F. GIESE, JR., R. SNYDER, V. A. DRITS, and A. S. BOOKIN), Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite 203
Pollution
dioxin, biphenyl sorption by hydroxy-Al-treated montmorillonite, hydroxy-Al-treated kaolinite 487
Polytypism
chlorite, mono-, triclinic 308
determination for illite, illite/smectite 128
illite/smectite, disorder of polytype mixture 128
illite/smectite vs. ordering 1
POPPE, L. J. (with J. A. COMMEAU and G. M. PENSE), Effect of Chlorine in Clay-Mineral Specimens Prepared on Silver Metal-Membrane Mounts for X-ray Powder Diffraction Analysis 381
Porosity
organo smectite, relation to sorption, review 385
palygorskite-rich rock 258
palygorskite-rich rock, acid leached 258

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Potentiometric titration
evaluation of hydrolysis of $Fe^{2+}$, $Fe^{3+}$, Al 12
PREMOLI, A. (with A. PUCINO, G. MICERA, and C. GESSA), D-Glucosamine Sorption on Cu(II)-Montmorillonite as the Protonated and Neutral Species 377
**Preparation and Characterization of Al-rich Zn-Al Hydrotalcite-like Compounds,** by F. Thevenot, R. Szymanski, and P. Chaumette 396
Pressure
effect on swelling of n-butylammonium vermiculite 474
**Properties of Hexacyanocobaltate(III)-Exchanged Hydrotalcite-like Minerals,** by Eiichi Suzuki, Satoshi Idemura, and Yoshio Ono 173
**Properties of Organo-Mineral Complexes Formed by Different Addition Sequences of Hydroxy-Al, Montmorillonite, and Tannic Acid,** by A. Buondonno, D. Felleca, and A. Violante 235
PROST, R. (with A. DAMEME, E. HUARD, J. DRIARD, and J. P. LEYDECKER), Infrared Study of Structural OH in Kaolinite, Dickite, Nacrite, and Poorly Crystalline Kaolinite 464
PUSINO, A. (with G. MICERA, A. PREMOLI, and C. GESSA), D-Glucosamine Sorption on Cu(II)-montmorillonite as the Protonated and Neutral Species 377
PUSINO, A. (with G. MICERA, C. GESSA, AND S. PETRETTO), Interaction of Diclofop and Diclofop-methyl with $Al^{3+}$-, $Fe^{3+}$-, and $Cu^{2+}$-saturated Montmorillonite 558
Pyridine
-kaolinite intercalate, orientation of pyridine 143
-kaolinite intercalate, synthesis, XRD, IR, NMR 143
Pyrite
in reduced zone of soil, petrography 59
Pyroclastic
clinoptilolite-rich, chemical composition, SEM 497
mordenite-rich, chemical composition, SEM 497
zeolitically altered, chemical analysis, SEM 497
zeolitically altered, diagenesis in 497
Pyrogallol
catalytic oxidation to humic polymers by kaolinite, bentonite, nontronite 525
unpolymerized, IR-525
**Pyrogallol Transformations as Catalyzed by Nontronite, Bentonite, and Kaolinite,** by M. C. Wang and P. M. Huang 525

Q

Quadrupolar splitting
$^2H$, $^{17}O$ nuclei in $D_2O$ on smectite surface, by NMR, indication of molecular orientation 403
**Quantification of Crystalline and Noncrystalline Material in Ground Kaolinite by X-ray Powder Diffraction, Infrared, Solid-State Nuclear Magnetic Resonance, and Chemical-Dissolution Analyses,** by Hideomi Kodama, L. S. Kotylar, and J. A. Ripmeester 364
Quartz
chemical control of tetrahedral Al in 135
on Al-Si-pH activity diagrams 135
oxygen isotope constraints on crystallization temperature, type of pore fluid 409

R

RABENHORST, M. C. (with D. S. FANNING, LEOPOLD MAY, and D. P. WAGNER), Oxidation State of Iron in Glauconite from Oxidized and Reduced Zones of Soil-Geologic Columns 59
Radioactive waste disposal (see Nuclear waste)
Ramen spectroscopy
book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne, editor 192
RANSOM, BARBARA (with H. C. HELGESON), Correlation of Expandability with Mineralogy and Layering in Mixed-layer Clays 189
Rare earth elements
in apatite, fractionation patterns, electron microprobe analysis 113
in florencite, fractionation patterns, electron microprobe analysis 113
mobilization, fractionation, fixation during weathering of apatite 113
NAA of granite, biotite 113
**Reactions of Clay Volatiles with n-Alkanes,** by Lisa Heller-Kallai, Irena Miloslavski, and Zeev Aizenshtat 446
Reduced-charge smectite
evaluation of layer charge by alkylammonium vs. structural formula methods 41
synthesis 41
Reduction
environmental XRD chamber for 211
octahedral Fe, effect on interlayer distances in nontronite 211
Referees
technical, Volume 37, *Clays and Clay Minerals* 568
Relative humidity (RH)
effect of, on EG-expansion of Mg-montmorillonite 459
water content as function of, homoionic montmorillonite 355
REMY, R. R. (with R. E. FERRELL), Distribution and Origin of Analcime in Marginal Lacustrine Mudstones of the Green River Formation, South-Central Uinta Basin, Utah 419
**Resolution of the Polytype Structure of some Illite Clay Minerals that Appear to be 1*Md*,** by G. S. Austin, H. D. Glass, and R. E. Hughes 128

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Review
shape-selective sorbents based on clay minerals 385
RH (see Relative humidity)
Rhabdophane
alteration product of apatite, SEM, TEM, SAD 113
SAD 113
SEM 113
**Rheological Properties of Organophilic Synthetic Hectorites and Saponites,** by Takashi Iwasaki, Yoshio Onodera, and Kazuo Torii 248
Rheology
CMS workshop, Rheology of Clay/Water Systems, announcement 288
properties, hectorite, synthetic, organophilic 248
properties, sapronite, synthetic, organophilic 248
Rietveld refinement
kaolinite, non-hydrogen positions 289
**Rietveld Refinement of Non-Hydrogen Atomic Positions in Kaolinite,** by D. L. Bish and R. B. Von Drelle 289
RIPMEESTER, J. A. (with HIDEOME KODAMA and L. S. KOTLYAR), Quantification of Crystalline and Noncrystalline Material in Ground Kaolinite by X-Ray Powder Diffraction, Infrared, Solid-State Nuclear Magnetic Resonance and Chemical-Dissolution Analysis 364
RIVES, V. (with M. A. VICENTE, M. SANCHEZ-CAMAZANO, M. J. SANCHEZ-MARTIN, M. DEL ARCO, C. MARTIN, and J. VICENTE-HERNANDEZ), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
ROTH, C. B. (with JUN WU and P. F. LOW), Effects of Octahedral-Iron Reduction and Swelling Pressure on Interlayer Distances in Na-Nontronite 211

S

SAD (see Selected-area electron diffraction)
Sample preparation
effect of Cl in samples prepared on silver metal-membrane mounts for XRD 381
problems with use of Spurr resin for TEM of vermiculite 280
use of electrostatic probe for cleaning samples for SEM fabric studies 283
SANCHEZ-CAMAZANO, M. (with M. A. VICENTE, M. J. SANCHEZ-MARTIN, M. DEL ARCO, C. MARTIN, V. RIVES, and J. VICENTE-HERNANDEZ), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
SANCHEZ-MARTIN, M. J. (with M. A. VICENTE, M. SANCHEZ-CAMAZANO, M. DEL ARCO, C. MARTIN, V. RIVES, and J. VICENTE-HERNANDEZ), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
Sand dune
cementing gel, XRD, XPS, TEM, SAD, scanning auger multiprobe analysis 219
Saponite
synthesis 248
synthetic, XRD, TEM, layer charge, basal spacings, viscosity, rheological properties, expansion, particle size, MB adsorption 248
Saprolite
weathering of almandine minerals in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of biotite minerals in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of chlorite minerals in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of Fe-bearing minerals in, by XRD, SEM, Mössbuaer spectroscopy 19
weathering of magnetite minerals in, by XRD, SEM, Mössbauer spectroscopy 19
SATOKAWA, SHIGEO (with YOSHIYUKI SUGAHARA, KEN-ICHI YOSHIOKA, KAZUYUKI KURODA, and CHUZO KATO), Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite 143
Scanning auger multiprobe analysis
gel cementing material in sand dunes 219
Scanning electron microscopy (SEM)
apatite 113
apatite alteration products 113
biotite 19, 113
biotite, weathered, in soils 19
boehmite products of alcohothermal treatment of gibbsite 71
chlorite, weathered, in soils 19
chrysotile, Rhodesian 439
clinoptilolite 47
fabric studies, use of electrostatic probe for cleaning samples 283
florencite 113
glass, perlite 47
halloysite, spherical aggregates 179
hornblende, weathering products of 515
hydroxy-Al-montmorillonite-tannic acid complexes 235
magnetite, weathered, in soils 19
mordenite, in zeolitically altered pyroclastics 497
mud, Irish Sea core 283
phillipsite, saline, alkaline lake deposits 243
products of alcohothermal treatment of gibbsite 71
rhabdophane 113
sepiolite, expandable 371

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

silver metal membrane mounts, presence of AgCl from Cl-containing samples 381
smectite 47
smectite, in zeolitically altered pyroclastics 497
zeolites 47, 243, 497
Scanning-transmission electron microscopy (STEM)
hydrotalcite-like phases, Zn-containing 396
SCHULTZ, P. K. (with P. G. SLADE and E. R. T. TINKINK), Structure of 1,4-Diazabicyclo[2,2,2,]octane-Vermiculite Intercalate 81
SCHULZE, D. G. (with M. H. EBINGER), Mn-Substituted Goethite and Fe-Substituted Groutite Synthesized at Acid pH 151
SCOTT, A. D. (with D. A. LAIRD and M. L. THOMPSON), Technique for Transmission Electron Microscopy and X-ray Powder Diffraction on the Same Clay Mineral Specimen 280
SCOTT, A. D. (with D. A. LAIRD and T. E. FENTON), Evaluation of the Alkylammonium Method of Determining Layer Charge 41
Selected-area electron diffraction (SAD)
gel in sand-dune cement 219
hydrotalcite-like phases, Zn-containing 396
rhabdophane 113
SEM (see Scanning electron microscopy)
Sepiolite
expandable, XRD, SEM, chemical composition 371
hydrothermal alteration products, XRD, TEM, NMR, coordination of Al in 469
mechanism of hydrothermal alteration 469
volatiles, reaction with n-alkanes 446
Shale
diagenesis 97, 542
Gulf Coast, illite/smectite in 97, 542
illitic, Bergen High area, North Sea, diagenesis 97
illitic, Bergen High area, North Sea, TEM, XRD, K/Ar age dating 97
K/Ar age dating 97
smectite illization in 97, 542
**Shale Diagenesis in the Bergen High Area, North Sea,** by J. R. Glasmann, Steve Larter, N. A. Briedis, and P. D. Lundegard 97
**Shape-Selective Sorbents Based on Clay Minerals: A Review,** by R. M. Barrer 385
SHEPPARD, R. A. (with J. J. FITZPATRICK), Phillipsite from Silica Tuffs in Saline, Alkaline-Lake Deposits 243
Silica
extraction from palygorskite by acid leaching 258
oligomers, role in zeolite crystallization 433
Si-adsorbed ferrihydrite, transformation to hematite, goethite 273
Si-adsorbed ferrihydrite, XRD, IR 273
Silver membrane mounts
effect of Cl in samples prepared on, for XRD 381
SLADE, P. G. (with P. K. SCHULTZ and E. R. T. TIEKINK), Structure of 1,4-Diazabicyclo [2,2,2,] octane-Vermiculite Intercalate 81
SMALLEY, M. V. (with R. K. THOMAS, L. F. BREGANZA, and T. MATSUO), Effect of Hydrostatic Pressure on the Swelling of n-Butylammonium Vermiculite 474
Smectite
adsorption of N-methyl 8-hydroxy quinoline methyl sulfate 157
alteration of perlite to, by hydration 47
CEC 157
dioxin, biphenyl sorption by 487
Fe-, deep-sea hydrothermal mounds, precursor to glauconite 532
Fe-, deep-sea hydrothermal mounds, EDX, TEM, HRTEM 532
ferruginous, effect of oxidation state of octahedral Fe on layer charge, specific surface area, swelling, EGME adsorption 547
ferruginous, EGME adsorption on 547
hectorite, synthesis 248
hectorite, synthetic, XRD, TEM, viscosity, basal spacings, MB adsorption, layer charge, rheological properties 248
hydrothermal alteration product of sepiolite, palygorskite, XRD, TEM, NMR 469
hydroxy-Al-treated, dioxin sorption by 487
hydroxy-Al-treated, surface area 487
/illite, correlation of expandability with mineralogy and layering 189
/illite, expandability, Bergen High area, North Sea 97
/illite, HRTEM imaging, computer simulation 1
/illite, ordered vs. polytypism, HRTEM computer simulation 1
-illitization, in shales, Bergen High area, North Sea 97
in shales, TEM, Bergen High area, North Sea 97
in zeolitic tuffs, Santorini, Greece, XRD, SEM 497
layers in illite/smectite vs. depth, Bergen High area, North Sea 97
Mg-exchanged, effect of RH on basal expansion 459
Mg-exchanged, effect of RH on EG retention 459
-N-methyl 8-hydroxy quinoline methyl sulfate complex, as a UV-radiation collector 157
-N-methyl 8-hydroxy quinoline methyl sulfate complex, basal XRD spacings, UV-VIS-diffuse reflectance spectra 157
NMR 403
on altered perlite, SEM 47
orientation in magnetic field 403
percentage of layers in illite/smectite, estimation by saddle method, evaluation 227
saponite, synthetic, XRD, TEM, viscosity, basal spacings, MB adsorption, layer charge, rheological properties 248

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

saponite, synthesis 248
SAz-1, evaluation of layer charge by alkylammonium vs. structural formula methods 41
segregation from illite, kaolinite by differential flocculation in Porters Creek Formation 179
shape-selective sorbents, based on review 385
surface acidity, function of orientation of water molecules 403
surface area 487
SWa-1, evaluation of layer charge by alkylammonium vs. structural formula methods 41
tetrahedral Fe in, evidence from Mössbauer spectroscopy, commentary 189
XRD 248

SNYDER, R. (with A. PLANÇON, R. F. GIESE, JR., V. A. DRITS, and A. S. BOOKIN), Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite 203

Sodium carbonate
-treated montmorillonite, XRD 89
-treated montmorillonite-chlorite mixtures, XRD 89
-treated montmorillonite-illite mixtures, XRD 89
-treatment of montmorillonite, chlorite 89

Soil
allophane-rich, apparent dissolution during ultrasonic dispersion of 493
clay fraction mineralogy by XRD, Mössbauer spectroscopy 29
color of oxidized, reduced zones 59
columns, oxidized, reduced zones, oxidation state of Fe in glauconite in 59
glauconite-rich zone, CEC 59
Mössbauer spectroscopy 59
oxidation state of Fe in glauconite in, by Mössbauer spectroscopy 59
petrographic examination 59
vermiculite, chloritized, in Ultisol, TEM, HRTEM, basal spacings, layer order 263
weathering of almandine in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of biotite in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of chlorite in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of Fe-bearing minerals in, by XRD, SEM, Mössbauer spectroscopy 19
weathering of magnetite in, by XRD, SEM, Mössbauer spectroscopy 19

Solid solution
Fe in groutite, application of Vegard's law 151
Fe-substituted groutite, XRD, unit-cell dimensions 151
Mn in goethite, application of Vegard's law 151
Mn-substituted goethite, XRD, unit-cell dimensions 151

**Solid State Reaction of Sodium Carbonate with Montmorillonite at 550°C,** by I. M. Natale and A. K. Helmy 89

Solubility
relative, corumdum, boehmite, gibbsite, diaspore, at standard state conditions 466

Source clays, CMS
ferrugionous, SWa-1, catalyst for pyrogallol transformation 525
hectorite, SHCa-1, layer-charge determination 41
kaolinite, KGa-1, catalyst for pyrogallol transformation 525
kaolinite, KGa-1, reaction of clay volatiles with n-alkanes 446
montmorillonite, SAz-1, layer-charge determination 41
montmorillonite, SWy-1, homoionic forms, water adsorption 355
montmorillonite, SWy-1, Mg-exchanged, effect of RH on EG expansion 459
montmorillonite, SWy-1, Mg-exchanged, EG retention at different RH 459
montmorillonite, SWy-1, reaction of clay volatiles with n-alkanes 446
smectite, ferruginous, SWa-1, effect of oxidation state of octahedral Fe on specific surface area, swelling, EGME adsorption 547

Special clays, CMS (see Source clays, CMS)

Spinel
phases, Co-, from ferrihydrite, TEM, morphology, unit-cell dimensions 65

Spurr resin
problems with use in TEM preparation procedures for vermiculite 280

SRINIVASAN, K. R. (with TIM NOLAN and H. S. FOLGER), Dioxon Sorption by Hydroxy-Aluminum-Treated Clays 487

ST. ARNAUD, R. J. (with S. K. GHABRU and A. R. MERMUT), Layer-Charge and Cation-Exchange Characteristics of Vermiculite (Weathered Biotite) Isolated from a Gray Luvisol in Northwestern Saskatchewan 164

Stacking faults
kaolin-group minerals, defect structures 203, 297

**Stacking Faults in the Kaolin-Group Minerals in the Light of Real Structure Features,** by A. S. Bookin, V. A. Drits, A. Plançon, and C. Tchoubar 297

**Stacking Faults in the Kaolin-Group Minerals: Defect Structures of Kaolinite,** by A. Plançon, R. F. Giese, Jr., R. Snyder, V. A. Drits, and A. S. Bookin 203

Stacking order (see also Order-disorder)
dioctahedral 193
4-diazabicyclo[2,2,2]octane)-vermiculite, in 81
chloritized 263

STALLARD, M. L. (with J. R. BOLES), Oxygen Isotope Measurements of Albite-Quartz-Zeolite Mineral Assemblages, Hokonui Hills, Southland, New Zealand 409

STAWINSKI, JANUSZ (with BRONISŁAW JANCZUK, EMIL

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

CHIBOWSKI, MIEZYSŁAW HAJNOS, and TOMASZ BAIŁOPIOTROWICZ), Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined by Contact Angles 269
Step function
tetrahedral Al vs. pH of solution 135
Stilbite
oxygen isotope constraints on crystallization temperature, type of pore fluid 409
Structural formula
formula method of evaluation of layer-charge vs. alkylammonium method 41
Structure (see Crystal structure)
**Structure of 1,4-Diazabicyclo[2,2,2,]octane-Vermiculite Intercalate,** by P. G. Slade, P. K. Schultz, and E. R. T. Tiekink 81
**Structures and Thermal Transformations of Imnogolite Studied by $^{29}Si$ and $^{27}Al$ High-Resolution Solid-State Nuclear Magnetic Resonance,** by K. J. D. MacKenzie, M. E. Bowden, I. W. M. Brown, and R. H. Meinhold 317
**Structures of Intergrown Triclinic and Monclinic IIb Chlorites from Kenya,** by Hong Zheng and S. W. Bailey 308
**Structures, Compositions, and X-ray Diffraction Identification of Dioctahedral Chlorites,** by S. W. Bailey and J. S. Lister 193
STUCKI, J. W. (with P. R. LEAR), Effects of Iron Oxidation State on the Specific Surface Area of Nontronite 547
Sudoite
chemical composition 193
crystal structure, XRD identification, stacking order 193
SUGAHARA, YOSHIYUKI (with SHIGEO SATOKAWA, KEN-ICHI YOSHIOKA, KAZUYUKI KURODA, and CHUZO KATO), Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite 143
SUQUET, HELÈNE, Effects of Dry Grinding and Leaching on the Crystal Structure of Chrysotile 439
Surface acidity
smectite, function of orientation of water molecules 403
Surface area
gibbsite 71
hydroxy-Al-montmorillonite 487
montmorillonite 487
palygorskite-rich rock 258
palygorskite-rich rock, acid leached 258
specific, ferruginous smectite, effect of oxidation state of octahedral Fe on 547
specific, nontronite, effect of oxidation state of octahedral Fe on 547
Surface free energy
dispersion, nondispersion, components, for kaolinite 269
kaolinite, measured from contact angles 269
SUZUKI, EIICHI (with SATOSHI IDEMURA and YOSHIO ONO), Properties of Hexacyanocobaltate(III)-Exchanged Hydrotalcite-like Minerals 173
SUZUKI, EIICHI (with SATOSHI IDEMURA and TOCHIO ONO), Electronic State of Iron Complexes in the Interlayer of Hydrotalcite-like Materials 553
Swelling
model of liquid structure in clay hydration 285
n-butylammonium vermiculite, effect of pressure on 474
nontronite, ferruginous smectite, effect of oxidation state of octahedral Fe on 547
pressure effect on interlayer distance of nontronite 211
transition, n-butylmannonium vermiculite, enthalpy, entropy, as calculated from heat capacity measured across 474
Syneresis cracks
evidence of differential flocculation of clays in Porters Creek Formation 179
Synthesis
effect of $Mn^{2+}$, pH on iron oxide precipitation products 451
Fe-substituted groutite, in acid systems 151
ferrihydrite 273, 333
ferrihydrite, Si-adsorbed 273
goethite 333
hectorite, hydrophilic, using quarternary ammonium salts 248
hematite 333
hydrated kaolinite, from kaolinite-DMSO complex 143
hydrotalcite-like minerals 173
hydrotalcite-like phases, Zn-containing 396
kaolinite-pyridine intercalate 143
lepidocrocite, effect of $Mn^{2+}$, pH on 451
Mn-substituted goethite, in acid systems 151
saponite, hydrophilic, using quarternary ammonium salts 248
SZYMANSKI, R. (with F. THEVENOT and P. CHAUMETTE), Preparation and Characterization of Al-rich Zn-Al Hydrotalcite-like Compounds 396

T

TANINO, HIROKAZU (with MASASHI INOUE, KAZUHISA KITAMURA, HIROYUKI NAKAYAMA, and TOMOYUKI INUI), Alcohothermal Treatments of Gibbsite: Mechanisms for the Formation of Boehmite 71
Tannic acid
-hydroxy-Al-montmorillonite complexes, CEC, extractable Al, SEM, DTA, XRD 235
-hydroxy-Al-montmorillonite complexes, synthesis 235
TAZAKI, KAZUE (with S. KIMURA, T. YOSHIMURA, J. AKAI, and W. S. FYFE), Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan 219

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

TAZAKI, KAZUE (with W. S. FYFE and S. J. VAN DER GAAST), Growth of Clay Minerals in Natural and Synthetic Glasses 348
TCHOUBAR, C. (with A. S. BOOKIN, V. A. DRITS, and A. PLANÇON), Stacking Faults in the Kaolin-Group Minerals in the Light of Real Structure Features 297
Technical referees (see Referees)
**Technique for Transmission Electron Microscopy and X-ray Powder Diffraction on the Same Clay Mineral Specimen,** by D. A. Laird, M. L. Thompson, and A. D. Scott 280
TEM (see Transmission electron microscopy)
Tetrahedral
site, Fe in smectite, evidence from Mössbauer spectroscopy, commentary 185
**Tetrahedral Iron in Smectite: A Critical Commentary,** by C. M. Cardile 185
Texture
hectorite, synthetic 248
mode of aggregation of hydroxy-Al-montmorillonite-tannic acid complex after drying 235
saponite, synthetic, particle aggregation 248
use of electrostatic probe for cleaning clays for SEM fabric studies 283
TGA (see Thermal gravimetric analysis)
Thermal analysis (see Differential thermal analysis, Thermal gravimetric analysis)
Thermal gradient
measured, calculated, Bergen High area, North Sea 97
Thermal gravimetric analysis (TGA)
chrysotile 439
chrysotile, acid leached, dry ground 439
differential, boehmite-rich products of alcohothermal treatment of gibbsite 71
differential, products of alcohothermal treatment of gibbsite 71
montmorillonite, Rio Nego, Argentina 89
Thermal treatment
alcoho-, of gibbsite, mechanisms of boehmite formation 71
clinoptilolite-rich tuff, Greece 497
effect of Cl in samples during, on silver metal membrane mounts for XRD 381
heulandite-group minerals 497
imogolite, dehydroxylation 314
montmorillonite-chlorite-$Na_2CO_3$ mixtures 89
montmorillonite-illite-$Na_2CO_3$ mixtures 89
montmorillonite-$Na_2CO_3$ mixtures 89
Thermodynamics
entropy, enthalpy, water adsorption on homoionic montmorillonite 355
surface free energy of kaolinite, measured from contact angles 269
THEVENOT, F. (with R. SZYMANSKI and P. CHAUMETTE), Preparation and Characterization of Al-rich Zn-Al Hydrotalcite-like Compounds 396
THOMAS, A. R. (with H. H. MURRAY), Clay Mineral Segregation by Flocculation in the Porters Creek Formation 179
THOMAS, R. K. (with M. V. SMALLEY, L. F. BREGANZA, and T. MATSUO), Effect of Hydrostatic Pressure on the Swelling of n-Butylammonium Vermiculite 474
THOMPSON, J. G. (with J. D. FITZ GERALD and R. L. WITHERS), Electron Diffraction Evidence for C-Centering of Non-Hydrogen Atoms in Kaolinite 563
THOMPSON, M. L. (with D. A. LAIRD and A. D. SCOTT), Technique for Transmission Electron Microscopy and X-ray Powder Diffraction on the Same Clay Mineral Specimen 280
TIEKINK, E. R. T. (with P. G. SLADE and P. K. SCHULTZ), Structure of 1,4-Diazabicyclo[2,2,2,]octane-Vermculite Intercalate 81
TORII, KAZUO (with TAKASHI IWASAKI and YOSHIO ONODERA), Rheological Properties of Organophilic Synthetic Hectorites and Saponites 248
Transmission electron microscopy (TEM)
apatite alteration products 113
chrysotile, dry-ground, acid-leached 439
Co-containing spinel phases 65
Fe-clays, deep-sea hydrothermal mounds 532
florencite 113
gel cementing material in sand dunes 219
glauconite, deep-sea hydrothermal mounds 532
goethite, Co- 65
goethite, from Si-adsorbed ferrihydrite 273
hectorite, synthetic 248
hematite, Co 65
hematite, from Si-adsorbed ferrihydrite 273
illite 97
illite/smectite, Gulf Coast shales 542
illite/smectite 97, 542
iron oxide precipitation products, influence of $Mn^{2+}$, pH 451
magnetite, Co- 65
palygorskite, hydrothermal alteration products 469
rhabdophane 113
saponite, synthetic 248
sepiolite, hydrothermal alteration products 469
smectite 97, 248
smectite, Fe-, deep-sea hydrothermal mounds 532
vermiculite, alkylammonium exchanged 164
vermiculite, chloritized 263
vermiculite-hydrobiotite-biotite mixture, problems with use of Spurr resin in sample preparation 280
TSOLIS-KATAGAS, PANAYOTA (with CHRISTOS KATAGAS), Zeolites in Pre-Caldera Pyroclastic Rocks of the Santorini Volcano, Aegean Sea, Greece 497

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Tuff
clinoptilolite-rich, chemical composition, SEM 497
mordenite-rich, chemical composition, SEM 497
saline, alkaline lake deposit, phillipsite in, SEM, XRD, unit-cell parameters, chemical composition, optical data 243
zeolitically altered, chemical composition, SEM 497
zeolitically altered, diagenesis 497

U

Ultramicrotomy
preparation of chloritized vermiculite for HRTEM 263
Ultrasonic
dispersion, apparent dissolution during, of allophanic soils 493
Ultraviolet-visible spectroscopy (UV-VIS)
N-methyl 8-hydroxy qunioline-smectite complex 157
used to monitor $Mn^{2+}$ in solution, during oxidation of dihydroxybenzene by birnessite 479
Unit-cell parameters
DABCO (1,4-diazabicyclo[2,2,2]octane)-vermiculite intercalates 81
dickite, review 297
Fe-substituted groutite 151
kaolinite, review 297
Mn-substituted goethite 151
phillipsite, from saline, alkaline lake deposits 243
UV-VIS (see Ultraviolet-visible spectroscopy)

V

VAN DER GAAST, S. J. (with KAZUE TAZAKI and W. S. FYFE), Growth of Clay Minerals in Natural and Synthetic Glasses 348
VEBLEN, D. R. (with G. D. GUTHRIE, JR.), High-Resolution Transmission Electron Microscopy of Mixed-Layer Illite/Smectite: Computer Simulations 1
Vegard's law
for Fe-substituted grouthite 151
for Mn-substituted goethite 151
VELBEL, M. A., Weathering of Hornblende to Ferruginous Products by a Dissolution-Reprecipitation Mechanism: Petrography and Stoichiometry 515
VELDE, BRUCE (with ATSUYUKI INOUE, ALAIN BOUCHET, and ALAIN MEUNIER), Convenient Technique for Estimating Smectite Layer Percentage in Randomly Interstratified Illite/Smectite 227
VEMPATI, R. K. (with R. H. LOEPPERT), Influence of Structural and Adsorbed Si on the Transformation of Synthetic Ferrihydrite 273
Vermiculite
-alkylammonium exchanged, XRD, TEM 164
alteration of biotite to, in soils, saprolite 19, 29
basal spacing, TEM 263
/biotite, alteration of biotite to, in soils, saprolite 19
chemical analysis, XRD, TEM, CEC, layer charge 164
chloritized, TEM, HRTEM, basal spacing, layer order 263
-DABCO (1,4-diazabicyclo[2,2,2]octane) intercalates, formation 81
-DABCO (1,4-diazabicyclo[2,2,2]octane) intercalates, unit-cell parameters 81
-DABCO (1,4-diazabicyclo[2,2,2]octane), crystal structure, precision X-ray diffraction 81
evaluation of layer charge by alkylammonium vs. structural formula method 41
hydroxy-interlayered, in colluvial soils 29
in colluvial soils 29
n-butylammonium, effect of hydrostatic pressure on swelling of 474
n-butylammonium, enthapy, entropy, as calculated from heat capacity measured across swelling transition of 474
n-butylammonium, neutron diffraction 474
problems with use of Spurr resin for preparation of, for TEM 280
relation of layer charge and tilt angle of exchanged alkylammonium cation 164
shape-selective sorbents, based on, review 385
TEM 164, 280
XRD 164, 280
VICENTE, M. A. (with M. SANCHEZ-CAMAZANO, M. J. SANCHEZ-MARTIN, M. DEL ARCO, C. MARTIN, V. RIVES, and J. VICENTE-HERNANDEZ), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
VICENTE-HERNANDEZ, J. (with M. A. VICENTE, M. SANCHEZ-CAMAZANO, M. J. SANCHEZ-MARTIN, M. DEL ARCO, C. MARTIN, and V. RIVES), Adsorption and Desorption of n-Methyl 8-Hydroxy Quinoline Methyl Sulfate on Smectite and the Potential Use of the Clay-Organic Product as an Ultraviolet Radiation Collector 157
VIOLANTE, A. (with A. BUONDONNO and D. FELLECA), Properties of Organo-Mineral Complexes Formed by Different Addition Sequences of Hydroxy-Al Montmorillonite, and Tannic Acid 235
Viscosity
hectorite, synthetic, organophilic vs. shear rate 248
Vitrinite reflectance
shale, Bergen High area, North Sea 97
Volatile
clay, reaction products with n-alkanes, GC, mass spectrometry 446

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Volcanic ash
alteration of, to clinoptilolite, mordenite 47
domain structure in 348
growth of primative clays in, by HRTEM 348
low-angle XRD 348
perlite, altered to smectite, zeolites 47
perlite, chemical analysis, SEM 47
VON DREELE, R. B. (with D. L. BISH), Rietveld Refinement of Non-Hydrogen Atomic Positions in Kaolinite 289

W

WADA, KOJI (with YASUKO KAKUTO), "Chloritized" Vermiculite in a Korean Ultisol Studied by Ultramicrotomy and Transmission Electron Microscopy 263
WAGNER, D. P. (with D. S. FANNING, M. C. RABENHORST, and LEOPOLD MAY), Oxidation State of Iron in Glauconite from Oxidized and Reduced Zones of Soil-Geologic Columns 59
WANG, M. C. (with P. M. HUANG), Pyrogallol Transformations as Catalyzed by Nontronite, Bentonite, and Kaolinite 525
Water
adsorption, on homoionic montmorillonite, entropy, enthalpy 355
clay hydration wave model of liquid structure in 285
on smectite surface, orientation determined by quadrupole splitting by NMR 403
WATTERSON, J. G., Wave Model of Liquid Structure in Clay Hydration 285
Wave model
of liquid structure in clay hydration 285
**Wave Model of Liquid Structure in Clay Hydration,** by J. G. Watterson 285
Weathering
almandine, by XRD, Mössbauer spectroscopy, SEM 19
apatite in biotite 113
biotite, by XRD, Mössbauer spectroscopy, SEM 19
chlorite, by XRD, Mössbauer spectroscopy, SEM 19
clay mineralogy of Fe-bearing minerals in soils, saprolite by XRD, Mössbauer spectroscopy 29
hornblende to gibbsite, goethite, kaolinite, by dissolution-reprecipitation 515
magnetite, by XRD, Mössbauer spectroscopy, SEM 19
rare earth element mobilization, fractionation, fixation during 113
sand-size Fe-bearing minerals in soils by XRD, SEM, Mössbauer spectroscopy, saprolite 19
**Weathering of Hornblende to Ferruginous Products by a Dissolution-Reprecipitation Mechanism: Petrography and Stoichiometry,** by M. A. Velbel 515
**Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: I. Sand-size Primary Minerals,** by R. C. Graham, S. B. Weed, L. H. Bowen, and S. W. Buol 19
**Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy,** by R. C. Graham, S. B. Weed, L. H. Bowen, D. D. Amarasiriwardena, and S. W. Buol 19
WEED, S. B. (with R. C. GRAHAM, L. H. BOWEN, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: I. Sand-size Primary Minerals 19
WEED, S. B. (with R. C. GRAHAM, L. H. BOWEN, D. D. AMARASIRIWARDENA, and S. W. BUOL), Weathering of Iron-Bearing Minerals in Soils and Saprolite on the North Carolina Blue Ridge Front: II. Clay Mineralogy 29
Wettability
kaolinite, function of exchangeable cations 269
WITHERS, R. L. (with J. G. THOMPSON and J. D. FITZ GERALD), Electron Diffraction Evidence for C-Centering of Non-Hydrogen Atoms in Kaolinite 563
WU, JUN (with P. F. LOW and C. B. ROTH), Effects of Octahedral-Iron Reduction and Swelling Pressure on Interlayer Distances in Na-Nontronite 211

X

X-ray absorption spectroscopy
book review, *Spectroscopic Methods in Mineralogy and Geology,* F. C. Hawthorne, editor 192
X-ray photoelectron spectroscopy (XPS)
gel in sand-dune cement 219
X-ray powder diffraction (XRD)
analcime, Green River Formation 419
analcime, relation of Si/Al with d(639) XRD peak 419
apatite alteration products 113
biotite, weathered, in soil 19
boehmite-rich products of alcohothermal treatment of gibbsite 71
chlorite, Li- 193
chlorite, weathered, in soil 19
chrysotile 439
chrystile, dry ground, acid leached 439
clinoptilolite, heat-treated, in zeolitic tuff, Santorini, Greece 497
clinoptilolite, in zeolitic tuff, Santorini, Greece 497
cookeite 193
dickite, simulated 297
dioctahedral chlorite 193
donbassite 193
effect of Cl in samples prepared on silver-metal-membrane mounts for 381
environmental chamber 211

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Fe-clays, deep-sea hydrothermal mounds 531
Fe-substituted groutite 151
ferrihydrite, Si-adsorbed 273
florencite, alteration product of apatite 113
gel cement in sand dunes 219
hectorite, synthetic 248
hydrotalcite-like minerals, exchanged with hexacyanocobaltate 173
hydrotalcite-like phases, Zn-containing 396
hydrotalcite-like phases, Zn-containing, lattice parameter variation with Al/Zn ratio 396
hydroxy-Al-montmorillonite-tannic acid complexes 235
illite, after EG treatment 128
illite, polytype determination 128
illite/smectite, deep-sea hydrothermal mounds 532
illite/smectite, Gulf Coast shales 542
illite/smectite, polytype determination 128
imogolite, thermally treated 317
iron oxide precipitation products, effect of $Mn^{2+}$, pH on 451
kaolinite 203, 289, 297, 364
kaolinite, ground kaolinite, estimate of crystalline vs. noncrystalline content 364
kaolinite, Rietveld refinement of non-hydrogen positions 289
kaolinite, simulated 297
kaolinite-pyridine intercalate, orientation of pyridine by 143
lepidocrocite, Mn-bearing, synthetic 451
low-angle, nuclear waste glass 348
low-angle, volcanic glass 348
Mg-montmorillonite, basal spacings, effect of RH on EG-expansion 459
Mn-substituted goethite 151
montmorillonite, Rio Negro, Argentina 89
montmorillonite, treated with $Na_2CO_3$, and other salts 89
montmorillonite-chlorite mixtures, treated with $Na_2CO_3$, and other salts 89
montmorillonite-illite mixtures, treated with $Na_2CO_3$, and other salts 89
N-methyl 8-hydroxy quinoline-smectite complex, basal spacings 157
nontronite, reduced Fe 211
palygorskite, hydrothermal alteration products 469
phillipsite, saline, alkaline lake deposits 243
products of alcohothermal treatment of gibbsite 71
saddle method of estimating % smectite layers in illite/smectite, evaluation 227
saponite, synthetic 248
sepiolite, EG-expanded sepiolite 371
sepiolite, hydrothermal alteration products 469
shale, clay-fraction, Bergen High area, North Sea 97
shale, deeply buried, Gulf of Mexico 97
shale, hydrothermally altered, Imperial Valley 97
soil clay fractions 29
Spurr resin, cured 280
sudoite 193
use in determining expanded, unexpanded layers in mixed-layer clays 189
vermiculite, alkylammonium exchanged 164
vermiculite-hydrobiotite-biotite mixture 280
XPS (see X-ray photoelectron spectroscopy)
XRD (see X-ray powder diffraction)

## Y

YOSHIMURA, T. (with KAZUE TAZAKI, S. KIMURA, J. AKAI, and W. S. FYFE), Clay-Organic Complexes as a Cementing Agent in the Arahama Sand Dune, Japan 219
YOSHIOKA, KEN-ICHI (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, KAZUYUKI KURODA, and CHUZO KATO), Kaolinite-Pyridine Intercalation Compound Derived from Hydrated Kaolinite 143

## Z

ZELAZNY, L. W. (with P. M. BERTSCH, W. P. MILLER, and M. A. ANDERSON), Coprecipitation of Iron and Aluminum during Titration of Mixed $Al^{3+}$, $Fe^{3+}$, and $Fe^{2+}$ Solutions 12
Zeolite
-albite-quartz assemblages, oxygen isotope constraints on crystallization temperature, type of pore fluid 409
analcime, Green River Formation, XRD, electron microprobe analyses, petrography, diagenesis 419
analcime, relation of Si/Al to d(639) XRD peak 419
clinoptilolite, alteration of perlite 47
clinoptilolite, altered tuff, XRD, SEM, chemical composition, diagenesis 497
clinoptilolite, SEM, petrography, chemical analysis 47
crystallization mechanisms, Markov-chain model of 433
elementary kinetic reactions, postulated 433
heulandite, oxygen isotope studies 409
laumontite, oxygen isotope studies 409
mordenite, alteration of perlite 47
mordenite, altered tuff, XRD, SEM, chemical composition, diagenesis 497
mordenite, petrography, electron probe analysis 47
phillipsite, saline, alkaline lake deposits, XRD, SEM, unit-cell parameters, optical data 243
stilbite, oxygen isotope studies 409
**Zeolites in Pre-Caldera Pyroclastic Rocks of the Santorini Volcano, Aegean Sea, Greece,** by Panayota Tsolis-Katagas and Christos Katagas 497

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press

Zero point of charge (see zeta potential)
Zeta potential
allophane-rich soils 493
ZHENG, HONG (with S. W. BAILEY), Structures of Intergrown Triclinic and Monoclinic IIb Chlorites from Keyna 308
Zinc
-containing hydrotalcite-like phases, variation of lattice parameters with Zn/Al ratio 396
-containing hydrotalcite-like phases, XRD, NMR, EDX, STEM, synthesis 396

https://doi.org/10.1346/CCMN.1989.0370614 Published online by Cambridge University Press