INDEX TO VOLUME 107

The General Index covers original articles and reviews.
The following names are printed in SMALL CAPITALS: Authors of original articles and of books reviewed. Names of authorities referred to in the text are in ordinary type.
(R.) indicates a *Review*; the title of the book reviewed is followed by the author's name.

PART 1.—GENERAL INDEX

Abilities, discrepancies between the pattern of, for normal and neurotic children, by A. E. Maxwell, 300
ABRAHAMSEN, DAVID, The Psychology of Crime (R.), 806
Acrocephaly and related conditions, a critique of current views on, by L. Crome, 459
ADAMS, B. G., and DAVIES, B. M., Neurological changes associated with P.A.S. and I.N.A.H. therapy, 943
Admissions and re-admissions to three London mental hospitals, by J. K. Wing, G. W. Brown and C. Murray Parkes, 1070
Adolescence: psychiatric illness in, presentation and prognosis, by P. T. Annesley, 268
AFFLECK, J. W., FORREST, A. D., and MARTIN, F. M., Adjunctive therapy in depression: a controlled trial of Nialamide, 997
Agnosia, association and intellect, 1043
Alcoholism, a study of, as an occupational hazard of merchant seamen, by Harry K. Rose and M. M. Glatt, 18
ALEXANDER, G. L., and NORMAN, R. M., The Sturge-Weber syndrome (R.), 806
Amaurotic idiocy, juvenile: a case report, by John Johnson, 931
Amino acids in urine and C.S.F. from mentally deficient children; a chromatographic study of, by E. McKay and Hazel Thom, 261
ANNESLEY, P. T., Psychiatric illness in adolescence: presentation and prognosis, 268
Anti-depressant drugs (imipramine and pheniprazine), comparison of two, in endogenous depressive illnesses in female in-patients, by D. P. Oakley, 1000
,, ,, See also under Drugs, psychotropic
Anti-depressive drugs, the use of, by Alexander Kennedy, 989
Anxiety in neurotic patients, a controlled comparison of methaminodiazepoxide (chlordiazepoxide, Librium) and amylobarbitone in the treatment of, by F. A. Jenner, R. J. Kerry and D. Parkin, 583
,, ,, ,, ,, a controlled trial of methaminodiazepoxide (chlordiazepoxide, Librium) in the treatment of, by F. A. Jenner, R. J. Kerry and D. Parkin, 575
ASHBY, W. ROSS and COLLINS, G. H., A clinical trial of imipramine (Tofranil) on depressed patients, 547
ASHCROFT, G. W., and BARKER, P. A., Neuropsychiatric syndrome complicating obstructive jaundice of recent onset, 491
,, MACDOUGALL, ELIZABETH J., and BARKER, P. A., A comparison of tetrabenazine and chlorpromazine in chronic schizophrenia, 287
Association, agnosia and intellect, by D. Bowsher, 1043
Asymmetry of cerebral function, by Wm. Gooddy, 431
Atypical mental illness in a family including identical twins, by James Warner, 1028
Autobiographies of former mental patients, Addendum, by R. Sommer and H. Osmond, 1030
AZIMA, H., Psychodynamic and psychotherapeutic problems in connection with imipramine (Tofranil) intake, 74

BANNISTER, D., and BEECH, H. R., An evaluation of the Feldman Prognosis Scale for shock therapy, 503
Barbiturate, a new, see Nealbarbitone, 83
BARKER, P. A., and ASHCROFT, G. W., Neuropsychiatric syndrome complicating obstructive jaundice of recent onset, 491
,, ASHCROFT, G. W., and MACDOUGALL, ELIZABETH J., A comparison of tetrabenazine and chlorpromazine in chronic schizophrenia., 287
BARTON HALL, S., HEARNSHAW, L. S., and HETHERINGTON, R. R., The teaching of psychology in the medical curriculum, 1003
BATES, T. J. N., and DOUGLAS, A. D. MCL. A comparative trial of four mono-amine oxidase inhibitors on chronic depressives, 538
BEECH, H. R., DAVIES, BRIAN M., and MORGENSTERN, F. S., Preliminary investigations of the effects of Sernyl upon cognitive and sensory processes, 509
,, and BANNISTER, D., An evaluation of the Feldman Prognosis Scale for shock therapy, 503

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

Belfast hospitals, a five-year survey of severe psychiatric disturbances in the post-operative period, by S. J. Knox, 1078
BELO, JANE, Trance in Bali (R.), 347
BENAIM, S., BROWN, A. C., and REES, LINFORD, A controlled trial of imipramine (Tofranil) in the treatment of severe depressive states, 552
BERG, J. M., KIRMAN, B. H., MITTWOCH, URSULA, STERN, J., Treatment of mongolism with pituitary extract, 475
BERLE, BEATRICE, GROSSI, MARGARET, JACKSON, ELSIE, and LINTON, HARRIET, Reaction of children within family groups as measured by the Bene-Anthony Tests, 308
Bethlem Royal Hospital, schizophrenia in, a hundred years ago and today, by F. S. Klaf and J. G. Hamilton
Blood types, frequency of, in a homogeneous group of manic-depressive patients, by Joseph B. Parker, Jr., Alberta Theilie, and Charles D. Spielberger, 936
Body image, relationship of, to social desirability, by Alexander Tolor and John Colbert, 1060
BOWSHER, D., Association, agnosia and intellect, 1043
Brain damage, psychological test of, (M.W.-L.T.), relevance of base rates to the validity of a, by Donald Walton, 926
BRANDRUP, E., and KRISTJANSEN, P., A controlled clinical test of a new psycholeptic drug (haloperidol), 778
BROWN, A. C., REES, LINFORD and BENAIM, S., A controlled trial of imipramine (Tofranil) in the treatment of severe depressive states, 552
BROWN, FELIX, Depression and childhood bereavement, 754
BROWN, G. W., MURRAY PARKES, C., and WING, J. K., Admissions and re-admissions to three London mental hospitals, 1070
,, and WING, J. K., Social treatment of chronic schizophrenia, a comparative survey of three mental hospitals, 847
Bucknill, Sir John, sketch of life of, by E. S. Stern, 189

CAIRD, W. K., and INGLIS, J., The short-term storage of auditory and visual two-character digits by elderly patients with memory disorder, 1062
CARRICK, D. J. E. L., and DENHAM, J., Therapeutic value of thioproperazine and the importance of the associated neurological disturbances, 326
Child Analysis, Narrative of a, by Melanie Klein (R.), 986
,, psychiatry, the day hospital approach in, by P. H. Connell, 969
Childbirth, personality of married and unmarried mothers and pain assessment in, by S. B. G. Eysenck, 417
Childhood bereavement and depression, by Felix Brown, 754
Children, discrepancies between the pattern of abilities for normal and neurotic, by A. E. Maxwell, 300
,, epileptic, neuro-physiology and behaviour disorders in, by E. J. A. Nuffield, 438
,, reactions of, within family groups, as measured by the Bene-Anthony Tests, by Harriet Linton, Beatrice Bishop Berle, Margaret Grossi and Elsie Jackson, 308
Chlordiazepoxide (Librium), see under Methaminodiazepoxide
Chlorpromazine (Largactil), a double-blind trial to investigate the effects of, in paranoid schizophrenia, by Ian C. Wilson, James McKay and Myron G. Sandifer, Jnr., 90
CLARIDGE, G. S., The effects of meprobamate on the performance of a five-choice serial reaction time task, 590
CLARKE, J., The precipitation of juvenile delinquency, 1033
COLBERT, J., and TOLOR, A., Relationship of body image to social desirability, 1060
COLLINS, G. H., and ASHBY, W. ROSS, A clinical trial of imipramine (Tofranil) on depressed patients, 547
Colour, differential effects of, on chronic schizophrenics, by J. G. Thorpe, 845
CONNELL, P. H., The day hospital approach in child psychiatry, 969
Conolly, John, sketch of life of, by E. S. Stern, 187
COOK, N. G., and STENGEL, E., Contrasting suicide rates in industrial communities, 1011
COSGRAVE, M. J., and MOSS, M. C., The use of Glucagon in the termination of insulin coma, 294
COSTELLO, C. G., The effects of meprobamate on time perception, 67
Crime Documentaries, 1, Guenther Podola, by R. Furneaux (R.), 348
,, The Psychology of, by David Abrahamsen (R.), 806
CROME, L., A critique of current views on acrocephaly and related conditions, 459
CRONIN, D. P., ROBIN, A. A., and SCOTTON, L., Clinical studies of a new barbiturate (Nealbarbitone), 83
Cycloid psychoses—endogenous psychoses which are neither schizophrenic nor manic depressive, by Karl Leonhard, 633

DABBS, A. R., HEGARTY, J. G., and ST. BLAIZE-MOLONY, R. T., A controlled study of the effectiveness of nialamide (Niamid) in schizophrenia, 572
DAVIES, B. M., and ADAMS, B. G., Neurological changes associated with P.A.S. and I.N.A.H. therapy, 943
DAVIES, BRIAN and REES, LINFORD, A controlled trial of phenelzine (Nardil) in the treatment of severe depressive illness, 560

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

DAVIES, BRIAN, M., Oral Sernyl in obsessive states, 109
,, MORGENSTERN, F. S., and BEECH, H. R., Preliminary investigations of the effects of Sernyl upon cognitive and sensory processes, 509
DAVIES, T. S., A monoamine oxidase inhibitor (Niamid) in the treatment of the mentally sub-normal, 115
Day hospital approach in child psychiatry, by P. H. Connell, 969
Deconditioning and time-therapy, by G. de M. Rudolf, 1097
DE MOWBRAY, M. S., HAMILTON, V., and FRIEDMAN, C., Imipramine (Tofranil) in depressive states, a controlled trial with in-patients, 948
DENHAM, J., and CARRICK, D. J. E. L., Therapeutic value of thioproperazine and the importance of the associated neurological disturbances, 326
Depressed patients, A clinical and biochemical study of monoamine oxidase inhibition in, by W. G. Dewhurst and C. M. B. Pare: I A clinical trial of Nialamide, 239; II 5-hydroxytryptamine tolerance before and after Nialamide, 244
,, ,, A clinical trial of imipramine (Tofranil) on, by W. Ross Ashby and G. H. Collins, 547
Depression, Adjunctive therapy in, a controlled trial of Nialamide, by J. W. Affleck, A. D. Forrest, and F. M. Martin, 997
,, and childhood bereavement, by Felix Brown, 754
,, treatment of, see also under: anti-depressant and names of individual drugs
Depressive illnesses, endogenous, in female in-patients, comparison of two anti-depressant drugs (imipramine and pheniprazine), by D. P. Oakley, 1000
,, illness, severe, a controlled trial of phenelzine (Nardil) in the treatment of, by Linford Rees and Brian Davies, 560
,, states, imipramine (Tofranil) in, a controlled trial with in-patients, by Charles Friedman, M. S. de Mowbray and Vernon Hamilton, 948
,, states, severe, a controlled trial of imipramine (Tofranil) in the treatment of, by Linford Rees, A. C. Brown and S. Benaim, 552
Depressives, chronic, a comparative trial of four mono-amine oxidase inhibitors on, by T. J. N. Bates and A. D. McL. Douglas, 538
DEWHURST, W. G., A clinical and biochemical study of monoamine oxidase inhibition in depressed patients: I. A clinical trial of Nialamide, 239; II. 5-hydroxytryptamine tolerance before and after Nialamide, 244
,, and EILENBERG, M. D., Folie à trois, A case report, 486
"Distance constancy" in schizophrenic patients, a note on, by E. E. Rump, 48
DOUGLAS, McL. A. D., and BATES, T. J. N., A comparative trial of four monoamine oxidase inhibitors on chronic depressives, 538
Drug treatments in psychiatry, investigation of the effects of, by B. Fox, 493
Drugs, A tool for research in psychiatry, by John C. Saunders, 31
,, psychotropic, see under: Anti-depressants, chlorpromazine (Largactil), haloperidol (Serenase), imipramine (Tofranil), iproniazid (Marsilid), isocarboxazid (Marplan), meprobamate (Equanil), methaminodiazepoxide (Librium), methotrimeprazine (Veractil), monoamine oxidase inhibitors, nialamide (Niamid), pheniprazine, phenothiazine derivatives, prochlorperazine (Stemetil), promazine (Sparine), thioproperazine (Majeptil), thioridazine (Melleril), thymoleptic drugs, trifluoperazine (Stelazine)

E.C.T., An evaluation of the Feldman prognosis scale for shock therapy, by D. Bannister and H. R. Beech, 503
EILENBERG, M. D., and DEWHURST, W. G., Folie à trois, a case report, 486
EKSTEIN, R., and WALLENSTEIN, R., The Teaching and Learning of Psychology (R.), 350
Electroconvulsive therapy (E.C.T.), phenelzine (Nardil) as a potentiator of, by D. Muller, 994
Epidemiology of Mental Disorders, Report of W.H.O. Committee (R.), 349
Epilepsy and behaviour disorder in schoolchildren, by Leslie E. Keating, 161
,, temporal lobe, the incidence of, among a hospital population of long-stay female epileptics, by J. H. Margerison and D. W. Liddell, 909
Epileptic children, neuro-physiology and behaviour disorders in, by E. J. A. Nuffield, 438
Existentialism and psychiatry, by Frank Fish, 978
EYSENCK, H. J., and WILLETT, R. A., The measurement of motivation through the use of objective indices, 961
EYSENCK, S. B. G., Personality and pain assessment in childbirth of married and unmarried mothers, 417

FEINDEL, W. (Ed.), Memory, Learning and Language (R.), 988
Feldman prognosis scale for shock therapy, an evaluation of, by D. Bannister and H. R. Beech, 503
FISH, FRANK, A neurological theory of schizophrenia, 828
,, ,, Existentialism and psychiatry, 978
Folie à trois, A case report, by W. G. Dewhurst and M. D. Eilenberg, 486
FORREST, A. D., MARTIN, F. M., and AFFLECK, J. W., Adjunctive therapy in depression, a controlled trial of Nialamide, 997

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

FOX, B., The investigation of the effects of psychiatric treatment, 493
FREEMAN, H. L., The problem of in-patient psychotherapy, 60
FRIEDMAN, C., DE MOWBRAY, M. S., and HAMILTON, V., Imipramine (Tofranil) in depressive states, a controlled trial with in-patients, 948
FURNEAUX, R., Guenther Podola (R.), 348

GIBBENS, T. C. N., Treatment of psychopaths, 181
GIBSON, A. C., Psychosis occurring in the senium, a review of an industrial population, 921
General practice, psychosis in, an epidemiological survey, by A. Ryle, 1020
GLATT, M. M., and ROSE, H. K., A study of alcoholism as an occupation hazard of merchant seamen, 18
Gloucester and the beginnings of the R.M.P.A., by Alexander Walk in collaboration with D. Lindsay Walker, 603
GOLD, N., Experience with thioridazine (Melleril) therapy, 523
GOODDY, WM., Asymmetry of cerebral function, 431
GORHAM, DONALD, R., Verbal abstraction in psychiatric illness, 52
GROSSI, MARGARET, JACKSON, ELSIE, BERLE, BEATRICE, and LINTON, HARRIET, Reaction of children within family groups as measured by the Bene-Anthony Tests, 308
Group adjustment at the South Pole, by Frederick McGuire and Sidney Tolchin, 954
Group restort to phantasy, a field study, by G. R. Peberdy, 787

Haloperidol, a controlled clinical test of a new psycholeptic drug, by E. Brandrup and P. Kristjansen, 778
HAMILTON, JOHN G., and KLAF, FRANKLIN, S., Schizophrenia—a hundred years ago and today, 819
HAMILTON, V., FRIEDMAN, C., DE MOWBRAY, M. S., Imipramine ("Tofranil") in depressive states, a controlled trial with in-patients, 948
HARGREAVES, M. A., An evaluation of the double-blind trial as a method of assessing promazine (Sparine) in the treatment of chronic psychotic patients, 529
HEARNSHAW, L. S., HETHERINGTON, R. R., and BARTON HALL, S., The teaching of psychology in the medical curriculum, 1003
HEATON-WARD, W. A., Mental Subnormality (R.), 346
HEGARTY, J. G., ST. BLAIZE-MOLONY, R. T., and DABBS, A. R., A controlled study of the effectiveness of Nialamide ("Niamid") in Schizophrenia, 572
Hereditary and environmental factors in schizophrenias of old age, by D. W. K. Kay and Martin Roth, 649
HETHERINGTON, R. R., BARTON HALL, S., and HEARNSHAW, L. S., The teaching of psychology in the medical curriculum, 1003
HOWARTH, E., Possible synergistic effects of the new thymoleptics in connection with poisoning, 100
"Hysteria 311", the Thirty-fifth Maudsley Lecture, by Eliot Slater, 359

Imipramine, comparison with pheniprazine, in depressive illnesses, 1000
,, (Tofranil), a clinical trial of, on depressed patients, by W. Ross Ashby and G. H. Collins, 547
,, ,, dangers of synergistic effects, 100
,, ,, in depressive states, a controlled trial with in-patients, by Charles Friedman, M. S. De Mowbray and Vernon Hamilton, 948
,, ,, in the treatment of severe depressive states, a controlled trial of, by Linford Rees, A. C. Brown and S. Benaim, 552
,, ,, intake; psychodynamic and psychotherapeutic problems in connection with, by H. Azima, 74
INGLIS, J., and CAIRD, W. K., The short-term storage of auditory and visual two-character digits by elderly patients with memory disorder, 1062
INGRAM, I. M., Obsessional illness in mental hospital patients, 382
,, Obsessional personality and anal-erotic character, 1035
Insulin and trifluoperazine, a comparison of schizophrenics treated with, by D. McNeill and J. R. A. Madgwick, 297
,, coma, the treatment of prolonged, by Wm. Whittle Kay, 194
,, coma, the use of Glucagon in the termination of, by M. J. Cosgrave and M. C. Moss, 294
Isocarboxazid (Marplan) in hospital psychiatry, a controlled clinical trial of, by Vasant G. Joshi, 567

JACKSON, ELSIE, BERLE, BEATRICE, LINTON, HARRIET, and GROSSI, MARGARET, Reaction of children within family groups as measured by the Bene-Anthony tests, 308
Jaundice, obstructive, of recent onset, neuro-psychiatric syndrome complicating, by G. W. Ashcroft and P. A. Barker, 491
Jealousy, morbid, some clinical and social aspects of a psychiatric problem, by Michael Shepherd, 687

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

JENNER, F. A. KERRY, R. J., and PARKIN, D., A controlled comparison of methaminodiazepoxide (chlordiazepoxide, Librium) and amylobarbitone in the treatment of anxiety in neurotic patients, 583
„ KERRY, R. J., and PARKIN, D., A controlled trial of methaminodiazepoxide (chlordiazepoxide, Librium) in the treatment of anxiety in neurotic patients, 575
JOHNSON, JOHN, Juvenile amaurotic idiocy, a case report, 931
JOSHI, VASANT G., Controlled clinical trial of isocarboxazid (Marplan) in hospital psychiatry, 567
Juvenile delinquency, the precipitation of, by J. Clarke, 1033

KAHAN, V. L., An enquiry into the reasons for admission of under five-year-olds in a mental subnormality hospital, 481
KAY, D. W. K., and ROTH, MARTIN, Environmental and hereditary factors in the schizophrenias of old age ("late paraphrenia") and their bearing on the general problem of causation in schizophrenia, 649
KAY, W. W., The treatment of prolonged insulin coma, 194
KEATING, LESLIE, E., Epilepsy and behaviour disorder in schoolchildren, 161
KENNEDY, ALEXANDER, The use of anti-depressive drugs, 989
KERRY, R. J., PARKIN, D., and JENNER, F. A., A controlled comparison of methaminodiazepoxide (chlordiazepoxide, Librium) and amylobarbitone in the treatment of anxiety in neurotic patients, 583
„ PARKIN, D., and JENNER, F. A., A controlled trial of methaminodiazepoxide (chlordiazepoxide, Librium) in the treatment of anxiety in neurotic patients, 575
KIRMAN, B. H., STERN, J., MITTWOCH, URSULA, and BERG, J. M., Treatment of mongolism with pituitary extract, 475
KLAF, FRANKLIN S., and HAMILTON, JOHN G., Schizophrenia—a hundred years ago and today, 819
KLEIN, MELANIE, Narrative of a Child Analysis (R.), 986
KNOX, S. J., Severe psychiatric disturbances in the post-operative period—a five-year survey of Belfast hospitals, 1078
KOLLE, KURT, Psychiatrie (5th Ed.) (R.), 988
KREITMAN, N., The reliability of psychiatric diagnosis, 876
KREITMAN, N., SAINSBURY, P., MORRISSEY, J., TOWERS, J., and SCRIVENER, J., The reliability of psychiatric assessment: an analysis, 887
KRISTJANSEN, P., and BRANDRUP, E., A controlled test of a new psycholeptic drug (haloperidol), 778

LAWES, T. G. G., SMITH, STANLEY, and THAKURDAS, H., Perceptual isolation and schizophrenia, 839
LEONHARD, KARL, Cycloid psychoses—endogenous psychoses which are neither schizophrenic nor manic-depressive, 633
LIDDELL, D. W., and MARGERISON, J. H., The incidence of temporal lobe epilepsy among a hospital population of long-stay female epileptics, 909
LINTON, HARRIET, GROSSI, MARGARET, JACKSON, ELSIE, and BERLE, B. B., Reaction of children within family groups as measured by the Bene-Anthony Tests, 308

MCCARTAN, WILLIAM, Monism and dualism, new lamps for old (Presidential Address), 809
MACDOUGALL, ELIZABETH, ASHCROFT, G. W., and BARKER, P. A., A comparison of tetrabenazine and chlorpromazine in chronic schizophrenia, 287
MCGUIRE, F., and TOLCHIN, S., Group adjustment at the South Pole, 954
MCKAY, E., and THOM, HAZEL, A chromatographic study of the amino acids in urine and C.S.F. from mentally deficient children, 261
MCKAY, J., SANDIFER, M. J., Jr., and WILSON, I. C., A double-blind trial to investigate the effects of chlorpromazine (Largactil) in paranoid schizophrenia, 90
MCNEILL, D. L. M., and MADGWICK, J. R. A., A comparison of results in schizophrenics treated with (1) insulin, (2) trifluoperazine (Stelazine), 297
MADGWICK, J. R. A., and MCNEILL, D. L. M., A comparison of results in schizophrenics treated with (1) insulin, (2) trifluoperazine (Stelazine), 297
Manic depressives, frequency of blood types in a homogeneous group of, by Joseph B. Parker, Jr., Alberta Theilie and Charles D. Speilberger, 936
MARGERISON, J. H., and LIDDELL, D. W., The incidence of temporal lobe epilepsy among a hospital population of long-stay female epileptics, 909
MARTIN, F. M., AFFLECK, J. W., and FORREST, A. D., Adjunctive therapy in depression: a controlled trial of Nialamide, 997
Maudsley lecture, the Thirty-fifth, "Hysteria 311", by Eliot Slater, 359
MAXWELL, A. E., Discrepancies between the pattern of abilities for normal and neurotic children, 300
Memory disorder, the short-term storage of auditory and visual two-character digits, by elderly patients with, by W. K. Caird and J. Inglis, 1062

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

Memory, Learning and Language, Ed. by W. Feindel (R.), 988
Mental Nursing, the history of (Presidential Address), by Alexander Walk, 1
,, subnormality, by W. A. Heaton-Ward (R.), 346
,, subnormality hospital, an enquiry into the reasons for admission of under five-year-olds to a, by V. L. Kahan, 481
,, subnormality, report of a case of juvenile amaurotic idiocy, by John Johnson, 931
Mentally deficient children, amino-acids in urine and C.S.F. from, a chromatographic study of, by E. McKay and Hazel Thom, 261
,, deficient children, chromatographic study of amino acids in urine and C.S.F. from, by E. McKay and Hazel Thom, 261
,, subnormal, a monoamine oxidase inhibitor (Niamid) in the treatment of the, by T. S. Davies, 115
Meprobamate, The effects of, on the performance of a five-choice serial reaction time task, by G. S. Claridge, 590
,, The effects of, on time perception, by C. G. Costello, 67
Merchant seamen, a study of alocholism as an occupational hazard of, by Harry K. Rose and M. M. Glatt, 18
Methaminodiazepoxide (chlordiazepoxide, Librium) and amylobarbitone, a controlled comparison of, in the treatment of anxiety in neurotic patients, by F. A. Jenner, R. J. Kerry and D. Parkin, 583
,, (chlordiazepoxide, Librium) in the treatment of anxiety in neurotic patients, a controlled trial of, by F. A. Jenner, R. J. Kerry and D. Parkin, 575
Methotrimeprazine (Veractil), the treatment of restless psychotics with, by David Muller, 783
MITTWOCH, URSULA, BERG, J. M., KIRMAN, B. H., and STERN, J., Treatment of mongolism with pituitary extract, 475
Mongolism, treatment of, with pituitary extract, by J. M. Berg, B. H. Kirman, J. Stern and Ursula Mittwoch, 478
Monism and dualism, new lamps for old (Presidential Address), by William McCartan, 809
Mono-amine oxidase inhibitors, trial of four, on chronic depressives, 538
MORGENSTERN, F. S., DAVIES, BRIAN M., and BEECH, H. R., Preliminary investigations of the effects of Sernyl upon cognitive and sensory processes, 509
MORRISSEY, J., TOWERS, J., SCRIVENER, J., SAINSBURY, P., and KREITMAN, N., The reliability of psychiatric assessment, an analysis, 887
Motivation, The measurement of, through the use of objective indices, by H. J. Eysenck and R. A. Willett, 961
MOSS, M. C., and COSGRAVE, M. J., The use of Glucagon in the termination of insulin comas, 294
Moustaches, by G. R. Peberdy, 40
MULLER, D., Nardil as a potentiator of electroconvulsive therapy (E.C.T.), 984
MULLER, DAVID, The treatment of restless psychotics with methotrimeprazine (Veractil), 783
MURRAY PARKES, C., WING, J. K., and BROWN, G. W., Admissions and re-admissions to three London mental hospitals, 1070

Nardil (phenelzine) as a potentiator of electroconvulsive therapy (E.C.T.), by D. Muller, 994
,, See also under Phenelzine
Nealbarbitone, clinical studies of a new barbiturate, by A. A. Robin, D. P. Cronin and L. Scotton, 83
Nialamide, a clinical trial of, in the treatment of depressed patients, 239
,, a controlled trial of, adjunctive therapy in depression, by J. W. Affleck, A. D. Forrest and F. M. Martin, 997
,, in the treatment of the mentally subnormal, by T. S. Davies, 115
,, (Niamid) in schizophrenia, a controlled study of the effectiveness of, by J. G. Hegarty, A. R. Dabbs and R. T. St. Blaize-Molony, 572
Niamid, a monoamine oxidase inhibitor, in the treatment of the mentally subnormal, by T. S. Davies, 115
Nineteenth-century psychiatrists of Warwickshire, three notable, by E. S. Stern, 187
NORMAN, R. M., and ALEXANDER, G. L., The Sturge-Weber Syndrome, 806
NUFFIELD, E. J. A., Neuro-physiology and behaviour disorders in epileptic children, 438

OAKLEY, D. P., Comparison of two anti-depressant drugs (imipramine and pheniprazine) in endogenous depressive illnesses in female in-patients, 1000
Obsessional illness in mental hospital patients, by I. M. Ingram, 382
,, personality and anal-erotic character, by I. M. Ingram, 1035
Obsessive states, oral Sernyl in, by Brian M. Davies, 109
OSMOND, H., and SOMMER, R., Autobiographies of former mental patients, Addendum, 1030

Paraphrenia, late *see* Schizophrenias of old age,
Pain assessment, personality and, in childbirth of married and unmarried mothers, by S. B. G. Eysenck, 417

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

PARE, C. M. B., and DEWHURST, W. G., A clinical and biochemical study of monoamine oxidase inhibition in depressed patients: I. A clinical trial of Nialamide, 239; II. 5-hydroxytryptamine tolerance before and after Nialamide, 244
PARKER, J. B., JR., THEILIE, ALBERTA, and SPIELBERGER, C. D., Frequency of blood types in a homogeneous group of manic-depressive patients, 936
PARKIN, D., JENNER, F. A., and KERRY R. J., A controlled comparison of methaminodiazepoxide (chlordiazepoxide, Librium) and amylobarbitone in the treatment of anxiety in neurotic patients, 583
,, JENNER, F. A., and KERRY R. J., A controlled trial of methaminodiazepoxide (chlordiazepoxide, Librium) in the treatment of anxiety in neurotic patients, 575
Parsey, W. H., sketch of life of, by E. S. Stern, 191
P.A.S. and I.N.A.H. therapy, neurological changes associated with, by B. G. Adams and B. M. Davies, 943
PEBERDY, G. R., Group resort to phantasy, a field study, 787
,, Moustaches, 40
Perceptual isolation and schizophrenia, by Stanley Smith, H. Thakurdas and T. G. G. Lawes, 839
Personality, The Integrity of the, by Anthony Storr (R.), 346
Phantasy, group resort to, a field study, by G. R. Peberdy, 787
Phenelzine (Nardil) as a potentiator of electroconvulsive therapy (E.C.T.), by D. Muller, 994
,, ,, dangers of synergistic effects, 100
,, ,, in the treatment of severe depressive states, a controlled trial of, by Linford Rees and Brian Davies, 560
Pheniprazine, comparison with imipramine, in depressive illnesses, 1000
Phenothiazine derivatives, single daily dose treatment of psychiatric patients with, by F. J. Roberts, 104
Pituitary extract, treatment of mongolism with, 475
Podola, Guenther, by R. Furneaux (R.), 347
Post-operative period, severe psychiatric disturbances in the, a five-year survey of Belfast hospitals, by S. J. Knox, 1078
PRINCE, RAYMOND, The Yoruba Image of the Witch, 795
Pregnancies, 345, in 137 women, the psychological disturbances associated with, by A. Ryle, 279
Prochlorperazine (Stemetil) in schizophrenia, a controlled trial of; South-east (Scotland) Therapeutic Trials Committee, 514
Promazine (Sparine) in the treatment of chronic psychotic patients, an evaluation of the double-blind trial as a method of assessing, by M. A. Hargreaves, 529
Psychiatric assessment, the reliability of, an analysis, by N. Kreitman, P. Sainsbury, J. Morrissey, J. Towers and J. Scrivener, 887
,, diagnosis, the reliability of, by N. Kreitman, 876
,, treatment, the investigation of the effects of, by B. Fox, 493
Psychiatrie, by Kurt Kolle (R.), 988
Psychology in the medical curriculum, the teaching of, by L. S. Hearnshaw, R. R. Hetherington, and S. Barton Hall, 1003
Psychopaths, treatment of, by T. C. N. Gibbens, 181
Psychotherapy, The problem of in-patient, by H. L. Freeman, 60
,, The Teaching and Learning of, by R. Ekstein and R. Wallenstein, (R.), 350

REES, LINFORD, BROWN, A. C., and BENAIM, S., A controlled trial of imipramine (Tofranil) in the treatment of severe depressive states, 552
,, ,, and DAVIES, BRIAN, A controlled trial of phenelzine (Nardil) in the treatment of severe depressive illness, 560
Registrar-General's Statistical Review, 1954-56. Supplement on Mental Health, 349
R.M.P.A., Gloucester and the beginnings of the, by Alexander Walk, in collaboration with D. Lindsay Walker, 603
ROBERTS, F. J., Single daily dose treatment of psychiatric patients with phenothiazine derivatives, 104
ROBIN, A. A., CRONIN, D. P., and SCOTTON, L., Clinical studies of a new barbiturate (Nealbarbitone), 83
ROSE, HARRY K., and GLATT, M. M., A study of alcoholism as an occupational hazard of merchant seamen, 18
ROTH, MARTIN, and KAY, D. W. K., Environmental and hereditary factors in the schizophrenias of old age ("late paraphrenia") and their bearing on the general problem of causation in schizophrenia, 649
RUDOLF, G. DE M., Deconditioning and time-therapy, 1097
RUMP, E. E., A note on "distance constancy" in schizophrenic patients, 48
RYLE, A., Psychoses in general practice, an epidemiological survey, 1020
RYLE, A., The psychological disturbance associated with 345 pregnancies in 137 women, 279

SAINSBURY, P., MORRISSEY, J., TOWERS, J., SCRIVENER, J., and KREITMAN, N., The reliability of psychiatric assessment, an analysis, 887

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

ST. BLAIZE-MOLONY, R. T., DABBS, A. R., and HEGARTY, J. G., A controlled study of the effectiveness of Nialamide (Niamid) in schizophrenia, 572
SANDIFER, M. G., Jnr., MCKAY, J., and WILSON, I. C., A double-blind trial to investigate the effects of chlorpromazine (Largactil) in paranoid schizophrenia, 90
Sarawak Mental Hospital, management of schizophrenia in, 1959, by K. E. Schmidt, 157
SAUNDERS, J. C., Drugs—a tool for research in psychiatry, 31
Schizophrenia, a controlled study of the effectiveness of Nialamide (Niamid) in, by J. G. Hegarty, A. R. Dabbs, and R. T. St. Blaize-Molony, 572
,, a hundred years ago and today, by Franklin S. Klaf and John G. Hamilton, 819
,, a neurological theory of, by Frank Fish, 828
,, chronic, a simple and reliable sub-classification, of, by J. K. Wing, 862
,, controlled trial of prochlorperazine (Stemetil) in, South-East Region (Scotland) Therapeutic Trials Committee, 514
,, chronic, a comparison of tetrabenazine and chlorpromazine in chronic schizophrenia, by G. W. Ashcroft, Elizabeth J. MacDougall, and P. A. Barker, 287
,, chronic, social treatment of, a comparative survey of three mental hospitals, by J. K. Wing and G. W. Brown, 847
,, chronic, a controlled clinical trial of trifluoperazine in, by W. J. Stanley and D. Walton, 250
,, management of, in Sarawak Mental Hospital, 1959, by K. E. Schmidt, 157
,, paranoid, a double-blind trial to investigate the effects of chlorpromazine (Largactil) in, by Ian C. Wilson, James McKay, and Myron G. Sandifer, Jr., 90
,, and perceptual isolation, by Stanley Smith, H. Thakurdas, and T. G. G. Lawes, 839
Schizophrenias of old age ("late paraphrenia"), environmental and hereditary factors in, and their bearing on the general problem of causation in schizophrenia, by D. W. K. Kay and Martin Roth, 649
Schizophrenics, treated with insulin and trifluoperazine (Stelazine), a comparison of results in, by D. McNeill and J. R. A. Madgwick, 297
,, chronic, differential effects of colour on, by J. G. Thorpe, 845
Schizophrenic patients, "distance constancy" in, a note on, by E. E. Rump, 48
SCHMIDT, K. E., Management of schizophrenia in Sarawak Mental Hospital, 157
SCOTTON, L., CRONIN, D. P., and ROBIN, A. A., Clinical studies of a new barbiturate (Nealbarbitone), 83
SCRIVENER, J., TOWERS, J., MORRISSEY, J., SAINSBURY, P., and KREITMAN, N., The reliability of psychiatric assessment, an analysis, 887
Senium, psychosis occurring in the, a review of an industrial population, by A. C. Gibson, 921
Sensory deprivation, by J. G. Thorpe, 1047
Sernyl, oral, in obsessive states, by Brian M. Davies, 109
,, preliminary investigations of the effects of, upon cognitive and sensory processes, by H. R. Beech, B. M. Davies, and F. S. Morgenstern, 509
SHEPHERD, MICHAEL, morbid jealousy, some clinical and social aspects of a psychiatric problem, 687
Shock therapy, an evaluation of the Feldman Prognosis Scale for, by D. Bannister and H. R. Beech, 503
SIMPSON, G. M., Uneventful trifluoperazine (Stelazine) therapy after previous granulocytic depression, 258
SLATER, ELIOT, The Thirty-fifth Maudsley Lecture, "Hysteria 311", 359
SMITH, STANLEY, THAKURDAS, H., and LAWES, T. G. G., Perceptual isolation and schizophrenia, 839
Social desirability, relationship of body image to, by Alexander Tolor and John Colbert, 1060
SOMMER, R., and OSMOND, H., Autobiographies of former mental patients, Addendum, 1030
SPIELBERGER, C. D., PARKER, J. B., JNR., and THEILIE, ALBERTA, Frequency of blood types in a homogeneous group of manic-depressive patients, 936
South-Eastern Region (Scotland) Therapeutic Trials Committee, Controlled trial of prochlorperazine (Stemetil) in schizophrenia, 514
South Pole, group adjustment at the, by Frederick McGuire and Sidney Tolchin, 954
STANLEY, W. J., and WALTON, D., Trifluoperazine (Stelazine), a controlled clinical trial in chronic schizophrenia, 250
STENGEL, E., and COOK, N. G., Contrasting suicide rates in industrial communities, 1011
STERN, E. S., Three notable nineteenth-century psychiatrists of Warwickshire, 187
STERN, J., MITTWOCH, URSULA, BERG, J. M., KIRMAN, B. H., Treatment of mongolism with pituitary extract, 475
STORR, ANTHONY, The Integrity of the Personality (R.), 346
Sturge-Weber Syndrome, The, by G. L. Alexander and R. M. Norman (R.), 806
Suicide rates, contrasting, in industrial communities, by E. Stengel and N. G. Cook, 1011
Tetrabenazine and chlorpromazine in chronic schizophrenia, a comparison of, by G. W. Ashcroft, Elizabeth J. MacDougall and P. A. Barker, 287

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press

THAKURDAS, H., LAWES, T. G. G., and SMITH, STANLEY, Perceptual isolation and schizophrenia, 839
THEILIE, ALBERTA, SPIELBERGER, C. D., and PARKER, J. B., JNR., Frequency of blood types in a homogeneous group of manic-depressive patients, 936
Thioproperazine, therapeutic value of, and the importance of the associated neurological disturbances, by J. Denham and D. J. E. L. Carrick, 326
Thioridazine (Melleril) therapy, experience with, by N. Gold, 523
THOM, HAZEL, and MCKAY, E., A chromatographic study of the amino acids in urine and C.S.F. from mentally deficient children, 261
THORPE, J. G., Differential effects of colour on chronic schizophrenics, 845
,, Sensory deprivation, 1047
Thymoleptics, possible synergistic effects of the new, in connection with poisoning, by E. Howarth, 100
Time perception, the effects of meprobamate on, by C. G. Costello, 67
TOLCHIN, S., and MCGUIRE, F., Group adjustment at the South Pole, 954
TOLOR, A., and COLBERT, J., Relationship of body image to social desirability, 1060
TOWERS, J., SCRIVENER, J., SAINSBURY, P., MORRISSEY, J., and KREITMAN, N., The reliability of psychiatric assessment, an analysis, 887
Trance in Bali, by Jane Belo (R.), 347
Tranquillizing drugs, see under Drugs, psychotropic and names of individual drugs.
Trifluoperazine and insulin, a comparison of schizophrenics treated with, by D. McNeill and J. R. A. Madgwick, 297
,, Clinical and Pharmacological Aspects (R.), 347
,, single daily dose treatment with, 104
,, (Stelazine), a controlled clinical trial in chronic schizophrenia, by W. J. Stanley and D. A. Walton, 250
,, (Stelazine) therapy, uneventful, after previous granulocytic depression, by G. M. Simpson, 258
Tuberculosis, neurological changes associated with P.A.S. and I.N.A.H. therapy in, by B. C. Adams and B. M. Davies, 943
Twins, identical, a typical mental illness in a family including, by James Warner, 1028

U.S.S.R., A psychiatric study tour of the, by Joseph Wortis, 119

Verbal abstraction in psychiatric illness, by D. R. Gorham, 52

WALK, ALEXANDER, The history of mental nursing (Presidential Address), 1
,, in collaboration with D. Lindsay Walker, Gloucester and the beginning of the R.M.P.A., 603
WALTON, D., and STANLEY, W. J., Trifluoperazine ("Stelazine"), a controlled clinical trial in chronic schizophrenia, 250
WALTON, DONALD, Relevance of base rates to the validity of a psychological test of brain damage (M.W.-L.T.), 926
WARNER, J., A typical mental illness in a family including identical twins, 1028
Warwickshire, Three notable nineteenth-century psychiatrists of, by Edward S. Stern, 187
WILLETT, R. A., and EYSENCK, H. J., The measurement of motivation through the use of objective indices, 961
WING, J. K., A simple and reliable subclassification of chronic schizophrenia, 862
,, BROWN, G. W., and MURRAY PARKES, C., Admissions and readmissions to three London mental hospitals, 1070
,, and BROWN, G. W., Social treatment of chronic schizophrenics, a comparative survey of three mental hopsitals, 847
WILSON, I. C., MCKAY, JAMES, and SANDIFER, MYRON G., JNR., A double-blind trial to investigate the effects of chlorpromazine (Largactil), in paranoid schizophrenia, 90
Witch, The Yoruba Image of the, by Raymond Prince, 795
WORTIS, JOSEPH, A psychiatric study tour of the U.S.S.R., 119

Yoruba Image of the Witch, The, by Raymond Prince, 795

[2]

https://doi.org/10.1192/S0368315X00236864 Published online by Cambridge University Press