© Trustees of the Royal Botanic Garden Edinburgh (2015)
doi:10.1017/S0960428615000220

GENERAL INDEX TO VOLUME 72 (2015)

Note: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps, appendices (App.) and reviews (Rev.) are indicated; tables are not annotated separately.

Abies, 295
  guatemalensis Rehder
    var. *jaliscana* Martínez, 295
  religiosa (Kunth) Schltdl. & Cham.
    var. *emarginata* Loock & Martínez, 295
    var. *religiosa*, 295
Acacia Mill., 42–43
  subgen. *Acacia*, 43
  curvifructa Burkart, 43
  emilionana Fortunato & Ciald., 43
Acanthaceae, 408 App.
Acanthus
  spinosus L., 408 App.
Acnistus
  arborescens (L.) Schltdl., 142
Acosmium
  cardenasii H.S.Irwin & Arroyo, 47, 51–52 [52 Map]
Actinostemma, 414
  tenerum Griff., 419
Adiantum
  capillus-veneris L., 408 App.
Aegean flora, 391–412*
Aeonium
  arboreum (L.) Webb & Berthel., 394, 401, 409 App.
Afrocarpus (J.Buchholz & N.E.Gray) Gaussen ex C.N.Page, 154–155
  falcatus (Thunb.) C.N.Page, 154
  usambarensis (Pilg.) C.N.Page, 154–155, 185 App.
Agrostis
  hyemalis (Walter) Britton, Sterns & Poggenb., 98
Albizzia Durazz
  blanchetii (Benth.) G.P.Lewis, 44
Alchornea
  latifolia Sw., 81, 142
  triplinervia (Spreng.) Müll.Arg., 199
Alfaroa
  costaricensis Standl., 307
Allium
  neapolitanum Cirillo, 408 App.
Alnus
  firmifolia Fernald, 295
Alsine L., 353
  sect. *Aretioideae* (Fenzl) Fenzl, 355
  sect. *Facchinia* (Rchb.) Griseb., 355
  sect. *Lanceolatae* (Fenzl) Fenzl, 355
  sect. *Siebera* (Hoppe) Pax, 355
  4. *Aretioideae* Fenzl, 355
  5. *Lanceolatae* Fenzl, 355
  d. *Somerauera* (Hoppe) Endl., 355
  e. *Dufourea* (Gren.) Endl., 355
  aretioides (Port. ex J.Gay) Mert. & W.D.J.Koch, 365, 370
    var. *herniarioides* (Rion) Wohlf., 370
    var. *rionii* Gremli, 370–371
  aretioides Sommerauer, 355, 365
  austriaca
    β *villarsii* c. *grineensis* (Gren. & Godr.) Fiori, 369
  cerastiifolia (Ramond ex DC.) Fenzl, 359
    var. *condensata* Rouy & Foucaud, 359–362 [360 Fig.]
    var. *laxa* Rouy & Foucaud, 359–362 [360 Fig.]
  cherlerioides (Sieber) Dalla Torre, 362
  clementei Huter, 374
  flaccida
    β *clementei* (Huter) Fiori, 374
    γ *grineensis* (Gren. & Godr.) Fiori, 369
  glandulosa Dulac, 359, 361
  grineensis Gren. & Godr., 369
  herniarioides Rion, 370–371
  lanceolata (All.) Mert. & W.D.J.Koch, 355, 374
    α *laxa* Koch, 377, 379
    β *condensata* Koch, 377–379 [378 Fig.]
  octandra (Sieber ex Spreng.) Kerner, 362
    b. *herniarioides* (Rion) Gürke, 370

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

paui Willk. ex Herv., 384, 386
rupestris Fenzl, 376
var. *cherlerioides* (Vill.) Dalla Torre, 377
c. *usneoides* (Rchb.) K.Richt. ex Gürke, 377
thomasiana (J.Gay ex Bertol.) Degen, 369
thomasiana (J.Gay ex Bertol.) Sommier, 369
valentina Pau, 384
villarsii
β *grineensis* (Gren. & Godr.) Tanfani, 369
Alves, M., 13–33
Amaranthaceae, 29
Amaryllidaceae, 397, 399, 408 App.
Amburana
cearensis (Allemão) A.C.Sm., 25, 35, 41 Map, 47–48
Anacamptis
collina (Russell) R.M.Bateman, Pridgeon & M.W.Chase, 410 App.
papilionacea (L.) R.M.Bateman, Pridgeon & M.W.Chase, 410 App.
Anacardiaceae, 25, 38, 42
Anadenanthera
colubrina (Vell.) Brenan, 35–36, 41 Map, 46–47, 53
var. *cebil* (Griseb.) Altschul, 46
var. *cebil* (Griseb.) Reis, 25
var. *colubrina*, 46
Anaptychia
leucomelaena (L.) Vain, 143
Anchusa L., 393
aegyptiaca (L.) DC., 408 App.
italica Retz., 408 App.
Anchusella
variegata (L.) Bigazzi, Nardi & Selvi, 398
Angiospermae
of the Kiklades, 408–412 App.
Anisantha
diandra (Roth) Tutin, 411 App.
fasciculata (C.Presl) Nevski, 411 App.
sterilis (L.) Nevski, 411 App.
Anisodes
gigantula Warren, 280
Anthemis L., 393
rigida (Sm.) Heldr., 408 App.
scopulorum Rech.f., 398
Anthurium
hookeri Kunth, 110
Anthyllis
splendens Willd., 397, 399, 402
Antirrhoea
jamaicensis (Griseb.) Urb., 134
Apetalous flowers, 423–428*
Apiaceae, 394, 397–398, 408 App.
Apocynaceae, 42
Apurimacia, 43
dolichocarpa (Griseb.) Burkart, 43
Arabidopsis, 2
lyrata, 3, 9
thaliana, 3, 9
Araceae, 29
Arachis
correntina (Burkart) Krapov. & W.C.Greg., 49
Araliaceae, 29, 88
Arbutus, 290
xalapensis Kunth, 295
Arceuthobium
cubense Leiva, 120
Arenaria
aegaea Rech.f., 399
aretioides Port. ex J.Gay, 365–366
aretioides Sommerauer, 355, 365–366
brevicaulis Sternb., 377, 379
cerastiifolia Ramond ex DC., 359, 361
cherlerioides Vill., 377–379 [378 Fig.]
flaccida Froel. ex Rchb., 377, 379–380
grineensis E.Thomas, 368–369
lanceolata All., 374, 379
β *cherlerioides* (Vill.) DC., 377
β *prismatica* Gaud., 377–379 [378 Fig.]
ramondii Poir., 359, 361
Argent, G., 239–242
Arthrostylidium Rupr., 127
Arthrovertex
hauseri Mahunka, 111
Asparagaceae, 397, 399–400, 408 App.
Aspidosperma
quebracho-blanco Schltdl., 42
Asplundia
rigida (Aubl.) Harding, 109
Asteraceae, 16, 356, 363, 394, 396–398, 408 App.
Astragalus L., 393
echinatus Murray, 409 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

hamosus L., 409 App.
spruneri Boiss., 409 App.
Astronium
urundeuva (Allemão) Engl., 25
Atlantic Forest complex, 191–208*
Atriplex
recurva d'Urv., 399
Author attribution
in *Bauhinia*, 215–217
Avena
sterilis L., 411 App.

Baccharis L., 127
Bactris
cubensis Burret, 119
Bahia, Brazil, 13–33
Bandyopadhyay, S., 215–217
Banks, Sir Joseph, 215–217
Baptistonia, 29
Barazani, O., 1–11
Barbacenia, 29
Basiloxylum K.Schum., 274
Bauhinia L., 215–217*
buchananii Desv., 216
diphylla Banks, 215–217
Begonia, 347
sect. *Begonia*, 343
sect. *Eupetalum*, 343–344
sect. *Huszia* (Klotzsch) A.DC., 343–344
sect. *Knesebeckii* (Klotzsch) A.DC., 343–352*
asympeltata L.B.Sm. & Wassh., 343–352* [346 Fig.]
compacticaulis auct. non Irmsch., 348
compacticaulis Irmsch., 343–352*
ecuadorensis auct. non Buxton, 351
erythrocarpa A.DC., 350
griseocaulis auct. non Irmsch., 351
ludwigii Irmsch., 343–352* [**350**]
parmata Irmsch., 348
rigida auct. non Linden ex Regel, 351
serotina A.DC., 343–352* [345–346 Figs, **347**]
Begoniaceae, 343–352
Beilschmiedia
pendula (Sw.) Benth. & Hook., 109
pendula (Sw.) Hemsl., 81
Bejaria
aestuans Mutis ex L., 295
Belize, 243–341*
Bellevalia
hyacinthoides (Bertol.) K.M.Perss. & Wendelbo, 399
Bhaumik, M., 209–213
Bignoniaceae, 38, 42
Billia
hippocastanum Peyr., 307
Biodiversity
of the Kiklades, 391–412*
Biogeography
of the Kiklades, 391–412
Bioregions
Caribbean, 61–185*
Central America, 243–341
Northern Mexico, 243–341
Bisgoeppertia
scandens (Spreng.) Urb., 119
Bivallum
panamense C.L.Hou & M.Piepenbr., 308
Blanchetiodendron Barneby & J.W.Grimes, 44
blanchetii (Benth.) Barneby & J.W.Grimes, 44
Bonnetia
cubensis (Britton) R.A.Howard, 119
Book review
Leaf Defence (E.E. Farmer), 187–188
Boraginaceae, 29, 397–398, 408 App.
Bouea, 413–421*
burmanica Griff., 415
macrophylla Griff., 415–416
microphylla Griff., 416
oppositifolia (Roxb.) Meisn., 415–416
Brassica
aucheri, 1, 4, 7, 9
deflexa, 1, 4, 7–9
napus, 4, 8–9
rapa, 4, 8–9
tournefortii, 4, 7–10
Brassicaceae, 1–11, 394, 397–398, 409 App.
tribe Brassiceae, 1–11*
tribe Camelineae, 2
Nigra lineage, 9–10
Oleracea lineage, 1, 9–10
Brazil, 13–33
southeast and southern, 191–208 [197 Map]

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Briza
maxima L., 411 App.
Bromeliaceae, 38
Brosimum
alicastrum Sw., 134
Brunellia, 307
comocladiifolia Bonpl., 98, 127, 142
costaricensis Standl., 308
Bryonia
cretica L., 409 App.
Buchanan [Buchanan-Hamilton], Francis, 215–217
Buchenavia
tetraphylla (Aubl.) R.A.Howard, 109, 134
Buglossoides
arvensis (L.) I.M.Johnst., 408 App.
Bulnesia Gay, 42
Buril, M.T., 13–33
Burma, 215–217*
Bursera, 53
Buxus
braimbridgeorum E.Köhler, 119
Byrsonima
coriacea (Sw.) DC., 119

Caatinga, 13–33*, 36, 43–45, 51
Cáceres, O., 225–233
Cactaceae, 38, 51
Caecilius
equivocatus Mockford, 143
jamaicensis Turner, 143
pallidobrunneus Mockford, 143
Caesalpinia, 43
coluteifolia Griseb., 43
Calamagrostis
leonardii Chase, 98
Calendula
arvensis (Vaill.) L., 408 App.
Calophyllum L., 109
antillanum Britton, 88
brasiliense Cambess., 198–202
utile Bisse, 119
Calyptranthes Sw., 98
brasiliensis Spreng., 199–200
sericea Griseb., 109
syzygium Sw., 88
Cambodia, 423–428*
Campanula
anchusiflora Sm., 398
calaminthifolia Lam., 397–398
erinus L., 409 App.
heterophylla L., 398
laciniata L., 397, 399, 402
Campanulaceae, 396–399, 409 App.
Cantor, Theodore Edward
Chinese botanical collection of, 413–421*
Carduus
pycnocephalus L.
subsp. *pycnocephalus*, 408 App.
Caribbean Islands, 61–185*
Carpinus, 290
Caryophyllaceae, 353–389*, 394, 396–397, 399, 409 App.
subfam. Alsinoideae, 353
Cecropia
pachystachya Trécul, 199
peltata L., 109, 134
schreberiana Miq., 127
Cedrela P.Browne, 225–233*
cubensis Bisse, 231
fissilis Vell., 231
nebulosa T.D.Penn & A.Daza, 226, 231
ngobe Köcke, T.D.Penn. & Muellner, 225–233 [**226**, 227 Fig., 229 Figs, 230 Map]
odorata L., 88, 199–201, 226, 231
saltensis Zapater & del Castillo, 226, 231
tonduzii C.DC., 231
Ceiba
pentandra (L.) Gaertn., 109
Centaurea
laconica Boiss.
subsp. *linearioloba* (Halácsy) Wagenitz & E.Gamal-Eldin, 398
raphanina Sm.
subsp. *mixta* (DC.) Runemark, 398
Centaurium
tenuiflorum (Hoffmanns. & Link) Fritsch
subsp. *tenuiflorum*, 410 App.
Central America, 243–341*
Centranthus
calcitrapae (L.) Dufr., 412 App.
Centropogon
talamancensis Wilbur, 308
Cereus
tacuaralensis Cárdenas, 51
Cerrado, 13–33*, 36, 53, 191–208*
Cestrum L., 98, 127

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Ceuthocarpus
involucratus (Wernham) Aiello, 119
Chaco, 36, 42–43, 51, 53
Chenopodiaceae, 397, 399, 409 App.
Cherleria L., 355, 366
a. *Somerauera* (Hoppe) Rchb., 355
imbricata Ser., 362, 366
octandra Sieber, 362, 366
octandra Sieber ex Spreng., 362, 366
Chiquitania, 35–60*
Chloroleucon
chacoënse (Burkart) Barneby & J.W.Grimes, 43
Chorology
on Folegandros Island, 395, 407
Chusan, China, 413–421
Chusquea, 308
Cinnamomum Schaeffer, 289
Citronella
gongonha (Mart.) R.A.Howard, 199–201
Clethra
alexandri Griseb., 142
fragrans L.M.González & R.Delgad., 295
occidentalis (L.) Kuntze, 142
pringlei S.Watson, 289
Climatic niche modelling, 228, 230
Clinopodium
jaliscanum (McVaugh & Schmid) Govaerts, 295
Clusia L., 109, 308
clusioides (Griseb.) D'Arcy, 98, 109, 127
criuva Cambess., 199
havetioides (Griseb.) Planch. & Triana, 142
major L., 109
mangle Rich. ex Planch. & Triana, 109–110
plukenetii Urb., 109
rosea Jacq., 109, 127
tetrastigma Vesque, 81
Coccoloba
pauciflora Urb., 127
wrightii Lindau, 119
Cojoba
arborea (L.) Britton & Rose, 81, 134, 259
Collaea
paraguariensis (Hassl.) R.C.Garcia, 47, 49–50 [50 Map]
Colobanthus Bartl., 353
Colubrina
elliptica (Sw.) Brizicki & W.L.Stern, 119
Columbus, Christopher, 61–185*
Comocladia
pinnatifolia L., 134
Comocladium P.Browne, 109
Conservation assessments, 243–341*
of *Cedrela*, 225–233*
of Podocarpaceae, 61–185*
Conservation on Folegandros Island, 397–400
Convolvulaceae, 13–33, 409 App.
Cordia
alliodora (Ruiz & Pav.) Oken, 37
collococca L., 109
gerascanthus L., 274
Coronilla
scorpioides (L.) W.D.J.Koch, 409 App.
Corthylus
simplex S.L.Wood, 308
Corticium
calceum (Pers.) Fr., 110
Corylopsis, 413–421*
grata Griff., 413, 418
griffithii Hemsl., 413, 418
himalayana Griff., 418
var. *griffithii* (Hemsl.) B.D.Morley & J.M.Chao, 418
Corynelia Ach., 110
jamaicensis Fitzp., 89, 99, 110, 134–135
oreophila (Speg.) Starb., 110, 279, 308
portoricensis (F.L.Stev.) Fitzp., 99, 110
tripos Cooke, 143
tropica (Auers. & Rab.) Starb., 308
Coryneliaceae, 110
Costa Rica, 225–233*, 243–341*
Crassulaceae, 409 App.
Crawfurdia Wall., 429
Crepis L., 393
foetida L.
subsp. *rhoeadifolia* (M.Bieb.) Čelak., 408 App.
hellenica Kamari
subsp. *hellenica*, 398
sancta (L.) Bornm., 408 App.
Crocus
cartwrightianus Herb., 400, 410 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

laevigatus Bory & Chaub., 400, 410 App.
tournefortii J.Gay, 400
Crossolejeunea, 143
Cuba, 61–185*
Cucurbitaceae, 409 App., 413–421*
Curculionidae, 308
Cuscuta
palaestina L., 409 App.
Cuticle, of *Cedrela*, 225–233* [229 Figs]
Cyathea
arborea (L.) Sm., 81, 110
atrovirens (Langsd. & Fisch.) Domin, 199–200
Cyclamen
graecum Link subsp. *graecum*, 399
Cynoglossum
columnae Ten., 408 App.
Cyrilla L., 109
racemiflora L., 81, 142

Dacryodes, 109
excelsa Vahl, 109
Danthonia
domingensis Hack. & Pilg., 98
Daphnopsis Mart., 98
DARY, C., 423–428
Daucus
guttatus Sm. subsp. *guttatus*, 408 App.
Dendroica
angelae Kepler & Parkes, 110
Dendropanax
cuneatus (DC.) Decne. & Planch., 199–200
Dendrophthora
cupressoides (Macf.) Eichl., 120
podocarpicola Leiva, 120, 183 App.
scopulata Kuijt, 308
Dentaria, 10
Desmanthus
hexapetalus J.F.Macbr., 49
DEY, S.K., 429–436
Dianthus
fruticosus L. subsp. *amorginus* Runemark, 397, 399, 402
Dichaea
hookeri Garay & H.R.Sweet, 110
Dicotyledones of the Kiklades, 394
Dicranopteris Bernh., 127
Didymocarpus
cortusifolius (Hance) H.Lév., 235
Didymopanax
attenuatus (Sw.) Marchal, 109–110
DILLENBERGER, M.S., 353–389
Dioon
tomasellii De Luca *et al.*, 295
Diospyros
tetrasperma Sw., 155, 182 App.
Dipholis
jubilla Ekman ex Urb., 119
nigra (Sw.) Griseb., 134
Diplycosia Blume, 239–242*
hirsuta Sleumer, 241
kjellbergii J.J.Sm., 241
mekonggaensis Argent & Widjaja, **239**–242 [240 Fig.]
undata J.J.Sm., 239, 241
Distribution patterns
of *Jacquemontia*, 13–33
of Podocarpaceae, 61
of woody legumes, 35–60
Ditta
maestrensis Borhidi, 98
Dittrichia Greuter, 393
Dominican Republic, 61–185*
Drimys J.R.Forst. & G.Forst., 308
granadensis L.f., 289
Dry Forests, 13–33*
neotropical, 35–60*
Drypetes
lateriflora Krug & Urb., 88
Dufourea Ach., 356
Dufourea Gren., 355–356
cerastiifolia (Ramond ex DC.) Gren., 355, 359

Eastern Himalaya, 429–436*
Ebenaceae, 155
Echemepteryx
montana Turner, 143
Echium
diffusum Sm., 408 App.
parviflorum Moench, 409 App.
plantagineum L., 409 App.
Ecoregions, 61–185*, 243–341*
Ecuador, 343–352*
Elaphoglossum
alfredii Rosenst., 308

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Elionurus
muticus (Spreng.) Kuntze, 48
ENDARA, M.J., 187–188 Rev.
Endemism, 36, 42–45, 49–51
in *Eriocaulon*, 219–223*
in *Jacquemontia*, 13–33
in the Kiklades, 391–412*
in *Podocarpus*, 61, 243–341
Engelhardia, 307
Enkylia, 414, 419
digyna Griff., 419–420
trigyna Griff., 420
Enterolobium
contortisiliquum (Vell.) Morong, 35, 41 Map, 47–48, 53
timbouva Mart., 48
Epidendrum
patens Sw., 110
Eremogone Fenzl, 354
Ericaceae, 209–213*, 239–242*
tribe Gaultherieae, 239–242*
Eriocaulaceae, 29, 219–223*
Eriocaulon L., 219
baramaticum Shimpale *et al.*, 219
belgaumensis Shimpale & S.R.Yadav, 219
biappendiculatum Manudev, Robi & Nampy, **219**–223 [221 Fig.]
cheemenianum P.Biju *et al.*, 219
collettii Hook.f., 220, 222
epedunculatum Potdar *et al.*, 219
gopalakrishnanum K.Rashmi & G.Krishnakumar, 219
kannurense Sunil *et al.*, 219
madayiparense Swapna *et al.*, 219
malabaricum Pradeep & Nampy, 219
nairii Chandrab. & V.Chandras., 219–220, 222
pykarense Nampy & Manudev, 219
robustum Steud., 220, 222
vandaanamense Sunil *et al.*, 219
wyanadense Vivek *et al.*, 219
Eriope, 29
Eriotheca
pentaphylla (Vell. & K.Schum.) A.Robyns, 199–200
Erodium
gruinum (L.) L'Hér., 410 App.
Eruca, 8, 10
sativa, 3, 9
Eryngium
amorginum Rech.f., 397, 398, 402
Erysimum
candicum Snogerup
subsp. *candicum*, 397–398, 402, 409 App.
senoneri (Heldr. & Sartori) Wettst.
subsp. *senoneri*, 398
Erythrostemon, 43
Escallonia
myrtilloides L.f., 259
Espinhaço Range, 13–33*
Eucalyptus
camaldulensis Dehnh., 410 App.
Eugenia
alpina (Sw.) Willd., 142
astringens Cambess., 199–200
biflora (L.) DC., 142
Euphorbia
exigua L., 409 App.
helioscopia L., 409 App.
peplus L., 409 App.
Euphorbiaceae, 409 App.
Euploca, 29
Euterpe
edulis Mart., 198–201
Exidiopsis
calcea (Pers.) K.Wells, 110
Exothea
paniculata Radlk., 127

Fabaceae, 25, 29, 215–217, 394, 397, 399, 409 App.
subfam. Caesalpinioideae, 215–217
Facchinia Rchb., 353–389* [**355**, 358 Maps]
cerastiifolia (Ramond ex DC.) Dillenb. & Kadereit, 353, 357–**359** [357 Fig., 358 Map], 361–362
cherlerioides (Sieber) Dillenb. & Kadereit, 353, 356–358 [357 Fig., 358 Map], **362**–363, 365–366
subsp. **aretioides** (Port. ex J.Gay) Dillenb. & Kadereit, 353, 358 Map, 363, **365**
subsp. **cherlerioides**, 358 Map, **363**
grignensis (Rchb.) Dillenb. & Kadereit, 353, 356–358 [357 Fig., 358 Map], **368**–370

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

herniarioides (Rion) Dillenb. & Kadereit, 353, 356–358 [357 Fig., 358 Map], 363, **370**–372 [372 Fig.]
lanceolata (All.) Rchb., 353, 355–359 [357 Fig., 358 Map], 370, **374**–376 [375 Fig.], 379, 383–384
rupestris (Scop.) Dillenb. & Kadereit, 353, 357–359 [357 Fig., 358 Map], **376**–377, 379–380, 383–384
valentina (Pau) Dillenb. & Kadereit, 353, 356–358 [357 Fig., 358 Map], 370, 383–387 [**384**, 385 Fig.]
Fagus
grandiflora Ehrh.
var. *mexicanus* (Martínez) Little, 289
Ferns of the Kiklades, 408 App.
Fibigia
lunarioides (Willd.) Sm., 398
Ficus
harrisii Warb., 142
pulchella Schott, 199–200
trigonata L., 88
Filago
cretensis Gand.
subsp. *cretensis*, 398
Flora of the Kiklades, 391–412
Foeniculum
vulgare Mill., 408 App.
Fogel, T., 1–11
Folegandros Island, Greece, 391–412 [392 Map]
Forests, distinguishable types of, 191–208
Fritillaria
ehrhartii Boiss. & Orph., 400
Fumaria
capreolata L., 411 App.

Gagea
graeca (L.) Irmsch., 410 App.
peduncularis (J.Presl & C.Presl) Pascher, 410 App.
Galium
amorginum Halácsy, 397, 399, 402
murale (L.) All., 411 App.
setaceum Lam., 411 App.
spurium L., 411 App.
verrucosum Huds., 412 App.
Garrya
fadyenii Hook., 81, 98, 127
Gaultheria
domingensis Urb., 98
Genavensia
longiseta Mahunka, 111
Gentiana, 429, 435
sect. *Otophora* Kusn., 429
infelix C.B.Clarke, 429
Gentianaceae, 410 App., 429–436*
subtribe Gentianinae, 429
Geoffroea
spinosa Jacq., 49
Geonoma
schottiana Mart., 199–200
Georgiadis, T., 391–412
Georgiou, O., 391–412
Geraniaceae, 410 App.
Geranium
molle L., 410 App.
purpureum Vill., 410 App.
Gesneriaceae, 235–238*
Glaucium
corniculatum (L.) Rudolph, 411 App.
flavum, 411 App.
Gomidesia
lindeniana O.Berg, 81, 127
Gomphogyne, 414
cissiformis Griff., 419
Goniorrhachis Taub., 44
marginata Taub., 44
Gordonia
angustifolia (Britt. & Wils.) P.Keng, 81
haematoxylon Sw., 142
wrightii (Griseb.) H.Keng, 81
Gramineae, 38
Greece, 391–412 [392 Map]
Grias L., 274
Griffith, William
species described by, 413–421
Guaiacum
unijugum Brandegee, 15
Guapira
rufescens (Heimerl.) Lundell, 119
Guarea
glabra Vahl, 142
macrophylla Vahl, 199
trichilioides L., 88
Guatemala, 243–341*
Guatteria
caribaea Urb., 109
pungens Urb. & Ekman, 109

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Gymnospermae of the Kiklades, 394
Gynostemma
pentaphyllum (Thunb.) Makino, 420
Gyrocheilos W.T.Wang, 235–238*
chorisepalum W.T.Wang, 235, 237
lasiocalyx, 237
microtrichum W.T.Wang, 235, 237
orbiculatum D.J.Middleton, 235–238 [236 Fig., **237**]
retrotrichum, 237

Haematoxylum L., 43
Haenianthus
salicifolius Griseb., 127
Hainardia
cylindrica (Willd.) Greuter, 411 App.
Haiti, 61–185*
Hamamelidaceae, 418
Handroanthus
umbellatus (Sond.) Mattos, 199–201
Hanin, N., 1–11
Hedyosmum Sw., 110
nutans Sw., 119
Hedypnois
rhagadioloides (L.) F.W.Schmidt subsp. *tubaeformis* (Ten.) Hayek, 408 App.
Hedysarum
spinosissimum L., 409 App.
Heliocarpus
appendiculatus Turcz., 264
Heliotropium, 29
Heliscus
tropicus (Percheron), 279
Hemicrambe
fruticulosa, 4, 9–10
Hemipsocus
roseus (Hagen), 143
Herbivory, 187–188 Rev.
Hieronyma
nipensis Urb., 119
Himalaya, Eastern, 429–436*
Hippocrepis
unisiliquosa L., 409 App.
Hirschfeldia
incana, 3–4, 7–10
Hispaniola, 61–185*
Hoffmannseggia Cav., 43
Honduras, 243–341*
Hordeum
murinum L.
subsp. *leporinum* (Link) Arcang., 411 App.
Hul, S., 423–428
Humiriastrum
diguense (Cuatrec.) Cuatrec., 259
Hyoseris
scabra L., 408 App.
Hypericaceae, 410 App.
Hypericum
pycnophyllum Urb., 98
triquetrifolium Turra, 410 App.
Hypochaeris
cretensis (L.) Bory & Chaub., 408 App.

Ilex L., 127, 308
dumosa Reissek, 199–200
impressa Loes. & Ekman, 127
macfadyenii, 142
obcordata Sw., 142
pseudobuxus Reissek, 198
theezans Mart. ex Reissek, 199–200
India, 209–213*
Kerala, 219–223*
Munnar, 219–223*
southern Western Ghats, 219–223
Indiopsocidus
jamaicensis Turner, 143
Indonesia, 239–242*
Inga
coruscans Humb. & Bonpl. ex Willd., 109
laurina (Sw.) Willd., 199–200
Internal transcribed spacer (ITS), 1–11*
Iridaceae, 29, 397, 400, 410 App.
IUCN conservation assessments, 225–233*, 243–341*
Ixonanthes
dodecandra Griff., 415
icosandra Jack, 415
"*subdodecandra*", 415
Ixora
ferrea (Jacq.) Benth., 109

Jabbour, F., 423–428
Jacquemontia Choisy, 13–33 [28 Map]
agrestis (Mart. ex Choisy) Meisn., 16–17, 19 Map
bahiensis O'Donell, 18, 23 Map, 29
bifida (Vell.) Hallier f., 17, 22 Map
blanchetii Moric., 17, 20 Map

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

capitellata Choisy, 18, 26 Map
cephalantha (Dammer) Hallier f., 14
choisyana Meisn., 16, 18, 23 Map
chrysanthera Buril, 18, 23 Map
ciliata Sandwith, 16–17, 19 Map
corymbulosa Benth., 17, 22 Map
cuyabana Hoehne, 18, 23 Map
decipiens Ooststroom, 18, 26 Map, 30
decumbens O'Donell, 18, 23 Map
diamantinensis Buril, 18, 26 Map, 29
estrellensis Krapov., 17, 22 Map, 25
ferruginea Choisy, 30
  var. *ambigua* Meisn., 18, 23 Map, 29–30
  var. *ferruginea*, 16, 18, 24 Map, 30
fruticulosa Hallier f., 18, 24–25 [24 Map]
fusca (Meisn.) Hallier f., 18, 24 Map
glaucescens Choisy, 16–17, 20 Map, 29
gracilis Choisy, 17, 20 Map
gracillima (Choisy) Hallier f., 17, 21 Map, 29
grisea Buril, 18, 26 Map, 30
guaranitica Hassl., 17, 20 Map, 25
guyanensis (Aubl.) Meisn., 16–17, 20 Map, 30
heterantha (Nees & Mart.) Hallier f., 16–17, 20 Map
holosericea (Weinm.) O'Donell, 17, 22 Map
lasioclados (Choisy) O'Donell, 18, 26 Map
linarioides Meisn., 18, 26 Map
linoides (Choisy) Meisn., 18, 24 Map
macrocalyx Buril, 18, 27 Map
martii Choisy, 17, 21 Map
nodiflora (Desr.) G.Don, 17, 21 Map
ochracea Sim.-Bianch. & Pirani, 18, 27 Map
ovalifolia (Choisy) Hallier, 14
pentanthos (Jacq.) G.Don, 16–17, 19 Map
racemosa Meisn., 18, 24 Map
revoluta Sim.-Bianch., 16, 18, 27 Map, 30
robertsoniana Buril & Sim.-Bianch, 18, 27 Map, 30
rojasiana O'Donell, 16, 18, 27 Map
selloi Hallier, 16, 18, 24 Map
sphaerocephala Meisn., 17, 21 Map, 25
sphaerostigma (Vahl) Choisy, 16–17, 19 Map
spicaeflora (Choisy) Hallier, 18, 25 Map
staplesii Buril, 18, 27 Map, 29–30
subsessilis Moricand, 14
tamnifolia (L.) Griseb., 16–17, 19 Map
uleana Hallier, 18, 25 Map
unilateralis (Roem. & Schult.) O'Donell, 17, 22 Map
velutina Choisy, 17, 21 Map
villosissima Ooststroom, 14
Jamaica, 61–185*
Juniperus L., 98
  barbadensis L., 88
  gracilior Pilg., 98
    var. *gracilior*, 98
    var. *ekmanii* (Florin) R.P.Adams, 98

Kadereit, J.W., 353–389
Kerala, India, 219–223*
Keys
  to *Facchinia*, 356, 358–359
  to *Gyrocheilos*, 235, 237
  to *Minuartia*, 354–355
  to *Podocarpus*, 61, 72–75, 243, 256–257, 281
Kiklades, Greece, 391–412 [392 Map]
Kim, S., 423–428
Köcke, A.V., 225–233
Kougioumoutzis, K., 391–412
Krugiodendron
  ferreum Urb., 88
Kuepferia Adr.Favre, 429–430
  infelix (C.B.Clarke) Adr.Favre, 429
  leucantha (Harry Sm. ex T.N.Ho & S.W.Liu) Adr.Favre, 429–433 [433 Fig.]
  pringlei D.Maity & Sentu K.Dey, 429–436* [**430**, 433–434 Figs]
Kurtz, B.C., 191–208

Lactuca
  acanthifolia (Willd.) Boiss., 408 App.
Lagenulopsis
  bispora (Sydow) Fitzp., 143, 279
Lagetta
  lagetto (Sw.) Nash, 134
Lamiaceae, 29, 394, 410 App.
Lamium
  moschatum Mill., 410 App.
Lathyrus
  aphaca L., 409 App.
  cicera L., 409 App.
  clymenum L., 409 App.
  setifolius L., 409 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Lauraceae, 308
Leaf defence, 187–188 Rev.
Lectotypification
in *Bauhinia*, 215–217
of Griffith's Chinese plant names, 413–421*
in Podocarpaceae, 61–185*
in *Stephania*, 423–428*
Leeward Islands, 62
Leguminosae, 35–60* [40–41 Maps]
subfam. Caesalpinioideae, 42, 44
subfam. Mimosoideae, 36, 38, 42, 44
subfam. Papilionoideae, 42, 44
Leiothrix, 29
Lejeunea
flava (Sw.) Nees, 143
Lentibulariaceae, 88
Lentinus
crinitus (L.) Fr., 110
Lepanthes
aurea Urb., 110
Lesser Antilles, 61–185*
Leucaena, 43
Leucopogon, 417
ophirensis Griff., 413, 417
Life forms on Folegandros Island, 395
Liliaceae, 397, 400, 410 App.
Limonium
doerfleri (Halácsy) Rech.f., 399
ocymifolium (Poir.) Kuntze, 399
Linaceae, 410 App.
Linaria
triphylla (L.) Mill., 412 App.
Linum
bienne Mill., 410 App.
strictum L.
subsp. *strictum*, 410 App.
Liquidambar L., 288, 308
Lobelia L., 127
areolata Rich. ex Juss., 110
flavescens (A.DC.) E.Wimm., 110
stricta Sw., 110
Lophocarpinia Burkart, 42–43
Lotus
ornithopodioides L., 409 App.
Luetzelburgia Harms, 44–45
andina D.B.O.S.Cardoso, L.P.Queiroz & H.C.Lima, 45
andrade-limae H.C.Lima, 45
auriculata (Allemão) Ducke, 45
bahiensis Yakovlev, 45
harleyi D.B.O.S.Cardoso, L.P.Queiroz & H.C.Lima, 45
neurocarpa D.B.O.S.Cardoso, L.P.Queiroz & H.C.Lima, 45
purpurea D.B.O.S.Cardoso, L.P.Queiroz & H.C.Lima, 45
sotoi D.B.O.S.Cardoso, L.P.Queiroz & H.C.Lima, 45, 51
Lyonia Nutt., 98
tuerkheimii Urb., 98
urbaniana (Sleumer) J.Jiménez Alm., 98
Lysiphyllum (Benth.) de Wit, 215–217*
diphyllum (Banks) de Wit, **216**

Maciel, J.R., 13–33
Macrocarpaea
pinetorum Alain, 119
Macrohasseltia
macroterantha (Standl. & L.O.Williams) L.O.Williams, 274
Magnolia L., 308
cubensis Urb.
subsp. *cubensis*, 81
guatemalensis Donn.Sm., 307
hamorii R.A.Howard, 127
ovata (A.St.-Hil.) Spreng., 198–201
pacifica A.Vázquez
subsp. *pacifica*, 295
pallescens Urb. & Ekman, 98, 127
portoricensis Bello, 109
schiedeana Schltdl., 289
sharpii Miranda, 289
Maity, D., 429–436
Malva
parviflora L., 410 App.
pusilla Sm., 410 App.
Malvaceae, 51, 410 App.
Mangifera
oppositifolia Roxb., 415
Manilkara
excisa (Urb.) H.J.Lam, 134
Manudev, K.M., 219–223
Mao, A.A., 209–213
Marcgravia
umbellata L., 109
Matayba
domingensis (DC.) Radlk., 81, 109
Matthiola
incana (L.) R.Br., 409 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Maytenus
gonoclada Mart., 199–200
Mcneillia Dillenb. & Kadereit, 354
Mecranium Hook.f., 159
Medicago
disciformis DC., 409 App.
polymorpha L., 409 App.
truncatula Gaertn., 409 App.
Meliaceae, 225–233*
subfam. Swietenioideae, 225
tribe Cedreleae, 225
Melica
minuta L., 411 App.
Meliosma
idiopoda S.F.Blake, 289
Menispermaceae, 423–428
Metagentiana T.N.Ho & S.W.Liu, 429
Mexico, 243–341*
Miconia Ruiz & Pav., 98
alternifolia (Griseb.) Alain, 119
cinnamomifolia (DC.) Naudin, 199–200
confertiflora Almeda, 308
punctata (Desr.) D.Don, 81
Microendemicity, 15
Micropholis
chrysophylloides Pierre, 109
guyanensis (A.DC.) Pierre, 109
Middleton, D.J., 235–238
Mikania Willd., 16
Mill, R.R., 61–185, 243–341
Mimosa, 29
Mimosaceae, 29
Mimozyganthus Burkart, 42
Mimusops
excisa Urb., 134
Minas Gerais, Brazil, 13–33
Minuartia L., 353–389*
subgen. *Minuartia*, 355
sect. *Lanceolatae* (Fenzl) Graebn., 355, 387
sect. *Minuartia*, 353
sect. *Plurinerviae* McNeill, 353
sect. *Siebera* (Hoppe) Graebn., 355
sect. *Someraueria* (Hoppe) Mattf., 355
ser. *Cerastiifoliae* Mattf., 355
ser. *Dianthifoliae* Mattf., 355
ser. *Graminifoliae* Mattf., 355
ser. *Grigneensis* Mattf., 355, 387
ser. *Lanceolatae*, 387
aretioides (Port. ex J.Gay) Schinz & Thell., 365
subsp. *aretioides*, 365
subsp. *cherlerioides* (Sieber) Mattf., 362
subsp. *rionii* (Gremli) Mattf., 370
var. *rionii* (Gremli) Schinz & Thell., 370
cerastiifolia (Ramond ex DC.) Graebn., 355, 359
cherlerioides (Sieber) Bech., 362
subsp. *cherlerioides*, 362–363
subsp. *quadrifaria* (Hoppe) Wraber, 365
subsp. *rionii* (Gremli) Friedrich, 363, 370
flaccida
subsp. *grineensis* (Gren. & Godr.) Graebn., 369
"*grigneensis*" (Rchb.) Mattf., 355
grineensis (Gren. & Godr.) Chenevard, 369
grineensis (Gren. & Godr.) Mattf., 369
grineensis (Thomas) Mattf., 355
herniarioides (Rion) H.E.Hess, 370
lanceolata (All.) Mattf., 374
subsp. *clementei* (Huter) Mattf., 374
subsp. *rupestris* (Scop.) Mattf., 377
paui (Willk. ex Herv.) Graebn., 384
rupestris (Scop.) Schinz & Thell., 377, 379
subsp. *clementei* (Huter) G.Halliday ex Greuter & Burdet, 353, 374, 376
f. *usneoides* (Rchb.) Schinz & Thell., 377
valentina (Pau) Favarger & P.Monts. ex Muñoz Garm. & Pedrol, 384
valentina (Pau) Mateo & Figuerola, 384
valentina (Pau) Sennen, 384
verna (L.) Hiern, 387
subsp. *paui* (Willk. ex Herv.) Rivas Goday & Borja, 384
subsp. *valentina* (Pau) Font Quer, 384
villarsii
var. *grineensis* (Gren. & Godr.) Wilczek & Chenevard, 369
Minuartiella Dillenb. & Kadereit, 354
Moehringia
thomasiana J.Gay ex Bertol., 368–369
Mogni, V.Y., 35–60
Molecular phylogeny
of *Raphanus*, 1–11

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Monarthrum
nevermannii (Schedl), 308
Monocotyledones of the Kiklades, 394
Monographic revision
of Podocarpaceae (*Podocarpus*), 61–185, 243–341
Morella
shaferi (Urb. & Britton) Berazain & Falcón, 119
Morphology
of *Cedrela*, 225–233* [229 Figs]
of *Raphanus*, 1–11*
Muellner-Riehl, A.N., 225–233
Mummenhoff, K., 1–11
Munnar, India, 219–223*
Muscari
commutatum Guss., 408 App.
cycladicum P.H.Davis & D.C.Stuart subsp. *cycladicum*, 391, 400, 408 App.
Myadestes
genibarbis Swainson, 143
Myrceugenia
ovata (Hook. & Arn.) O.Berg, 198
Myrcia
laruotteana Cambess., 199–201
martinicensis Krug & Urb., 109
multiflora (Lam.) DC., 199–200
palustris DC., 199–200
pubipetala Miq., 199–200
racemosa (O.Berg) Kiaersk., 199
Myrcianthes
fragrans (Sw.) McVaugh, 142
Myrica
shaferi Urb., 119
Myrsine
coriacea (Sw.) R.Br. ex Roem. & Schult., 81, 98
leuconeura Mart., 198
Myrtaceae, 410 App.
Mysanthus G.P.Lewis & A.Delgado, 44
uleanus (Harms) G.P.Lewis & Delgado-Selinas, 44

Nageia
aristulata (Parl.) Kuntze, 82, 180 App.
coriacea (Rich.) F.Muell., 99, 180 App.
coriacea (Rich.) Kuntze, 99, 180 App.
purdieana (Hook.) F.Muell., 128, 180 App.
purdieana (Hook.) Kuntze, 128, 180 App.
Nampy, S., 219–223
Natura 2000 Network, 397–400
Neatostema
apulum (L.) I.M.Johnst., 409 App.
Nectandra Rolander ex Rottb., 289
coriacea (Sw.) Griseb., 88, 119
membranacea (Sw.) Griseb., 134
sanguinea Rol. ex Rottb., 134
Neotropical swamp forests, 191–208
Nephrolepis
rivularis (Vahl) Mett., 110
New species
of *Cedrela*, 225–233*
of *Diplycosia*, 239–242*
of *Eriocaulon*, 219–223
of *Gyrocheilos*, 235–238
of *Kuepferia*, 429–436
of *Rhododendron*, 209–213*
Nicaragua, 243–341*
Niche model, for *Cedrela*, 225–233*
Nigella
degenii Vierh. subsp. *degenii*, 399
doerfleri Vierh., 399
Notobasis
syriaca (L.) Cass., 408 App.

Oakley, L.J., 35–60
Ocotea Aubl., 109, 289
acunaiana Bisse, 109
coriacea (Sw.) Britton, 119
cuneata (Griseb.) M.Gómez, 81
floribunda (Sw.) Mez, 81
leucoxylon Benth. & Hook.f., 119
leucoxylon (Sw.) Laness., 81–82
nemodaphne Mez, 82
pulchella (Nees & Mart.) Mez, 199
wrightii (Meisn.) Mez, 82, 127
Olea
europaea L., 410 App.
Oleaceae, 410 App.
Onobrychis
aequidentata (Sm.) d'Urv., 409 App.
caput-galli Lam., 409 App.
Ononis
ornithopodioides L., 409 App.
viscosa L. subsp. *sieberi* (DC.) Širj., 409 App.
Onosma
graecum Boiss., 409 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Ophrys
ferrum-equinum Desf., 410 App.
fusca Link
subsp. *fusca*, 410 App.
subsp. *iricolor* (Desf.) K.Richt., 411 App.
lutea Cav.
subsp. *galilaea* (H.Fleischm. & Bornm.) Soó, 411 App.
subsp. *lutea*, 411 App.
omegaifera H.Fleischm., 411 App.
spruneri Nyman
subsp. *spruneri*, 400, 411 App.
tenthredinifera Willd., 411 App.
Orchidaceae, 29, 356, 397, 400, 410 App.
Ornithogalum
narbonense L., 408 App.
Orobanchaceae, 411 App.
Orobanche
minor Sm., 411 App.
pubescens d'Urv., 411 App.
Ostrya Scop., 308
Otholobium
higuerilla (Gillies ex Hook.) J.W.Grimes, 43
Oxandra
lanceolata Baill., 98

Palicourea Aubl., 127
padifolia (Willd. ex Roem. & Schult.) C.M.Taylor & Lorence, 315
Panama, 225–233*, 243–341*
Panus
wrightii (Berk & M.A.Curt.) Sacc., 110
Papaver
rhoeas L.
var. *rhoeas*, 411 App.
var. *strigosum* Boenn., 411 App.
Papaveraceae, 411 App.
Parietaria
judaica L., 412 App.
Parsimony Analysis of Endemicity (PAE), 15–16, 28–29
Parulidae, 111
Passalidae, 279
Pennington, T.D., 225–233
Pera
glabrata (Schott) Poepp. ex Baill., 199–201
Pérez, Á.J., 343–352
Peripsocus
chekei Turner, 143
Persea Mill., 98
americana Miller, 289
krugii Mez, 127
Peru, 343–352*
Perxylobates
synlimes (Hammer), 111
Pfaffia, 29
Phanera, 215–217*
diphylla (Banks) Benth., 216
Pharomachrus
mocinno La Llave, 279
Phaseolus L., 44
Phelipanche
nana (Reut.) Soják, 411 App.
Philodendron Schott, 110
blanchetianum, 29
Phleum
arenarium L., 411 App.
exaratum Griseb.
subsp. *aegaeum* (Vierh.) Doğan, 400
Phloeotribus
atavus S.L.Wood, 308
Phragmites
australis (Cav.) Steud., 411 App.
Phycopeltis Millardet, 143
Phylogeny
of *Cedrela*, 231
of *Raphanus*, 1–11
Phytogeography, 35–60*, 191–208*
of the Kiklades, 391–412*
Phytolacca
dioica L., 25
Phytolaccaceae, 25
Phytosociology, 191–208
Pimpinella
pretenderis (Heldr.) Orph. ex Halácsy, 397–398, 402
Pinguicula
lignicola Barnh., 88, 120, 153
Pinus L., 61, 308, 384
cubensis Sarg. ex Griseb., 119
douglasiana Martínez, 295
jaliscana Pérez de la Rosa, 295
maximinoi H.E.Moore, 295
occidentalis Sw., 98
oocarpa, 295
roxburghii Sarg., 212

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Piptadenia
viridiflora (Kunth) Benth., 35, 41 Map, 47–49
Piptadeniopsis Burkart, 42
lomentifera Burkart, 42
Piptatherum
miliaceum (L.) Coss., 411 App.
Pitcairnia
bifrons (Lindl.) Read, 110
Pithecellobium
arboreum Urb., 98
Pittosporum
undulatum Vent., 142–143
Plant diversity, 191–208*
Plantaginaceae, 411 App.
Plantago
afra L., 411 App.
Pleistocene Arc Theory (PAT), 13–33*, 35–60* [38 Map]
distribution pattern, 45–49
Plumbaginaceae, 397, 399
Poa
timoleontis Boiss., 411 App.
Poaceae, 25, 363, 394, 397, 400, 411 App.
Podocarpaceae, 61–185*, 243–341*
Podocarpus L'Hér. ex Pers., 61–185* [**69**], 243–341*
subgen. *Foliolatus* de Laub., 72, 317
subgen. **Podocarpus**, 71–**73**, 254–**256**, 311, 317
sect. *Lanceolatus* de Laub. ["*Lanceolatis*"], 71, 254
sect. *Nemoralis* de Laub., 71, 254
sect. *Podocarpus* ["*Eupodocarpus*"], 71, 254
sect. *Pratensis* de Laub., 254
sect. *Pumilis* de Laub., 71, 156
allenii Standl., 245, 248–249, 264–265, 314, 337–338 App.
angustifolius Griseb., 61, 63–66, 71–72, 74–82 [**75**, 78 Fig., 80 Map], 86, 90 Fig., 95 Fig., 111, 117–118, 122, 125, 139, 145, 149–150, 155, 157, 162, 164, 180 App.
subsp. *angustifolius*, 64–65, 82, 144, 147, 180 App.
subsp. *buchii* (Urb.) J.Staszk., 64, 89, 96, 122, 180 App.
var. *angustifolius*, 64–65, 79, 86, 181 App.
var. *aristulatus* (Parl.) J.Staszk., 64–65, 79, 82, 96, 118, 139, 144, 150–151, 180–181 App.
var. *buchii* (Urb.) J.Staszk., 89, 180 App.
var. *latifolius* Florin, 122, 125, 180 App.
var. *leonii* (Carabia) J.Staszk. ["*leonis*"], 64–65, 79, 144–145, 147, 151, 180 App.
var. *wrightii* sensu Urb., non Pilg., 122, 181 App.
var. *wrightii* Pilg., 64, 79, 83, 87, 181 App.
f. *angustifolius*, 181 App.
f. *leonii* ["*leonis*"], 64, 79
f. *victorinianus* (Carabia) J.Staszk., 64, 79, 144, 147, 180–181 App.
angustifolius Niederl., non Griseb., 72
angustifolius sensu Orr, non Griseb., 181 App.
antarcticus hort. ex Carrière, 129
antillarum R.Br. ex Mirb., 99, 181 App.
aristulatus auct., non Parl., 89, 181 App.
aristulatus Parl., 61, 63–67, 71, 74–76, 79–80, **82**–89 [83 Fig., 87 Map], 90 Fig., 95 Fig., 99, 104, 117–118, 120, 125, 128, 133, 144–145, 149–151, 153, 155, 157, 164, 180–181 App., 296
subsp. *aristulatus*, 181 App.
subsp. *buchii* (Urb.) Silba, 89, 181 App.
var. *aristulatus*, 181 App.
var. *buchii* Silba ["*aristulatis* var. *buchii* (Urb.) Silba"], 89, 96, 181 App., 183 App.
aristulatus sensu Holmes, non Parl., 122, 181 App.
buchii Urb., 62–64, 66, 71, 74–75, 79, 84, 86, **89**–99 [90 Fig., 92 Fig., 94 Map, 95 Fig.], 113, 118, 122, 125, 127, 159, 164, 181 App.
var. *buchii*, 181 App.
var. *latifolius* Florin, 61, 63, 66, 96, 98, 120, 122, 125, 181 App., 183 App.
cardenasii J.Buchholz & N.E.Gray, 155
chinensis Sweet, 70
coriaceus auct., non Rich., 135, 137, 140, 143–144, 181 App.
coriaceus G.Karst., 281
coriaceus hort. ex Carrière, 181 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

coriaceus Rich., 62–64, 66, 68–69, 71–73, 89, **99**–111 [100 Fig., 102 Fig., 106 Map], 114 Fig., 128, 154–156, 161–162, 164, 181–182 App., 248, 307
var. *coriaceus*, 181 App.
var. *sulcatus* Pilg., 101, 181 App., 184 App.
coriaceus sensu Sauvalle, non Rich., 84, 145
costaricensis de Laub., 243, 245–246, 249–250, 252–254, **257**–264 [258 Fig., 260–261 Figs, 263 Map], 265, 275, 279, 296, 313, 318–319, 337 App.
curvifolius Carrière, 129
ekmanii Urb., 63–66, 71, 74–76, 79, 82, 84, 86, **111**–120 [112 Fig., 113 Map, 114–115 Figs], 149, 153, 155, 157, 181 App.
elongatus (Sol. ex Aiton) L'Hér. ex Pers., 61, 69–70, **154**–155, 181 App., 256
guatemalensis sensu Reiche, non Standl., 281, 337 App.
guatemalensis Standl., 155, 243, 245–246, 248–249, 254, 256, 259, 261 Fig., **264**–275 [266 Fig., 268 Fig., 270 Map], 279, 310–311, 313–318, 337 App.
subsp. *allenii* (Standl.) Silba, 264, 337 App., 339 App.
subsp. *pinetorum* (Bartlett) Silba, 264, 337 App.
var. *allenii* (Standl.) J.Buchholz & N.E.Gray, 245, 249, 264, 269, 274, 337–338 App.
var. *guatemalensis*, 245, 249, 269, 337 App.
var. *pinetorum* (Bartlett) J.Buchholz & N.E.Gray, 245, 249, 269, 337 App.
henkelii Stapf ex Dallim. & A.B.Jacks., **309**–310
hispaniolensis de Laub., 62–64, 66, 71, 73, 75, 91, 96, 98, 114–115 Figs, **120**–128 [121 Fig., 126 Map], 155–156, 159, 164, 182 App.
jamaicensis hort. ex Gordon, 182 App.
jamaicensis Nelson, 101, 128, 135, 182 App.
lambertii Klotzsch ex Endl., 72, 155
leonii Carabia, 63–64, 66–67, 86, 145, 147, 150–152, 182 App.
macrophyllus (Thunb.) Sweet, 72, 105, **153**–154, 182 App.
var. *maki* Siebold, 154
macrostachyus auct., non Parl., 296–297, 337–338 App.
macrostachyus Parl., 245, 250–253, 259, 308
magnifolius J.Buchholz & N.E.Gray, 243–245, 254, 257, 262, 297, **309**
matudae Lundell, 243, 245–248, 252, 254, 256, 259, 270–271, **275**–296, 310–315, 317–318, 338 App.
subsp. **jaliscanus** (de Laub. & Silba) Silba, 243, 245, 247–248, 277, 281, **290**–296 [291–293 Figs, 294 Map], 312, 318, 320, 338 App.
subsp. *macrocarpus* (J.Buchholz & N.E.Gray) Silba, 243, 281, 338 App.
subsp. **matudae**, 243, 248, 270, 277, 280–289 [**281**, 282–283 Figs, 285 Map, 291 Fig.], 312, 338 App.
subsp. *reichei* (J.Buchholz & N.E.Gray) Silba, 243, 338 App.
var. *jaliscanus* de Laub. & Silba, 245, 247, 279, 290, 338 App.
var. *macrocarpus* J.Buchholz & N.E.Gray, 245–247, 278–279, 281, 312, 338 App., 340 App.
var. *matudae*, 246–247, 278–279, 338 App.
var. *reichei* (J.Buchholz & N.E.Gray) de Laub. & Silba, 247, 279, 281, 338 App.
monteverdeensis de Laub., 243, 245, 250–251, 253–254, 259, 296–297, 299, 301, 306–309, 313, 338–339 App.
mucronatus hort. ex Carrière, 182 App.
nivalis Hook., 128
nubigenus Lindl., 71
oleifolius D.Don, 125, 128, 243, 245–246, 248, 250–254, 275, 297, 302, 306–311, 317–318
subsp. **costaricensis** (J.Buchholz & N.E.Gray) Silba, 243, 245, 252–253, 257, 259, 261 Fig., 265, 279, 283, **296**–311 [298 Fig., 300 Fig., 302 Map], 313–315, 317–318, 320, 338–339 App.
subsp. *oleifolius*, 297

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

var. *costaricensis* J.Buchholz & N.E.Gray, 245, 250–253, 257, 310, 338–341 App.
var. *macrostachyus* auct., non (Parl.) J.Buchholz & N.E.Gray, 296, 306, 309–310, 338 App.
var. *macrostachyus* (Parl.) J.Buchholz & N.E.Gray, 245, 250–253
var. *oleifolius*, 245, 251–252, 296, 338 App.
var. *trujillensis* J.Buchholz & N.E.Gray, 250–251
oleifolius sensu J.Buchholz & N.E.Gray, non D.Don, 338 App.
parlatorei DC., 181 App.
parlatorei Pilg., 72, 129, 155, 317
pendulifolius J.Buchholz & N.E.Gray, 307
pinetorum Bartlett, 245, 248–249, 264–265, 314, 338–339 App.
pittieri J.Buchholz & N.E.Gray, 104
purdieanus auct., non Hook., 182 App.
purdieanus Hook. ["*purdieana*"], 62–64, 71, 73, 75, 89, 101, 125, **128**–135 [130 Fig., 132 Fig., 133 Map], 137, 142, 144, 146 Fig., 155, 157, 160, 164, 182 App.
f. *parvifolia* Griseb., 84, 133, 182 App.
purdieanus hort. ex Carrière, 129
purdieanus sensu Griseb., non Hook. ["*purdieana*"], 84, 145, 182 App.
var. *nana* Griseb., 79
reichei J.Buchholz & N.E.Gray, 245–248, 259, 271, 279–281, 284, 289, 295, 338–340 App.
roraimae Pilg., 156
salicifolius auct., non Klotzsch & H.Karst. ex Endl., 182 App., 310, 338 App.
salicifolius Klotzsch & H.Karst. ex Endl., 104–105, 129, 133, 135, 259, 310
salicifolius sensu G.Karst., non Klotzsch & H.Karst. ex Endl., 281, 307
salicifolius sensu Griseb., non Klotzsch & H.Karst. ex Endl., 101, 110, 182 App.
salignus D.Don, 71, 155
sprucei Parl., 72, 155
standleyi J.Buchholz & N.E.Gray, 310, 338 App.
taxifolius Kunth, 182 App.
tetrasperma Sw., 155, 182 App.
trinitensis J.Buchholz & N.E.Gray, 62, 72–73, 104–105, 270
urbanii Pilg., 61–64, 66, 71, 73–75, 86, 102, 104, 117, 125, 129, 134–144 [**135**, 136 Fig., 140 Map], 146 Fig., 148 Fig., 154–157, 161, 164–165, 182 App.
victorinianus Carabia, 61, 63–67, 71, 74, 79, 82, 84, 86, 89, 104, 133, **144**–153 [146–148 Figs, 152 Map], 157, 164, 182 App.
yacca G.Don, 182 App.
Poincianella, 43
Polyphyly
in *Raphanus*, 1–11
Polypogon
maritimus Willd. subsp. *maritimus*, 411 App.
monspeliensis (L.) Desf., 411 App.
Populus
guzmanantlensis A.Vázquez & R.Cuevas, 295
Posidonia
oceanica (L.) Delile, 411 App.
Posidoniaceae, 411 App.
Pouteria
chrysophylloides (Mart.) Radlk., 109
Prado, D.E., 35–60
Prangos
ferulacea (L.) Lindl., 408 App.
Prestoea
montana (Graham) G.Nicholson, 110, 120, 127
Primulaceae, 397, 399, 411 App.
Prosopidastrum Burkart, 42
Prosopis L., 42–43
campestris Griseb., 43
elata (Burkart) Burkart, 42
fiebrigii Harms, 42
hassleri Harms, 42
kuntzei Harms, 42
nigra (Griseb.) Hieron, 42
nuda Schinini, 43
pugionata Burkart, 42
rojasiana Burkart, 42
ruscifolia Griseb., 42
vinalillo Stuck., 42
Protium, 199
spruceanum (Benth.) Engl., 199–201

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Prumnopitys
montana (Humb. & Bonpl. ex Willd.) de Laub., 182 App.
standleyi (J.Buchholz & N.E.Gray) de Laub., 283, 296, 310, 338 App.
Prunus
annularis Koehne, 259
occidentalis Sw., 81, 134
serotina, 289
Pseudobombax
pulchellum Carv.-Sobr., 51
Pseudocherleria Dillenb. & Kadereit, 354
Pseudotrimezia, 29
Psidium
cattleianum Sabine, 199–200
Psocoptera, 143
Psoralea
higuerilla Gillies ex Hook., 43
Psychotria L., 98, 127
Pteridaceae, 408 App.
Pteridium
aquilinum (L.) Kuhn, 98
Pteridophytes of the Kiklades, 394
Pterogyne
nitens Tul, 25, 35, 41 Map, 47–48
Ptilostemon
chamaepeuce (L.) Less., 408 App.
Publication dates for Vol. 71 (2014), 189
Puerto Rico, 61–185*

Quercus L., 308, 384
aristata Hook. & Arn., 295
costaricensis, 308
elliptica Née, 295
glaucescens Bonpl., 295
laeta Liebm., 295
laurina Bonpl., 295
magnoliifolia Née, 295
martinezii C.H.Mull., 295
scytophylla Liebm., 295
tuitensis L.M.González, 295
Quetzalia
guatemalensis (Sprague) Lundell, 289
Quidproquo, 1–11*
confusum Greuter & Burdet, 2, 7 Fig., 10

Radish, 1–11*
Raffenaldia
primuloides, 4, 8–9
Randia
aculeata L., 109
Ranunculaceae, 397, 399
Rapanea
ferruginea (Ruiz & Pav.) Mez, 98
Raphanus L., 1–11
sect. *Hesperidopsis* Boiss., 1–2, 6–7, 9–10
sect. *Raphanis* DC., 1, 5–6, 9–10
aucheri O.E.Schulz, 2
confusus (Greuter & Burdet) Al-Shehbaz & Warwick, 2–3, 5–9 [7–8 Figs]
pugioniformis Boiss., 1–3, 5–10 [7–8 Figs]
raphanistrum L., 1–3, 5–10 [7–8 Figs]
sativus L., 1–3, 5, 8–10 [8 Fig.]
var. *radicula*, 6
Red List assessment
of *Jacquemontia*, 13–33
Reichardia Roth, 393
Restinga, 193
Revisions
of *Facchinia*, 353–389*
of Podocarpaceae (*Podocarpus*), 61–185, 243–341
Rhagadiolus
stellatus (L.) Gaertn., 408 App.
Rhodalsine J.Gay, 354
Rhododendron L., 209–213*
subsect. *Maddenia* (Hutch.) Sleumer, 209
arboreum Sm., 212
arizelum Balf.f. & Forrest, 212
leptocarpum Nutt., 212
maddenii Hook.f., 209–210, 212
pseudomaddenii A.A.Mao & M.Bhaumik, 209–213 [**210**, 211–212 Figs]
xanthostephanum Merr., 212
Richeria
grandis Vahl, 109
Robi, A.J., 219–223
Rubiaceae, 397, 399, 411 App.
Rubus
cooperi D.G.Long, 212

Sabulina Rchb., 355
aretioides (Port. ex J.Gay) Hayek, 365
lanceolata (All.) Rchb., 374
α *cherlerioides* (Vill.) Rchb., 377
β *usneoides* Rchb., 377, 379–380
γ *rupestris* (Scop.) Rchb., 377
verna (L.) Rchb., 387
Sagina L., 353
Salpichlaena
volubilis (Kaulf.) J.Sm., 110

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Salsola
tragus L., 409 App.
Salvia
verbenaca L., 410 App.
viridis L., 410 App.
Samolus
valerandi L., 411 App.
Sapium P.Browne, 98
laurifolium (A.Rich.) Griseb., 134
Scandix
pecten-veneris L., 408 App.
Scarano, F.R., 191–208
Schefflera, 29, 308
attenuata (Sw.) Frodin, 109–110
tremula (Krug & Urb.) Alain, 88, 98, 127
Schinopsis Engl., 42
brasiliensis Engl., 25
Schmidtia Moench, 356, 363
Schmidtia Sieber, 355–356
cherlerioides Sieber, 355, 362–363, 366
Schmidtia Steud. ex J.A.Schmidt, 363
Scorzonera
cretica Willd., 398
mollis M.Bieb., 408 App.
Scrophularia
heterophylla Willd.
var. *heterophylla*, 399
lucida L., 412 App.
Scrophulariaceae, 397, 399, 412 App.
Seasonally Dry Tropical Forests (SDTFs), 35–39 [37–38 Maps, 39 Fig.], 45–49, 51, 53
Sebastiania
brasiliensis Spreng., 198
Senecio L., 98
lucidus (Sw.) DC., 110
Senegalia
emilioana (Fortunato & Ciald.) Seigler & Ebinger, 43
Senna, 29
Serapias
orientalis (Greuter) H.Baumann & Künkele
subsp. *orientalis*, 411 App.
Sesbania
macroptera Micheli, 49
Seseli
gummiferum Sm.
subsp. *crithmifolium* (DC.) P.H.Davis, 398
Setophaga
angelae (Kepler & Parkes), 110
Sherardia
arvensis L., 412 App.
Sideritis
romana L.
subsp. *curvidens* (Stapf) Holmboe, 410 App.
Sideroxylon
jubilla (Ekman ex Urb.) T.D.Penn., 119
portoricense Urb.
subsp. *portoricensis*, 134
Siebera Hoppe, 355–356
argentea Steud., 362, 366
cherlerioides Hoppe, 355, 362, 366
var. *foliis ciliatis* Fisch.-Oost., 370–371
cherlerioides Schrad., 362, 366
Sieberia Spreng., 355–356
Sikkim, 429
Silene
adelphiae Runemark, 399
cythnia (Halácsy) Walters, 397, 399
Silique, 1–11*
Simarouba
glauca DC., 134
Sinapis
alba, 3, 9
arvensis, 3, 9
Sisymbrium, 10
Sloanea, 109
amygdalina Griseb., 109
jamaicensis Hook., 134
massonii Sw., 110
Solanaceae, 29
Solanum
sect. *Petota* Dumort., 29
punctulatum Dunal, 142
Someraurea Hoppe, 355–356
"*aretioides*" Hoppe, 355
cerastiifolia (Ramond ex DC.) Á.Löve & D.Löve, 359
cherlerioides (Sieber) Á.Löve & D.Löve, 362
grignensis ["*grigneensis*"] (Rchb.) Á.Löve & D.Löve, 369
quadrifaria Hoppe, 355, 365–366
"*quadrifida*" Hoppe, 365
rupestris (Scop.) Á.Löve & D.Löve, 377
Sonchus
tenerrimus L., 408 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Sørensen's index, 401
Spathelia
pinetorum Vict., 119
Species richness, in Swamp forests, 198
Spergularia
diandra (Guss.) Boiss., 409 App.
media (L.) C.Presl, 409 App.
Steinbachiella
leptoclada Harms, 47, 51–52 [52 Map]
Stellaria
rupestris Scop., 376–377, 379
Stemonitopsis
hyperopta (Meyl.) Nann.-Bremek., 82
Stenodrepanum Harms, 42–43
Stenostomum
oliganthum (Urb.) Borhidi, 98
Stephania Lour., 423
erecta Craib, 423–428*
oblata Craib, 424
pierrei Diels, 423–428* [**424**, 425 Fig., 426 Map]
Sternbergia
greuteriana Kamari & Artelari, 397, 399, 402, 408 App.
Stevia
reticulata Grashoff, 295
talpensis Grashoff, 295
urceolata Grashoff, 295
Sticta
swartzii D.J.Galloway, 143
Stipa
capensis Thunb., 411 App.
pennata L., 411 App.
Stomata, of *Cedrela*, 225–233* [229 Figs]
Styphelia
malayana (Jack) Spreng., 417
Styrax L., 290, 308
pohlii A.DC., 199
Sulawesi, Indonesia, 239–242*
Svenhedinia
minor Urb., 88
Swamp forests, 191–208 [197 Map]
Swartzia
jorori Harms, 51
Syagrus
romanzoffiana (Cham.) Glassman, 200–201
Symes, Captain Michael, 215–217
Symphonia
globulifera L.f., 199–201, 274
Symplocos
berteroi (A.DC.) Miers, 127

Tabaroa L.P.Queiros, G.P.Lewis & M.F.Wojc., 44
caatingicola L.P.Queiros, G.P.Lewis & M.F.Wojc., 44
Tabebuia Gomes ex DC., 127
cassinoides (Lam.) DC., 198–202
dubia (Wright & Sauv.) Britton ex Seibert, 119
haemantha (Bertol. ex Spreng.) DC., 109
nodosa (Griseb.) Griseb., 42
shaferi Britton, 88
Tabernaemontana
sananho Ruiz & Pav., 274
Tamaricaceae, 412 App.
Tamarix
hampeana Boiss. & Heldr., 412 App.
Tapirira
guianensis Aubl., 199–201
Tapura
cubensis (Poepp.) Griseb., 119
Taxonomic Databases Working Group (TDWG), 68, 255
Taxonomy
of *Begonia*, 343–352
of *Cedrela*, 225–233*
of *Facchinia*, 353–389*
of Podocarpaceae, 243–341*
Taxus
elongata Sol., 69–70, 154, 182 App.
lancifolia Wikstr., 99, 101, 182–183 App.
wallichiana Zucc., 212
Tebbitt, M.C., 343–352
Teloschistaceae, 356
Tephrosia
hassleri Chodat, 49
Ternstroemia
brasiliensis Cambess., 198
Tibouchina
macvaughii Todzia, 295
Tilia, 290
Tiniakou, A., 391–412
Toapanta, C.E., 343–352
Toona (Endl.) M.Roem., 225
Tordylium L., 393
Torreya
nucifera Siebold & Zucc., 181 App.

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press

Tovomita
plumieri Griseb., 109
Toxicodendron
acuminatus (DC.) C.Y.Wu & T.L.Ming, 212
Tragopogon
dubius Scop., 408 App.
porrifolius L., 408 App.
Trametes, 157
Trema
micrantha (L.) Blume, 127
Trifolium L., 393
nigrescens Viv., 410 App.
spumosum L., 410 App.
tomentosum L.
var. *tomentosum*, 410 App.
Trinidad and Tobago, 61–62
Tripospora
tripos (Cooke) Lindau, 143
Tripterospermum Blume, 429
Tristania
burmanica [*burmannica*] Griff., 416
merguensis Griff., 417
Tristaniopsis, 413–421*
burmanica (Griff.) Peter G.Wilson & J.T.Waterh., 416
merguensis (Griff.) Peter G.Wilson & J.T.Waterh., 417
Trophis
racemosa (L.) Urb., 134
Tryphane
grignensis Rchb., 368–369
TURNER, I.M., 413–421
Turpinia Raf., 127
Typification
of Griffith's Chinese plant names, 413–421*

Urticaceae, 412 App.
Utricularia
alpina Jacq., 110

Vaccinium
cubense Griseb., 98
meridionale Sw., 142
Vachellia, 188 Rev.
cookii (Saff.) Seigler & Ebinger, 274
curvifructa (Burkart) Seigler & Ebinger, 43
VALENTIN, J.L., 191–208
Valerianaceae, 412 App.
Valerianella
discoidea Loisel., 412 App.
vesicaria (L.) Moench, 412 App.
Velloziaceae, 29
Verbena
officinalis L., 98
Veronica
agrestis L., 412 App.
cymbalaria Bodard, 412 App.
polita Fr., 412 App.
Vicia
cretica Boiss. & Heldr.
subsp. *aegaea* (Halácsy) P.W.Ball, 399, 410 App.
hybrida L., 410 App.
sativa L.
subsp. *cordata* (Hoppe) Batt., 410 App.
subsp. *sativa*, 410 App.
Vietnam, 235–238*
Viscaceae, 120
Vochysia
guianensis Aubl., 274

Weinmannia
pinnata L., 98, 119, 142, 259, 289
Western Ghats, southern, 219–223*
Wetlands, 191–208*
WIDJAJA, E.A., 239–242
WIGGINS, N.L., 187–188 Rev.
Windward Islands, 62

Yungas, 36

Zanthoxylum
belizense Lundell, 274
flavum Vahl, 134
martinicense (Lam.) DC., 134
ZIFFER-BERGER, J., 1–11
Zinowiewia
costaricensis Lundell, 264
Ziziphus
chloroxylon (L.) Oliv., 134
Zygia
morongii Barneby & J.W.Grimes, 47, 49–50 [50 Map]
pithecolobioides Barneby & J.W.Grimes, 47, 49–50 [50 Map]
Zygophyllaceae, 15, 42

https://doi.org/10.1017/S0960428615000220 Published online by Cambridge University Press