Index of Subjects

Adaptation
Adaptation of super-sweet maize to cold conditions: mutant×genotype interaction (Ordás *et al.*), 401
Adaptation to increasing severity of phoma stem canker on winter oilseed rape in the UK under climate change (Barnes *et al.*), 683
Aflatoxin
Application of a model to assess aflatoxin risk in peanuts (Chauhan *et al.*), 341
Agroclimatic information
Is rainfed crop production in central Europe at risk? Using a regional climate model to produce high resolution agroclimatic information for decision makers (Trnka *et al.*), 639
Ammonia
Model estimation of ammonia volatilization from a paddy field after application of a surface film-forming material (Zhuang and Wang), 95
Anthesis
Starch granule size distribution in wheat grain in relation to shading after anthesis (Li *et al.*), 183
Aphids
A comparison of the occurrence of aphids and barley yellow dwarf virus in minimum-till and conventional-till autumn-sown cereals (Kennedy *et al.*), 407
Barley
Effect of different physiological traits on grain yield in barley grown under irrigated and terminal water deficit conditions (González *et al.*), 319
Barley yellow dwarf virus
A comparison of the occurrence of aphids and barley yellow dwarf virus in minimum-till and conventional-till autumn-sown cereals (Kennedy *et al.*), 407
Bayesian approach
Estimation of genetic parameters for body weight traits and litter size of Moghani sheep, using a Bayesian approach via Gibbs sampling (Ghavi-Hossein-Zadeh and Ardalan), 363
Betaine
Effects of betaine supplementation on rumen fermentation, lactation performance, feed digestibilities and plasma characteristics in dairy cows (Wang *et al.*), 487
Bio-ethanol
Reduction in greenhouse gas emissions due to the use of bio-ethanol from wheat grain and straw produced in the south-eastern USA (Persson *et al.*), 387
Body weight
Estimation of genetic parameters for body weight traits and litter size of Moghani sheep, using a Bayesian approach via Gibbs sampling (Ghavi-Hossein-Zadeh and Ardalan), 363
Bolting
A vernalization-intensity model to predict bolting in sugar beet (Milford *et al.*), 127
Broiler breeder hens
Modelling egg production and nutrient responses in broiler breeder hens (Gous and Nonis), 287
Carrot
Efficiency of different marker systems for molecular characterization of subtropical carrot germplasm (Jhang *et al.*), 171
Cattle
Short-term ingestive behaviour of cattle grazing tropical stoloniferous grasses with contrasting growth forms (Hirata *et al.*), 491
Cereals
A comparison of the occurrence of aphids and barley yellow dwarf virus in minimum-till and conventional-till autumn-sown cereals (Kennedy *et al.*), 407
China
Effects of no-tillage management on soil biochemical characteristics in northern China (Liu *et al.*), 217
Stocking rate effects on metabolizable energy intake and grazing behaviour of Tan sheep in steppe grassland on the Loess Plateau of Northwest China (Chen *et al.*), 709
Citrus
Growth and physiological responses of the citrus rootstock Swingle citrumelo seedlings to partial rootzone drying and deficit irrigation (Melgar *et al.*), 469
Climate change
Climate change and agriculture: introductory editorial (Eitzinger *et al.*), 375
Impact of climate change on soil erosion and the efficiency of soil conservation practices in Austria (Klik and Eitzinger), 405
Synergies between mitigation of, and adaptation to, climate change in agriculture (Smith and Olesen), 419
Plant breeding and climate changes (Ceccarelli *et al.*), 627
Adaptation to increasing severity of phoma stem canker on winter oilseed rape in the UK under climate change (Barnes *et al.*), 683
Climate model
Is rainfed crop production in central Europe at risk? Using a regional climate model to produce high resolution agroclimatic information for decision makers (Trnka *et al.*), 639
Climate variability
Analysis of the relationships between climate variability and grapevine phenology in the Nobile di Montepulciano wine production area (Dalla Marta *et al.*), 657
Cold
Adaptation of super-sweet maize to cold conditions: mutant×genotype interaction (Ordás *et al.*), 401

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press

Concentrate intake
Economic potential of individual variation in milk yield response to concentrate intake of dairy cows (André *et al.*), 263
Conventional till
A comparison of the occurrence of aphids and barley yellow dwarf virus in minimum-till and conventional-till autumn-sown cereals (Kennedy *et al.*), 407
Cotton
An assessment of greenhouse gas emissions: implications for the Australian cotton industry (Maraseni *et al.*), 377
Cow(s)
Evaluation of a mechanistic lactation model using cow, goat and sheep data (Dijkstra *et al.*), 249
Development of a decision support tool to evaluate the financial implications of cull cow finishing under different feeding strategies (Minchin *et al.*), 433
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Effects of betaine supplementation on rumen fermentation, lactation performance, feed digestibilities and plasma characteristics in dairy cows (Wang *et al.*), 487
Dairy cows
Economic potential of individual variation in milk yield response to concentrate intake of dairy cows (André *et al.*), 263
Decision support
Development of a decision support tool to evaluate the financial implications of cull cow finishing under different feeding strategies (Minchin *et al.*), 433
Defoliation
Effects of defoliation on grain yield and water use of winter wheat (Shao *et al.*), 191
Diet
Diet attributes of lactating ewes at pasture using faecal NIRS and relationship to pasture characteristics and milk production (Boval *et al.*), 477
Dietary fibre
Comparison of three methods to enumerate gut microbiota of weanling piglets fed insoluble dietary fibre differing in lignin content (Petersson *et al.*), 225
Digestibilities
Effects of betaine supplementation on rumen fermentation, lactation performance, feed digestibilities and plasma characteristics in dairy cows (Wang *et al.*), 487
Egg production
Modelling egg production and nutrient responses in broiler breeder hens (Gous and Nonis), 287
Energy use
Greenhouse gas emissions and energy use in UK grown short-day strawberry (*Fragaria xananassa*) crops (Warner *et al.*), 667
Evapotranspiration
Effect of irrigation uniformity on evapotranspiration and onion yield (Jiménez *et al.*), 139
Ewe size
Effects of ewe size and nutrition during pregnancy on performance of 2-year-old female offspring (van der Linden *et al.*), 465
Ewes
Diet attributes of lactating ewes at pasture using faecal NIRS and relationship to pasture characteristics and milk production (Boval *et al.*), 477
Farms
A methodology for the analysis of the relationships between farms and their physical environment (Riveiro *et al.*), 101
Fertilizer
Crop sequences, nitrogen fertilizer and grazing intensity in relation to wheat yields in rainfed systems (Ryan *et al.*), 205
The impact of relative humidity, genotypes and fertilizer application rates on panicle, leaf temperature, fertility and seed setting of rice (Yan *et al.*), 329
Fodder
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Fragaria xananassa
Greenhouse gas emissions and energy use in UK grown short-day strawberry (*Fragaria xananassa*) crops (Warner *et al.*), 667
Gas production
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Gene expression
Gene expression and nitrogen loss in senescing root systems of red clover (*Trifolium pratense*) (Webb *et al.*), 455
Genetic effects
Analysis of developmental genetic effects from embryo, cytoplasm and maternal plant for oleic and linoleic acid contents of rapeseed (Variath *et al.*), 375
Genetic parameters
Estimation of genetic parameters for body weight traits and litter size of Moghani sheep, using a Bayesian approach via Gibbs sampling (Ghavi-Hossein-Zadeh and Ardalan), 363
Genotype
The impact of relative humidity, genotypes and fertilizer application rates on panicle, leaf temperature, fertility and seed setting of rice (Yan *et al.*), 329
Germplasm
Efficiency of different marker systems for molecular characterization of subtropical carrot germplasm (Jhang *et al.*), 171
Gibbs sampling
Estimation of genetic parameters for body weight traits and litter size of Moghani sheep, using a Bayesian approach via Gibbs sampling (Ghavi-Hossein-Zadeh and Ardalan), 363
Goat
Evaluation of a mechanistic lactation model using cow, goat and sheep data (Dijkstra *et al.*), 249
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Grapevine phenology
Analysis of the relationships between climate variability and grapevine phenology in the Nobile di Montepulciano wine production area (Dalla Marta *et al.*), 657
Grass ensiling
Simulating the effects of grassland management and grass ensiling on methane emission from lactating cows (Bannink *et al.*), 55

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press

Grassland management
Simulating the effects of grassland management and grass ensiling on methane emission from lactating cows (Bannink *et al.*), 55
Grazing
Crop sequences, nitrogen fertilizer and grazing intensity in relation to wheat yields in rainfed systems (Ryan *et al.*), 205
Grazing behaviour
Stocking rate effects on metabolizable energy intake and grazing behaviour of Tan sheep in steppe grassland on the Loess Plateau of Northwest China (Chen *et al.*), 709
Greenhouse gas
An assessment of greenhouse gas emissions: implications for the Australian cotton industry (Maraseni *et al.*), 377
Reduction in greenhouse gas emissions due to the use of bio-ethanol from wheat grain and straw produced in the south-eastern USA (Persson *et al.*), 387
Greenhouse gas emissions and energy use in UK grown short-day strawberry (*Fragaria xananassa*) crops (Warner *et al.*), 667
Growth
Growth and yield response of winter wheat to soil warming and rainfall patterns (Patil *et al.*), 429
Growth and physiological responses of the citrus rootstock Swingle citrumelo seedlings to partial rootzone drying and deficit irrigation (Melgar *et al.*), 469
Growth model
Adaptation of a non-ruminant nutrient-based growth model to rainbow trout (*Oncorhynchus mykiss* Walbaum) (Hua *et al.*), 17
Gut microbiota
Comparison of three methods to enumerate gut microbiota of weanling piglets fed insoluble dietary fibre differing in lignin content (Petersson *et al.*), 225
Holstein cattle
Effects of cooling and supplemental recombinant bovine somatotropin on diet digestibility, digestion kinetics and milk production of cross-bred Holstein cattle in the tropics (Chanchai *et al.*), 233
Hormone concentrations
Can maternal iodine supplementation improve twin- and triplet-born lamb plasma thyroid hormone concentrations and thermoregulation capabilities in the first 24–36 h of life? (Kerslake *et al.*), 453
Hydraulic properties
Predicting hydraulic properties of seasonally impounded soils (Patil *et al.*), 159
Inbreeding
Inbreeding effects on a winter squash landrace (Tsivelikas and Koutsika-Sotiriou), 695
Ingestive behaviour
Short-term ingestive behaviour of cattle grazing tropical stoloniferous grasses with contrasting growth forms (Hirata *et al.*), 491
Iodine
Can maternal iodine supplementation improve twin- and triplet-born lamb plasma thyroid hormone concentrations and thermoregulation capabilities in the first 24–36 h of life? (Kerslake *et al.*), 453
Irrigated
Effect of different physiological traits on grain yield in barley grown under irrigated and terminal water deficit conditions (González *et al.*), 319
Irrigation
Opportunities for improving irrigation efficiency with quantitative models, soil water sensors and wireless technology (Greenwood *et al.*), 1
Effect of irrigation uniformity on evapotranspiration and onion yield (Jiménez *et al.*), 139
Growth and physiological responses of the citrus rootstock Swingle citrumelo seedlings to partial rootzone drying and deficit irrigation (Melgar *et al.*), 469
Kinetic model
Application of a kinetic model to describe phosphorus metabolism in pigs fed a diet with a microbial phytase (Dias *et al.*), 277
Lactating cows
Development of a dynamic mathematical model for investigating mammary gland metabolism in lactating cows (Volpe *et al.*), 31
Simulating the effects of grassland management and grass ensiling on methane emission from lactating cows (Bannink *et al.*), 55
Lactation
Evaluation of a mechanistic lactation model using cow, goat and sheep data (Dijkstra *et al.*), 249
Effects of betaine supplementation on rumen fermentation, lactation performance, feed digestibilities and plasma characteristics in dairy cows (Wang *et al.*), 487
Lamb
Can maternal iodine supplementation improve twin- and triplet-born lamb plasma thyroid hormone concentrations and thermoregulation capabilities in the first 24–36 h of life? (Kerslake *et al.*), 453
Landrace
Inbreeding effects on a winter squash landrace (Tsivelikas and Koutsika-Sotiriou), 695
Leaflet
Effect of leaflet size and number on agronomic and physiological traits of mungbean (Sriphadet *et al.*), 353
Leaves
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Lignin
Comparison of three methods to enumerate gut microbiota of weanling piglets fed insoluble dietary fibre differing in lignin content (Petersson *et al.*), 225
Linoleic
Analysis of developmental genetic effects from embryo, cytoplasm and maternal plant for oleic and linoleic acid contents of rapeseed (Variath *et al.*), 375
Litter size
Seasonal influences on the litter size at birth of pigs are more pronounced in the gilt than sow litters (Tummaruk *et al.*), 421
Estimation of genetic parameters for body weight traits and litter size of Moghani sheep, using a Bayesian approach via Gibbs sampling (Ghavi-Hossein-Zadeh and Ardalan), 363
Maize
Adaptation of super-sweet maize to cold conditions: mutant×genotype interaction (Ordás *et al.*), 401
Mammary gland metabolism
Development of a dynamic mathematical model for investigating mammary gland metabolism in lactating cows (Volpe *et al.*), 31

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press

Marker systems
Efficiency of different marker systems for molecular characterization of subtropical carrot germplasm (Jhang *et al.*), 171
Mathematical model
Development of a dynamic mathematical model for investigating mammary gland metabolism in lactating cows (Volpe *et al.*), 31
Mechanistic model
Evaluation of a mechanistic lactation model using cow, goat and sheep data (Dijkstra *et al.*), 249
Metabolizable energy
Stocking rate effects on metabolizable energy intake and grazing behaviour of Tan sheep in steppe grassland on the Loess Plateau of Northwest China (Chen *et al.*), 709
Methane emission
Simulating the effects of grassland management and grass ensiling on methane emission from lactating cows (Bannink *et al.*), 55
Milk
Effects of cooling and supplemental recombinant bovine somatotropin on diet digestibility, digestion kinetics and milk production of cross-bred Holstein cattle in the tropics (Chanchai *et al.*), 233
Diet attributes of lactating ewes at pasture using faecal NIRS and relationship to pasture characteristics and milk production (Boval *et al.*), 477
Milk yield
Economic potential of individual variation in milk yield response to concentrate intake of dairy cows (André *et al.*), 263
Minimum-till
A comparison of the occurrence of aphids and barley yellow dwarf virus in minimum-till and conventional-till autumn-sown cereals (Kennedy *et al.*), 407
Models
Opportunities for improving irrigation efficiency with quantitative models, soil water sensors and wireless technology (Greenwood *et al.*), 1
Model estimation of ammonia volatilization from a paddy field after application of a surface film-forming material (Zhuang and Wang), 95
Mungbean
Effect of leaflet size and number on agronomic and physiological traits of mungbean (Sriphadet *et al.*), 353
NIRS
Diet attributes of lactating ewes at pasture using faecal NIRS and relationship to pasture characteristics and milk production (Boval *et al.*), 477
Nitrogen
Gene expression and nitrogen loss in senescing root systems of red clover (*Trifolium pratense*) (Webb *et al.*), 455
No-tillage
Effects of no-tillage management on soil biochemical characteristics in northern China (Liu *et al.*), 217
Nutrition
Effects of ewe size and nutrition during pregnancy on performance of 2-year-old female offspring (van der Linden *et al.*), 465
Nutritive value
Palatability, in situ and in vitro nutritive value of dried sainfoin (*Onobrychis viciifolia*) (Khalilvandi-Behroozyar *et al.*), 723
Oilseed rape
Adaptation to increasing severity of phoma stem canker on winter oilseed rape in the UK under climate change (Barnes *et al.*), 683
Oleic
Analysis of developmental genetic effects from embryo, cytoplasm and maternal plant for oleic and linoleic acid contents of rapeseed (Variath *et al.*), 375
Oncorhynchus mykiss
Adaptation of a non-ruminant nutrient-based growth model to rainbow trout (*Oncorhynchus mykiss* Walbaum) (Hua *et al.*), 17
Onobrychis viciifolia
Palatability, *in situ* and *in vitro* nutritive value of dried sainfoin (*Onobrychis viciifolia*) (Khalilvandi-Behroozyar *et al.*), 723
Onion
Effect of irrigation uniformity on evapotranspiration and onion yield (Jiménez *et al.*), 139
Organic
The effect of the year of wheat variety release on productivity and stability of performance on two organic and two non-organic farms (Jones *et al.*), 303
Paddy
Model estimation of ammonia volatilization from a paddy field after application of a surface film-forming material (Zhuang and Wang), 95
Palatability
Palatability, *in situ* and *in vitro* nutritive value of dried sainfoin (*Onobrychis viciifolia*) (Khalilvandi-Behroozyar *et al.*), 723
Pasture
Diet attributes of lactating ewes at pasture using faecal NIRS and relationship to pasture characteristics and milk production (Boval *et al.*), 477
Peanuts
Application of a model to assess aflatoxin risk in peanuts (Chauhan *et al.*), 341
Physical environment
A methodology for the analysis of the relationships between farms and their physical environment (Riveiro *et al.*), 101
Physiological traits
Effect of different physiological traits on grain yield in barley grown under irrigated and terminal water deficit conditions (González *et al.*), 319
Effect of leaflet size and number on agronomic and physiological traits of mungbean (Sriphadet *et al.*), 353
Phosphorus
Relationship between yield, growth and spike weight in wheat under phosphorus deficiency and shading (Lázaro *et al.*), 83
Application of a kinetic model to describe phosphorus metabolism in pigs fed a diet with a microbial phytase (Dias *et al.*), 277
Pigs
Seasonal influences on the litter size at birth of pigs are more pronounced in the gilt than sow litters (Tummaruk *et al.*), 421
Pistil histology
Pollen–pistil interaction, pistil histology and seed production in A × B grain sorghum crosses under chilling field temperatures (Cisneros-López *et al.*), 73

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press

Plant Breeding
Plant breeding and climate changes (Ceccarelli *et al.*), 705
Pollen
Pollen–pistil interaction, pistil histology and seed production in A × B grain sorghum crosses under chilling field temperatures (Cisneros-López *et al.*), 73
Pregnancy
Effects of ewe size and nutrition during pregnancy on performance of 2-year-old female offspring (van der Linden *et al.*), 465
Productivity
The effect of the year of wheat variety release on productivity and stability of performance on two organic and two non-organic farms (Jones *et al.*), 303
Rainbow trout
Adaptation of a non-ruminant nutrient-based growth model to rainbow trout (*Oncorhynchus mykiss* Walbaum) (Hua *et al.*), 17
Rainfall
Growth and yield response of winter wheat to soil warming and rainfall patterns (Patil *et al.*), 429
Rainfed crop production
Is rainfed crop production in central Europe at risk? Using a regional climate model to produce high resolution agroclimatic information for decision makers (Trnka *et al.*), 639
Rapeseed
Analysis of developmental genetic effects from embryo, cytoplasm and maternal plant for oleic and linoleic acid contents of rapeseed (Variath *et al.*), 375
Red clover
Gene expression and nitrogen loss in senescing root systems of red clover (*Trifolium pratense*) (Webb *et al.*), 455
Relative humidity
The impact of relative humidity, genotypes and fertilizer application rates on panicle, leaf temperature, fertility and seed setting of rice (Yan *et al.*), 329
Rice
The impact of relative humidity, genotypes and fertilizer application rates on panicle, leaf temperature, fertility and seed setting of rice (Yan *et al.*), 329
Root systems
Gene expression and nitrogen loss in senescing root systems of red clover (*Trifolium pratense*) (Webb *et al.*), 455
Rumen
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Effects of betaine supplementation on rumen fermentation, lactation performance, feed digestibilities and plasma characteristics in dairy cows (Wang *et al.*), 487
Sainfoin
Palatability, in situ and in vitro nutritive value of dried sainfoin (*Onobrychis viciifolia*) (Khalilvandi-Behroozyar *et al.*), 723
Seed production
Pollen–pistil interaction, pistil histology and seed production in A × B grain sorghum crosses under chilling field temperatures (Cisneros-López *et al.*), 73
Selection
Selection for contrasting seed tocopherol content in sunflower seeds (Velasco *et al.*), 393
Shading
Relationship between yield, growth and spike weight in wheat under phosphorus deficiency and shading (Lázaro *et al.*), 83
Starch granule size distribution in wheat grain in relation to shading after anthesis (Li *et al.*), 183
Sheep
Evaluation of a mechanistic lactation model using cow, goat and sheep data (Dijkstra *et al.*), 249
In vitro gas production of leaves from fodder trees and shrubs from mid-hills of Nepal using cow, sheep and goat rumen liquor (Degen *et al.*), 445
Stocking rate effects on metabolizable energy intake and grazing behaviour of Tan sheep in steppe grassland on the Loess Plateau of Northwest China (Chen *et al.*), 709
Sink strength
Sink strength in relation to growth of superior and inferior grains within a wheat spike (Yan *et al.*), 443
Soil(s)
Predicting hydraulic properties of seasonally impounded soils (Patil *et al.*), 159
Effects of no-tillage management on soil biochemical characteristics in northern China (Liu *et al.*), 217
Growth and yield response of winter wheat to soil warming and rainfall patterns (Patil *et al.*), 429
Soil conservation
Impact of climate change on soil erosion and the efficiency of soil conservation practices in Austria (Klik and Eitzinger), 405
Soil erosion
Impact of climate change on soil erosion and the efficiency of soil conservation practices in Austria (Klik and Eitzinger), 405
Soil water
Opportunities for improving irrigation efficiency with quantitative models, soil water sensors and wireless technology (Greenwood *et al.*), 1
Somatotropin
Effects of cooling and supplemental recombinant bovine somatotropin on diet digestibility, digestion kinetics and milk production of cross-bred Holstein cattle in the tropics (Chanchai *et al.*), 233
Sorghum
Pollen–pistil interaction, pistil histology and seed production in A×B grain sorghum crosses under chilling field temperatures (Cisneros-López *et al.*), 73
Squash
Inbreeding effects on a winter squash landrace (Tsivelikas and Koutsika-Sotiriou), 695
Stability
The effect of the year of wheat variety release on productivity and stability of performance on two organic and two non-organic farms (Jones *et al.*), 303
Starch
Starch granule size distribution in wheat grain in relation to shading after anthesis (Li *et al.*), 183
Stem canker
Adaptation to increasing severity of phoma stem canker on winter oilseed rape in the UK under climate change (Barnes *et al.*), 683
Stoloniferous grasses
Short-term ingestive behaviour of cattle grazing tropical stoloniferous grasses with contrasting growth forms (Hirata *et al.*), 491

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press

Strawberry
Greenhouse gas emissions and energy use in UK grown short-day strawberry (*Fragaria xananassa*) crops (Warner *et al.*), 667
Subtropical
Efficiency of different marker systems for molecular characterization of subtropical carrot germplasm (Jhang *et al.*), 171
Sugar beet
A vernalization-intensity model to predict bolting in sugar beet (Milford *et al.*), 127
Sunflower
Selection for contrasting seed tocopherol content in sunflower seeds (Velasco *et al.*), 393
Technology
Opportunities for improving irrigation efficiency with quantitative models, soil water sensors and wireless technology (Greenwood *et al.*), 1
Temperature
Pollen–pistil interaction, pistil histology and seed production in A×B grain sorghum crosses under chilling field temperatures (Cisneros-López *et al.*), 73
Thermoregulation
Can maternal iodine supplementation improve twin- and triplet-born lamb plasma thyroid hormone concentrations and thermoregulation capabilities in the first 24–36 h of life? (Kerslake *et al.*), 453
Thyroid
Can maternal iodine supplementation improve twin- and triplet-born lamb plasma thyroid hormone concentrations and thermoregulation capabilities in the first 24–36 h of life? (Kerslake *et al.*), 453
Tocopherol
Selection for contrasting seed tocopherol content in sunflower seeds (Velasco *et al.*), 393
Trifolium pratense
Gene expression and nitrogen loss in senescing root systems of red clover (*Trifolium pratense*) (Webb *et al.*), 455
Tropics
Effects of cooling and supplemental recombinant bovine somatotropin on diet digestibility, digestion kinetics and milk production of cross-bred Holstein cattle in the tropics (Chanchai *et al.*), 233
Vernalization
A vernalization-intensity model to predict bolting in sugar beet (Milford *et al.*), 127
Water deficit
Effect of different physiological traits on grain yield in barley grown under irrigated and terminal water deficit conditions (González *et al.*), 319
Weanling piglets
Comparison of three methods to enumerate gut microbiota of weanling piglets fed insoluble dietary fibre differing in lignin content (Petersson *et al.*), 225
Wheat
Relationship between yield, growth and spike weight in wheat under phosphorus deficiency and shading (Lázaro *et al.*), 83
Starch granule size distribution in wheat grain in relation to shading after anthesis (Li *et al.*), 183
Effects of defoliation on grain yield and water use of winter wheat (Shao *et al.*), 191
Crop sequences, nitrogen fertilizer and grazing intensity in relation to wheat yields in rainfed systems (Ryan *et al.*), 205
Reduction in greenhouse gas emissions due to the use of bio-ethanol from wheat grain and straw produced in the south-eastern USA (Persson *et al.*), 387
Growth and yield response of winter wheat to soil warming and rainfall patterns (Patil *et al.*), 429
Sink strength in relation to growth of superior and inferior grains within a wheat spike (Yan *et al.*), 443
Wheat variety
The effect of the year of wheat variety release on productivity and stability of performance on two organic and two non-organic farms (Jones *et al.*), 303
Yield(s)
Effects of defoliation on grain yield and water use of winter wheat (Shao *et al.*), 191
Crop sequences, nitrogen fertilizer and grazing intensity in relation to wheat yields in rainfed systems (Ryan *et al.*), 205
Effect of different physiological traits on grain yield in barley grown under irrigated and terminal water deficit conditions (González *et al.*), 319
Growth and yield response of winter wheat to soil warming and rainfall patterns (Patil *et al.*), 429
Relationship between yield, growth and spike weight in wheat under phosphorus deficiency and shading (Lázaro *et al.*), 83

https://doi.org/10.1017/S0021859610000882 Published online by Cambridge University Press