© Trustees of the Royal Botanic Garden Edinburgh (2011)
doi:10.1017/S0960428611000370

GENERAL INDEX TO VOLUME 68 (2011)

Note: Main entries are **emboldened**; * signifies the page range of keywords; pages with illustrations (Fig.), maps, appendices (App.) and reviews (Rev.) are indicated; tables are not annotated separately.

Aaronsohnia
factorovskyi Warb. & Eig, 203, 205, 217 App.
Abelmoschus
esculentus (L.) Moench, 305, 312
manihot (L.) Medik., 309
Abies, 85, 97
Acacia, 187, 315, 388
ehrenbergiana Hayne, 187, 196 App.
gentlei Standl., 292 App.
gerrardii Benth.
var. *najdensis* Zohary, 202, 204–206, 221 App.
hamulosa Benth., 187, 196 App.
oerfota (Forssk.) Schweinf., 187–188, 196 App.
tortilis (Forssk.) Hayne, 187–190 [190 Fig.], 196 App.
Acanthaceae, 193 App., 214 App., 312, 333–337*, 425
subtribe Justiciinae, 333
Achariaceae, 325 Rev., 388
Achillea
fragrantissima (Forssk.) Sch.Bip., 217 App.
Achyranthes
aspera L., 309
Acoelorraphe
wrightii (Griseb. & H.Wendl.) H.Wendl. ex Becc., 274
Aconitum, 158 Rev.
Acosmium
dasycarpum (Vogel) Yakovlev, 407
Additions, to flora of Gabon, 423–442
Adenium
obesum (Forssk.) Roem. & Schult., 308
Adenocline Turcz., 444
Adiantaceae, 329 Rev.
Adiantum
capillus-veneris L., 205, 223 App.
lunulatum Burm.f., 308
Adinandra Jack, 41
Aegilops
kotschyi Boiss., 219 App.
Aerva
javanica (Burm.f.) Juss. ex Schult., 193 App., 214 App.
Aeschynomene
uniflora E.Mey., 429
Aextoxicaceae, 157 Rev.
Aframomum
angustifolium (Sonn.) K.Schum., 438
thonneri De Wild., 438
Africa
Central, 423–442*
crossroad with Asia, 301–319
South, 351–371
West, 343–350*
Agapetes D.Don, 422
Agarista
oleifolia (Cham.) G.Don, 386
Agathisanthemum, 424, 432
globosum (Hochst. ex A.Rich.) Klotzsch, 432
Agavaceae, 291 App.
Agave, 291 App.
Agouti
paca L., 287
Agrostistachys
staminodiatus Sevilla, 478
Aidia, 11
Aizoaceae, 214 App.
Aizoanthemum
hispanicum (L.) H.E.K.Hartmann, 214 App.
Aizoon
canariense L., 214 App.
hispanicum L., 214 App.
Al-Abbasi, T.M., 183–197, 199–224
Alchornea
latifolia Sw., 292 App.
triplinervia (Spreng.) Müll.Arg., 386, 391
Al-Harbi, R.J., 183–197, 199–224
Alibertia, 406
edulis (Rich.) A.Rich. ex DC., 406–407
myrciifolia Spruce ex K.Schum., 407
sessilis (Vell.) K.Schum., 408

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Alkanna
orientalis (L.) Boiss., 215 App.
Alliaceae, 214 App.
Allium
stramineum Boiss., 206, 214 App.
Allophylus
rubifolius (A.Rich.) Engl.
var. *rubifolius*, 306
Aloe
praetermissa McCoy & Lavranos, 309, 312
Al-Shammari, K.F., 183–197, 199–224
Al-Shehbaz, I.A., 165–171
Althaea
ludwigii L., 221 App.
Alves, R.J.V., 33–38
Al-Wetaid, A.H., 199–224
Alysicarpus
glumaceus (Vahl) DC., 305, 312
vaginalis (L.) DC., 307
Alyssum
homalocarpum, 215 App.
Amaioua
guianensis Aubl., 412–413, 415
Amaranthaceae, 193 App., 214 App.
Amaranthus
graecizans L., 215 App.
viridis L., 215 App.
Amarasinghe, A.P.P.R., 333–337
Amborellaceae, 157 Rev.
America, Central, 273–296
Ammoperdix
heyi Temminck, 190
Anabasis
setifera Moq., 193 App.
Anacardiaceae, 215 App., 388, 391
Anadenanthera
colubrina (Vell.) Brenan, 386, 413
Anagallis
arvensis L., 221 App., 307
var. *caerulea* (L.) Gouan, 221 App.
pumila Sw., 309
Anaimalais, India, 173–175*
Anatomy
of *Calolisianthus*, 139–155*
of *Gagea*, 43–59*
Anchusa
aegyptiaca (L.) A.DC., 215 App.
hispida Forssk., 194 App.
milleri Spreng., 215 App.
Ancistrocladaceae, 329 Rev.
Andira
cuiabensis Benth., 412–413, 415
fraxinifolia Benth., 386, 391
Andrachne
aspera Spreng., 206, 222 App., 309
telephioides L., 206, 222 App.
Anisoptera, 468
Anisosciadium
lanatum Boiss., 206, 224 App.
Annesijoa, 469
Annona
coriacea Mart., 408
crassiflora Mart., 408–409
Annonaceae, 173–175*, 291 App., 339–341, 387–388, 392
Anogeissus, 302, 313, 315
dhofarica A.J.Scott, 302, 306, 311–312
Antalya, Turkey, 159–163*
Anthemis, 202
melampodina Delile, 217 App.
pseudocotula Boiss., 205, 217 App.
zoharyana Eig, 217 App.
Antidesma
leptobotryum Müll.Arg., 345
mannianum Müll.Arg., 348–349
stenopetalum Müll.Arg., 348–349
vogelianum Müll.Arg., 349
Antirrhinum
orontium L., 222 App.
Antonia
ovata Pohl, 386, 408
Anvillea
garcinii (Burm.f.) DC., 203, 205, 217 App.
Apiaceae, 224 App.
Apluda
mutica L., 305, 311–312
Apocynaceae, 194 App., 215 App., 291 App., 392, 406, 426
Aporosa Blume, 478
Appendicula Blume, 321–324*
cornuta Blume, 321
nicobarica Jayanthi, Sumathi & Karthig., **321**–324 [322 Fig.]
pendula Blume, 321, 323
reflexa Blume, 321
Aquifoliaceae, 291 App.
Arabia, southern, 301–319* [303 Map]
Arabian Peninsula, IPAs in, 183–197, 199–224

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Arabidopsis
erysimoides Hedge & Kit Tan, 216 App.
Araucaria, 468
Araucariaceae, 329 Rev.
Araújo, G.M., 401–418
Arbor
regis Rumph., 470
Ardi, W.H., 225–255
Arecaceae, 279, 291 App., 387–388
Arenaria
foliacea Turrill, 205, 216 App.
Argent, G., 419–422
Argent, G.C.G., 39–42
Arias Guerrero, S., 443–482
Aristida
adscensionis L., 187, 195 App., 219 App.
Arnebia
decumbens (Vent.) Coss. & Kralik, 215 App.
hispidissima (Sieber ex Lehm.) A.DC., 194 App., 215 App.
linearifolia A.DC., 215 App.
Artemisia
judaica L., 206, 217 App.
Arthraxon
micans (Nees) Hochst., 307
pusillus Bor, 305, 312
Arundinella
pumila (Hochst. ex A.Rich.) Steud., 309
Ascarina J.R.Forst. & G.Forst., 41
Asclepias
kamerunensis Schltr., 425–426
Asia
crossroad with Africa, 301–319
South, 339–341
Asperugo
procumbens L., 215 App.
Asphodelaceae, 215 App., 312
Asphodelus
tenuifolius Cav., 202–203, 205, 215 App.
Aspidosperma, 406
cuspa (Kunth) S.F.Blake ex Pittier, 409
dispermum Müll.Arg., 392
macrocarpon Mart., 407
tomentosum Mart., 407
Asteraceae, 194 App., 217 App., 281, 291 App., 297, 312, 392, 424, 427
Asteriscus
pygmaeus (DC.) Coss. & Durieu, 205, 217 App.
Astragalus, 50
collenettiae Hedge & Podl., 207, 209, 221 App.
crenatus Schult., 221 App.
hamosus L., 221 App.
hauarensis Boiss., 187, 196 App.
schimperi Boiss., 221 App.
sieberi DC., 203, 221 App.
spinosus (Forssk.) Muschl., 196 App., 203, 205, 221 App.
tribuloides Delile, 196 App., 221 App.
vogelii (Webb) Bornm., 196 App.
Astrocaryum
aculeatissimum (Schott) Burret, 388
Astronium
fraxinifolium Schott ex Spreng., 407
Atherospermataceae, 157 Rev.
Atlantic Semideciduous Forests, 373–400*
Atractocarpus Schltr. & K.Krause, 30
obscurinervius (Merr.) Puttock, 30
Atractylis
cancellata L., 217 App.
carduus (Forssk.) C.Chr., 194 App., 217 App.
flava Desf., 217 App.
Avena
barbata Pott ex Link, 205, 219 App.
sterilis L., 219 App.
Azavedo, A.A., 139–155

Baccaureopsis Pax, 344
Balanites
wilsonianus Dawe & Sprague, 439
var. *glabripetalus* Sands, 438–439
var. *mayumbensis* (Exell) Sands, 439
var. *wilsonianus*, 439
Balanophoraceae, 329–330 Rev.
Ballota
undulata (Sieber ex Fresen.) Benth., 202, 205, 220 App.
Banara
kuhlmannii (Sleumer) Sleumer, 388
Baphia, 424
longepedicellata Willd.
subsp. *longepedicellata*, 429
Bauhinia, 408
Beddome, R.H., *Icones Plantarum* of, 173–175*
Begonia L., 177–182*, 225–255*
sect. *Diploclinium* (Lindl.) A.DC., 232, 243
sect. *Eupetalum* (Lindl.) A.DC., 177–178

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

sect. *Knesebeckia* (Klotzsch) A.DC., 177, 180–181
sect. *Petermannia* (Klotzsch) A.DC., 225–226, 230, 232–233, 235, 237, 240, 243, 246, 248
sect. *Sphenanthera* (Hassk.) Warb., 243
aptera Blume, 225, 254
asympeltata L.B.Sm. & Wassh., 177–178, 180–181
bifurcata L.B.Sm. & B.G.Schub., 177, 180–181
bonthainensis Hemsl., 252
celebica Irmsch., 243, 253
comestibilis D.C.Thomas & Ardi, 225–230 [**226**, 227 Map, 228 Fig.], 251
compacticaulis Irmsch., 177, 180–181
didyma D.C.Thomas & Ardi, 233, 252
dioica Buch.-Ham. ex D.Don, 243
erythrocarpa A.DC., 180
gorgonea Tebbitt, 177–181 [**178**, 179 Fig.]
grandipetala Irmsch., 252
guttapila, 230, 243, 251, 253
imperfecta Irmsch., 243, 246, 248, 253
insueta D.C.Thomas & Ardi, 225–227 [227 Map], **230**–232 [231 Fig.], 251
lasioura D.C.Thomas & Ardi, 225, 227 Map, **233**–235 [234 Fig.], 253
lutea L.B.Sm. & B.G.Schub., 177
mekonggensis Girm. & Wiriad., 243, 252
nobmanniae D.C.Thomas & Ardi, 225, 227 Map, **235**–237 [236 Fig.], 253
octopetala, 178
oligandra Merr. & L.M.Perry, 232
ozothrix D.C.Thomas, 252
parcifolia C.DC., 177, 180–181
polilloensis Tebbitt, 232
prionota D.C.Thomas & Ardi, 225, 227 Map, **237**–240 [238 Fig.], 253
rachmatii Tebbitt, 232, 235, 237, 251
rantemarioensis D.C.Thomas & Ardi, 225, 227 Map, **240**–243 [241 Fig.], 246, 248, 251, 253
rieckei Warb., 225, 230, 254
robusta Blume, 254
sanguineopilosa D.C.Thomas & Ardi, 225, 227 Map, 230, 240, **243**–246 [244 Fig.], 251, 253
sarasinorum Irmsch., 243, 252
serotina A.DC., 177–178, 180–181
siccacaudata J.Door., 251
sphenocarpa Irmsch., 243, 253–254
torajana D.C.Thomas & Ardi, 225, 227 Map, 230, 243, **246**–248 [247 Fig.], 251, 253
triramosa Irmsch., 177, 180–181
varipeltata D.C.Thomas, 230
vermeulenii D.C.Thomas, 225–227 [227 Map], 230, **248**–251 [249 Fig.]
Begoniaceae, 177–182, 225–255
Belize, 273–296*
Belonophora
coriacea, 433
ongensis S.E.Dawson & Cheek, 433
Berberidopsidaceae, 157 Rev.
Berberidopsis, 158 Rev.
Berg, C.C., 269–272
Bertiera
orthopetala (Hiern) N.Hallé, 433
Beta
vulgaris L., 215 App.
Betula, 97
Bidens
biternata (Lour.) Merr. & Sherff, 307
oligoflora (Klatt) Wild, 427
Bignoniaceae, 291 App., 387
Biogeography, 443–482*
Biophytum
dendroides (Kunth) DC., 294 App.
Blanchetiodendron
blanchetii (Benth.) Barneby & J.W.Grimes, 388
Blechnaceae, 296 App.
Blechnum
serrulatum Rich., 278, 282, 296 App.
Blepharis
ciliaris (L.) B.L.Burtt, 193 App., 203, 214 App.
Blepharispermum
hirtum Oliver, 306, 312
Blepharocalyx
salicifolius (Kunth) O.Berg, 386
Bletia
purpurea (Lam.) DC., 278, 294 App.
Blumea
mollis (D.Don) Merr., 308
Bocagea
longipedunculata Mart., 388
Boerhavia
elegans Choisy, 196 App.
repens L., 222 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Bombacaceae, 331 Rev.
Bonnetiaceae, 329 Rev.
Book reviews
Flora Malesiana, Series I. Volume 19. Cucurbitaceae (W.J.J.O. de Wilde & B.E.E. Duyfjes), 327–328
Flora of Peninsular Malaysia, Series I: Ferns and Lycophytes, Volume 1. Malayan Forest Records No. 48 (B.S. Parris *et al.* eds), 328–330
Flora of Peninsular Malaysia, Series II: Seed Plants, Volume 1. Malayan Forest Records No. 49 (R. Kiew *et al.* eds), 328–330
Floral Diagrams: An Aid to Understanding Flower Morphology and Evolution (L.P. Ronse De Craene), 157–158
Natural and Cultural History of the Golfo Dulce Region, Costa Rica (A. Weissenhofer *et al.* eds), 330–331
Seeds of Amazonian Plants (F. Cornejo & J. Janovec), 325–327
Trees of Panama and Costa Rica (R. Condit, R. Pérez & N. Daguerre), 483–484
Boraginaceae, 159–163*, 194 App., 215 App.
tribe Cynoglosseae, 159
Borneo, 450–451 Map, 453, 456
Boscio-Commiphoretalia, 306
Boscio-Commiphoretea abyssinicae, 305–306, 315
Bothriochloa
insculpta (Hochst.) A.Camus, 305, 313–315
Bowdichia
virgilioides Kunth, 386, 391, 406–407, 409, 414
Brachiaria
cruciformis (Sm.) Griseb., 308
lata (Schumach.) C.E.Hubb., 308
ramosa (L.) Stapf, 308
Brachypodium
distachyum (L.) P.Beauv., 219 App.
Brassica
tournefortii Gouan, 215 App.
Brassicaceae, 165–171*, 194 App., 215 App.
Brazil, 139–155, 373–400 [376 Map], 401–418 [404 Map]
Minas Gerais, 33–38*
Breteler, F.J., 343–350
Bridgewater, S.G.M., 273–296
Bromus
danthoniae Trin. ex C.A.Mey., 219 App.
fasciculatus C.Presl, 219 App.
madritensis L., 219 App.
rubens L., 219 App.
tectorum L., 219 App.
Bucanetes
githagineus Lichtenstein, 190
Buchenavia
hoehneana N.F.Mattos, 388
Buchnera
hispida Buch.-Ham. ex D.Don, 307
paucidentata Engl. ex Skan, 431
Buglossoides
arvensis (L.) I.M.Johnst., 215 App.
Bulbillaria
gageoides Zucc., 48, 53
Burseraceae, 194 App., 387–388, 424, 427
Byrsonima
coccolobifolia Kunth, 407
crassa Nied., 407
crassifolia (L.) Kunth, 274, 280–282, 285, 293 App.
sericea DC., 386

Cabralea
canjerana (Vell.) Mart., 386, 391
Cactaceae, 157 Rev., 388
Cajamarca, Peru, 177–182*
Cakile
arabica Velen. & Bornm., 206, 215 App.
Caldcluvia D.Don, 41
Calea
jamaicensis (L.) L., 291 App.
trichotoma Donn.Sm., 278, 291 App.
Calendula
arvensis L., 206, 217 App.
tripterocarpa Rupr., 217 App.
Calliandra
asplenioides (Nees) Renvoize, 386
houstoniana (Mill.) Standl., 280, 292 App.
Calligonum, 209
comosum L'Hér., 206, 223 App.
crinitum Boiss.
subsp. *arabicum* (Soskov) Soskov, 188–190 [188 Fig.], 192, 197 App.
Callipeltis
cucullaris (L.) DC., 223 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Callisthene
fasciculata Mart., 403, 412–413, 415
Calolisianthus (Griseb.) Gilg, 139–155*
amplissimus (Mart.) Gilg, 139–147 [141 Fig., 144 Fig., 147 Fig.], 149–152 [149–150 Figs]
pendulus (Mart.) Gilg, 139–152 [141 Fig., 144 Fig., 147–150 Figs]
speciosus (Cham. & Schltdl.) Gilg, 139–152 [141 Fig., 144 Fig., 147–150 Figs]
Calophyllum
brasiliense Cambess., 287, 292 App., 386
Calycanthus, 158 Rev.
Calyptranthes
lindeniana O.Berg, 294 App.
Campanula L., 353, 355
Campanulaceae, 216 App., 291 App., 351–371
subfam. Campanuloideae, 366
subfam. Lobelioideae, 355, 366
tribe Rhigiophylleae Eddie & Cupido, 352
Campo rupestre, Brazil, 33–38*, 139–155
Campomanesia
laurifolia Gardner, 387
Camptonotus
quadriceps, 444–445
Campylospermum
umbricola (Tiegh.) Farron, 431
Canis
lupus arabs Pocock, 190, 208
Canscora
concanensis C.B.Clarke, 307
Capellenia Teijsm. & Binn., 443, 461
moluccana Teijsm. & Binn., 444, 461, 470, 472
Capparaceae, 194 App., 216 App.
Capparis
decidua (Forssk.) Edgew., 216 App.
sinaica Veill. ex Duhamel, 194 App.
spinosa L., 194 App., 216 App.
var. *mucronifolia*, 205
Capra
ibex nubiana F.Cuvier, 208
Capsella
bursa-pastoris (L.) Medik., 215 App.
Caracal
caracal schmitzi Matschie, 208
Carara Medik., 166
Cardamon (DC.) Fourr., 166
sativum (L.) Fourr., 166
Cardaria Desv., 165–166
draba (L.) Desv., 166, 215 App.
Cardiopetalum
calophyllum Schltdl., 406–407
Carduus
pycnocephalus L., 217 App.
Carissa
spinarum L., 309
Carpinus, 158 Rev.
Carpotroche
brasiliensis (Raddi) Endl., 388
Carrichtera
annua (L.) DC., 215 App.
Carthamus
nitidus Boiss., 217 App.
oxyacantha M.Bieb., 217 App.
oxycantha Boiss., 217 App.
Caryocar, 406
brasiliense Cambess., 407, 409
Caryophyllaceae, 194 App., 216 App.
Casearia
arborea (Rich.) Urb., 386
eichleriana Sleumer, 386
sylvestris Sw., 295 App., 386
tremula (Griseb.) Griseb. ex C.Wright, 295 App.
Casuarinaceae, 329 Rev.
Catanduva, Brazil, 402
Caylusea
hexagyna (Forssk.) M.L.Green, 223 App.
Cecropia
pachystachya Trécul, 408
Cedrela
odorata L., 287
Ceiba
pentandra, 331 Rev.
Celastraceae, 292 App., 312, 387
Celtis, 469
Cenchrus
ciliaris L., 195 App., 219 App.
pennisetiformis Hochst. & Steud., 219 App.
Centaurea
dhofarica Baker, 308, 312
eryngioides Lam., 205, 217 App.
mesopotamica Bornm., 217 App.
pseudosinaica Czerep., 194 App., 217 App.
sinaica DC., 217 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Centaurium
erythraea Rafn, 209, 219 App.
pulchellum (Swartz) Druce, 219 App.
Central Africa, 423–442*
Central America, 273–296
Centropodia
forskaolii (Vahl) Cope, 195 App.
fragilis (P.Guinet & Sauvage) Cope, 189, 195 App., 219 App.
Cereus
jamacaru DC., 388
Ceriscoides
curranii (Merr.) Tirveng., 29
Ceropegia
bulbosa Roxb., 309
Cerradões, Brazil, 139–155, 401–418
Ceylon, 339
Chamaecrista
diphylla (L.) Greene, 278, 292 App.
Chamaedorea, 273, 284, 287
CHASE, M.W., 43–59
Chassalia, 424
Chazaliella, 424
Checklists
flora of Gabon, 423–442*
plant taxa from Jabal Aja', 214–224 App.
plant taxa from 'Uruq Bani Ma'arid, 193–197 App.
Cheilanthes
acrostica (Balb.) Tod., 205, 223 App.
pteridioides (Reichard) C.Chr., 223 App.
vellea (Aiton) F.Muell., 205, 223 App.
Chenopodium
murale L., 215 App.
China, 269–272*, 297–300
South East, 450–451 Map
Xizang, 61–109*
Chiquibul Forest Reserve, Belize, 273–296 [275 Map]
Chlamydotis
macqueenii J.E.Gray, 208
Chloranthaceae, 329 Rev., 391
Chrozophora
oblongifolia (Delile) A.Juss. ex Spreng., 195 App.
tinctoria (L.) A.Juss., 195 App., 219 App.
Chrysanthemum
coronarium L., 217 App.
Chrysobalanaceae, 387
Chrysophyllum
imperiale (Linden ex Koch & Fintelm.) Benth. & Hook.f., 388
Chrysopogon
macleishii Cope, 309, 312
plumulosus Hochst., 195 App.
Cibotiaceae, 329 Rev.
Cistaceae, 217 App.
Cistanche
phelypaea (L.) Cout., 196 App., 222 App.
Citation, of *Desmos*, 173–175
Citharexylum
caudatum L., 280–281, 295 App.
Citrullus
colocynthis (L.) Schrad., 195 App., 202, 218 App.
Cleistachne
sorghoides Benth., 309
Cleomaceae, 194 App., 217 App.
Cleome
amblyocarpa Barratte & Murb., 187, 194 App., 217 App.
rupicola Vicary, 205, 217 App.
Clethra
occidentalis (L.) Kuntze, 280–281, 292 App.
scabra Pers., 386, 391
Clethraceae, 292 App., 329 Rev., 391
Clidemia
capitellata (Bonpl.) D.Don, 293 App.
sericea D.Don, 293 App.
Clusia
flava Jacq., 282, 292 App.
quadrangula Bartlett, 292 App.
Clusiaceae, 292 App., 387
Clypeola
aspera (Grauer) Turrill, 209, 215 App.
jonthlaspi L., 216 App.
Coccocypselum
hirsutum Bartl. ex DC., 295 App.
Cocculus
pendulus (J.R.Forst. & G.Forst.) Diels, 196 App.
Cochlearia
coronopus L., 166
nilotica Delile, 166
Coelachne, 425
africana Pilg., 431
Cola
umbratilis Brenan & Keay, 348

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Colchicaceae, 217 App.
Colchicum
ritchii R.Br., 206, 217 App.
Combretaceae, 292 App., 312, 348, 388
Combretum
tarquense J.J.Clark, 348
Cometia
lucida Baill., 343
Commelina
albescens Hassk., 308
Commiphora, 315
gileadensis (L.) C.Chr., 306
kua (J.F.Royle) Vollesen, 306
leptophloeos (Mart.) J.B.Gillet, 388
myrrha (Nees) Engl., 187, 194 App.
Compositae, 194 App., 217 App.
see also Asteraceae
Connarus
suberosus Planch., 406, 408
Conostegia
icosandra (Sw. ex Wikstr.) Urb., 293 App.
xalapensis (Bonpl.) D.Don ex DC., 293 App.
Conservation
of *Gardenia*, 11–32*
in Saudi Arabia, 183–197*, 199–224*
Convolvulaceae, 195 App., 218 App., 424, 427
Convolvulus
arvensis L., 218 App., 308
asyrensis Kotschy, 195 App.
auricomus (A.Rich.) Bhandari
var. *auricomus*, 195 App.
buschiricus Bornm., 195 App.
oxyphyllus Boiss.
subsp. *oxycladus* Rech.f., 205, 218 App.
pilosellifolius Desr., 205, 218 App.
prostratus Forssk., 308
Conyza
bonariensis (L.) Cronquist, 217 App.
Copaifera
langsdorffii Desf., 386, 391, 393, 409
Corbichonia
decumbens (Forssk.) Exell, 188, 196 App.
Corchorus
trilocularis L., 309
Cordia
crenata Delile
subsp. *crenata*, 309
Cordiera
concolor (Cham.) Kuntze, 386
elliptica (Cham.) Kuntze, 386
Cornulaca
arabica Botsch., 188–190, 193 App.
Coronopus Mill., 166
Coronopus Zinn, 165–166
ruellii All., 166
Corrections, to flora of Gabon, 423–442
Corvus
ruficollis Lesson, 190
Cosentina
vellea (Aiton) Tod., 223 App.
Costaceae, 292 App.
Costus
pulverulentus C.Presl, 283, 292 App.
Côte d'Ivoire, 343–350*
Cotyliscus Desv., 166
niloticus (Delile) Desv., 166
Crassula
alata (Viv.) A.Berger, 218 App.
Crassulaceae, 218 App.
Craterocapsa Hilliard & B.L.Burtt, 359, 365–367, 369
montana (A.DC.) Hilliard & B.L.Burtt, 354, 357, 360 Fig., 368
tarsodes Hilliard & B.L.Burtt, 354, 357, 365, 368
Crematogaster
borneensis, 445
Crepidospermum
atlanticum Daly, 387
Crepis, 205
aspera L., 217 App.
kotschyana (Boiss.) Boiss., 217 App.
sancta (L.) Bornm., 217 App.
Crescentia
cujete L., 278, 280, 285, 291 App.
Critoniopsis
leiocarpa (DC.) H.Rob., 278, 282, 291 App.
Crossopetalum, 292 App.
Crotalaria
aegyptiaca Benth., 196 App.
leptocarpa Balf.f., 196 App.
ononoides Benth., 429
retusa L., 307, 313
Croton L., 33–34
sect. *Medea* (Klotzsch) Baill., 33–38*
arlineae D.Medeiros *et al.*, 34

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

bilbergianus Müll.Arg.
subsp. *pyramidalis* (Donn.Sm.) G.L.Webster, 278
gnidiaceus Baill., 34
josephinus Müll.Arg., 33–38* [35 Fig., **36**]
pradensis D.Medeiros *et al.*, 34
pyramidalis Donn.Sm., 278
vestitus Spreng., 34
Cruciferae, 329 Rev.
Crypsinus
cruciformis (Ching) Tagawa, 266
oxylobus (Wall. ex Kunze) Sledge, 265
Cryptogrammaceae, 329 Rev.
Ctenolepis
cerasiformis (Stocks) Hook.f., 202, 218 App.
Ctenolophonaceae, 329 Rev.
Cucumis
prophetarum L., 218 App.
sativus L., 307
Cucurbitaceae, 195 App., 218 App., 327–328 Rev., 424, 428
Cunoniaceae, 157 Rev.
Cupania
paniculata Cambess., 386
rufescens Triana & Planch., 278
Cuphea
appendiculata Benth.
var. *appendiculata*, 293 App.
aristata Hemsl., 278, 293 App.
Cupido, C.N., 351–371
Curatella
americana L., 274, 407
Cuscuta
planiflora Ten., 218 App.
Cutandia
memphitica (Spreng.) K.Richt., 219 App.
Cyathea, 296 App.
corcovadensis (Raddi) Domin, 386
delgadii Sternb., 386
phalerata Mart., 386
villosa Willd., 386
Cyatheaceae, 296 App.
Cyathogyne Müll.Arg., 343–350*
bussei Pax, 343–344
grandifolia Pax & K.Hoffm., 345
spathulifolia Pax, 343
viridis Müll.Arg., 343–344, 349
Cybianthus
glaber A.DC., 386
Cybistax
antisyphilitica (Mart.) Mart., 408
Cyclocodon Griff. ex Hook.f., 353
Cymbopetalum
brasiliense (Vell.) Benth. ex Baill., **174**
Cymbopogon
commutatus (Steud.) Stapf, 203, 205, 219 App.
schoenanthus (L.) Spreng., 202–203, 205, 219 App.
Cynodon
dactylon (L.) Pers., 219 App.
Cynomoriaceae, 195 App., 218 App.
Cynomorium
coccineum L., 195 App., 218 App.
Cyperaceae, 195 App., 218 App., 292 App., 424, 428
Cyperus
alulatus J.Kern, 309
aucheri Jaub. & Spach, 195 App.
conglomeratus Rottb., 206, 218 App.
var. *aucheri* (Jaub. & Spach) C.B.Clarke, 195 App.
longus L., 309
macrorrhizus Nees, 189, 195 App.
squarrosus L., 308
Cyphia
comptonii, 368
Cyphostemma
ternatum (Forssk.) Desc., 306
Cyrtocarpa
caatingae J.D.Mitch. & Daly, 388

Dacrydium Lamb., 41
Dacryodes
osika (Guillaumin) H.J.Lam, 427
yangambiensis Louis ex Troupin, 427
Dalbergia, 460
miscolobium Benth., 386, 389
violacea (Jacq.) Hoffmanns., 408
Daphniphyllaceae, 329 Rev.
Datiscaceae, 329 Rev.
Dauby, G., 423–442
Davilla
elliptica A.St.-Hil., 407
Delgado, M.N., 139–155
Dendroctonus, 273, 284, 287
Dennstaedtiaceae, 296 App.
Desmodio gangetico-Themedetum quadrivalvis, 301, 305, 312, 314, 316

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Desmodium
gangeticum (L.) DC., 305, 312
Desmos Lour., 173–175*
viridiflorus (Bedd.) Saff., 173
viridiflorus Saff., 173–175 [**174**]
Dessein, S., 423–442
Diascia, 158 Rev.
Dichanthium
annulatum (Forssk.) Stapf, 308
foveolatum (Delile) Roberty, 195 App.
Dichapetalaceae, 348
Dicranopteris
pectinata (Willd.) Underw., 282, 296 App.
Dictyoloma
vandellianum A.Juss., 386
Digitaria
ciliaris (Retz.) Koeler, 309
stricta Roth ex Roem. & Schult., 308
Dilodendron
bipinnatum Radlk., 408, 413
Dimeria
ornithopoda Trin., 309
Dimorphandra
mollis Benth., 408
Dioscoreophyllum
gossweileri Exell, 431
Diospyros L., 339–341*
sect. **Patonia** Hiern, **340**
burchellii Hiern, 408
hispida A.DC., 407
ketun B.Walln., 392
undulata Wall. ex G.Don
var. *walkeri* (Wight) Bakh., 340
walkeri (Wight) Gürke, 339–**340**
Dipcadi
erythraeum Webb & Berth., 196 App.
unicolor (Stocks) Baker, 196 App.
Diplotaxis
acris (Forssk.) Boiss., 202, 205, 216 App.
erucoides (L.) DC., 216 App.
Diplycosia Blume, 39–42*
apoensis Elmer, 42
bartolomei Ferreras & Argent, **39**–42 [40 Fig.]
gracilipes J.J.Sm., 42
heterophylla Blume, 42
loheri Merr., 42
luzonica (A.Gray) Merr., 39, 42
parvifolia Merr., 42
paulsmithii Argent, 42
trinervia Elmer, 42
Dipsacaceae, 219 App.
Dipterygium
glaucum Decne., 187–189, 194 App.
Dipteryx
alata Vogel, 406–407, 409
Dischistocalyx, 424
champluvierianus Lejoly & Lisowski, 425
Discospermum
whitfordii (Elmer) S.J.Ali & Robbrecht, 30
Ditta Griseb., 444
Dodonaea
viscosa (L.) Jacq., 278, 295 App., 307
Dolichos, 424–425
subcapitatus R.Wilczek, 429
Dorstenia
foetida (Forssk.) Schweinf., 309, 311
Drimys
brasiliensis Miers, 386, 391
Dryopteridaceae, 428
Ducrosia
anethifolia (DC.) Boiss., 224 App.
Duguetia
chrysocarpa Maas, 388
Dyschoriste
dalyi A.G.Mill., 309, 312
Dysoxylum, 29
Dystrophic cerradão, 401–418*

Ebenaceae, 339, 392
Echinochloa, 195 App.
Echinops, 217 App.
mandavillei Kit Tan, 203, 207, 209, 217 App.
Echium, 194 App.
arabicum R.Mill, 215 App.
rauwolfii Delile, 215 App.
Eclipta
prostrata (L.) L., 309
Ecology, in relation to seed types, 351–371
Ecpoma
geanthum (Hiern) N.Hallé, 435
Eddie, W.M.M., 351–371
Eichhornia, 158 Rev.
Elaeocarpaceae, 157 Rev.
Elaeocarpus L., 41
Elaphoglossum
cinnamomeum (Baker) Diels, 424, 428
kuhnii Hieron., 424, 428
plumosum (Fée) T.Moore, 428

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Eleocharis
uniglumis (Link) Schult., 205–206, 209, 218 App.
Elionurus, 424
hirtifolius Hack., 432
Emendation, in *Pedicularis*, 61–109*
Emex
spinosa (L.) Campd., 223 App.
Emmotum
nitens (Benth.) Miers, 386, 391, 401, 403, 406–407
Empty Quarter, Saudi Arabia, 183–197* [184 Map]
Encyclia
michuacana (La Llave & Lex.) Schltr., 278, 294 App.
Endemism
in Oman, 301–319*
in Saudi Arabia, 183–197*
Endespermum Blume
Endospermum Benth., 443–482* [**460**], & Figs, & Maps
subgen. *Capellenia* (Teijsm. & Binn.) Pax & K.Hoffm., 444, 461
subgen. *Endospermum*, 444
subgen. *Euendospermum* Pax & K.Hoffm., 444, 461
banghamii Merr., 443, 447–448 [447 Fig.], 476–477
beccarianum Pax & K.Hoffm., 465–466
var. *crassirameum* Pax & K.Hoffm., 465–466
var. *tenuirameum* Pax & K.Hoffm., 465
borneense auct., 465
borneense Benth. ex Müll.Arg., 464
chinense Benth., 443, 449–450, 452–453, 456, 459, 461
var. *malayanum* Pax & K.Hoffm., 465
diadenum (Miq.) Airy Shaw, 445, 447–448, 450, 452–457 [454 Fig., 455 Map], 459, 463–**464**, 467, 478, 480
domatiophorum J.Schaeff., 445–448 [446 Fig.], 450, 452–453, 456 & Map, 463, **467**–468, 470, 480
eglandulosum Pax & K.Hoffm., 478
formicarum Becc., 470
labios Schodde, 470, 472
subsp. *gracilipes* Schodde, 470
subsp. *labios*, 470
macrophyllum Pax & K.Hoffm., 449–453, 456, 459
malaccense Benth. ex Müll.Arg., 464
malayanum (Pax & K.Hoffm.) Chatterjee, 465
medullosum L.S.Sm., 445, 447–448 [447 Fig.], 450–453, 456–457 [457 Map], 459, 464, **468**, 470, 474, 480
moluccanum (Teijsm. & Binn.) Kurz, 444–445, 447–448, 450, 452–453, 457–459 [458 Fig., 459 Map], 461, 463, **470**, 472–474, 480
myrmecophilum L.S.Sm., 444–446 [446 Fig.], 448, 450–453, 460 Map, 463, 470, **472**–473, 480
ovalifolium Pax & K.Hoffm., 465
ovatum Merr., 445, 447–448, 450, 452–453, 456, 459, 461 Map, 464, **474**, 480
peltatum Merr., 445, 447–448 [447 Fig.], 450, 452–453, 456–457, 459, 462 Map, 464, 467, **475**, 480
philippinense Elmer ex Merr., 475
quadriloculare Pax & K.Hoffm., 443, 445–448 [446 Fig.], 450, 452–453, 456–457, 461 Map, 464, 467, **476**–478, 480
ronaldii J.Schaeff., 443, 448, 476–477
Endress, P.K., 157–158 Rev.
Engelhardtia Lesch. ex Blume, 41
Enicostemma
axillare (Lam.) A.Raynal, 309
Enneapogon
desvauxii P.Beauv., 195 App., 219 App.
persicus Boiss., 219 App.
schimperianus (Hochst. ex A.Rich.) Renvoize, 219 App.
Enterolobium
gummiferum (Mart.) J.F.Macbr., 389, 408
Ephedra
foliata Boiss. ex C.A.Mey., 187, 195 App., 202, 205–206, 219 App.
Ephedraceae, 195 App., 219 App.
Epitype, of *Pedicularis*, 111–138*
Equisetaceae, 329 Rev.
Eragrostis
barrelieri Daveau, 220 App.
maypurensis (Kunth) Steud., 294 App.
viscosa (Retz.) Trin., 309
Eremanthus

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

glomerulatus Less., 408
Eremobium
aegyptiacum (Spreng.) Asch. & Schweinf. ex Boiss., 194 App., 206, 216 App.
Ericaceae, 39–42*, 419–422*
Eriocaulaceae, 257–263*, 424, 428
Eriocaulon L., 257–263
ansarii Pradeep & Sunil, 257, 260, 262–263
baramaticum Shimpale *et al.*, 257
epedunculatum Potdar *et al.*, 257
malabaricum Pradeep & Nampy, **257**–263* [258–259 Figs]
pykarense Nampy & Manudev, 257–263* [259 Fig., **260**, 261 Fig.]
sollyanum Royle, 257, 260, 262–263
trilobum Buch.-Ham. ex Körn., 263
Eriosema, 424
pellegrinii Tisser., 429
Eriotheca
gracilipes (K.Schum.) A.Robyns, 407
macrophylla (K.Schum.) A.Robyns, 387
pubescens (Mart. & Zucc.) Schott & Endl., 408
Erodium
laciniatum (Cav.) Willd., 219 App.
neuradifolium Delile ex Godr., 219 App.
touchyanum Delile ex Godr., 219 App.
Eruca
sativa Mill., 216 App.
Erysimum
hedgeanum Al-Shehbaz, 201, 207, 209, 216 App.
Erythroxylaceae, 329 Rev., 389, 391
Erythroxylum
daphnites Mart., 389, 407
suberosum A.St.-Hil., 408
vaccinifolium Mart., 386, 391
Esenbeckia
grandiflora Mart., 386
Espinhaçao Range, Brazil, 373–400* [376 Map]
Euclea
schimperi (A.DC.) Dandy, 307
Eugenia, 29
capuli (Schltdl. & Cham.) Hook. & Arn., 294 App.
florida DC., 386
klotzschiana O.Berg, 389
laruotteana Cambess., 392
punicifolia (Kunth) DC., 386
winzerlingii Standl., 278, 294 App.
Euphorbia
chamaepeplus Boiss. & Gaill., 219 App.
granulata Forssk., 219 App.
hirta L., 219 App.
indica Lam., 307
peplus L., 219 App.
schimperiana Scheele, 219 App.
Euphorbiaceae, 33–38, 195 App., 219 App., 292 App., 325 Rev., 343–350*, 388, 391, 443–482*
subfam. Crotonoideae, 444
tribe Adenoclineae, 444
tribe Crotoneae, 443
tribe Gelonieae, 444
subtribe Endosperminae, 444
Euplassa
semicostata Plana, 392
Eustachys
paspaloides (Vahl) Lanza & Mattei, 305, 313–314
Exacum
arabicum Thulin, 306, 312
Exallage, 424–425
auricularia (L.) Bremek., 433
Extrafloral nectaries, in *Calolisianthus*, 139–155*

Fabaceae, 157 Rev., 429, 460, 469
subfam. Caesalpinioideae, 292 App.
subfam. Mimosoideae, 292 App.
Fagaceae, 292 App.
Fagonia
bruguieri DC., 206, 224 App.
glutinosa Delile, 224 App.
indica Burm.f., 187, 189, 197 App., 224 App.
var. *schweinfurthii* Hadidi, 197 App.
schweinfurthii (Hadidi) M.Hall, 183, **197** App.
Falco
cherrug Gray, 208
pelegrinoides Temminck, 191
Faramea
nigrescens Mart., 386
Farsetia, 188
aegyptia Turra, 205–206, 216 App.
burtoniae Oliv., 188–189, 194 App.
dhofarica, 194 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

longisiliqua Decne., 188–189, 194 App.
stylosa R.Br., 194 App.
Felis
margarita harrisoni Hemmer, Grub & Groves, 189
FERRERAS, U.F., 39–42
Ferula
communis L., 224 App.
Ficus
subgen. *Ficus*, 269
sect. *Ficus*, 269
subsect. *Frutescentiae* Sata, 269
bistipulata Griff., 270–271
congesta H.Lév. & Vaniot, 271
cuneata H.Lév. & Vaniot, 269–271
var. *congesta* H.Lév. & Vaniot, 271
enormis (Mart. ex Miq.) Mart., 408
erecta Thunb., 269–270, 272
gasparriniana Miq., 269–270
var. *viridescens* (H.Lév. & Vaniot) Corner, 271
heteromorpha Hemsl., 269–271
neriifolia Sm., 270
palmata Forssk., 221 App.
subsp. *virgata* (Roxb.) Browicz, 205, 221 App.
pandurata Hance, 269–270
pedunculosa, 269–272*
pertusa L.f., 386
stapfii H.Lév., 269–271
sycomorus L., 309
trivia Corner, 269–272 [**270**]
var. *laevigata* S.S.Chang, 270, 272
var. *tenuipetiolata* S.S.Chang, 269
tuphapensis Drake, 269–270
vasta Forssk., 309
Fiji, 451 Map, 453, 456, 459
Filago
desertorum Pomel, 217 App.
Fimbristylis
bisumbellata (Forssk.) Bubani, 308
splendida C.B.Clarke, 428
Flacourtiaceae, 325 Rev.
Flaveria
trinervia (Spreng.) C.Mohr, 217 App.
Flora
of Gabon, 423–442*
of Indonesia, 419–422*
of the Philippines, 39–42*
Floresta xeromorfa, Brazil, 402
Floristic survey, 401–418*
Floristics, of the San Pastor Savanna, Belize, 273–296*
Flueggea
virosa (Roxb. ex Willd.) Royle, 306
Fog-oasis, 301–319*
Forests, Atlantic Semideciduous, 373–400*
Forsskaolea
tenacissima L., 224 App.
Forsteronia
myriantha Donn.Sm., 291 App.
Fumaria
parviflora Lam., 222 App.
FURLEY, P.A., 273–296
Fusarium, 330 Rev.
Fynbos, South Africa, 363–365

Gabon, flora of, 423–442*
Gagea Salisb., 43–59*
sect. *Didymobulbos* K.Koch, 52
sect. *Plecostigma* Pascher, 52
afghanica A.Terracc., 43, 45, 49, 51–57 [**54**, 56 Fig.]
amblyopetala Boiss. & Heldr.
var. *bulbifera* Boiss., 51
circumplexa Vved., 221 App.
dayana Chodat & Beauverd
var. *conjugens* (Pascher) Heyn & Dafni, 221 App.
dschungarica Regel, 43, 45, 49–**53** [50 Fig.], 55–57 [56 Fig.]
ebulbillosa (Boiss.) Levichev, 54
gageoides (Zucc.) Vved., 43, 45, 47–**53** [50 Fig.], 55–57
graeca (L.) A.Terracc., 47
kashmirensis Turrill, 43, 52–54
kunawurensis (Royle) Greuter, 43–59 [50 Fig., **54**]
ova Stapf, 47, 54
perpusilla Pascher, 44
persica Boiss., 43, 47–48, 50–53
var. *ebulbillosa* Boiss., 51, 54
var. *kashmirensis* (Turrill) S.Dasgupta & Deb, 51–52, 54
var. *persica*, 51
reticulata (Pall.) Schult. & Schult.f., 44, 202, 221 App.
serotina (L.) Ker-Gawl., 43
setifolia Baker, 44

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

stipitata Merckl. ex Bunge, 43, 46–47, 51–52, 54
tehranica Gand., 44
tenera Pascher, 43, 46, 49, 52–57 [**54**, 56 Fig.]
trinervia (Viv.) Greuter, 47
Galium
ceratopodum Boiss., 223 App.
setaceum Lam., 205, 223 App.
Gardenia J.Ellis, 11–32*
acutifolia Elmer, 29
barnesii Merr., 11, 13–**14** [14 Fig.], 16–17 [16 Map], 29–30
carinata sensu Fern.-Vill., non Wall. ex Roxb., 30
curranii Merr., 29
elata Ridl., 11, 13, **18**, 20
var. **elata**, 13, **19–**21 [19 Fig.]
var. **longipedicellata** K.M.Wong, 13, 19, **21** [21 Fig.]
elliptica Elmer, 29
glutinosa auct., non Teijsm. & Binn., 18, 20–21
glutinosa Teijsm. & Binn., 20
jasminoides J.Ellis, 11, 17
lagunensis Merr., 29
lobbii Craib, 18
longiflora S.Vidal, 18
longituba Ridl., 18
megalocarpa Merr., 14
merrillii Elmer, 29
morindifolia Elmer, 30
mutabilis Reinw. ex Blume, 11–13, **22–**25 [23 Fig., 24 Map]
negrosensis Merr., 30
obscura (Blanco) S.Vidal, 30
obscurinervia Merr., 30
ornata K.M.Wong, 11, 13, 24–26 [24 Map, **25**, 26 Fig.]
pinnata (Blanco) Merr., 30
pseudopsidium (Blanco) Fern.-Vill., 11, 28
pubifolia Merr., 30
ramosa Merr., 22
segmenta Elmer, 14
speciosa Hook.f., 18
subcarinata (Corner) Y.W.Low, 25–26
thunbergia sensu Fern.-Vill., 30
tubifera auct., non Wall. ex Roxb., 18
tubifera Wall. ex Roxb., 21, 26, 28
var. *tubifera*
f. *elata* (Ridl.) K.M.Wong, 18
vulcanica K.M.Wong, 11, 13, 24 Map, **26**, 27 Fig.
whitfordii Elmer, 30
Gastrocotyle
hispida (Forssk.) Bunge, 194 App., 215 App.
Gaylussacia
brasiliensis (Spreng.) Meisn., 386
Gazella
gazella Pallas, 189
subgutturosa marica Güldenstädt, 189
Generic delimitation, of *Thecacoris*, 343–350
Genipa
infundibuliformis Zappi & Semir, 388
Gentianaceae, 139–155, 219 App., 312, 430
tribe Chironieae, 139
tribe Exaceae, 139
tribe Gentianeae, 139
tribe Helieae, 139–155
tribe Potalieae, 139
tribe Saccifolieae, 139
Gentianales, 139
Geographic distribution, 373–400*
Geonoma
brevispatha Barb.Rodr., 386
Geophila
ingens Wernham, 433
lancistipula Hiern, 434
obvallata (Schumach. & Thonn.) F.Didr., 433
repens (L.) I.M.Johnst., 433–434
Geraniaceae, 195 App., 219 App.
Geranium
biuncinatum Kokwaro, 219 App.
mascatense Boiss., 219 App.
molle L., 219 App.
rotundifolium L., 219 App.
Gesneriaceae, 331 Rev.
Ghana, 343–350*
Gibby, M., 328–330 Rev.
Gironniera
subaequalis Planch., 323
Gisekia
pharnaceoides L., 195 App.
Gisekiaceae, 195 App.
Gladiolus
candidus (Rendle) Goldblatt, 309
italicus Mill., 205, 209, 220 App.
Gleicheniaceae, 248, 296 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Gliricidia
sepium (Jacq.) Kunkun ex Walp., 292 App.
Glossonema
varians (Stocks) Hook.f., 194 App.
Gloxinia
perennis, 331 Rev.
Gochnatia
hatschbachii Cabrera, 392
polymorpha (Less.) Cabrera, 386
Goiás State, Brazil, 401–418 [404 Map]
Gomphocarpus, 424
fruticosus
subsp. *setosa* (Forssk.) Goyder & Nicholas, 309
sinaicus Boiss., 215 App.
swynnertonii (S.Moore) Goyder & Nicholas, 426
Gomphogyne, 327 Rev.
Goodwin, Z.A., 273–296
Gramineae, 195 App., 219 App., 309
see also Poaceae
Grammitidaceae, 329 Rev.
Grammitis
ebenina (Maxon) Tardieu, 432
nigrocincta Alston, 432
Great Nicobar Island, 321–324*
Guapira, 408
graciliflora (Schmidt) Lundell, 386, 408
noxia (Netto) Lundell, 408
opposita (Vell.) Reitz, 386, 391, 393
Guatteria
notabilis Mello-Silva & Pirani, 392
rupestris Mello-Silva & Pirani, 386, 392
sellowiana Schltdl., 386
Guettarda
combsii Urb., 295 App.
tikalana Lundell, 295 App.
Gunillaea Thulin, 353
Gymnarrhena
micrantha Desf., 217 App.
Gymnocarpos
decandrus Forssk., 202, 205–206, 216 App.
Gynandiris, 205
sisyrinchium (L.) Parl., 220 App.
Gynerium
sagittatum (Aubl.) P.Beauv., 282–283, 294 App.
Gynotroches Blume, 41
Gyps
fulvus Hablizl, 208
Gypsophila
capillaris (Forssk.) C.Chr., 202, 216 App.
viscosa Murray, 216 App.

Hackelochloa
granularis (L.) Kuntze, 308
Hall, M., 183–197, 199–224
Haloragis, 158 Rev.
Halothamnus
bottae Jaub. & Spach, 193 App.
iraqensis Botsch., 215 App.
Haloxylon, 209
persicum Bunge ex Boiss. & Buhse, 189, 193 App.
salicornicum (Moq.) Bunge ex Boiss., 187–189, 193 App., 202, 206, 215 App.
Hammada
scoparia sensu Collenette, 193 App.
Hancornia
speciosa B.A.Gomes, 408
Handroanthus
ochraceus (Cham.) Mattos, 386
serratifolius (Vahl) S.O.Grose, 408
Hao, G., 297–300
Haplophyllum
tuberculatum (Forssk.) A.Juss., 187, 197 App.
Harpullia Roxb., 1–9*
subgen. *Harpullia*, 7
subgen. *Otonychium*, 7
mabberleyana W.N.Takeuchi, 1–9 [**3** Fig. & Map]
ramiflora Radlk., 1
rhachiptera Radlk., 1–9 [3 Map, 5 Fig., **7**]
Harris, D.J., 273–296
Haston, E., 483–484 Rev.
Haumaniastrum, 425
caeruleum (Oliv.) P.A.Duvign. & Plancke, 431
Hedyosmum
brasiliense Miq., 386, 391
Hedyotis, 433
Hedypnois
rhagadioloides (L.) F.W.Schmidt, 217 App.
Heldreichia
silaifolia Hook.f. & Thomson, 170
Helianthemum
aegyptiacum (L.) Mill., 217 App.
kahiricum Delile, 205–206, 217 App.
ledifolium (L.) Mill., 217 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

lippii (L.) Dum.Cours., 205, 217 App.
Helichrysum
mechowianum Klatt
var. *ceres* (S.Moore) Beentje, 427
Heliconia, 283, 292 App.
Heliconiaceae, 292 App.
Helicostylis
tomentosa (Poepp. & Endl.) Rusby, 387
Helicteres
guazumifolia Kunth, 293 App.
Heliotropium
crispum Desf., 194 App., 205, 215 App.
digynum (Forssk.) C.Chr., 194 App.
longiflorum (Hochst. ex A.DC.) Jaub. & Spach, 309
ramosissimum (Lehm.) DC., 194 App., 205, 215 App.
rariflorum Stocks, 194 App.
Herbarium, in Madras, 173–175*
Hermannia
paniculata Franch., 308
Hernandia
sonora auct. non L., 470
Hernandiaceae, 157 Rev.
Herniaria
hirsuta L., 216 App.
Heterocaryum
szovitsianum (Fisch. & C.A.Mey.) A.DC., 215 App.
Heterocentron
subtriplinervium (Link & Otto) A.Braun & C.D.Bouché, 293 App.
Heteropogon
contortus (L.) P.Beauv. ex Roem. & Schult., 305, 313–315
Heteropterys
byrsonimifolia A.Juss., 408
Hibiscus
costatus A.Rich., 293 App.
micranthus L., 205–206, 221 App.
Hicks, J., 273–296
Himalaya, 61–109*
Sino-Himalaya, 111–138*
Himatanthus
obovatus (Müll.Arg.) Woodson, 408
Hippocrepis
constricta Kunze, 221 App.
unisiliquosa L.
subsp. *bisiliqua* (Forssk.) Bornm., 221 App.
Hiraea
reclinata Jacq., 293 App.
Hirschfeldia
incana (L.) Lagr.-Foss., 205, 216 App.
Hirtella
glandulosa Spreng., 386, 403, 407
Holocalyx
balansae Micheli, 389
Hordeum
murinum L.
subsp. *glaucum* (Steud.) Tzvelev, 205, 220 App.
spontaneum K.Koch, 205, 220 App.
Hornungia
persica (Boiss.) Rouy, 53
Hovenkamp, P., 265–267
Hu, C.M., 297–300
Hughes, M., 225–255
Humiria
balsaminifera Aubl., 386
Hyacinthaceae, 196 App., 220 App.
Hyaena
hyaena sultana Pocock, 208
Hybantho durae-Anogeissetum dhofaricae, 305, 315
Hymenaea
stigonocarpa Mart. ex Hayne, 386, 407
Hymenocardia
acida, 437
Hymenophysa C.A.Mey. ex Ledeb., 166
pubescens C.A.Mey., 166
Hymenostegia
gracilipes Hutch. & Dalziel, 348
Hyoscyamus
muticus L., 223 App.
pusillus L., 223 App.
Hyparrhenia
hirta (L.) Stapf, 205, 220 App.
Hypecoum
pendulum L., 222 App.
Hypericaceae, 293 App.
Hyperico-Rhamnetea, 307
Hypericum
terrae-firmae Sprague & L.Riley, 293 App.
Hystrix
indica Kerr, 208

Icacinaceae, 391
Ifloga
spicata (Forssk.) Sch.Bip., 218 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Ilex
dumosa Reissek, 386
guianensis (Aubl.) Kuntze, 281–282, 291 App.
lundii Warm., 386
Illiciaceae, 157 Rev., 329 Rev.
Illicium, 158 Rev.
Impatiens
balsamina L., 306
Important Plant Area (IPA), 183–197*, 199–224*
India, 173–175*, 257–263*, 339
Great Nicobar Biosphere Reserve, 321–324
North, 450–451 Map
Northwest, 111–138*
Indigofera, 424
congolensis De Wild. & T.Durand var. *congolensis*, 429
spinosa Forssk., 196 App.
tinctoria L., 309
Indonesia, 225–255
flora of, 419–422*
South and West Sulawesi, 225–255 [227 Map]
Inga, 326 Rev., 408
cocleensis Pittier, 281, 292 App.
punctata Willd., 292 App.
INGROUILLE, M.J., 43–59
Iphiona
scabra DC., 194 App.
Ipomoea
linosepala Hallier f. subsp. *alpina* (Rendle) Lejoly & Lisowski, 427
Ips, 284
Iridaceae, 36, 220 App., 293 App.
Irlbachia
pendula (Mart.) Maas, 152
Isatis L., 166
lusitanica L., 205, 216 App.
Isolectotype, in *Croton*, 33, 36
Isparta, Turkey, 159–163*

Jabal Aja', Saudi Arabia, 199–224* [200 Map, 201 Fig., 203–204 Figs]
checklist of plant taxa from, 214–224 App.
conservation threats in, 211
lower plains of, 202
Nafud sands of, 206–207 Fig.
qualification as an IPA, 209–210
and SWC protected area system plan, 210
socio-economics of, 210
upper plains and slopes of, 203
Jacaratia, 326 Rev.
Jasminum
grandiflorum subsp. *floribundum* (Fresen.) P.S.Green, 306
JAYANTHI, J., 321–324
Joannesia
princeps Vell., 388
Juncaceae, 220 App.
Juncus
bufonius L., 220 App.
Juniperetea procerae, 306
Justicia
rottleriana Wallich, 336

Kandis Adans., 166
perfoliata (L.) Kerguélen, 166
Karoo, South Africa, 365
KARTHIGEYAN, K., 321–324
Kashmir, 111–138*
KASUYA, M.C.M., 139–155
Kibara
coriacea (Blume) Tulasne, 323
Kickxia
acerbiana (Boiss.) Täckh. & Boulos, 222 App.
aegyptiaca (L.) Nábělek, 222 App.
pseudoscoparia V.W.Sm. & D.A.Sutton, 209, 222 App.
Kielmeyera
coriacea Mart. & Zucc., 407
petiolaris Mart., 386
Klaineanthus Pierre ex Prain, 444, 450, 452
gaboniae Pierre ex Prain, 449–450
Koelpinia
linearis Pall., 206, 218 App.
Kohautia
caespitosa Schnizl., 197 App.
Kotschya, 425
ochreata (Taub.) Dewit & P.A.Duvign. var. *ochreata*, 430

Labiatae, 196 App., 220 App.
LACHENAUD, O., 423–442
Lacistema
aggregatum (P.J.Bergius) Rusby, 280, 293 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Lacistemataceae, 293 App.
Laetia
thamnia L., 295 App.
Lafoensia
pacari A.St.-Hil., 408
vandelliana Cham. & Schltdl., 386
Lallemantia
royleana (Benth.) Benth., 209, 220 App.
Lamanonia
ternata Vell., 386
Lamarckia
aurea (L.) Moench, 220 App.
Lamiaceae, 196 App., 220 App., 293 App., 424, 431
Lappula
sinaica (A.DC.) Asch. & Schweinf., 215 App.
spinocarpos (Forssk.) Asch. ex Kuntze, 215 App.
Lasiopogon
muscoides (Desf.) DC., 218 App.
Lasiospermum
brachyglossum DC., 218 App.
Lasiurus
scindicus Henrard, 188–189, 195 App.
Launaea
crassifolia (Balf.f.) C.Jeffrey, 306
fragilis (Asso) Pau, 218 App.
mucronata (Forssk.) Muschl., 194 App.
nudicaulis (L.) Hook.f., 218 App.
Lauraceae, 293 App., 387, 389, 392
Lavandula
coronopifolia Poir., 201, 205–206, 220 App.
pubescens Decne., 202, 205, 220 App.
Leandra
aurea (Cham.) Cogn., 386
melastomoides Raddi, 386
Lectotypes
in *Croton*, 33, 36
in *Desmos*, 173–175*
in *Gagea*, 48 Fig.
in *Lepidium*, 165
in *Pedicularis*, 111–138*
in *Xylopia*, 339–341*
Leguminosae, 196 App., 221 App., 391, 406, 409
subfam. Caesalpinioideae, 348
subfam. Mimosoideae, 388–389
subfam. Papilionoideae, 389
Lentibulariaceae, 285
Leontodon
laciniatus (Bertol.) Widder, 218 App.
Leopoldia
tenuiflorum (Tausch) Heldr., 207, 220 App.
Lepicochlea Rojas Acosta, 166
americana Rojas Acosta, 166
Lepidaploa
tortuosa (L.) H.Rob., 291 App.
Lepidium L., 165–171* [**166**]
affghanum Boiss., 168
afghanicum (Rech.f. & Köie) Al-Shehbaz & Mummenhoff, 165, **168**
appelianum Al-Shehbaz, 165–166
apterum (Lipsky) Al-Shehbaz & Mummenhoff, 165, **168**
aucheri Boiss., 216 App.
botschantsevianum Al-Shehbaz, 168
botschantzevii (R.Vinograd.) Al-Shehbaz & Mummenhoff, 165, **168**
campestre (L.) W.T.Aiton, 167
chalepense L., 165, 167
coronopus (L.) Al-Shehbaz, 166
curvinervium (Botsch. & Vved.) Al-Shehbaz & Mummenhoff, 165, **168**
didymum L., 166–167
draba L., 166
flavum Torr., 167
gracile (Chodat & Hassl.) Boelcke, 169
hindukushense Kitam., 170
latifolium L., 166
lipskyi (N.Busch) Al-Shehbaz & Mummenhoff, 165, **169**
minutiflorum (Ridl.) Hewson, 167
niloticum (Delile) Sieber ex Steud., 166
olgae (R.Vinograd.) Al-Shehbaz & Mummenhoff, 165, **169**
orientale (Schrenk ex Fisch.) Al-Shehbaz & Mummenhoff, 165, 167, **169**
patrinoides (Regel) Al-Shehbaz & Mummenhoff, 165, 167, **169**
pavlovii Al-Shehbaz & Mummenhoff, 165, **169**
perfoliatum L., 166
pterocarpum (Botsch. & Vved.) Al-Shehbaz & Mummenhoff, 165, **169**
sagittatum (Kar. & Kir.) Al-Shehbaz, 167
sativum L., 166
silaifolium (Hook.f. & Thomson) Al-Shehbaz & Mummenhoff, 165, 167, **170**

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

tiehmii (Rollins) Al-Shehbaz, 166
Lepisanthes, 1–9*
mixta Leenh., 1–9 [3 Map, 7 Fig., **8**]
Leptadenia
pyrotechnica (Forssk.) Decne., 187, 194 App.
Lepus
capensis arabicus Ehrenberg, 189, 208
Leucas
inflata Benth., 187, 196 App.
Leysera
leyseroides (Desf.) Maire, 206, 218 App.
Licania
belemii Prance, 387
humilis Cham. & Schltdl., 408
Lightfootia L'Hér., 366–367
Ligularia, 158 Rev.
Liliaceae, 43–59, 221 App.
Limeum
arabicum Friedrich, 187–190, 196 App.
Limonium
lobatum (L.f.) Chaz., 222 App.
Linaceae, 221 App.
Linaria
simplex (Willd.) Desf., 222 App.
Linum, 221 App.
Lippia
salviifolia Cham., 407
Lithocarpus Blume, 41
Llewellyn, O.A., 183–197, 199–224
Lloydia Salisb. ex Rchb., 43–44, 46–47
himalensis, 46
kunawurensis Royle, 44, 46–47, 54
Lobelia
cardinalis L., 291 App.
comosa, 368
heyniana Roem. & Schult., 308
jasminoides, 368
Lobeliaceae, 368
Loeflingia
hispanica L., 216 App.
Lomelosia
olivieri (Coult.) Greuter & Burdet, 219 App.
palaestina (L.) Raf., 219 App.
Lopes, S.F., 401–418
Lotononis
platycarpa (Viv.) Pic.Serm., 221 App.
Low, Y.W., 11–32
Loxogrammaceae, 329 Rev.
Ludwigia
peruviana (L.) H.Hara, 282, 294 App.
Luehea
paniculata Mart. & Zucc., 389
Luffa, 425
cylindrica M.Roem., 428
Lycium
shawii Roem. & Schult., 197 App., 202, 206, 223 App.
Lycopodiaceae, 296 App.
Lycopodiella
cernua (L.) Pic.Serm., 296 App.
Lycopodiophyta, 296 App.
Lythraceae, 221 App., 293 App.
Lythrum
hyssopifolia L., 221 App.

Macaranga Thouars, 445, 456–457, 468
Machaerium
acutifolium Vogel, 408
biovulatum Micheli, 278, 292 App.
floribundum Benth., 292 App.
isadelphum (E.Mey.) Amshoff, 278, 292 App.
opacum Vogel, 408
Macrocarpaea (Griseb.) Gilg, 140
Macropeplus
ligustrinus (Tul.) Perkins, 386, 391
Macrotyloma, 424
biflorum (Schumach. & Thonn.) Hepper var. *biflorum*, 430
Madras Herbarium, 173–175*
Maerua
crassifolia Forssk., 187, 194 App.
Maesobotrya Benth., 349
Magonia
pubescens A.St.-Hil., 403, 407, 414
Malabayabas, 29
Malaysia, 450–451 Map, 453, 456
Malcolmia
africana (L.) W.T.Aiton, 216 App.
Malesia, 443–482*
Mallotus Lour., 456–457
diadenus (Miq.) Müll.Arg., 464
Malpighiaceae, 293 App., 409
Malva
parviflora L., 221 App.
Malvaceae, 221 App., 293 App., 331 Rev., 387–389, 392

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Mandevilla
hirsuta (Rich.) K.Schum., 278, 291 App.
subsagittata (Ruiz & Pav.) Woodson, 291 App.
Manudev, K.M., 257–263
Maprounea
guianensis Aubl., 386, 407
Marantaceae, 331 Rev.
Marlierea
clausseniana (O.Berg) Kiaersk., 386
laevigata (DC.) Kiaersk., 386
Matayba
guianensis Aubl., 407
Matoniaceae, 329 Rev.
Matricaria
aurea (Loefl.) Sch.Bip., 218 App.
Matthiola
longipetala (Vent.) DC., 205, 216 App.
Maytenus, 281, 292 App.
brasiliensis Mart., 387
dhofarensis Sebsebe, 306, 311–312
Medeiros, D., 33–38
Medicago
laciniata (L.) Mill., 221 App.
truncatula Gaertn., 221 App.
Medinilla, 158 Rev.
Melanolepis
diadena Miq., 464
Melastomataceae, 274, 293 App., 387, 391, 409
Meliaceae, 29, 391
Meliosma, 158 Rev.
Mellivora
capensis Schreber, 208
Menispermaceae, 196 App., 424, 431
Mentha
longifolia (L.) L., 220 App.
Merciera A.DC., 351, 359, 364, 366–367, 369
azurea, 368
brevifolia A.DC., 354, 357, 361 Fig., 365, 368
eckloniana H.Buek, 354, 357, 368
leptoloba A.DC., 354, 357, 361 Fig., 368
Mesembryanthemum
nodiflorum L., 214 App.
Mesotrophic cerradão, 401–418*
Miconia, 280
albicans (Sw.) Triana, 407
budlejoides Triana, 387
chamissois Naudin, 278, 282, 293 App.
chartacea Triana, 386, 391
ciliata (Rich.) DC., 278, 281, 293 App.
dodecandra (Desr.) Cogn., 278, 293 App.
ferruginea (Desr.) DC., 407
ibaguensis (Bonpl.) Triana, 293 App.
impetiolaris (Sw.) D.Don ex DC., 294 App.
lacera (Bonpl.) Naudin, 294 App.
laevigata (L.) D.Don, 294 App.
rimalis Naudin, 386
theaezans (Bonpl.) Cogn., 386
Microcodon, 366, 369
glomeratus A.DC., 354, 357, 359, 361 Fig., 364, 366, 368
hispidulus (L.f.) Sond., 354, 356, 359–360 Fig., 363
sparsiflorus, 368
Micromeria
imbricata (Forssk.) C.Chr., 220 App.
Micropholis
gnaphaloclados (Mart.) Pierre, 386
Middleton, D.J., 328–330 Rev.
Mill, R.R., 61–109, 111–138, 159–163
Miller, A.G., 183–197, 199–224
Mimosa
albida Humb. & Bonpl. ex Willd., 292 App.
Minas Gerais, Brazil, 33–38*
Minuartia
meyeri (Boiss.) Bornm., 209, 216 App.
Misopates
orontium (L.) Raf., 222 App.
Mitreola
petiolata (J.F.Gmel.) Torr. & A.Gray, 306
Möller, M., 330–331 Rev.
Molluginaceae, 196 App.
Moltkiopsis
ciliata (Forssk.) I.M.Johnst., 188, 194 App.
Monimiaceae, 157 Rev., 391
Monoploca Bunge, 166
Monsonia
nivea (Decne.) Decne. ex Webb, 187, 195 App.
Monsoon, southwest, 301–319*
Montane grasslands, South Africa, 365
Moquinia
racemosa (Spreng.) DC., 386
Moraceae, 221 App., 269–272, 387
Moraea
sisyrinchium (L.) Ker-Gawl., 205, 209, 220 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Morettia
canescens Boiss., 216 App.
parviflora Boiss., 194 App., 216 App.
Moricandia
sinaica (Boiss.) Boiss., 216 App.
Morinda
panamensis Seem., 295 App.
Moringa
peregrina (Forssk.) Fiori, 187, 196 App.
Moringaceae, 157 Rev., 196 App.
Morphological phylogeny, 443–482*
Morphology, of Campanulaceae seed coats, 351–371
Moultonianthus, 450, 452–453
leembruggianus (Boerl. & Koord.) Steenis, 449–451
Mouriri
exilis Gleason, 294 App.
Multivariate analysis, 401–418*
MUMMENHOFF, K., 165–171
Muscari
tenuiflorum Tausch, 207, 209, 220 App.
Mussaenda
leucophylla E.M.A.Petit, 434
soyauxii Büttner, 434
Mycorrhizae
of *Arum*-type in *Calolisianthus*, 139–155*
of *Paris*-type in Gentianaceae, 151
Myracrodruon
urundeuva M.Allemão, 413
Myrceugenia
alpigena (DC.) Landrum, 386
Myrcia, 406–407
amazonica DC., 386
anceps (Spreng.) O.Berg, 387
blanchetiana (O.Berg) Mattos, 386
guianensis (Aubl.) DC., 386
mutabilis (O.Berg) N.Silveira, 386
reticulosa Miq., 386
splendens (Sw.) DC., 294 App., 386, 391, 408
tomentosa (Aubl.) DC., 386, 391, 408
venulosa DC., 386
Myrciaria
floribunda (H.West ex Willd.) O.Berg, 386
glanduliflora (Kiaersk.) Mattos & D.Legrand, 392
Myrica
cerifera L., 280–281, 294 App.
Myricaceae, 294 App., 329 Rev.
Myrsinaceae, 221 App., 294 App., 391
Myrsine, 408
coriacea (Sw.) R.Br. ex Roem. & Schult., 278, 294 App.
guianensis (Aubl.) Kuntze, 386
umbellata Mart., 386, 391, 393, 409
venosa A.DC., 386
Myrtaceae, 29, 294 App., 387, 389, 391–392, 406, 409, 469

Namacodon Thulin, 353
NAMPY, S., 257–263
NARASIMHAN, D., 321–324
NASCIMENTO, A.R.T., 401–418
Nasturtiolum Gray, 167
Nasturtiolum Medik., 167
castratum Medik., 167
National records, for Gabon, 423–442*
Nectandra
gardneri Meisn., 389
leucantha Nees, 387
longicaudata (Lundell) C.K.Allen, 293 App.
nitida Mez, 293 App.
psammophila Nees, 387
salicifolia (Kunth) Nees, 293 App.
venulosa Meisn., 392
Neea
theifera Oerst., 408
Negripteris
sciona (Chiov) Pic.Serm., 309
Nelumbo, 158 Rev.
Nelumbonaceae, 157 Rev., 329 Rev.
Neolepia W.A.Weber, 167
campestris (L.) W.A.Weber, 167
Neophron
percnopterus L., 190, 208
Neotorularia
torulosa (Desf.) Hedge & J.Léonard, 216 App.
Nepal, 61–109*
Nerium, 158 Rev.
Neurada
procumbens L., 188, 196 App., 206, 221 App.
Neuradaceae, 196 App., 221 App.
Neurolaena
lobata (L.) R.Br. ex Cass., 291 App.
New combinations
in *Fagonia*, 183–197

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

in *Lepidium*, 165–171*
in *Pedicularis*, 61–109*
New Guinea, 1–9* [3 Map], 450–451 Map, 453, 456, 459
New names
in *Lepidium*, 165–171*
in *Xylopia*, 339–341
New series
in *Pedicularis*, 61–109*, 111–138*
New species
in *Appendicula*, 321–324
in *Begonia*, 177–182*, 225–255*
in *Diplycosia*, 39–42*
in *Eriocaulon*, 257–263*
in *Harpullia*, 1–9
in *Pedicularis*, 61–109*
in *Primula*, 297–300*
in *Rhinacanthus*, 333–337
in *Selliguea*, 265–267*
in *Thecacoris*, 343–350*
in *Vaccinium*, 419–422*
New subspecies
in *Omphalodes*, 159–163*
New variety
in *Pedicularis*, 111–138*
NEWMAN, M., 327–328 Rev.
NIANGADOUMA, R., 423–442
Nicandra
physalodes (L.) Gaertn., 309, 313
Nitrariaceae, 221 App.
Noaea
mucronata (Forssk.) Asch. & Schweinf., 206, 209, 215 App.
NOLTIE, H.J., 43–59
Nomenclature, of *Gagea*, 43–59
Nothofagus, 468
Notoceras
bicorne (Aiton) Amo, 202, 216 App.
Novitates Gabonenses 80, 423–442
Nyctaginaceae, 196 App., 222 App., 391

Ochnaceae, 294 App., 424, 431
Ochradenus
arabicus Chaudhary *et al.*, 205, 209, 212, 223 App.
baccatus Delile, 197 App., 202, 205–206, 223 App.
Ocotea
beyrichii (Nees) Mez, 387
calliscypha L.C.S.Assis & Mello-Silva, 392
lancifolia (Schott) Mez, 386
oppositifolia S.Yasuda, 386, 392
percoriacea (Meisn.) Kosterm., 386
pomaderroides (Meisn.) Mez, 386
spixiana (Nees) Mez, 386, 408
velloziana (Meisn.) Mez, 386
Olacaceae, 157 Rev., 387
Oldenlandia, 433
corymbosa L., 307
Olea
europaea
subsp. *cuspidata* (Wall. ex G.Don) Cif., 306, 311
Oleo-Juniperetalia procerae, 306, 315
Oligomeris
linifolia (Vahl) J.F.Macbr., 223 App.
Oman, 301–319* [303 Map, 310 Fig.]
Omphalea L., 444
Omphalodes, 159–163*
luciliae Boiss., 159–163
subsp. *cilicica* (Brand) Bornm., 160 Fig., 162
subsp. *kurdica* Rech.f. & Riedl, 162
subsp. *luciliae*, 159, 162
subsp. **pisidica** R.R.Mill, **159–**160 [160 Fig.], 162
subsp. *scopulorum* J.R.Edm., 161–162 [161 Fig.]
ripleyana P.H.Davis, 162
Onagraceae, 294 App.
Oncidium, 158 Rev.
Onobrychis
ptolemaica (Delile) DC., 221 App.
Ononis
sicula Guss., 221 App.
Orchidaceae, 294 App., 321–324*, 340
subfam. Epidendroideae, 321–324
tribe Podochileae, 321–324
Orobanchaceae, 61–109*, 111–138, 196 App., 222 App., 424, 431
Orobanche
aegyptiaca Pers., 222 App.
cernua Loefl., 222 App.
dhofarensis M.J.Y.Foley, 309, 312
ramosa, 222 App.
Oropetium
capense Stapf, 220 App.
Orthosiphon
pallidus Royle ex Benth., 307

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Oryx
leucoryx Pallas, 189
Oryzopsis
holciformis (M.Bieb.) Hack., 220 App.
Osmundaceae, 329 Rev.
Osteospermum
vaillantii (Decne.) Norl., 218 App.
Ouratea
floribunda Engl., 386
hexasperma (A.St.-Hil.) Baill., 408
semiserrata (Mart. & Nees) Engl., 386
spectabilis (Mart. ex Engl.) Engl., 408
Oxalidaceae, 222 App., 294 App.
Oxalis
corniculata L., 222 App.

Pachyrhizus
erosus (L.) Urb., 292 App.
Pakistan, 61–109*, 111–138*
Palicourea
triphylla DC., 278, 295 App.
Palmae, 222 App.
see also Arecaceae
Panicum
turgidum Forssk., 187–189, 195 App.
Papaver
decaisnei Hochst. & Steud. ex Elkan., 202, 222 App.
dubium L., 222 App.
Papaveraceae, 222 App.
Papua New Guinea, 1–9* [3 Map]
Papuzilla Ridl., 167
minutiflora Ridl., 167
Paracaryum
rugulosum (A.DC.) Boiss., 205, 215 App.
Paratecoma
peroba (Record) Kuhlm., 387
Parathesis
cubana (A.DC.) Molinet & M.Gómez, 294 App.
Parietaria
alsinifolia Delile, 224 App.
Parkeriaceae, 329 Rev.
Paronychia
arabica (L.) DC., 216 App.
chlorothyrsa Murb., 216 App.
Passiflora
foetida L., 294 App.
Passifloraceae, 294 App.
Patonia Wight, 339–341*
parvifolia Wight, 339–340
walkeri Wight, 339–340
Pattonia Wight, 340
PATZELT, A., 301–319
Pavetta
longiflora Vahl, 307, 312
Pedaliaceae, 329 Rev.
Pediculares verticillatae Bunge, 62
Pedicularis L., 61–109*, 111–138
sect. *Anodon* Bunge, 114
sect. '*Brevirostres*' Benth., 63, 112
sect. *Cyclophyllum* Bunge, 62
sect. '*Erostres*' Benth., 63, 112
sect. '*Erostris*' Benth., 112
sect. *Lasioglossa* H.L.Li, 114
sect. '*Longirostres*' Benth., 63, 112
sect. *Lophodon* Bunge, 65
sect. *Phanerantha* H.L.Li, 111–138*
sect. *Saccochilus* T.Yamaz., 111–138*
sect. *Schizocalyx* H.L.Li, 112, 118, 125
sect. *Siphonantha* Bunge, 112, 117
sect. *Siphonanthae* Benth., 111–113, 117–118, 125
sect. *Tubiflorae* Bunge, 112
sect. *Verticillatae* Benth., 62–63
subsect. *Rhinanthoides* Hurus., 117
ser. *Abrotanifoliae* H.Limpr., 68, 124
ser. *Axillares* Maxim., 63
ser. **Bicornutae** R.R.Mill, 111, 124–**125**, 130
ser. *Brevifoliae* (Prain) Bonati, 61, 64–67, 71
ser. *Comosae* Maxim., 99
ser. *Craspedotrichae* Maxim., 124
ser. *Debiles* (Prain) Bonati, 65
ser. *Dichotomae* H.L.Li, 66–67
ser. *Faucidentes*, 112
ser. *Flexuosae* (Prain) Bonati, 65
ser. *Franchetiana* (Prain) Hurus., 114
ser. *Franchetianae* (Prain) H.L.Li, 114
ser. *Garckeanae* R.R.Mill, 118, 125
ser. *Graciles* Maxim., 63–64, 70–71
ser. *Gyrorrhyncha* (Prain) Hurus., 114
ser. *Gyrorrhynchae* (Prain) H.L.Li, 114
ser. *Hirsutae* Maxim., 65
ser. *Ikomanae* Hurus., 116
ser. *Integrifoliae* (Prain) H.L.Li, 64, 114
ser. *Integrifoliae* (Prain) Hurus., 114, 124
ser. *Keiskeanae* T.Yamaz., 116
ser. *Kialenses* H.L.Li, 117, 130

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

ser. *Klotzschianae* R.R.Mill, 114–115, 118–119, 121, 124–125
ser. *Longiflorae* (Prain) Bonati, 114, 117–118, 124–125, 130
ser. *Macranthae* (Prain) Bonati, 114, 118–119
ser. **Megalanthae** (Prain) Bonati, 111–138* [**130**]
ser. *Moupinenses* P.C.Tsoong ex H.B.Yang, 71
ser. *Muscicolae* Maxim., 112–114
ser. *Myriophyllae* Maxim., 64, 70–71
'ser.' *Pectinatae* Prain, 61–64
ser. *Pectinatae* (Prain) Bonati, 66, 68–71, 74
ser. *Pectinatiformes* P.C.Tsoong, 66
ser. *Pectinatiformes* P.C.Tsoong ex H.B.Yang, 66–69, 72
ser. *Pseudoerostres* Hurus., 112
ser. *Pseudomacranthae* P.C.Tsoong ex H.B.Yang, 121
ser. *Pumiliones* (Prain) Bonati, 114
ser. *Rhinanthoides* (Prain) Bonati, 113, 117–118
ser. **Rhynchotrichae** R.R.Mill, 61, 67, 70, **72**
ser. *Robustae* (Prain) Hurus., 114, 118, 121, 125
ser. *Semenowianae* L.I.Ivanina & T.N.Popova, 116
ser. *Semitortae* (Prain) Bonati, 64, 66–68, 70
ser. *Sikkimenses* P.C.Tsoong ex H.B.Yang, 66, 71
ser. *Siphonanthae* Benth., 112–114
ser. *Sudeticae* Maxim., 65
ser. *Tantalorhynchae* P.C.Tsoong ex H.B.Yang, 71
ser. **Tenuirostres** Maxim., 61–109 [**74**]
ser. *Tristes* Benth., 114
ser. *Verticillatae* Benth., 62–63, 112
grex *Rhizophyllum*, 118
subgrex *Rhizophyllum*, 118
'tribe' *Longirostres*, 113
tribus *Verticillatae* Steven, 62
[unranked] *Brevifoliae* Prain, 64
[unranked] *Brevitubae* Prain, 114
[unranked] *Capitatae* Prain, 114
[unranked] *Comosae* Bunge, 65
[unranked] *Debiles* Prain, 65
[unranked] *Eusiphonanthae* Prain, 113
[unranked] *Flexuosae* Prain, 65
[unranked] *Franchetianae* [*Franchetiana*] Prain, 114
[unranked] *Gyrorrhynchae* [*Gyrorrhyncha*] Prain, 114
[unranked] *Integrifoliae* [*Integrifolia*] Prain, 64, 114, 124
[unranked] *Longiflorae* Prain, 114
[unranked] *Macranthae* Bunge, 114
[unranked] *Macranthae* Prain, 114–115, 119, 121
[unranked] *Megalanthae* Prain, 114, 116–117, 130
[unranked] *Muscicolae* Prain, 114
[unranked] *Oppositifoliae* Prain, 114
[unranked] *Oxycarpae* Prain, 117
[unranked] *Pectinatae* Bunge, 65, 74
  α *Elatae* Bunge, 65
  β *Humiles* Bunge, 65
[unranked] *Pectinatae* Prain, 63–65, 72, 74
[unranked] *Pumiliones* Prain, 114
[unranked] *Ramosae* Bunge, 65
[unranked] *Rhinanthoides* Prain, 113
[unranked] *Robustae* Prain, 114, 117
[unranked] *Semitortae* Prain, 64–65
[unranked] *Tenuirostres* (Maxim.) Prain, 65
alopecuros Franch. ex Maxim., 64–66
anserantha T.Yamaz.
  var. *elevatogaleata* (T.Yamaz.) T.Yamaz., 124
armata Maxim., 113
atuntsiensis Bonati, 66–67, 71
bella Hook.f., 116
bicornuta Klotzsch, 111–138* [**127**]
  var. **adenocalyx** R.R.Mill, 111, 126–129 [**127**, 128 Fig.]
  var. **bicornuta**, 115 Fig., **127**, 129
bipinnatifida (Pennell) R.R.Mill, 76, 82–**83**, 86, 89
birmanica Bonati, 61, 66–67, 70–71, 74
brevifolia D.Don, 63–64, 71, 132
caeruleoalbescens [*caeruleo-albescens*] Wendelbo, 66–67, 75, **102**
capitata Adams, 114
chinensis Maxim., 113
comosa L., 99
cornigera T.Yamaz., 117–121, 130–**131**

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

cranolopha Maxim., 113
cristata Maxim., 64–65
cristata Vitmann, 64
cristatella Pennell & H.L.Li, 64–65
cyrtorhyncha Pennell, 66–67, 76, **103**
debilis Franch. ex Maxim., 65
densispica Franch. ex Maxim., 68
dichotoma Bonati, 66–67
duclouxii Bonati, 66–67
elata Willd., 65
elephantoides Benth., 111–138* [**129**]
elephas Boiss., 112–113
elwesii Hook.f., 114, 116, 121
eximia G.Watt, 111, 113, 123, 126–130 [128 Fig.]
fastigiata Franch., 117, 130
fetisowii Regel, 63–66
fletcheri P.C.Tsoong, 121
garckeana Prain ex Maxim., 118
gracilis Wall. ex Benth., 63, 132
gyrorhyncha Franch. ex Maxim., 64, 68
hoffmeisteri Klotzsch, 117–123, 130–133 [**131**, 133 Fig.]
hookeriana Wall. ex Benth., 111–113
ikomai Sasaki, 116
insignis Bonati, 119
instar Prain ex Maxim., 64
integrifolia Hook.f., 64
subsp. *integerrima* (Pennell & H.L.Li) P.C.Tsoong, 124
jainii Aswal & Mehrotra, 61, 66–67, 74, 96, 99
kashmiriana Pennell, 66–67, 75, **99**, 105
var. *kashmiriana*, 61
var. *ornata* Pennell, 61
keiskei Franch. & Savat., 116
kialensis Franch., 117, 130
klotzschii Hurus., 113–115, 119
komarowii Bonati, 68
labellata Jacquem., 112–113
langsdorffii Fisch., 65
longiflora Rudolph, 73, 112–113, 120–121
var. *tubiformis* (Klotzsch) Pennell, 124
ludwigii Regel, 124
macrantha Klotzsch, 113–115, 119
macrantha Spreng., 114, 119
megalantha D.Don, 111–113, 116–124, 126, 130–**132**
var. *hoffmeisteri* (Klotzsch) Sealy, 132
var. *pauciflora* Prain ex Maxim., 117, 134
var. *typica* Prain, 131–132
f. *hoffmeisteri* (Klotzsch) Prain, 131–132
megalochila H.L.Li, 117–118, 121, 124, 130–131, **134**
subsp. *longituba* T.Yamaz., 134
var. **ligulata** P.C.Tsoong, 131, **134**
var. **megalochila**, 131, **134**
f. **megalochila**, 131, **134**
f. **rhodantha**, 131, **134**
mollis Wall. ex Benth., 63
moupinensis Franch., 71
multiflora Pennell, 66–67, 75, 86, 96, 99, **101**
murreeana R.R.Mill & R.Bone, 69, 75, 83, 86, **92**, 95–96 [95 Fig.]
muscicola Maxim., 113
ochroleuca Duthie ex Maxim., 115
ochroleuca J.C.Schloss., 115
oederi Vahl, 121
oliveriana Prain, 65
pauciflora (Prain ex Maxim.) Pennell, 117, 120–121, 123, 130–131, **134**
pectinata Wall. ex Benth., 62–66, 69–71, 74, 76, **78–**80, 82, 84, 86, 89, 92, 96
subsp. *bipinnatifida* Pennell, 80, 82–84, 86
subsp. **palans** (Prain) Pennell, 61, 78, **80**, 82–84, 92, 95–96
subsp. *palans* sensu Yamazaki, 86, 89
subsp. **pectinata**, **78–**80
var. *palans* Prain, 80, 86, 92, 95–96
var. *pyramidata* (Royle ex Benth.) Hook.f., 95–96
pectinatiformis Bonati, 66–68
perrottetii Benth., 112
porrecta Wall. ex Benth., 63, 65, 71
praealta Bonati, 66–67
przewalskii Maxim., 113
punctata Decne., 112–113
pyramidata Pallas ex Steven, 99
pyramidata Royle ex Benth., 61–66, 69–70, 74–75, 79–80, 86, 89, **96**, 99, 103, 105, 121
subsp. *kashmiriana* (Pennell) P.C.Tsoong, 99
subsp. *multiflora* (Pennell) P.C.Tsoong, 101

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

subsp. *pyramidata*, 67
ramosissima Bonati, 66, 70–71
rhinanthoides Schrenk, 112, 116
rhynchotricha P.C.Tsoong, 61, 66–70, **72**, 74
roborowskii Maxim., 63–65
scolopax Maxim., 63–65, 70–71
scullyana Prain ex Maxim., 113–114, 119, 124
semenowii Regel, 116
semitorta Maxim., 64–65, 70
siphonantha D.Don, 111–113, 116, 132
var. *delavayi* (Franch.) P.C.Tsoong, 124
smithiana Bonati, 66–67, 71
songarica Schrenk, 65
staintonii R.R.Mill, 69, 75, 80, **89**, 91 Fig.
stewartii Pennell, 75, **85**–86, 96
striata Pallas, 65
sudetica Willd., 65
tantalorhyncha Franch. ex Bonati, 71
tenuirostris Benth., 62–66, 69, 71, 74–**76**, 78, 96
tenuirostris sensu Aitchison, non Benth., 96, 99
tianschanica Rupr., 63–65
tristis L., 114
tsaii H.L.Li, 71
tubiflora Fisch., 112–113
verbenifolia Franch. ex Maxim., 65, 71
verticillata L., 63
weixiensis H.P.Yang, 68
woodii R.R.Mill, 117, 120, 130–131, **134**
yamazakiana R.R.Mill, 61, 69, 76, 82, **86**, 89 Fig.
zhongdianensis H.B.Yang, 117, 120, 130–**131**
Peganum
harmala L., 221 App.
Pennisetum
divisum (J.F.Gmel.) Henrard, 195 App., 206, 220 App.
setaceum (Forssk.) Chiov, 205, 220 App.
Pentaphylacaceae, 294 App., 329 Rev.
Pera
glabrata (Schott) Poepp. ex Baill., 386, 391
Pergularia
tomentosa L., 194 App., 215 App.
Periploca
aphylla Decne., 202, 205, 215 App.
Persea
splendens Meisn., 386
Peru, 177–182*
Petrorhagia
cretica (L.) P.W.Ball & Heywood, 206, 209, 212, 216 App.
Phagnalon
schweinfurthii Sch.Bip. ex Schweinf., 218 App.
viridifolium Decne. ex Boiss., 201
var. *omanense* Qaiser & Lack, 202–203, 207, 209, 218 App.
Phalaris
minor Retz., 220 App.
Philippines, 11–32* [16, 24 Maps], 450–451 Map, 453, 456, 459
flora of, 39–42*
Phoenix
dactylifera, 204–205 [204 Fig.], 222 App.
Photinia
microcarpa Standl., 295 App.
Phyllanthaceae, 222 App., 325 Rev., 343–350*
Phyllanthus
maderaspatensis L., 206, 222 App.
Phylogeny
of Campanulaceae, 351–371*
morphological, 443–482*
Physolepidium Schrenk, 167
repens Schrenk, 167
Phytogeography, 373–400*
of Belize, 273–296*
of Oman, 301–319*
Phytosociology, of Oman, 301–319*
Picris
babylonica Hand.-Mazz., 218 App.
cyanocarpa Boiss., 202, 205, 218 App.
Pilocarpus
giganteus Engl., 388
Pimelodendron, 469
Pimpinella
schweinfurthii Asch., 307
Pinaceae, 295 App.
Pinophyta, 295 App.
Pinus, 274, 277, 279, 284
caribaea Morelet, 273–296*
var. *caribaea*, 279–282 [280 Fig.], 285, 295 App.
var. *hondurensis* (Sénécl.) W.H.G.Barrett & Golfari, 274

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

oocarpa Schiede ex Schltdl., 274, 276
var. *ochoterenae* Martínez, 274
var. *oocarpa*, 280 Fig.
tecunumanii, F.Schwerdtf. ex Eguiluz & J.P.Perry, 273–296* [280 Fig.]
Piper
aduncum L., 294 App.
cernuum Vell., 386
Piperaceae, 294 App.
Piptatherum
holciforme (M.Bieb.) Roem. & Schult., 220 App.
Piptocarpha
rotundifolia (Less.) Baker, 408
Pistachio-Eucleetalia schimperi, 307, 315
Pithecellobium
lanceolatum (Humb. & Bonpl. ex Willd.) Benth., 292 App.
Pittoniotis
protracta (Bartl. ex DC.) Griseb., 281, 295 App.
Pittosporaceae, 329 Rev.
Pittosporum Banks ex Gaertn., 41
Plantaginaceae, 222 App., 294 App.
Plantago
afra L., 222 App.
amplexicaulis Cav., 222 App.
boissieri Hausskn. & Bornm. ex Bornm., 222 App.
ciliata Desf., 222 App.
coronopus L., 222 App.
ovata Forssk., 222 App.
Plathymenia
reticulata Benth., 407
Plectranthus
barbatus Andrews, 308
Plenckia
populnea Reissek, 386, 408
Plinia
espinhacensis Sobral, 392
Plumbaginaceae, 222 App.
Poaceae, 195 App., 219 App., 294 App., 312, 431
Podocarpaceae, 329–330 Rev.
Polyandrococos
caudescens (Mart.) Barb.Rodr., 387
Polycarpaea
repens (Forssk.) Asch. & Schweinf., 194 App., 216 App.
robbairea (Kuntze) Greuter & Burdet, 216 App.
Polycarpon
tetraphyllum (L.) L., 216 App.
Polygala, 205
abyssinica R.Br. ex Fresen., 222 App.
erioptera DC., 187, 196 App.
irregularis Boiss., 196 App.
negevensis Danin, 222 App.
schwartziana Paiva, 223 App.
tinctoria Vahl, 309, 312
Polygalaceae, 196 App., 222 App., 312
Polygonaceae, 197 App., 223 App.
Polygonum
argyrocoleon Steud. ex Kunze, 223 App.
Polypodiaceae, 265–267*, 329 Rev., 424, 432
Polypodiophyta, 296 App.
Polypodium
cruciforme Ching, 265
Polypogon
monspeliensis (L.) Desf., 220 App.
Pometia, 469
Portulaca
oleracea L., 223 App.
Portulacaceae, 223 App., 329 Rev.
Posoqueria
latifolia (Rudge) Roem. & Schult., 386
Pouteria
microstrigosa T.D.Penn., 388
ramiflora (Mart.) Radlk., 386
torta (Mart.) Radlk., 408
Pradeep, A.K., 257–263
Primula L., 297–300
sect. *Chartacea* Balf.f., 297
fenghwaiana C.M.Hu & G.Hao, 297–**298** [298 Fig.]
petelotii W.W.Sm., 297–**299**
Primulaceae, 297–300*
Prismatocarpus L'Hér., 359, 364, 366–367, 369
brevilobus, 368
campanuloides (L.f.) Sond., 354, 356, 368
crispus L'Hér., 354, 358–359, 362 Fig., 365–366, 368–369
diffusus (L.f.) A.DC., 354, 356, 360 Fig., 368
fruticosus L'Hér., 354, 356, 368
nitidus L'Hér., 354, 356, 368

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

pedunculatus (P.J.Bergius) A.DC., 354, 356, 360 Fig., 368
schlechteri, 368
sessilis Eckl. ex A.DC., 354, 356, 363–364, 368
Procavia
syriaca Hemprich & Ehrenberg, 208
Proteaceae, 391–392
Protium
brasiliense (Spreng.) Engl., 386
heptaphyllum (Aubl.) Marchand, 386, 407
spruceanum (Benth.) Engl., 386
Prunus
myrtifolia (L.) Urb., 386
Pseudobombax
longiflorum (Mart. & Zucc.) A.Robyns, 389
riopretense Ravenna, 392
Pseudocalyx
aurantiacus Benoist, 426
Pseudosabicea, 436
sanguinosa, 424
Psidium, 408
guineense Sw., 386
rufum DC., 409
Psilotaceae, 329 Rev.
Psychotria, 424
biaristata Bartl. ex DC., 295 App.
costivenia Griseb., 295 App.
elata (Sw.) Hammel, 295 App.
poeppigiana Müll.Arg., 295 App.
vellosiana Benth., 386
Psydrax
arnoldiana (De Wild. & T.Durand) Bridson, 434
gilletii (De Wild.) Bridson, 434
Pteranthus
dichotomus Forssk., 216 App.
Pteridaceae, 223 App., 329 Rev.
Pteridium
caudatum (L.) Maxon, 296 App.
Pterocephalus
brevis Coult., 206, 209, 219 App.
Pterodon
pubescens (Benth.) Benth., 407
Pterogaillonia
calycoptera (Decne.) Lincz., 206, 223 App.
Pulicaria
crispa (Forssk.) Benth. ex Oliv., 194 App., 202, 218 App.
glutinosa (Boiss.) Jaub. & Spach, 194 App.
incisa (Lam.) DC., 203, 218 App.
undulata (L.) C.A.Mey., 194 App., 202, 218 App.
vulgaris Gaertn., 218 App.

Quadrilátero Ferrífero, Brazil, 373–400* [376 Map]
Qualea, 406
grandiflora Mart., 406–407, 414
parviflora Mart., 407
Quercus, 279, 281, 283, 286, 292 App.
oleoides Schltdl. & Cham., 274
purulhana Trel., 278–279, 281, 283, 286, 292 App.
segoviensis Liebm., 292 App.

Radermachera Zoll. & Moritzi, 41
Randia
cookii Standl., 278, 295 App.
speciosa Hook., non DC., 18
whitfordii (Elmer) Merr., 30
Ratter, J.A., 401–418
Redefinition, of *Ficus trivia*, 269–272
Rediscovery, of *Croton josephinus*, 33–38*
Refuge, in Saudi Arabia, 199–224*
Reichardia
tingitana (L.) Roth, 218 App.
Relict species, in Saudi Arabia, 199–224*
Remijia
obscura Blanco, 30
Remusatia
vivipara (Roxb.) Schott, 308
Reseda
muricata C.Presl, 197 App.
Resedaceae, 197 App., 223 App.
Revisions
of *Endospermum*, 443–482
of *Gardenia*, 11–32
of *Pedicularis*, 61–109, 111–138
Rhamnaceae, 197 App., 223 App., 388
Rhamnus
staddo A.Rich., 306
Rhanterium
epapposum Oliv., 194 App., 206, 218 App.
Rhazya
stricta Decne., 188, 194 App., 215 App.
Rhigiophyllum Hochst., 352, 369
squarrosum Hochst., 354, 357, 359, 362 Fig., 365–366, 368

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Rhinacanthus Nees, 333–337*
dichotomus (Lindau) I.Darbysh. var. *emaculatus* I.Darbysh., 336
flavovirens Amarasinghe & Wijesundara, **333**–337 [334–335 Figs]
nasutus (L.) Kurz, 333, 335–337 [335 Fig.]
polonnaruwensis Cramer, 333, 335–337 [335 Fig.]
rottlerianus Nees, 336
zeylanicus, 333
Rhus
somalensis Engl., 309
tripartita (Ucria) Grande, 202, 215 App.
Rhynchosia
minima (L.) DC. var. *minima*, 306
pulverulenta Stocks, 196 App.
schimperi Hochst. ex Boiss., 196 App.
Rhysotoechia
etmanii W.N.Takeuchi, 8
Richeria, 326 Rev.
grandis Vahl, 386
Rodrigues, R.F., 401–418
Roella L., 359, 364, 366–367, 369
amplexicaulis Wolley-Dod, 354, 356, 368
arenaria Schltr., 354, 356, 368
ciliata L., 354, 356, 360 Fig., 368
cuspidata Adamson, 354, 356, 368
incurva A.DC., 354, 356, 368
muscosa L.f., 354, 356, 363, 368
prostrata, 368
psammophila, 368
secunda H.Buek, 354, 356, 360 Fig., 364, 368
squarrosa P.J.Bergius, 354, 356, 368
Roemeria
hybrida (L.) DC., 203, 222 App.
Rosaceae, 295 App.
Rostraria
cristata (L.) Tzvelev, 220 App.
pumila (Desf.) Tzvelev, 220 App.
Rothmannia, 29–30
hispida (K.Schum.) Fagerl., 434
lateriflora (K.Schum.) Keay, 434
Rottlera
diadena (Miq.) Scheff., 464
Roupala
montana Aubl., 386, 391, 408
rhombifolia Mart. ex Meisn., 386
Rubiaceae, 11–32*, 152, 197 App., 223 App., 295 App., 312, 330 Rev., 387–388, 409, 424, 432
subfam. Ixoroideae, 11
tribe Gardenieae, 11–32*
Rudgea
reticulata Benth., 387
Rumex
nervosus Vahl, 223 App.
vesicarius L., 202, 205, 223 App.
Rungia
pectinata Nees, 306
Russelia
sarmentosa Jacq., 294 App.
Rutaceae, 197 App., 295 App., 388, 391
Ruttya
fruticosa Lindau, 306
Rytigynia
gossweileri Robyns, 435
laurentii (De Wild.) Robyns, 435
membranacea (Hiern) Robyns, 435
neglecta (Hiern) Robyns, 435
pauciflora (Schweinf. ex Hiern) R.D.Good, 435
rubra Robyns, 435
senegalensis Blume, 435
umbellulata (Hiern) Robyns, 435

Sabicea, 436
apocynacea (K.Schum.) Razafim., 435
laxa Wernham, 436
longipetiolata De Wild., 436
sanguinosa (N.Hallé) Razafim., 436
schumanniana Büttner, 436
urceolata Hepper, 436
venosa Benth., 436
Salacia
crassifolia (Mart. ex Schult.) G.Don, 408
Salicaceae, 295 App., 325 Rev., 388
Salix, 97
Salsola, 193 App.
imbricata Forssk., 215 App.
spinescens, 193 App.
Salvertia
convallariodora A.St.-Hil., 407
Salvia, 205
aegyptiaca L., 196 App., 220 App.
deserti Decne., 220 App.
lanigera Poir., 220 App.
spinosa L., 220 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

San Pastor Savanna, Belize, 273–296 [275 Map]
anthropogenic impacts on, 287
floristics of, 284
human use of, 284
physiognomy of, 285
soils of, 286
vegetation classification of, 279, 284
Sano, P.T., 373–400
Santalaceae, 223 App.
Santos, M.F., 373–400
Sapindaceae, 1–9*, 295 App., 469
Sapindus
saponaria L., 295 App.
Sapium
glandulosum (L.) Morong, 386
Sapotaceae, 388
Saudi Arabia, 183–197*, 199–224*
Saudi Wildlife Commission (SWC), 183–197, 199–224
Sauvagesia
erecta L., 278, 294 App.
Savanna
in Belize, 273–296* [275 Map]
tall grass, 301–319* [310 Fig.]
Savignya
parviflora (Delile) Webb, 216 App.
Scabiosa
olivieri Coult., 219 App.
palaestina L., 219 App.
Scandix
pecten-veneris L., 224 App.
Scanning electron microscopy, 351–371*
Schefflera
macrocarpa (Cham. & Schltdl.) Frodin, 407
Schimpera
arabica Hochst. & Steud., 216 App.
Schinziella, 425
tetragona (Schinz) Gilg, 430
Schippia
concolor Burret, 278–279, 291 App.
Schismus
arabicus Nees, 220 App.
barbatus (L.) Thell., 220 App.
Schizaceae, 329 Rev.
Schizachyrium
brevifolium (Sw.) Nees ex Büse, 309
Schizandraceae, 329 Rev.
Scirpoides
holoschoenus (L.) Soják, 205, 219 App.
Scirpus
vulgaris L., 219 App.
Scleria
bracteata Cav., 278, 292 App.
Sclerocephalus, 194 App.
arabicus Boiss., 194 App., 216 App.
Sclerolobium
aureum (Tul.) Baill., 407
paniculatum Vogel, 401, 406–407, 409, 411, 414
Scorzonera
musilii Velen., 202, 218 App.
papposa DC., 218 App.
schweinfurthii Boiss., 218 App.
syriaca Boiss. & C.I.Blanche, 218 App.
tortuosissima Boiss., 194 App.
Scorzoneroides
laciniata (Bertol.) Greuter, 218 App.
Scrophularia
arguta Aiton, 309
deserti Delile, 223 App.
syriaca Benth., 202, 206, 223 App.
Scrophulariaceae, 61–109*, 111, 124, 127, 223 App., 312
Searsia
tripartita (Ucria) Moffett, 202, 205–206, 209, 215 App.
Sebastiania
longicuspis Standl., 292 App.
Sedum
hispanicum L., 218 App.
Seed coat morphology, in Campanulaceae, 351–371
Seetzenia
lanata (Willd.) Bullock, 197 App., 224 App.
Selaginellaceae, 329 Rev.
Selliguea, 265–267*
cruciformis (Ching) Fraser-Jenk., 266–267 [267 Fig.]
pui Hovenkamp, **265–**267 [267 Fig.]
Senebiera DC., 167
Senecio
flavus (Decne.) Sch.Bip., 218 App.
glaucus L., 205, 218 App.
Senefeldera
verticillata (Vell.) Croizat, 388
Senna
holosericea (Fresen.) Greuter, 196 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

italica Mill., 196 App., 203, 221 App.
macranthera (Collad.) H.S.Irwin & Barneby, 386
obtusifolia (L.) H.S.Irwin & Barneby, 307
peralteana (Kunth) H.S.Irwin & Barneby, 292 App.
Senna-Valle, L. de, 33–38
Senra
incana Cav., 309
Serafim, H., 373–400
Sericanthe
auriculata (Keay) Robbr., 436
Serissa
pinnata Blanco, 30
Serra de Caldas State Park, Brazil, 401–418 [404 Map]
Serra de São José, Brazil, 33–38
Setaria
intermedia Roem. & Schult., 308
pumila (Poir.) Roem. & Schult., 305, 311–312
Sida
linifolia Cav., 278, 293 App.
ovata Forssk., 309
Silene
apetala Willd., 216 App.
arabica Boiss., 216 App.
burchellii Otth ex DC., 216 App.
linearis Decne., 217 App.
schweinfurthii Rohrb., 217 App.
villosa Forssk., 217 App.
Silva, L.C., 139–155
Simarouba
amara Aubl., 386
versicolor A.St.-Hil., 407
Simmondsiaceae, 157 Rev.
Sino-Himalayan region, 111–138*
Sinopteridaceae, 329 Rev.
Siparuna
guianensis Aubl., 386, 409
Siphocodon Turcz., 351–352, 366, 369
debilis Schltr., 354, 358, 362 Fig., 363, 365, 368
spartioides Turcz., 354, 358, 363–365 [364 Fig.], 368
Siphoneugena
densiflora O.Berg, 386
Sisymbrium
erysimoides Desf., 205, 216 App.
irio L., 216 App.
orientale L., 216 App.
Sisyrinchium
tinctorium Kunth, 293 App.
Smilacaceae, 295 App.
Smilax
velutina Killip & C.V.Morton, 295 App.
Solanaceae, 197 App., 223 App., 295 App.
Solanum
cladotrichum Dunal, 386
forskalii Dunal, 223 App.
incanum L., 307
jamaicense Mill., 282, 295 App.
nigrum L., 223 App.
villosum Forssk., 223 App.
Sonchus
oleraceus L., 218 App.
South Africa, 351–371
South Asia, 339–341
Species distribution patterns, in Brazil, 373–400
Spergula
fallax (Lowe) E.H.L.Krause, 217 App.
Spergularia
diandra (Guss.) Heldr., 217 App.
Spermacoce, 424
bequaertii (De Wild.) Verdc., 437
capitata Ruiz & Pav., 278, 295 App.
quadrisulcata (Bremek.) Verdc., 437
stachydea DC., 437
Spermatophyta, 291 App.
Sphenoclea
zeylanica Gaertn., 352
Sphenocleaceae, 352
Sprengeria Greene, 167
flava (Torr.) Greene, 167
Sri Lanka, 333–337*, 339–341*
Stachytarpheta, 36
ajugaefolia Schauer, 36
sellowiana Schauer, 36
Stathmostelma, 425
welwitschii Britten & Rendle, 426
var. *welwitschii*, 426
Sterculia
curiosa (Vell.) Taroda, 388
macrophylla Vent., 478
Sterculiaceae, 348, 478
Stévart, T., 423–442
Stigmaphyllon
ellipticum (Kunth) A.Juss., 293 App.
lindenianum A.Juss., 293 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Stipa, 195 App.
capensis Thunb., 220 App.
hohenackeriana Trin. & Rupr., 195 App.
tortilis, 202
Stipagrostis, 189, 195 App.
ciliata (Desf.) De Winter, 202, 206, 220 App.
drarii (Tackh.) De Winter, 189, 195 App.
foëxiana (Maire & Wilczek) De Winter, 195 App.
hirtigluma (Steud. ex Trin. & Rupr.) De Winter, 220 App.
obtusa (Delile) Nees, 195 App., 203, 220 App.
plumosa (L.) Munro ex T.Anderson, 206, 220 App.
Stipularia, 436
Strandveld, South Africa, 365
Strigosella
africana (L.) Botsch., 216 App.
Stroganowia Kar. & Kir., 165–167
gracilis Pavlov, 169
sagittata Kar. & Kir., 167
tiehmii Rollins, 166
Strongylodon, 158 Rev.
Stryphnodendron
adstringens (Mart.) Coville, 389, 408
polyphyllum Mart., 407
Stubendorffia Schrenk ex Fisch., 165–171*
afghanica Rech.f. & Köie, 168
aptera Lipsky, 168, 170
botschantzevii R.Vinograd., 168
curvinervia Botsch. & Vved., 168
gracilis (Pavlov) Botsch. & Vved., 169
lipskyi N.Busch, 169
olgae R.Vinograd., 169
orientalis Schrenk ex Fisch., 167, 169
pterocarpa Botsch. & Vved., 169
subdidyma N.Busch, 166
Stuppy, W., 325–327 Rev.
Styrax
camporum Pohl, 386, 406–407
ferrugineus Nees & Mart., 407, 409
rotundatus (Perkins) P.W.Fritsch, 386
Sulawesi, Indonesia, 225–255* [227 Map]
Sulipa
pseudopsidium Blanco, 28–29
Sulitia, 30
obscurinervia (Merr.) Ridsdale, 30
Sumathi, R., 321–324
Sumatra, 419–422, 450–451 Map, 456
Swietenia
macrophylla King, 287
Symbolanthus G.Don, 140, 153
Symplocaceae, 330 Rev.
Symplocos
crenata (Vell.) Mattos, 386
nitens (Pohl) Benth., 386
Syngonanthus, 425
schlechteri Ruhland, 428
Synonymy, generic, 165–171*
Synopsis, of West African *Thecacoris*, 343–350
Systematics
of *Calolisianthus*, 139–155*
of Campanulaceae, 351–371
Syzygium Gaertn., 41

Tachigali Aubl., 411
Takeuchi, W., 1–9
Tamaricaceae, 224 App.
Tamarix
aphylla (L.) H.Karst., 224 App.
arabica Bunge, 224 App.
nilotica (Ehrenb.) Bunge, 224 App.
Tapirira
guianensis Aubl., 386, 391
obtusa (Benth.) J.D.Mitch., 386, 391
Tapirus
bairdii Gill, 287
Tapura
ivorensis Breteler, 348
Tarenna, 424
calliblepharis N.Hallé, 437
petitii N.Hallé, 437
Taxonomy
of *Calolisianthus*, 139–155
of Campanulaceae, 351–371*
of *Endospermum*, 443–482*
of *Gagea*, 43–59*
of *Gardenia*, 11–32*
Tayassu
pecari L., 287
tajacu Link, 287
Tebbitt, M.C., 177–182
Telanthophora, 278, 291 App.
Tephrosia, 196 App.
humilis Guill. & Perr., 308
uniflora Pers., 188, 196 App.
Teramnus
repens (Taub.) Baker f.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

subsp. *gracilis* (Chiov) Verd., 306
Terminalia
amazonia (J.F.Gmel.) Exell, 292 App.
glabrescens Mart., 386
Ternstroemia
carnosa Cambess., 386
tepezapote Schltdl. & Cham., 294 App.
Tetraena, 197 App.
simplex (L.) Beier & Thulin, 197 App.
Tetrameristaceae, 330 Rev.
Tetrapogon
villosus Desf., 205, 220 App.
Tetrastylidium
grandifolium (Baill.) Sleumer, 387
Tetrorchidium Poepp., 444
Teucrium
oliverianum Ging. ex Benth., 202, 206, 208 Fig., 220 App.
polium L., 202, 205, 220 App.
Thailand, 265–267*, 450–451 Map
Thecacoris A.Juss., 343–350*
annobonae Pax & K.Hoffm., 343, 345
cometia (Baill.) Leandri, 343
grandifolia (Pax & K.Hoffm.) Govaerts, 343–**345**
humbertii Leandri, 343
leptobotrya (Müll.Arg.) Brenan, 344–**345**
lucida (Pax) Hutch., 343
madagascariensis A.Juss., 343–344
manniana (Müll.Arg.) Müll.Arg., 343, 348
membranacea Pax, 343, 348–349
micrantha Breteler, 343–348 [**345**, 346 Fig., 347 Map]
perrieri Leandri, 343
spathulifolia (Pax) Leandri, 343
stenopetala (Müll.Arg.) Müll.Arg., 343–345, **348**–349
trichogyne Müll.Arg., 343, 345
viridis (Müll.Arg.) Leandri ex G.L.Webster, 343–344, **349**
Theilera E.Phillips, 359, 364, 366–367, 369
guthriei (L.Bolus) Phillips, 354, 356, 360 Fig., 364, 368
robusta (A.DC.) Cupido, 354, 356, 360 Fig., 364, 368
Themeda, 302–303, 310–315
quadrivalvis (L.) Kuntze, 301–319 [310 Fig.]
triandra Forssk., 220 App., 311, 313–315
Themedetalia-triandrae, 305, 314
Themedo-Hyparrhenietea, 301–319*
Thesium
humile Vahl, 223 App.
Thlaspi
campestre L., 167
Thomas, D.C., 225–255
Thymelaea
mesopotamica (C.Jeffrey) B.Peterson, 206, 209, 224 App.
Thymelaeaceae, 224 App.
Thyrsodium
spruceanum Salzm. ex Benth., 388
Tibouchina
candolleana (Mart. ex DC.) Cogn., 386
fissinervia (Schrank & Mart. ex DC.) Cogn., 386
Tiedt, L.R., 351–371
Torgos
tracheliotus Forster, 191
Torilis
leptophylla (L.) Rchb.f., 224 App.
Torricelliaceae, 330 Rev.
Tovomita
leucantha (Schltdl.) Planch. & Triana, 387
Tragus
racemosus (L.) All., 195 App.
Treichelia Vatke, 351, 363, 365–366, 369
dodii Cupido, 354, 358, 362 Fig., 365, 368
longibracteata (H.Buek) Vatke, 355, 358, 362 Fig., 368
Trembleya
parviflora (D.Don) Cogn., 386
Tribulus
arabicus Hosni, 197 App.
macropterus Boiss.
var. *arabicus* (Hosni) F.Al-Hemaid & Jacob Thomas, 187–190 [187 Fig.], 192, 197 App.
pentandrus Forssk., 197 App.
terrestris L.
var. *inermis* Boiss., 205, 224 App.
var. *terrestris*, 205, 224 App.
Tricalysia, 424
trachycarpa Robbr., 437
Trichodesma
africanum (L.) Sm., 194 App., 215 App.
ehrenbergii Schweinf. ex Boiss., 205, 215 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Trigonella
glabra Thunb., 221 App.
hamosa L., 221 App.
stellata Forssk., 203, 205, 221 App.
Trigoniaceae, 330 Rev.
Trigynaea
oblongifolia Schltdl., 387
Trimezia, 36
Tripogon
leptophyllus (A.Rich.) Cufod., 309
Tripsacum
latifolium Hitchc., 282–283, 287, 294 App.
Trisetaria
chaudharyana H.Scholz, 201, 203 Fig., 205, 209, 220 App.
Tristaniopsis, 29
Triumfetta
pentandra A.Rich., 307
Triuridaceae, 157 Rev.
Trochodendraceae, 157 Rev.
Turkey, 159–163*
TURNER, I.M., 173–175, 339–341
Turnera
aromatica Arbo, 295 App.
Turneraceae, 295 App., 330 Rev.
Tylophora
parvifolia Robyns & Lebrun, 426
Typification
in *Desmos*, 173–175
in *Gagea*, 43–59
in *Lepidium*, 165–171*

Ulmaceae, 469
Umbelliferae, 224 App.
Umbilicus
horizontalis (Guss.) DC., 218 App.
Unona, 173–175*
viridiflora Bedd., 173–174
viridiflora Splitg. ex de Vriese, 174
Uranodactylus Gilli, 167
afghanicus Gilli, 167, 170
patrinoides (Regel) Gilli, 169
silaifolius (Hook.f. & Thomson) Gilli, 170
Urbanodendron
verrucosum (Nees) Mez, 387
Urticaceae, 224 App.
'Uruq Bani Ma'arid, Saudi Arabia, 183–197* [184 Map, 186 Fig.]
checklist of plant taxa from, 193–197 App.
conservation threats in, 191
interdune corridors of, 189
limestone plateau of, 187
qualification as an IPA, 190
sand dunes of, 188
socio-economics of, 191
Uvaria
brasiliensis Vell., 174
viridiflora Ruiz & Pav. ex G.Don, 174
viridiflora (Splitg. ex de Vriese) Walp., 174

Vaccinium L., 419–422*
sect. *Bracteata* Nakai, 419–422
sect. *Orianthe* Schltr., 422
bartlettii Merr., 422
laurifolium (Blume) Miq., 422
lucidum (Blume) Miq., 419, 421–422
miquelii Boerl., 421
var. *miquelii*, 419, 421
myrtoides (Blume) Miq., 422
nagamasu Argent, **419–**422 [420 Fig.]
scortechinii King & Gamble, 419, 421
sumatranum Jack, 422
VALENTE, G.E., 139–155
Valerianaceae, 224 App.
Valerianella
oxyrhyncha Fisch. & C.A.Mey., 206, 209, 224 App.
sclerocarpa Fisch. & C.A.Mey., 206, 209, 224 App.
VAN WELZEN, P.C., 443–482
Vangueriella, 424
laxiflora (K.Schum.) Verdc., 438
orthacantha (Mildbr.) Bridson & Verdc., 438
Vantanea
compacta (Schnizl.) Cuatrec., 386
obovata (Nees & Mart.) Benth., 386
Vatairea
macrocarpa (Benth.) Ducke, 407, 409
Vegetation types, 351–371*
Verbascum
sinaiticum Benth., 205, 223 App.
Verbenaceae, 36, 295 App.
Verbesina
oerstediana Benth., 291 App.
Vernonanthura
patens (Kunth) H.Rob., 291 App.
Vernonia
cinerea (L.) Lees, 309

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

Veronica
anagallis-aquatica L., 222 App.
anagalloides Guss., 222 App.
Vicia
monantha Retz., 221 App.
Vidalasia
morindifolia (Elmer) Tirveng., 30
Vietnam, 269–272*, 297–300*
Vigna, 424
pubigera Baker
var. *pubigera*, 430
radiata (L.) Wilczek, 307
stenophylla Harms, 430
Villaria
acutifolia (Elmer) Merr., 29
glomerata (Bartl. ex DC.) Mulyan. & Ridsdale, 30
littoralis Vidal, 29
odorata (Blanco) Merr., 29
philippinensis Rolfe, 29
Viola, 158 Rev.
cinerea Boiss.
var. *stocksii* (Boiss.) Becker, 307
Virola
sebifera Aubl., 408
Vismia
camparaguey Sprague & L.Riley, 293 App.
Vitex
kuylenii Standl., 278–279, 293 App.
polygama Cham., 386
Voacanga
globosa (Blanco) Merr., 30
Vochysia, 406
cinnamomea Pohl, 409
emarginata Vahl, 386
haenkeana Pohl, 407
hondurensis Sprague, 295 App.
pyramidalis Mart., 386
rufa Mart., 408
thyrsoidea Pohl, 386
tucanorum Mart., 386, 391
Vochysiaceae, 295 App., 391, 406, 409, 414
Vulpes
rueppelli sabaea Pocock, 208
Vulpia
muralis (Kunth) Nees, 206, 209, 220 App.

Wahlenbergia Schrad. ex Roth, 351–371*
acaulis E.Mey., 355, 358, 362 Fig., 363, 365–366, 368
adpressa (Thunb.) DC., 355, 357, 359, 361 Fig., 365, 368
androsacea, 368
annularis A.DC., 355, 357, 359, 361 Fig., 365, 368
axillaris, 368
campanuloides (Delile) Vatke, 216 App.
capensis (L.) A.DC., 355, 358, 363–365 [364 Fig.], 367–368
capillacea, 368
cernua (Thunb.) A.DC., 355, 357, 359, 365, 368
cinerea, 368
cuspidata, 368
depressa, 368
desmantha, 368
ecklonii H.Buek, 355, 358, 362 Fig., 363, 365, 367–368
exilis A.DC., 355, 358, 362 Fig., 363, 365, 367–368
flexuosa (Hook.f. & Thomson) Thulin, 306
fruticosa Brehmer, 355–356, 359–360 Fig., 364, 368–369
huttonii (Sond.) Thulin, 355, 357, 359, 361 Fig., 365, 368
juncea (H.Buek) Lammers, 355, 358, 363–365 [364 Fig.]
krebsii Cham., 355, 357, 359, 361 Fig., 365, 367–369
longifolia A.DC., 355, 358, 362 Fig., 363, 365, 367–368
neorigida Lammers, 355–356, 359–360 Fig., 364, 368–369
oxyphylla, 368
paniculata (Thunb.) A.DC., 355, 357, 359, 362 Fig., 365, 368
parvifolia (P.J.Bergius) Adamson, 355, 357, 359, 361 Fig., 364, 368
polyantha Lammers, 355, 357, 363–365 [364 Fig.], 368
procumbens (Thunb.) A.DC., 355, 357, 359, 361 Fig., 365, 368
psammophila Schltr., 355, 358, 363–365 [364 Fig.], 368
subulata (L'Hér.) Lammers, 355, 357, 359, 361 Fig., 364, 368
suffruticosa Cupido, 355, 358, 363–365 [364 Fig.], 368
tenella, 368

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press

tenerrima, 368
thunbergiana, 368
undulata, 368
virgata Engl., 355, 357, 359, 365, 368
WALTERS, G., 423–442
Wedelia
acapulcensis Kunth
var. *parviceps* (S.F.Blake) Strother, 278, 291 App.
West Africa, 343–350*
Western Ghats, 173–175*
Wetlands, in Belize, 273–296*
Whitfieldia, 424
brazzei (Baill.) C.B.Clarke, 425
Wight, Robert, 339–341*
WIJESUNDARA, D.S.A., 333–337
WILKIN, P., 43–59
Winklera Regel, 165–171*
afghanica (Rech.f. & Köie) Hedge, 168
patrinoides Regel, 167, 169
subsp. *chitralica* Jafri, 169
silaifolia (Hook.f. & Thomson) Korsh., 170
Winkleria Rchb., 167
Winteraceae, 391
Withania
somnifera (L.) Dunal, 223 App.
WONG, K.M., 11–32
Woodfordia
uniflora (A.Rich.) Koehne, 308

Xaté, 273, 284
Xerophytes, geophytic
in *Begonia*, 177–182
Xiphopteris
cultrata (Bory ex Willd.) Schelpe, 432
Xizang, China, 61–109*
Xylopia L., 339–341* [**340**]
aromatica (Lam.) Mart., 406–407, 411, 414
frutescens Aubl., 281, 291 App.
muricata L., 340
parvifolia Schltdl., 339–340
parvifolia (Wight) Hook.f. & Thomson, 339–340
patoniae I.M.Turner, 339–**340**
Xylopicrum
parvifolium (Wight) Kuntze, 340
Xyridaceae, 285
Xysmalobium
heudelotianum Decne., 427

Yunnan, China, 297–300

Zanthoxylum
juniperinum Poepp., 295 App.
rhoifolium Lam., 386, 391, 393, 409
ZARREI, M., 43–59
Zilla
spinosa (L.) Prantl, 202–203, 205, 216 App.
Zingiberaceae, 424, 438
Ziziphus
joazeiro Mart., 388
nummularia (Burm.f.) Wight & Arn., 205, 223 App.
spina-christi (L.) Desf., 187, 197 App., 223 App.
Zoegea
purpurea Fresen., 205, 218 App.
Zygophyllaceae, 197 App., 224 App., 438
Zygophyllum
hamiense, 197 App.

https://doi.org/10.1017/S0960428611000370 Published online by Cambridge University Press