Clays and Clay Minerals, Vol. 38, No. 6, 645–675, 1990.

COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX,[1] VOLUME 38, 1990

F. A. MUMPTON

A

ABRAJANO, T. A. (with J. K. BATES, A. B. WOODLAND, J. P. BRADLEY, and W. L. BOURCIER), Secondary Phase Formation during Nuclear Waste-Glass Dissolution 537

Absorbance
- spectrophotometric, montmorillonite suspensions at low electrolyte concentrations 57

Acid
- -base potentiometric titration of PILCs 356

Acrylamide
- -kaolinite intercalate, hydrogen bonding in 137
- -kaolinite intercalate, IR, NMR, XRD, basal spacing 137
- -kaolinite intercalate, synthesis, thermal treatment 137
- NMR 137

Adsorption
- benzene, mono-, disubstituted, on quasi-spherical hydroxy-Al-montmorillonite CLS 380
- benzene, on high-charge, low-charge tetramethylammonium-smectite 113
- benzo(a)pyrene on montmorillonite, hydroxy-Al-montmorillonite, cytyl pyridinium-montmorillonite 287
- chlorophenols on montmorillonite, hydroxy-Al-montmorillonite, cytyl pyridinium-montmorillonite 277, 287
- complexes on montmorillonite, electroactivity at particle edges 391
- -desorption, trichloroethane, 1,2-dibromoethane on smectite 14
- ethylene oxide on montmorillonite 213
- hexanediamine on fluorhectorite, orientation of functional group 507
- hydroxy-Al polycations on montmorillonite, illite, leading to increase in zero point of charge 493
- methyl salicylate on smectite, DTA method for quantification 322
- selective, of phenols, on quasi-spherical hydroxy-Al-montmorillonite CLS 380
- selective, of polar, nonpolar organics by quasi-spherical hydroxy-Al-montmorillonite CLS 380
- surfactants on montmorillonite, hydroxy-Al-montmorillonite, cetyl pyridinium montmorillonite 277
- toluene, on high-charge, low-charge tetramethylammonium-smectite 113
- tris(2,2'-bipyridyl)ruthenium(II), racemic, enantiomeric, on smectite, hectorite, nontronite 623
- o-xylene, on high-charge, low-charge tetramethylammonium-smectite 113
- water, on montmorillonite, effect on IR, basal spacings, degree of order in layer stacking 485

Adsorption calorimetry
- surface area determination by 437

Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites Having Different Charges, by J.-F. Lee, M. M. Mortland, C. T. Chiou, D. E. Kile, and S. A. Boyd 113

Adsorption of Hydroxy-Al Polycations and Destabilization of Illite and Montmorillonite Suspensions, by Baohua Gu and H. E. Doner 493

AEM (see Analytical electron microscopy)

AFM (see Atomic force microscope)

Aggregation (see also Flocculation)
- microstructure of bentonite, kaolin, influence of Ca, Na concentration on 617

AGNEW, S. F. (with C. T. JOHNSTON and D. L. BISH), Polarized Single-Crystal Fourier-Transform Infrared Microscopy of Ouray Dickite and Keokuk Kaolinite 573

Akaganéite
- TEM
- transformation into goethite, hematite in alkaline solution 469

Alkaline solutions
- low-temperature alteration of palygorskite to smectite in 401

ALONSO, O. E. (with COVADONGA BRIME), Mineralogy, Geochemistry, and Origin of the Underclays of the Central Coal Basin, Asturias, Spain 265

ALTANER, S. P. (with R. E. GRIM) Mineralogy, Chemistry, and Diagenesis of Tuffs in the Sucker Creek Formation (Miocene), Eastern Oregon 561

Alumina
- surface area, by adsorption calorimetry 437

Aluminum
- reaction of hydroxyaluminum cations with montmorillonite to form PILC 109, 110
- -substituted goethite, particle size, synthesis 196

[1] Items are indexed to the first page of the journal article in which they appear.

Copyright © 1990, The Clay Minerals Society

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

-substituted lepidocrocite, synthesis, XRD, TEM, IR 209
-substituted magnetite, XRD, Mössbauer spectra, particle size, strain, synthesis 196
Aluminum hydroxide
crystallization, effect of humic acid on 47
Ammonium fluoride
-DMSO method of preparing delaminated kaolinite 219
AMONETTE, J. E. (with DHANPAT RAI), Identification of Noncrystalline (Fe,Cr) $(OH)_3$ by Infrared Spectroscopy 129
Analytical electron microscopy (AEM)
chloritoid 225
halloysite, from weathered plagioclase, K-feldspar 77
illite, diagenetic 449
illite, I/S, from weathered muscovite 77
I/S, replacement product of diagenetic illite 449
kaolinite 225
K-feldspar, weathered 77
muscovite 77, 225
muscovite, weathered 77
plagioclase, weathered 77
pyrophyllite 225
rectorite-like illite phases 449
secondary phases formed during dissolution of nuclear-waste glasses 537
smectite, from weathered plagioclase, K-feldspar 77
Analytical Transmission Electron Microscope Studies of Plagioclase, Muscovite, and K-Feldspar Weathering, by J. F. Banfield and R. A. Eggleton 77
ANDREOLI, CRISTINE (with JAN ŚRODOŃ, FRANÇOISE ELSASS, and MICHEL ROBERT), Direct High-Resolution Transmission Electron Microscopic Measurement of Expandability of Mixed-layer Illite/Smectite in Bentonite Rock 373
Anisoles
-bentonite, acid-washed montmorillonite, fluorhectorite pillared clay, XRD, NMR, visible-ultraviolet spectroscopy 250
NRM 250
O-methyl bond cleavage on clay, pillared clay surfaces 250
reactivity on clay, pillared clay surfaces 250
Ankerite
concretions, glauconite in, XRD, chemical analyses 69
Announcement
CMS workshop, Neutron Scattering and Diffraction Techniques in Clay Science 224
27th annual meeting, The Clay Minerals Society 224
Zeolites '91, 3rd Conference on the Occurrence, Properties, and Utilization of Natural Zeolites 560
Aromatic hydrocarbons
adsorption on high-charge, low-charge tetramethylammonium-smectite 113
Arsenic
oxidation of tri- to pentavalent by birnessite, reaction scheme 549
Atomic force microscopy (AFM)
illite surface, oxygen-oxygen distances by 337
montmorillonite surface, oxygen-oxygen distances by 337
oxygen-oxygen distances in montmorillonite, illite by 337
principles of operation 337
Attapulgite (see Palygorskite)
Authigenesis (see Diagenesis)
AVENA, M. J. (with RAÚL CABROL, and C. P. DE PAULI), Study of Some Physiochemical Properties of Pillared Montmorillonites: Acid-Base Potentiometric Tritrations and Electrophoretic Measurements 356.

B

Back-scattered electron imaging (see Scanning electron microscopy)
BANFIELD, J. F. (with R. A. EGGLETON), Analytical Transmission Electron Microscope Studies of Plagioclase, Muscovite, and K-Feldspar Weathering 77
BARTHOLOMEW, R. F. (with WILLIAM HERTL), Orientation of Hexanediamine in Synthetic Fluorhectorite 507
Basal spacing
bentonite, Wyoming 113
hydroxy-Al-pillared montmorillonite 257
kaolinite-polyacrylamide intercalate 137
montmorillonite, ethylene oxide-treated, homoionic 213
montmorillonite, homoionic 213
montmorillonite, variation with water sorption 485
smectite, in air-dried, wet, frozen-hydrated conditions 327
smectite, Li-containing, before, after thermal treatment 174
smectite, SAz-1 113
Basalt
surface area, specific 437
BATES, J. K. (with T. A. ABRAJANO, A. B. WOODLAND, J. P. BRADLEY, and W. L. BOURCIER), Secondary Phase Formation during Nuclear Waste-Glass Dissolution 537
Bayerite
crystallization product of precipitated aluminum hydroxide, effect of humid acid on 47
Beidellite
cation-substitution sites, nature of, using electrostatic potential maps 527

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Na-, synthetic, XRD, IR, electron microprobe analysis, SEM, TGA, inductively couple plasma-atomic emission spectra 409
Na-, synthesis from gel in alkaline solution 409
Bentonite (see also Montmorillonite, Smectite)
aggregates, SEM, morphology of 617
aggregation state, influence of Ca, Na concentration on 617
-anisole pillared clay, catalytic reactions 250
-anisole pillared clay, XRD, NMR, visible-ultraviolet spectroscopy 250
diagenetic facies, relation to zeolite alteration of tuff 561
diagenetic facies, mineralogical, chemical analysis, XRD, SEM 561
illitization of smectite in, Kinnekulle, Sweden 241
I/S in, expandability, HRTEM 373
Kinnekulle, Sweden, XRD, TEM, EDX 241
spray-dried, quasi-spherical hydroxy-Al-montmorillonite CLS, as packing for HPLC 380
spray-dried, quasi-spherical hyroxy-Al-montmorillonite CLS, SEM 380
TEM 617
Wyoming, tetramethylammonium-, adsorption of aromatic hydrocarbons on 113
XRD 617
Benzene
adsorption on high-charge, low-charge tetramethylammonium-smectite 113
mono-, disubstituted, adsorption on quasi-spherical hydroxy-Al-montmorillonite CLS 380
Benzo(a)pyrene
adsorption, binding on montmorillonite, hydroxy-Al-montmorillonite, cytyl pyridinium-montmorillonite 287
BHAT, A. N. (with O. SIDHESWARAN and P. GANGULI), Intercalation of Salts of Fatty Acids into Kaolinite 29
BIAŁOPIOTROWICZ, TOMASZ (with BRONISŁAW JAŃCZUK, EMIL CHIBOWSKI, LUCYNA HOŁYSZ, and ANNA KLISZCZ), Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite 53
Biotite
chemical composition 351
dehydroxylation, studied by far-IR 351
diagenetic alteration to illite, chlorite, kaolinite 584
far-IR spectra, used to study dehydroxylation in 351
formation of trioctahedral illite from, in soil profile 187
mass-balance calculations 584
role of K in micas by far-IR 351
SEM 187, 584
weathered, chemical analysis by electron microprobe 179, 187
weathering products, statistical treatment of elemental analyses of 179, 187
XRD 187
Birnessite
K-, synthesis from potassium permanganate, XRD, chemical analysis 549
oxidation of Mn(III) to Mn(V) by, reaction scheme 549
secondary product formed during dissolution of nuclear-waste glass, HRTEM, SAED, XRD 537
BISH, D. L. (with C. T. JOHNSTON and S. F. AGNEW), Polarized Single-Crystal Fourier-Transform Infrared Microscopy of Ouray Dickite and Keokuk Kaolinite 573
BLEAM, W. F., Electrostatic Potential at the Basal (001) Surface of Talc and Pyrophyllite as Related to Tetrahedral Sheet Distortions 522
BLEAM, W. F., Nature of Cation-Substitution Sites in Phyllosilicates, The 527
Boehmite
crystallization product of precipitated aluminum hydroxide, effect of humid acid on 47
BONNOT-COURTOIS, CHANTAL (with NOBERT CLAUER, J. R. O'NEIL, and THIERRY HOLTZAPFFEL, Morphological, Chemical, and Isotopic Evidence for an Early Diagenetic Evolution of Detrital Smectite in Marine Sediments 33
Book review
Hydrous Phyllosilicates (other than Micas), Reviews in Mineralogy, Vol. 19, S. W. Bailey, ed. 111
Pillared Clays, R. Burch, ed. 223
Short Course in Burial Diagenesis, I. E. Hutcheon, ed. 559
X-ray Diffraction and the Identification of Clay Minerals, by D. M. Moore and R. C. Reynolds, Jr. 448
BOTTO, R. E. (with K. A. CARRADO, RYOICHI HAYATSU, and R. E. WINANS), Reactivity of Anisole on Clay and Pillared Clay Surfaces 250
BOURCIER, W. L. (with T. A. ABRAJANO, J. K. BATES, A. B. WOODLAND, and J. P. BRADLEY), Secondary Phase Formation during Nuclear Waste-Glass Dissolution 537
BOYD, S. A. (with J.-F. LEE, M. M. MORTLAND, C. T. CHIOU, and D. E. KILE), Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites having Different Charges 113
BRADLEY, J. P. (with T. A. ABRAJANO, J. K. BATES, A. B. WOODLAND, and W. L. BOURCIER), Secondary Phase Formation during Nuclear Waste-Glass Dissolution 537
BRAGANZA, L. F. (with R. J. CRAWFORD, M. B. SMALLEY, and R. K. THOMAS), Swelling of n-Butylammonium Vermiculite in Water 90
BRIME, COVADONGA (with O. E. ALONSO), Mineralogy, Geochemistry, and Origin of the Underclays of the Central Coal Basin, Asturias, Spain 265
BRUSEWITZ, A. M. (with ATSUYUKI INOUE, TAKASHI

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

WATANABE, and NORIHIKO KOHYAMA), Characterization of Illitization of Smectite in Bentonite Beds at Kinnekulle, Sweden 241
BURGHARDT, R. C. (with R. K. VEMPATI, R. H. LOEPPERT, and H. SITTERTZ-BHATKAR), Infrared Vibrations of Hematite Formed from Aqueous- and Dry-Thermal Incubation of Si-Containing Ferrihydrite 294
Burial diagenesis (see Diagenesis)
n-Butanol
use in adsorption calorimetry for surface area determination 437
n-Butylammonium
vermiculite, dependence of osmotic swelling on temperature 90
vermiculite, neutron diffraction 90
vermiculite, swelling in water, nonconformance with DLVO theory 90

C

CARBOL, RAÚL (with M. J. AVENA and C. P. DE PAULI), Study of Some Physiochemical Properties of Pillared Montmorillonites: Acid-Base Potentiometric Titrations and Electrophoretic Measurements 356
ÇAĞATAY, M. N., Palygorskite in the Eocene Rocks of the Dammam Dome, Saudi Arabia 299
CALAS, G. (with A. MANCEAU and J.-M. COMBES), New Data and a Revised Structural Model for Ferrihydrite: Comment 331
CALAS, GEORGES (with J.-P. MULLER and PHILIPPE ILDEFONSE), Paramagnetic Defect Centers in Hydrothermal Kaolinite from an Altered Tuff in the Nopal Uranium Deposit, Chihuahua, Mexico 600
Calcite
surface area, specific 437
Carbonate
Fe(III)-containing, IR, FTIR evidence for, in natural geothite 442
"trapped," in natural goethite 442
Carnotite
coexisting with hydrothermal kaolinite, weeksite in rhyolitic tuff, SEM 600
Carrado, K. A. (with RYOICHI HAYATSU, R. E. BOTTO, and R. E. WINANS), Reactivity of Anisole on Clay and Pillared Clay Surfaces 250
Catalysis
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite, cleavage of O-methyl bond 250
book review, *Pillared Clays* 223
Cation exchange
competitive, use in intercalation of hydroxy-Al and montmorillonite 257
reactions, inhibitors of dissolution of crystalline clay minerals, noncrystalline oxides 308
vermiculite, with bi-ionic K-Mg solutions, effect on interstratification, XRD 513
Cation-exchange capacity (CEC)
alumina sol, dried 308
beidellite, Na-, and synthetic 409
bentonite, Wyoming 113
bentonitic tuff, Durango, Mexico 426
chlorite 308
hectorite, Hector, California 171, 623
kaolinite 308
kaolinite/smectite interstratification, change with hydrothermal treatment 415
montmorillonite 308, 426
montmorillonite, ethylene oxide-treated, homoionic 213
montmorillonite, homoionic 213
nontronite, NG-1 623
nontronite, SWa-1 623
sepiolite 308
silica gel, ground 308
silica glass, ground 308
smectite formed by low-temperature alteration of palygorskite in alkaline solutions 401
smectite, Li-containing 171
smectite, SAz-1 113, 623
smectite, SCa-1 623
smectite, STx-1 623
smectite, SWy-1 623
Cation ordering
in chlorite, 1-layer triclinic 216
Cation-substitution site
nature of, in beidellite, hectorite, montmorillonite, using electrostatic potential maps 527
CEC (see Cation-exchange capacity)
Cetylpyridinium
-montmorillonite, adsorption, binding of surfactants on 277, 287
Changes in the Properties of a Montmorillonite-Water System during the Adsorption and Desorption of Water: Hysteresis, by M. H. Fu, Z. Z. Zhang, and P. F. Low 485
Characterization of Illitization of Smectite in Bentonite Beds at Kinnekulle, Sweden, by Atsuyuki Inoue, Takashi Watanabe, Norihiko Kohyama, and A. M. Brusewitz 241
Characterization of Synthetic Na-Beidellite, by J. T. Kloprogge, J. B. H. Hansen, and J. W. Geus 409
Charge density
effect on adsorption of aromatic hydrocarbons on tetramethylammonium-smectite 113
Chemical composition
beidellite, Na-, synthetic, by electron microprobe analysis 409
bentonite diagenetic facies, Succor Creek, Oregon, XRF 561
bentonitic tuff, Durango, Mexico 426
biotite, Bancroft, Ontario 351

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

biotite, by electron microprobe 179, 187
birnessite, K-, synthetic 549
chlorite, 1-layer triclinic, by electron microprobe 216
chloritoid, by AEM 225
clinoptilolite, exchange-cation ratios, Succor Creek, Oregon 561
clinoptilolite-rich tuff, in Succor Creek, Oregon, XRF 561
crandellite-containing coal partings 97
glass, nuclear-waste 537
glauconite, in sandstone, electron microprobe analysis 69
halloysite, Huron, Indiana 477
hectorite, Hector, California 171
hydroxy-Al-illite/smectite pillared clays 609
hydroxy-Al-montmorillonite pillared clays 257
illite, diagenetic 449
irrigation waters, San Joaquin Valley, California 144
I/S, Kinnekulle, Sweden, by AEM 241
I/S, replacement of diagenetic illite 449
kaolinite, by AEM 225
kaolinite, by electron microprobe 179
kaolinite/smectite interstratification 415
kaolinite/smectite interstratification, hydrothermally treated 415
montmorillonite, Durango, Mexico 426
montmorillonite-rich tuff, Succor Creek, Oregon, electron microprobe 561
muscovite, by AEM 225
muscovite, by electron microprobe 179
muscovite, Madagascar 351
opal-CT-rich tuff, Succor Creek, Oregon, XRF 561
palygorskite 401
phlogopite, Madagascar 351
pyrophyllite, by AEM 225
rectorite-like illite phases 449
secondary phases formed during dissolution of nuclear-waste glasses 537
sepiolite, F-containing 63
smectite in detrital marine sediments 33
smectite, K-saturated, SWy-1 343
smectite, Li-containing 171
soils, San Joaquin Valley, California 144
statistical treatment of elemental analyses of mica weathering products 179
underclays, statistical analysis of 265
vermiculite, by electron microprobe 179
vitric tuffs, Durango, Mexico 426
zeolitic tuffs, Succor Creek, Oregon, XRF 561

CHEN, J. S. (with J. H. CUSHMAN and P. F. LOW), Rheological Behavior of Na-Montmorillonite Suspensions at Low Electrolyte Concentrations 57

CHIBOWSKI, EMIL (with BRONISŁAW JAŃCZUK, TOMASZ BIAŁOPIOTROWICZ, LUCYNA HOŁYSZ, and ANNA KLISZCZ), Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite 53

CHIOU, C. T. (with J.-F. LEE, M. M. MORTLAND, D. E. KILE, and S. A. BOYD), Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites having Different Charges 113

Chlorite
book review, *Hydrous Phyllosilicates (other than Micas)* 111
CEC, specific surface area, XRD 308
crystal structure 216
dissolution behavior, kinetics of dissolution, in basic tiron solution 308
formation by diagenetic alteration of biotite 584
high-intensity magnetic separation from illite 315
in coal partings, XRD, SEM 97
in underclays 265
1-layer triclinic, crystal structure refinement 216
1-layer triclinic, unit-cell parameters 216
1-layer triclinic, chemical analysis, electron microprobe 216
polytype differences, during diagenesis 315
SEM 97, 584
structural variations in, during diagenesis 315
surface area, specific 437
XRD 97, 308, 315

Chloritoid
in low-grade metamorphosed pelites, chemical analysis by AEM 225

Chlorophenols
adsorption on montmorillonite, hydroxy-Al-montmorillonite, cytyl pyridinium montmorillonite 277, 287

Chromium
-Fe hydroxide, noncrystalline, IR identification 129
hydroxide, IR 129
solid solution in noncrystalline goethite material 129

CHURCHMAN, G. J., Relevance of Different Intercalation Tests for Distinguishing Halloysite from Kaolinite in Soils 591

CLAUER, NOBERT (with J. R. O'NEIL, CHANTAL BONNOT-COURTOIS, and THIERRY HOLTZAPFFEL), Morphological, Chemical, and Isotopic Evidence for an Early Diagenetic Evolution of Detrital Smectite in Marine Sediments 33

Clay Mineral Society, The
announcement, 27th annual meeting 224
announcement, Workshop on Neutron Scattering and Diffraction Techniques in Clay Science 224

Clay-modified electrode
conductivity, review 391
description, electrochemical experimentation, review 391

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

diffusion coefficients derived from electrochemical data using 391
Clay-Modified Electrodes: A Review, by Alanah Fitch 391
Clay-organic complexes (see also Organo clays)
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite XRD, NMR, UV-VIS 250
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite catalytic activity 250
kaolinite-, hydated kaolinite-organic intercalates, XRD, IR, basal spacing 160
montmorillonite-, hydroxy-Al-montmorillonite-, cetyl pyridinium montmorillonite-chlorophenol 277, 287
Clinoptilolite
chemical analysis 561
diagenesis, in altered tuffs, Succor Creek, Oregon 561
in dacitic tuffs, Durango, Mexico, SEM 426
in detrital marine sediments 33
-rich tuff, Succor Creek, Oregon, chemical analysis, XRD, SEM, unit-cell dimensions 561
SEM 561
XRD 561
CMS source clays (see Reference clays)
Coal
partings, crandellite-containing, genesis 97
partings, volcanic, detrital, genesis of smectite, kaolinite, illite, crandellite in 97
partings, volcanic, detrital, XRD, SEM, chemical analyses 97
spherical halloysite in, EDX, TEM 501
Colloid
hectorite, flocculation of, effect of electrolyte concentration, particle radius 151
Color
of oxidized, reduced nontronite 203
COMBES, J.-M. (with A. MANCEAU and G. CALAS), New Data and a Revised Structural Model for Ferrihydrite: Comment 331
Conductivity
clay-modified electrodes, review 391
Contact angle
glycerol, diiodomethane, on kaolinite surfaces coated with dodecylamine chloride 53
measurements of hectorite films 151
CORNELL, R. M. (with R. GIOVANOLI), Transformation of Akaganéite into Goethite and Hematite in Alkaline Media 469
CORNELL, R. M. (with R. GIOVANOLI and W. SCHNEIDER), Effect of Cysteine and Manganese on the Crystallization of Noncrystalline Iron(III) Hydroxide at pH 8 21
COSTANZO, P. M. (with R. F. GIESE, JR.), Ordered and Disordered Organic Intercalates of 8.4-Å, Synthetically Hydrated Kaolinite 160
COSTANZO, P. M. (with C. J. VAN OSS), DLVO and Non-DLVO Interactions in Hectorite 151
Crandellite
-containing coal partings, chemical analyses 97
in volcanic, detrital coal partings, genesis 97
in volcanic, detrital coal partings, XRD, SEM 97
CRAWFORD, R. J. (with L. F. BRAGANZA, M. V. SMALLEY, and R. K. THOMAS), Swelling of n-Butylammonium Vermiculite in Water 90
Cross-linked Hydroxy-Al-Montmorillonite as a Stationary Phase in Liquid Chromatography, by Faina Tsvetkov, U. Mingelgrin, and N. Lahav 380
Cross-linked smectite (CLS) (see also, Pillared interlayer complex)
hydroxy-Al-illite/smectite, synthesis, thermal, hydrothermal stability 609
hydroxy-Al-illite/smectite, XRD, surface area, TGA, chemical analysis 609
quasi-spherical particles of, adsorption of mono-, disubstituted benzenes, phenols, polar, nonpolar organics 380
quasi-spherical particles of, packing material for HPLC 380
quasi-spherical particles, SEM 380
XRD, small-angle 380
Crystallinity
illite in underclays 265
Crystallization
aluminum hydroxide, effect of humic acid on IR, XRD, TEM 47
goethite, Al-substituted 196
iron oxides, from noncrystalline materials, in presence of Mn, cysteine 21
magnetite, Al-substituted 196
manganese oxides, from noncrystalline materials in presence of cysteine 21
Crystal structure
chlorite, 1-layer triclinic, refinement 216
dickite, hydroxyl orientation in, by FTIR 573
ferrihydrite 331, 335
kaolinite, hydroxyl orientation in, by FTIR 573
CUSHMAN, J. H. (with J. S. CHEN and P. F. LOW), Rheological Behavior of Na-Montmorillonite Suspensions at Low Electrolyte Concentrations 57
Cysteine
crystallization of hematite, goethite, hausmannite, manganite, from noncrystalline iron hydroxides in presence of 21

D

Defect
center, in kaolinite, induced by natural radiation 600
center, paramagnetic in hydrothermal kaolinite in altered tuff 600

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

center, paramagnetic in kaolinite, studied by EPR 600
Dehydration (see also Dehydroxylation)
Dehydroxylation
of halloysite, by HP-DTA, function of morphology 477
of muscovite, biotite, phlogopite, followed by far-IR spectroscopy 351
DE LA CALLE, CRISTINA (with J.-L. MARTIN DE VIDALES, ELADIO VILA, ANTONIO RUIZ-AMIL, and C.-H. PONS), Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions 513
Delamination
of kaolinite, by ammonium fluoride-DMSO treatment 219
DE PABLO-GALAN, LIBERTO, Diagenesis of Oligocene-Miocene Vitric Tuffs to Montmorillonite and K-Feldspar Deposits, Durango, Mexico 426
DE PAULI, C. P. (with M. J. AVENA and RAÚL CABROL), Study of Some Physiochemical Properties of Pillared Montmorillonites: Acid-Base Potentiometric Titrations and Electrophoretic Measurements 356
Derivative thermal gravimetry (see Differential thermal gravimetry)
Derjaguin-Landau-Verwey-Overbeek (DLVO) theory
interactions in hectorite gels 151
nonconformity with, of swelling of n-butylammonium vermiculite in water 90
Determination of Surface Areas of Mineral Powders by Adsorption Calorimetry, by K. V. Tichnor and P. P. S. Saluja 437
Diagenesis
alteration of mica to chlorite, illite, kaolinite 584
bentonite, Succor Creek, Oregon 561
book review, *Short Course in Burial Diagenesis* 560
clinoptilolite, in dacitic tuff, Durango, Mexico 426
clinoptilolite, in rhyolitic tuff, Succor Creek, Oregon 561
glauconite in sandstone, Fe-for-Al substitution 69
illitization of smectite in bentonite, Kinnekulle, Sweden 241
I/S in bentonite, Kinnekulle, Sweden 241
I/S, replacement product of illite, XRD, TEM, electron diffraction 449
marine sediments, detrital 33
mica alteration in reservoir sandstones 584
montmorillonite, in dacitic tuff, Durango, Mexico 426
montmorillonite, in rhyolitic tuff, Succor Creek, Oregon 561
opal-CT, in rhyolitic tuff, Succor Creek, Oregon 561
palygorskite, in Eocene dolomite 299
smectite, in detrital marine sediments 33
structural variations in chlorite, illite during 315
underclays 265
Diagenesis of Oligocene-Miocene Vitric Tuffs to Montmorillonite and K-Feldspar Deposits, Durango, Mexico, by Liberto de Pablo-Galan 426
Diatom
in opal-CT-rich bentonite bed, SEM 561
Dibromoethane
1,2-, adsorption, desorption on illite, kaolinite, smectite, pyrophyllite 14
Dickite
FTIR 573
hydroxyl orientation in, by FTIR 573
Discriminant analysis
chemical analyses of underclays 265
Differential scanning calorimetry (DSC)
kaolinite 29
kaolinite-K-laurate intercalate 29
K-laurate 29
K-stearate 20
Differential thermal analysis (DTA)
high-pressure, halloysite 477
methyl salicylate
methyl salicylate-adsorbed smectite, method of quantification 322
smectite, Li-containing 171
Differential thermal gravimetry (DTG)
effect of sample size, sample packing 556
montmorillonite, STx-1 556
Diffusion
coefficients, from electrochemical data using clay-modified electrodes 391
1,2-dibromoethane, in illite, kaolinite, smectite, pyrophyllite 14
trichloroethane, in illite, kaolinite, smectite, pyrophyllite 14
Dimethylsulfoxide (DMSO)
-ammonium fluoride method of preparing delaminated kaolinite 219
expansion of kaolinite, halloysite, means of distinguishing 591
-hydrated kaolinite, -kaolinite intercalates, XRD, IR, basal spacing 160
Direct High-Resolution Transmission Electron Microscopic Measurements of Expandability of Mixed-Layer Illite/Smectite in a Bentonite Rock, by Jan Środoń, Cristine Andreoli, Françoise Elsass, and Michel Robert 373
Dissolution
akaganéite in alkaline solutions, inhibited by silicon content of solution 469
akaganéite in alkaline solutions, to form goethite, hematite 469
alumina sol, kinetics of, in basic tiron solution 308
kaolinite, kinetics of, in basic tiron solution 308
montmorillonite, kinetics of, in basic tiron solution 308
muscovite, implications for I/S-kaolinite stability relations 445

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

nuclear-waste glass, secondary phases formed 537
sepiolite, F-containing, in basic tiron solution 63
sepiolite, kinetics of, in basic tiron solution 308
silica gel, kinetics of, in basic tiron solution 308
silica glass, ground, kinetics of, in basic tiron solution 308
volcanic ash, kinetics of 308
Distinguished Member Award
to R. C. Reynolds, Jr. 112
DIXON, J. B. (with D. C. GOLDEN), Low-Temperature Alteration of Palygorskite to Smectite 401
DLVO and Non-DLVO Interactions in Hectorite, by C. J. van Oss and P. M. Costanzo 151
DLVO theory (see Derjaguin-Landau-Verwey-Overbeek theory)
Dodecylammonium chloride
coating on kaolinite surface, contact angles of glycerol, diiodomethane on 53
effect of, on surface free energy of kaolinite 53
Dolomite
source of Mg for palygorskite formation, petrography, XRD 299
DONER, H. E. (with BAOHUA GU), Adsorption of Hydroxy-Al Polycations and Destabilization of Illite and Montmorillonite Suspensions 493
DTA (see Differential thermal analysis)
DTG (see Differential thermal gravimetry)

E

EBERL, D. D., Distinguished Member Award, Introduction of Robert C. Reynolds, Jr. 112
EDX (see Energy-dispersive X-ray analysis)
Effect of Cysteine and Manganese on the Crystallization of Noncrystalline Iron(III) Hydroxide at pH 8, by R. M. Cornell, E. Giovanoli, and W. Schneider 21
Effect of Negative Surface Charge-Densities of Smectite Clays on the Adsorption Isotherms of Racemic and Enantiomeric Tris(2,2'-bipyridyl)ruthenium(II) Chloride, by Gilles Villemure 623
Effects of Humic Acid on the Crystallization of Aluminum Hydroxides, by A. Singer and P. M. Huang 47
Effects of Sample Size and Packing in the Thermogravimetric Analysis of Calcium Montmorillonite STx-1, by M. R. Schilling 556
EG (see Ethylene glycol)
EGGLETON, R. A. (with J. F. BANFIELD), Analytical Transmission Electron Microscope Studies of Plagioclase, Muscovite, and K-Feldspar Weathering 77
EGGLETON, R. A. (with R. W. FITZPATRICK), New Data and a Revised Structural Model for Ferrihydrite: Reply 335
Electrochemistry
conductivity data using clay-modified electrodes, review 391
Electrode
clay-modified, description, electrochemical experimentation, review 391
clay-modified, diffusion data from electrochemical data using 391
Electrolyte
low concentrations of, effect on rheological properties of montmorillonite suspensions 57
role of concentration in flocculation of hectorite gels 151
role of Na, Ca concentration in state of aggregation of kaolin, bentonite 617
Electron diffraction
halloysite, spherical, in bituminous coal 501
illite, diagenetic 449
I/S, type of ordering 1, 449
I/S, replacement of diagenetic illite 449
Electron microprobe analysis
beidellite, Na, synthetic 409
biotite 179, 187
clinoptilolite, in altered rhyolitic tuff 561
glauconite, in sandstones 69
illite, from weathred biotite 187
kaolinite 179
kaolinite/smectite interstratification, hydrothermally treated 415
montmorillonite, in altered rhyolitic tuff 561
muscovite 179
statistical treatment of 179
vermiculite 179
Electron paramagnetic resonance (EPR)
kaolinite, hydrothermal, in rhyolitic tuff 600
to study paramagnetic defect centers in hydrothermal kaolinite 600
Electrophoretic mobility
used to estimate zeta potential of PILCs 356
Electrostatic
forces, nature of, in flocculation of hectorite gels 151
potential, at basal oxygen surfaces of beidellite, hectorite, montmorillonite 527
potential, at basal oxygen surfaces of talc, pyrophyllite, relation to tetrahedral sheet distortions 522
potential map, beidellite, hectorite, vermiculite 527
potential map, hexacelsian, talc, pyrophyllite (001) surface 522
potential, used to determine nature of cation substitution in phyllosilicates 522, 527
Electrostatic Potential at the Basal (001) Surface of Talc and Pyrophyllite as Related to Tetrahedral Sheet Distortions, by W. F. Bleam 522
ELSASS, FRANÇOISE (with JAN ŚRODOŃ, CRISTINE

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

ANDREOLI, and MICHEL ROBERT), Direct High-Resolution Transmission Electron Microscopic Measurements of Expandability of Mixed-layer Illite/Smectite in a Bentonite Rock 373
Energy-dispersive X-ray analysis (EDX)
dacitic tuffs, Durango, Mexico 426
halloysite, spherical, in bituminous coal 501
I/S in bentonite, Kinnekulle, Sweden 241
montmorillonite in dacitic tuffs, Durango, Mexico 426
Enantiomorphs
adsorption of enantiomeric tris(2,2′-bipyridyl)ruthenium(II) on smectite, hectorite, nontronite, effect of negative surface charge 623
Enthalpy
of dehydroxylation, halloysite, from HP-DTA data 477
of freezing, methyl salicylate adsorbed by montmorillonite, DTA method of quantification 322
Epidote
surface area, specific 437
EPR (see Electron paramagnetic resonance)
ESSENE, E. J. (with W.-T. JIANG and D. R. PEACOR), Transmission Electron Microscopic Study of Coexisting Pyrophyllite and Muscovite: Direct Evidence for the Metastability of Illite 225
Ethylene glycol
polymerization of, in interlayer of montmorillonite, from ethylene oxide 213
Ethylene oxide
adsorption on montmorillonite 213
reaction to polyethylene glycol in interlayer of montmorillonite, function of interlayer cation 213
-treated montmorillonite, IR, CEC, basal spacings 213
Expandability
halloysite, after formamide, DMSO treatment 591
I/S, Silesia, Poland, from HRTEM, XRD data 373
kaolinite, after formamide, DMSO treatment 591
used to distinguish halloysite from kaolinite, after treatment with formamide, DMSO 591

F

FABER, B. A. (with MENACHEM GAL and L. D. WHITTIG), Influence of Clay on Water Movement in Coarse-textured Soils 144
FAJULA, F. (with F. FIGUERAS, Z. KLAPYTA, P. MASSIANI, Z. MOUNTASSIR, and D. TICHIT), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257
Far-infrared spectroscopy
biotite, Bancroft, Ontario 351
muscovite, Madagascar 351
phlogopite, Madagascar 351
used to follow dehydroxylation in micas 351
Far-Infrared Study of Potassium in Mica, by R. Prost and V. Laperche 351
Fatty acids
-kaolinite intercalates, FTIR, XRD, DSC 29
-kaolinite intercalates, orientation in 29
K-laurate, DSC 29
K-stearate, DSC 29
palmitate-kaolinite intercalate, XRD 29
Feldspar (see also individual minerals)
albite, K-feldspar in dacitic tuffs, Durango, Mexico, SEM 426
AEM 7
HRTEM 77
plagioclase, K-feldspar, weathered, examined by HRTEM, AEM 77
weathering reactions to smectite, kaolinite, halloysite 77
FERRELL, R. E., JR. (with M. E. STRICKLER), Fe-Substitution for Al in Glauconite with Increasing Diagenesis in the First Wilcox Sandstone (Lower Eocene), Livingston Parish, Louisiana 69
Ferrihydrite
absorption-edge spectroscopy 331, 335
coordination in 331, 335
crystal structure 331, 335
Si-containing, IR 294
Si-containing, starting material for formation of hematite 294
thermal treatment 331, 335
XRD 331
Fe-Substitution for Al in Glauconite with Increasing Diagenesis in the First Wilcox Sandstone (Lower Eocene), Livingston Parish, Louisiana, by M. E. Strickler and R. E. Ferrell, Jr. 69
Fiber
goethite, TEM 21
halloysite, TEM 77
mordenite, in zeolitic tuff, Succor Creek, Oregon, SEM 561
palygorskite, SEM 299, 401
FIGUERAS, F. (with Z. KLAPYTA, P. MASSIANI, Z. MOUNTASSIR, D. TICHIT, and F. FAJULA), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257
FITCH, ALANAH, Clay-Modified Electrodes: A Review 391
FITZPATRICK, R. W. (with R. A. EGGLETON), New Data and a Revised Structural Model for Ferrihydrite: Reply 335
Flocculation
aggregation state of kaolinite, bentonite, influence of Ca, Na concentration 617
montmorillonite, illite suspensions, by adsorption of hydroxy-Al polycations 493

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

FOLGER, H. S. (with K. R. SRINIVASAN), Use of Inorgano-Organo Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Adsorption of Benzo(a)Pyrene and Chlorophenols from Aqueous Solutions 287
FOLGER, H. S. (with K. R. SRINIVASAN), Use of Inorgano-Organo Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Structural Aspects 277
FORDHAM, A. W., Formation of Trioctahedral Illite from Biotite in a Soil Profile over Granite Gneiss 187
FORDHAM, A. W., Treatment of Microanalyses of Intimately Mixed Products of Mica Weathering 179
Formamide
-hydrated kaolinite, -kaolinite intercalate, XRD, IR, basal spacing 160
treatment of halloysite, kaolinite, expansion 591
Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide, by A. Pusino, M. Gennari, A. Premoli, and C. Gessa 213
Formation of Trioctahedral Illite from Biotite in a Soil Profile over Granite Gneiss, A. W. Fordham 187
Flocculation
hectorite, effect of electrolyte concentration, particle radius 151
surfactant-montmorillonite, -hydroxy-Al-montmorillonite, cetyl pyridinium-montmorillonite complexes 277, 287
Fluorine
-containing sepiolite, XRD, NMR, LMMS, chemical analysis 63
fluorhectorite-anisole complexes, XRD, NMR, UV-VIS spectroscopy, catalytic activity 250
fluorhectorite-hexane diamine complexes, FTIR, functional group orientation 507
fluorhectorite, synthesis, paper preparation from slurry of 507
Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide, by A. Pusino, M. Gennari, A. Premoli, and C. Gessa 213
Fourier-transform infrared spectroscopy (FTIR)
dickite, hydroxyl orientation in, by 573
fatty acids 29
fluorhectorite-hexanediamine complexes, orientation of functional groups in 507
goethite, natural, evidence for FE(III) carbonate in 442
hydrazine-adsorbed kaolinite, study of OH-vibrational modes 121
kaolinite 29, 573
kaolinite-fatty acid intercalates 29
kaolinite, hydroxyl orientation in, by 573
single-crystal microscopy, of hydroxyl orientation in dickite, kaolinite 573
Fracture filling
minerals, surface areas by adsorption calorimetry 437
Free energy
between particles in hectorite gel 151
of formation, gibbsite, diaspore, kaolinite 445
of formation, muscovite, mica-like phases 445
FU, M. H. (with Z. Z. ZHANG and P. F. LOW), Changes in the Properties of a Montmorillonite-Water System during the Adsorption and Desorption of Water: Hysteresis 485
FUESS, HARTMUT (with WERNER JOSWIG), Refinement of a One-Layer Triclinic Chlorite 216
FUKAMI, A. (with KAZUE TAZAKI, W. S. FYFE, and K. FUKUSHIMA), Wet-to-Dry Transition of Smectite as Revealed by Humidity-Controlled Electron Microscopy 327
FUKUSHIMA, K. (with KAZUE TAZAKI, W. S. FYFE, and A. FUKAMI), Wet-to-Dry Transition of Smectite as Revealed by Humidity-Controlled Electron Microscopy 327
Fumigant
1,2-dibromoethane, adsorption-desorption on illite, smectite, pyrophyllite, kaolinite 14
Fundamental particle
I/S, from HRTEM data 373
FYFE, W. S. (with KAZUO TAZAKI, K. FUKUSHIMA, and A. FUKAMI), Wet-to-Dry Transition of Smectite as Revealed by Humidity-Controlled Electron Microscopy 327

G

Gabbro
surface area, specific 437
GAL, MENACHEM (with L. D. WHITTIG, and B. A. FABER), Influence of Clay on Water Movement in Coarse-textured Soils 144
GANGULI, P. (with O. SIDHESWARAN and A. N. BHAT), Intercalation of Salts of Fatty Acids into Kaolinite 29
GARCIA-GONZALEZ, M. T. (with JANUSZ STAWIŃSKI and JACEK WIERZCHOS), Influence of Calcium and Sodium Concentration on the Microstructure of Bentonite and Kaolin 617
GC (see Gas chromatography)
GENNARI, M. (with A. PUSINO, A. PREMOLI, and C. GESSA), Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide 213
GENT, M. P. N. (with B. L. SAWHNEY), Hydrophobicity of Clay Surfaces: Sorption of 1,2-Dibromomethane and Trichloroethane 14
GESSA, C. (with A. PUSINO, M. GENNARI, and A. PREMOLI), Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide 213

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

GEUS, J. W. (with J. T. KLOPROGGE and J. B. H. JANSEN), Characterization of Synthetic Na-Beidellite 409
Gibbsite
crystallization product of precipitated aluminum hydroxide, effect of humid acid on 47
GIESE, R. F., JR. (with P. M. COSTANZO), Ordered and Disordered Organic Intercalates of 8.4-Å, Synthetically Hydrated Kaolinite 160
GIOVANOLI, R. (with R. M. CORNELL), Transformation of Akaganéite into Goethite and Hematite in Alkaline Media 469
GIOVANOLI, R. (with R. M. CORNELL and W. SCHNEIDER), Effect of Cysteine and Manganese on the Crystallization of Noncrystalline Iron(III) Hydroxide at pH 8 21
Glass (see also Volcanic ash)
nuclear-waste, secondary phases formed during dissolution of, AEM, IR, HRTEM, SAED 537
GLASMANN, J. R., book review, *Short Course in Burial Diagenesis,* edited by I. E. Hutcheon 560
Glauconite
chemical analysis 69
diagenesis in sandstones 69
Fe-for-Al substitution, function of diagenesis 69
petrography 69
relation of interlayer K and octahedral Al content, function of diagenesis 69
XRD 69
Goethite
Al-substituted, synthesis, particle size 196
crystallization from noncrystalline iron hydroxide in presence of Mn, cysteine 21
formation from akaganéite in alkaline solutions 469
natural, Fe(III) carbonate in, IR, FTIR evidence for 442
noncrystalline material, solid solution of Cr in, IR 129
surface area, specific 437
TEM 469
GOLDEN, D. C. (with J. B. DIXON), Low-Temperature Alteration of Palygorskite to Smectite 401
GOULD, S. A. C. (with H. HARTMAN, GARRISON SPOSITO, ANDREW YANG, S. MANNE, and P. K. HANSMA), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
Gneiss
granite, weathered, soil profile on, formation of trioctahedral illite from biotite 187
Granite
surface area, specific 437
GRIM, R. E. (with S. P. ALTANER), Mineralogy, Chemistry, and Diagenesis of Tuffs in the Sucker Creek Formation (Miocene), Eastern Oregon 561
GU, BAOHUA (with H. E. DONER), Adsorption of Hydroxy-Al Polycations and Destabilization of Illite and Montmorillonite Suspensions 493
GUGGENHEIM, STEPHEN (with S. L. JOHNSON and A. F. KOSTER VAN GROOS), Thermal Stability of Halloysite by High-Pressure Differential Thermal Analysis 477
GUTHRIE, G. D., JR. (with D. R. VEBLEN, K. J. T. LIVI, and R. C. REYNOLDS, JR.), High-resolution Transmission Electron Microscopy and Electron Diffraction of Mixed-Layer Illite/Smectite: Experimental Results 1
Gypsum
surface area, specific 437

H

Halloysite
chemical analysis 477
dehydroxylation, function of morphology 477
distinction from kaolinite, by expansion with formamide, DMSO 591
enthalpy of dehydroxylation 477
expansion after formamide, DMSO treatment 591
from weathered feldspar, SEM, HRTEM, ATEM 77
HP-DTA 477
phase relations with metahalloysite, metaliquid 477
spherical, in bituminous coal, TEM, EDX, morphology 501
TEM 591
Halocarbons
1,2-dibromoethane, adsorption, desorption on illite, kaolinite, pyrophyllite, smectite 14
trichloroethane, adsorption, desorption on illite, kaolinite, pyrophyllite, smectite 14
HANSMA, P. K. (with H. HARTMAN, GARRISON SPOSITO, ANDREW YANG, S. MANNE, and S. A. C. GOULD), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
HARTMAN, H. (with GARRISON SPOSITO, ANDREW YANG, S. MANNE, S. A. C. GOULD, and P. K. HANSMA), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
HAYASHI, HISATO (with MASAHARU YAMADA), Kinetics of Dissolution of Noncrystalline Oxides and Crystalline Clay Minerals in a Basic Tiron Solution 308
HAYATSU, RYOICHI (with K. A. CARRADO, R. E. BOTTO, and R. E. WINANS), Reactivity of Anisole on Clay and Pillared Clay Surfaces 250
HAYES, T. H. (with J. N. MOORE and J. R. WALKER), Reaction Scheme for the Oxidation of As(III) to As(V) by Birnessite 549
Heat of adsorption
isosteric, hydroxy-Al-montmorillonite-PILCs 363
Heat of immersion
montmorillonite-water system, measured by microcalorimetry 485

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Hectorite
adsorption of tris(2,2'-bipyridyl)ruthenium(II) on, effect of negative surface charge 623
basal oxygen surface, electrostatic potential of 527
CEC 623
electrostatic potential map of basal oxygen surfaces, used to determine nature of cation-substitution sites 527
films, contact angle measurements 151
fluorhectorite-anisole complex, XRD, NMR, visible-ultraviolet spectroscopy, catalytic activity 250
fluorhectorite-hexanediamine complexes, FTIR, orientation of functional groups in 507
fluorhectorite, synthesis, paper preparation from slurry of 507
gels, DVLO interactions in 151
gels, effect of particle size on flocculation 151
gels, free energy between particles in 151
gels, nature of electrostatic forces in 151
gels, role of electrolyte concentration in flocculation of 151
Hector, California, chemical analysis, CEC, XRD 171
Li-containing smectite, XRD, IR, CEC, chemical analysis, genesis 171
surface area 623
Hematite
crystallization from noncrystalline iron hydroxide in presence of Mn, cysteine 21
formation from Si-containing ferrihydrite, thermal treatment 294
formation from akaganéite in alkaline solution 469
IR, function of Si content, synthesis technique 294
surface area, specific 437
TEM 21, 294, 469
XRD 21
Hertl, William (with R. F. Bartholomew), Orientation of Hexanediamine in Synthetic Fluorhectorite 507
Hexacelsian
electrostatic potential map of (001) surface 522
Hexanediamine
-adsorbed fluorhectorite, FTIR, orientation of functional group in 507
adsorption on fluorhectorite 507
High-pressure differential thermal analysis (HP-DTA)
halloysite, dehydroxylation, function of morphology 477
halloysite, thermal stability by 477
High-pressure liquid chromatography (HPLC)
quasi-spherical particles of hydroxy-Al-montmorillonite CLS as packing material 380
separation of polar, nonpolar organics using quasi-spherical particles of hydroxy-Al-montmorillonite CLS 380
High-resolution transmission electron microscopy (HRTEM)
birnessite, secondary phase formed during dissolution of nuclear-waste glass 537
coexisting muscovite-pyrophyllite 225
glass, nuclear-waste, secondary phases formed during dissolution of 537
halloysite, from weathered feldspars 77
illite, ammonium 225
I/S, proportion of illite, smectite layers in 1
I/S, Silesia, Poland, used to measure expandability, fundamental particle size 373
I/S, type of ordering, layer sequence 1
K-feldspar, weathered 77
muscovite, coexisting with pyrophyllite 225
muscovite, weathered 77
plagioclase, weathered 77
pyrophyllite, coexisting with muscovite 225
saponite, secondary phase formed during dissolution of nuclear-waste glass 537
serpentine, secondary phase formed during dissolution of nuclear-waste glass 537
smectite, from weathered feldspar, muscovite 77
High-Resolution Transmission Electron Microscopy and Electron Diffraction of Mixed-Layer Illite/Smectite: Experimental Results, by D. R. Veblen, G. D. Guthrie, Jr., K. J. T. Livi, and R. C. Reynolds, Jr. 1
Holtzapffel, Thierry (with Nobert Clauer, J. R. O'Neil, and Chantal Bonnot-Courtois), Morphological, Chemical, and Isotopic Evidence for an Early Diagenetic Evolution of Detrital Smectite in Marine Sediments 33
Hołysz, Lucyna (with Bronisław Jańczuk, Emil Chibowski, Tomasz Białopiotrowicz, and Anna Kliszcz), Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite 53
HRTEM (see High-resolution transmission electron microscopy)
Huang, P. M. (with A. Singer), Effects of Humic Acid on the Crystallization of Aluminum Hydroxides 47
Huff, W. D., book review, *X-ray Diffraction and the Identification and Analysis of Clay Minerals,* by D. M. Moore and R. C. Reynolds, Jr. 448
Hughes, R., book review, *Hydrous Phyllosilicates (other than Micas), Reviews in Mineralogy, Vol. 19,* edited by S. W. Bailey 111
Humic acid
effects of, on crystallization of aluminum hydroxides 47
Humidity (see Relative humidity)
Hydration
dependence on, for methyl salicylate adsorption on montmorillonite 322
glass, nuclear-waste, initial step of dissolution 537

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Hydraulic conductivity
soils, San Joaquin Valley, California, influence of clay content on 144
Hydrazine
-adsorbed kaolinite, OH-vibrational modes, studied by FTIR, Raman spectroscopy, XRD 121
influence of, on OH-vibrational modes of kaolinite 121
-kaolinite intercalate, position in structure of 121
-water-glycerol treatment, used to distinguish halloysite from kaolinite 591
Hydrogen bonding
in kaolinite-polyacrylamide intercalate 137
Hydrophobicity-hydrophilicity
hydroxy-Al-montmorillonite PILCs 363
kaolinite surface, covered with dodecylammonium chloride 53
Hydrophobicity of Clay Surfaces: Sorption of 1,2-Dibromomethane and Trichloroethane, by B. L. Sawhney and M. P. N. Gent 14
Hydrothermal
experiments, smectite-to-illite reaction 343
kaolinite, in tuff, paramagnetic defect centers in 600
low-temperature, alteration of smectite to palygorskite in alkaline solutions 401
smectite, Li-containing, XRD, IR, CEC, chemical analysis, genesis 171
stability, hydroxy-Al-illite/smectite pillared clays 609
transformation of high- to low-charge smectite layers in kaolinite/smectite interstratification 415
treatment of kaolinite/smectite interstratification 415
Hydrothermal Reactivity of Mixed-Layer Kaolinite/Smectite: Experimental Transformation of High-Charge to Low-Charge Smectite, by D. Proust, J. Lechelle, A. Lajudie, and A. Meunier 415
Hydroxide
Fe-Cr, noncrystalline, identification by IR 129
Fe-Cr, synthesis 129
Hydroxy-Al
-adsorbed montmorillonite, illite, suspensions of, zero point of charge 493
-illite/smectite PILCs, synthesis, thermal, hydrothermal stability 609
-illite/smectite PILCs, XRD, surface area, TGA, chemical analysis 609
-montmorillonite CLS, quasi-spherical, adsorption, separation of benzenes, phenols, polar, nonpolar organics 380
-montmorillonite CLS, quasi-spherical, packing material in HPLC 380
-montmorillonite intercalate, adsorption, binding of surfactants, chlorophenols 277, 287
-montmorillonite intercalate, use of competitive ion exchange in synthesis 257
-montmorillonite intercalate, XRD, NMR, surface area, thermal stability 257
-montmorillonite PILCs, hydrophobicity, porosity, water sorption 363
-montmorillonite PILCs, surface charge, zeta potential, TGA 356
-montmorillonite PILCs, synthesis, thermal stability 363
polycations, adsorption on montmorillonite, illite, to achieve flocculation of suspensions 493
reaction of, with montmorillonite to form PILCs 109, 110, 257
Hydroxyl
OH-vibrational modes of hydrazine-adsorbed kaolinite, studied by FTIR, Raman spectroscopy, XRD 121
orientation in dickite, kaolinite, by FTIR 573
Hysteresis
adsorption, desorption of water by montmorillonite 485
basal spacings, IR spectra, degree of order in layer stacking, with water content of montmorillonite 485

I

Ianovici, Virgil (with Gheorghe Neacşu and Vasilica Neacşu), Li-Bearing Stevensite from Moldova Noua, Romania 171
Identification of Noncrystalline (Fe,Cr) $(OH)_3$ by Infrared Spectroscopy, by J. E. Amonette and Dhanpat Rai 129
Ildefonse, Philippe (with J.-P. Muller and Georges Calas), Paramagnetic Defect Centers in Hydrothermal Kaolinite from an Altered Tuff in the Nopal Uranium Deposit, Chihuahua, Mexico 600
Illite
adsorption, desorption of trichloroethane, 1,2-dibromomethane 14
adsorption of hydroxy-Al polycations, to flocculate suspensions 493
AEM 449
AFM 337
ammonium, HRTEM, formation from coexisting muscovite-pyrophyllite 225
chemical analysis, by AEM 449
formation by diagenetic alteration of biotite 584
formation from smectite, relation to fluid abundance 343
free energy of formation 445
from weathered muscovite, HRTEM, AEM 77
diagenetic, AEM, XRD, TEM, electron diffraction, chemical analysis 449
genesis, from coexisting muscovite-pyrophyllite 225

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

high-intensity magnetic separation from chlorite 315
hydroxy-Al adsorbed, suspensions of, zero point of charge 493
in dolomite, SEM 299
in underclays, crystallinity 265
in volcanic, detrital coal partings, XRD, SEM 97
layers, proportion of, in I/S by HRTEM 1
metastability of, from electron microscopic study of coexisting muscovite-pyrophyllite 225
polymorph variation during diagenesis 315
SEM 584
/smectite, chemical analysis by electron microprobe 1
/smectite, electron diffraction, type of ordering 1
/smectite, HRTEM, type of ordering 1
/smectite, hydroxy-Al pillared, synthesis, thermal, hydrothermal stability 609
/smectite, hydroxy-Al pillared, XRD, chemical analysis, TGA, surface area 609
/smectite-kaolinite stability relations, implications of muscovite dissolution 445
/smectite, Kinnekulle, Sweden, XRD, TEM, chemical analysis, diagenetic formation in bentonite from smectite 241
/smectite, percentage of illite layers, function of diagenesis 315
/smectite, replacement of diagenetic illite, AEM, electron diffraction, TEM, XRD, chemical analysis 449
structural variations during diagenesis 315
surface area, specific 437
surface imaging, oxygen-oxygen distances, by AMF 337
trioctahedral, formation from weathered biotite, electron microprobe analysis, XRD 187
XRD 187, 315
Illite/smectite
chemical analysis by electron miroprobe 1
electron diffraction, type of ordering 1, 449
from weathered muscovite, HRTEM, AEM 77
HRTEM, type of ordering 1, 449
hydroxy-Al pillared, surface area, TGA, XRD, chemical analysis 609
hydroxy-Al pillared, synthesis, thermal, hydrothermal stability 609
in ankerite concretions, XRD 69
in underclays 265
-kaolinite stability relations, implications of muscovite dissolution 445
Kinnekulle, Sweden, ordering of smectite, illite layers 241
Kinnekulle, Sweden, XRD, TEM, chemical analysis, diagenetic formation in bentonite from smectite 241
proportion of illite layers in, by HRTEM 1
proportion of illite layers in, changes during diagenesis 315
replacement product of diagenetic illite, AEM, electron diffraction, TEM, XRD, chemical analysis 449
Silesia, Poland, expandability, fundamental particle size measured from HRTEM data 373
XRD 315, 449
Inductively coupled plasma-atomic emission spectroscopy beidellite, Na-, synthetic 409
Influence of Aluminum on Iron Oxides, The: XIV. Al-Substituted Magnetite Synthesized at Ambient Temperatures, by Udo Schwertmann and E. Murad 196
Influence of Aluminum on Iron Oxides, The: XV. Al-for-Fe Substitution in Synthetic Lepidocrocite, by Udo Schwertmann and Emilia Wolska 209
Influence of Calcium and Sodium Concentration on the Microstructure of Bentonite and Kaolin, by Janusz Stawiński, Jacek Wierzchos, and M. T. Garcia-Gonzalez 617
Influence of Clay on Water Movement in Coarse-textured Soils, by Menachem Gal, L. D. Whittig, and B. A. Faber 144
Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite, by Bronisław Jańczuk, Emil Chibowski, Tomasz Białopiotrowicz, Lucyna Holysz, and Anna Kliszcz 53
Influence of Hydrazine on the Vibrational Modes of Kaolinite, by C. T. Johnston and D. A. Stone 121
Infrared Spectral Evidence for a Minor Fe(III) Carbonate-bearing Component in Natural Goethite, by C. J. Yapp and Harald Poths 442
Infrared spectroscopy (IR)
aluminum hydroxide crytallization products, effects of humic acid 47
beidellite, Na-, synthetic 409
far-, biotite, Bancroft, Ontario 351
far-, muscovite, Madagascar 351
far-, phlogopite, Madagascar 351
far-, used to study dehydroxylation in micas 351
Fe-Cr hydroxide, noncrystalline, identification by 129
fluorhectorite-hexanediamine complex, FTIR 507
glass, secondary products formed during dissolution of 537
goethite, natural, evidence for Fe(II) carbonate in 442
hematite, function of Si content, synthesis technique 294
kaolinite, API #9 137
kaolinite-, hydrated kaolinite-organic intercalates 160
kaolinite-polyacrylamide intercalate 137
lepidocrocite, Al-substituted 209
montmorillonite, ethylene oxide-treated 213

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

montmorillonite, function of water content 485
polyethylene glycol 213
saponite 401
smectite, Li-containing 171
smectite products of low-temperature alteration of palygorskite in alkaline solutions 401
Infrared Vibrations of Hematite Formed from Aqueous- and Dry-Thermal Incubation of Si-Containing Ferrihydrite, by R. K. Vempati, R. H. Loeppert, H. Sittertz-Bhatkar, and R. C. Burghardt 294
INOUE, ATSUYUKI (with TAKASHI WATANABE, NORIHIKO KOHYAMA, and A. M. BRUSEWITZ), Characterization of Illitization of Smectite in Bentonite Beds at Kinnekulle, Sweden 241
Intercalation
kaolinite-DMSO, in delamination of kaolinite 219
kaolinite-fatty acids, FTIR, NRM, XRD, DSC 29
kaolinite-fatty acids, orientation in 29
kaolinite-, hydrated kaolinite-organic molecules, XRD, IR, basal spacings 160
kaolinite-hydrazine, OH-vibrational modes, studied by FTIR, Raman spectroscopy, XRD 121
kaolinite-N-methylformamide, XRD 137
kaolinite-polyacrylamide intercalate, IR, NMR, XRD, hydrogen bonding in 137
kaolinite-polyacrylamide, synthesis, thermal treatment 137
montmorillonite-cetyl pyridinium intercalate, adsorption, binding of surfactants, chlorophenols, benzo(a)pyrene 277, 287
montmorillonite-hydroxy-Al, chemical analysis, XRD, NMR, surface area, thermal stability 257
montmorillonite-hydroxy-Al intercalate, adsorption, binding of surfactants, chlorophenols 277, 287
montmorillonite-hydroxy-Al, use of competitive ion exchange in synthesis 257
tests with formamide, DMSO, used to distinguish halloysite from kaolinite 591
Intercalation of Salts of Fatty Acids into Kaolinite, by O. Sidheswaran, A. N. Bhat, and P. Ganguli 29
Interlayer cations
effect on basal spacing, CEC, IR of ethylene oxide-treated montmorillonite 213
Interstratification
book review, *Hydrous Phyllosilicates (other than Micas)* 111
book review, *X-ray Diffraction and the Identification of Clay Minerals* 448
chlorite/7-Å material, variation with degree of diagenesis 315
illite/smectite, change or ordering, percentage of illite layers during diagenesis 315
illite/smectite, chemical analysis by electron microprobe 1
illite/smectite, electron diffraction, type of ordering 1
illite/smectite, HRTEM 1, 373
illite/smectite, hydroxy-Al pillared, synthesis, thermal, hydrothermal stability 609
illite/smectite, hydroxy-Al pillared, XRD, TGA, chemical analysis, surface area 609
illite/smectite, intermediate in smectite-to-illite reaction, hydrothermal experiments on 343
illite/smectite, order of layers 1, 449
illite/smectite, replacement product of diagenetic illite, AEM, electron diffraction, TEM, XRD, chemical composition 449
illite/smectite, Silesia, Poland, expandability, fundamental particle size measured from HRTEM data 373
kaolinite/smectite interstratification, change of high- to low-charge smectite layers in, by hydrothermal treatment 415
kaolinite/smectite interstratification, XRD, CEC, layer charge, electron microprobe analysis, hydrothermal treatment 415
smectite, Li-containing, anhydrous and hydrous layers 171
vermiculite, 10Å/14Å, produced by reaction with bi-ionic K-Mg solution 513
Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions, by J.-L. Martin de Vidales, Eladio Vila, Antonio Ruiz-Amil, Cristina de la Calle, and C.-H. Pons) 513
IR (see Infrared spectroscopy)
Iron
-Cr hydroxide, noncrystalline, identification by IR 129
-Cr hydroxide, synthesis 129
ferric carbonate, IR, FTIR evidence for, in natural goethite 442
-for-aluminum substitution in glauconite in sandstones, function of diagenesis 69
hydroxide, IR 129
role in weathering of K-feldspar, plagioclase, muscovite 77
Iron oxide
akaganéite, TEM, dissolution in alkaline solution 469
akaganéite, transformation to goethite, hematite in alkaline solutions 469
ferrihydrite, Si-containing, starting material for formation of hematite 294
goethite, Al-substituted, synthesis, particle size 196
goethite, formation from akaganéite in alkaline solutions, TEM 469
hematite, formation from akaganéite in alkaline solutions, TEM 469
hematite, Si-containing, synthesis from ferrihydrite, IR, thermal treatment 294
lepidocrocite, Al-substituted, synthesis, IR, XRD, TEM 209

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

magnetite, Al-substituted, synthesis, particle size 196
magnetite, Al-substituted, XRD, Mössbauer spectra 196
noncrystalline, crystallization of hematite, goethite, hausmannite, manganite from, in presence of Mn, cysteine 21
Isotope
isotopic composition of detrital marine sediments 33

J

JAŃCZUK, BRONISŁAW (with EMIL CHIBOWSKI, TOMASZ BIAŁOPIOTROWICZ, LUCYNA HOŁYSZ, and ANNA KLISZCZ), Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite 53
JANSEN, J. B. H. (with J. T. KLOPROGGE and J. W. GEUS), Characterization of Synthetic Na-Beidellite 409
JIANG, W.-T. (with E. J. ESSENE and D. R. PEACOR), Transmission Electron Microscopic Study of Coexisting Pyrophyllite and Muscovite: Direct Evidence for the Metastability of Illite 225
JIANG, W.-T. (with D. R. PEACOR, R. J. MERRIMAN, and B. ROBERTS), Transmission and Analytical Electron Microscopic Study of Mixed-Layer Illite/Smectite Formed as an Apparent Replacement Product of Diagenetic Illite 449
JOHNSON, S. L. (with STEPHEN GUGGENHEIM and A. F. KOSTER VAN GROOS), Thermal Stability of Halloysite by High-Pressure Differential Thermal Analysis 477
JOHNSTON, C. T. (with S. F. AGNEW and D. L. BISH), Polarized Single-Crystal Fourier-Transform Infrared Microscopy of Ouray Dickite and Keokuk Kaolinite 573
JOHNSTON, C. T. (with D. A. STONE), Influence of Hydrazine on the Vibrational Modes of Kaolinite 121
JOSWIG, WERNER (with HARTMUT FUESS), Refinement of a One-Layer Triclinic Chlorite 216

K

Kaolin (see also Kaolinite)
aggregates, SEM 617
aggregation state, role of Na, Ca concentrations 617
TEM 617
Kaolinite
adsorption, desorption of trichloroethane, 1,2-dibromoethane on 14
ammonium fluoride-DMSO-treated, surface potential 219
API #9, XRD, IR, NMR 137
book review, *Hydrous Phyllosilicates (other than Micas)* 111
CEC 415
chemical analysis, by electron microprobe 179
contact angles of glycerol, diiodomethane on surface covered with dodecylammonium chloride 53
delamination by ammonium fluoride-DMSO treatment 219
dissolution, kinetics of, in basic tiron solution 308
DSC 29
EPR 600
expansion with formamide, used to distinguish from halloysite 591
-fatty acid intercalates, NMR, FTIR, XRD, DSC 29
formation by diagenetic alteration of biotite, muscovite 584
free energy of formation 445
from weathered K-feldspar, plagioclase, AEM, HRTEM 77
FTIR 29, 573
hydrated, organic intercalates, XRD, IR, basal spacings 160
-hydrazine intercalate, OH-vibrational modes, studied by FTIR, spectroscopy, XRD 121
hydroxyl orientation in, by FTIR 573
in low-grade metamorphosed pelite, chemical analysis, by AEM 225
in underclays 265
in volcanic, detrital coal partings, SEM, XRD 97
-I/S stability relations, implications of muscovite dissolution 445
NMR 29
-organic intercalates, XRD, IR, basal spacings 160
paramagnetic defect centers in, induced by natural radiation 600
-polyacrylamide intercalate, IR, NMR, hydrogen bonding in 137
SEM 584
-polyacrylamide intercalate, synthesis, thermal treatment 137
/smectite interstratification, change of high- to low-charge smectite layers by hydrothermal treatment 415
/smectite interstratification, XRD, electron microprobe analyses, layer charge, CEC 415
surface area, specific 437
surface free energy, effect of dodecylammonium chloride on 53
TEM 501, 591
XRD 29, 97, 121, 137, 160, 415
KATO, CHUZO (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, and KAZUYUKI KURODA), Preparation of a Kaolinite-Polyacrylamide Intercalation Compound 137
KILE, D. E. (with J.-F. LEE, M. M. MORTLAND, C. T. CHIOU, and S. A. BOYD), Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites having Different Charges 113

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Kinetics
dissolution in basic tiron solution, alumina sol, silica glass, silica gel, volcanic ash 308
dissolution in basic tiron solution, chlorite, kaolinite, montmorillonite, sepiolite 308
Kinetics of Dissolution of Noncrystalline Oxides and Crystalline Clay Minerals in a Basic Tiron Solution, by Hisato Hayashi and Masaharu Yamada 308
KITTRICK, J. A. (with P. E. ROSENBERG), Muscovite Dissolution at 25°C: Implications for Illite/Smectite-Kaolinite Stability Relations 445
KLAPYTA, Z. (with F. FIGUERAS, P. MASSIANI, Z. MOUNTASSIR, D. TICHIT, and F. FAJULA), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257
KLISCZC, ANNA (with BRONISŁAW JAŃCZUK, EMIL CHIBOWSKI, TOMASZ BIAŁOPIOTROWICZ, and LUCYNA HOLYSZ), Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite 53
KLOPROGGE, J. T. (with J. B. H. JANSEN and J. W. GEUS), Characterization of Synthetic Na-Beidellite 409
KODAMA, H. (with S. S. SINGH), Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex: Reply 110
KOHYAMA, NORIHIKO (with ATSUYUKI INOUE, TAKASHI WATANABE, and A. M. BRUSEWITZ), Characterization of Illitization of Smectite in Bentonite Beds at Kinnekulle, Sweden 241
KOMADEL, PETER (with P. R. LEAR and J. W. STUCKI), Reduction and Reoxidation of Nontronite: Extent of Reduction and Reaction Rates 203
KOMARNENI, S. (with P. B. MALLA), Synthesis of Highly Microporous and Hydrophilic Alumina-Pillared Montmorillonite: Water-Sorption Properties 363
KOSTER VAN GROOS, A. F. (with S. L. JOHNSON and STEPHEN GUGGENHEIM), Thermal Stability of Halloysite by High-Pressure Differential Thermal Analysis 477
KURODA, KAZUYUKI (with YOSHIYUKI SUGAHARA, SHIGEO SATOKAWA, and CHUZO KATO), Preparation of a Kaolinite-Polyacrylamide Intercalation Compound 137

L

LAHAV, N. (with FAINA TSVETKOV, and U. MINGELGRIN), Cross-linked Hydroxy-Al-Montmorillonite as a Stationary Phase in Liquid Chromatography 380
LAHAV, NOAM, Preparation of Stable Suspensions of Delaminated Kaolinite by Combined Dimethylsulfoxide-Ammonium Fluoride Treatment 219
LAJUDIE, A. (with D. PROUST, J. LECHELLE, and A. MEUNIER), Hydrothermal Reactivity of Mixed-Layer Kaolinite/Smectite: Experimental Transformation of High-Charge to Low-Charge smectite 415
LAPERCHE, V. (with R. PROST), Far-Infrared Study of Potassium in Mica 351
Laser microprobe mass spectrometry (LMMS)
sepiolite, F-containing 63
Layer charge
change of high- to low-charge smectite layers in kaolinite/smectite interstratification by hydrothermal treatment 415
kaolinite/smectite interstratification 415
LEAR, P. R. (with PETER KOMADEL and J. W. STUCKI), Reduction and Reoxidation of Nontronite: Extent of Reduction and Reaction Rates 203
LECHELLE, J. (with D. PROUST, A. LAJUDIE, and A. MEUNIER), Hydrothermal Reactivity of Mixed-Layer Kaolinite/Smectite: Experimental Transformation of High-Charge to Low-Charge Smectite 415
LEE, J.-F. (with M. M. MORTLAND, C. T. CHIOU, D. E. KILE, and S. A. BOYD), Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites having Different Charges 113
Lepidocrocite
Al-substituted, synthesis, IR, XRD, TEM 209
Li-Bearing Stevensite from Moldova Noua, Romania, by Virgil Ianovici, Gheorghi Neacşu, and Vasilica Neacşu 171
Lithium
-containing smectite, stevensite, interstratification of hydrous, anhydrous layers 171
-containing smectite, stevensite, XRD, IR, CEC, chemical analysis, genesis 171
LIVI, K. J. T. (with D. R. VEBLEN, G. D. GUTHRIE, JR., and R. C. REYNOLDS, JR.), High-Resolution Transmission Electron Microscopy and Electron Diffraction of Mixed-Layer Illite/Smectite: Experimental Results 1
LMMS (see Laser microprobe mass spectrometry)
LOEPPERT, R. H. (with R. K. VEMPATI, H. SITTERTZ-BHATKAR, and R. C. BURGHARDT), Infrared Vibrations of Hematite Formed from Aqueous- and Dry-Thermal Incubation of Si-Containing Ferrihydrite 294
LOW, P. F. (with J. S. CHEN and J. H. CUSHMAN), Rheological Behavior of Na-Montmorillonite Suspensions at Low Electrolyte Concentrations 57
LOW, P. F. (with M. H. FU and Z. Z. ZHENG), Changes in the Properties of a Montmorillonite-Water System during the Adsorption and Desorption of Water: Hysteresis 485
Low-Temperature Alteration of Palygorskite to Smectite, by D. C. Golden and J. B. Dixon 401

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

M

Magnesium
interstratification of vermiculite by treatment with bi-ionic K-Mg solution 513
Magnetite
Al-substituted, synthesis, particle size, Mössbauer spectra 196
MALLA, P. B. (with S. KOMARNENI), Synthesis of Highly Microporous and Hydrophilic Alumina-Pillared Montmorillonite: Water-Sorption Properties 363
MANCEAU, A. (with J.-M. COMBES and G. CALAS), New Data and a Revised Structural Model for Ferrihydrite: Comment 331
Manganese
birnessite, secondary phase formed during dissolution of nuclear-waste glass, HRTEM, SAED, XRD 537
crystallization of hematite, goethite, hausmannite, manganite from noncrystalline iron hydroxides in presence of 21
MANNE, S. (with H. HARTMAN, GARRISON SPOSITO, ANDREW YANG, S. A. C. GOULD, and P. K. HANSMA), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
Manuscript
technical, how to get accepted in a journal 631
technical, preparation using "universal recipe" 631
technical, texts on preparation 631
Marine sediments
chemical analyses 33
detrital, diagenetic evolution 33
dolomite, formation of palygorskite in 299
MARTIN DE VIDALES, J.-L. (with ELADIO VILA, ANTONIO RUIZ-AMIL, CRISTINA DE LA CALLE, and C.-H. PONS), Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions 513
Mass-balance calculations
of alteration of muscovite to kaolinite, biotite to kaolinite, illite, chlorite 584
MASSIANI, P. (with F. FIGUERAS, Z. KLAPYTA, Z. MOUNTASSIR, D. TICHIT, and F. FAJULA), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257
Mass spectroscopy
analysis of volatile products of catalytic reactions of anisole-clay, -pillared clay complexes 250
MERRIMAN, R. J. (with W.-T. JIANG, D. R. PEACOR, and B. ROBERTS), Transmission and Analytical Electron Microscopic Study of Mixed-Layer Illite/Smectite Formed as an Apparent Replacement Product of Diagenetic Illite 449
Metamorphism
coexisting muscovite-pyrophyllite in low-grade metamorphosed pelite 225
Methyl salicylate
adsorption on montmorillonite, DTA method of quantification 322
DTA 322
MEUNIER, A. (with D. PROUST, J. LECHELLE, and A. LAJUDIE), Hydrothermal Reactivity of Mixed-Layer Kaolinite/Smectite: Experimental Transformation of High-Charge to Low-Charge Smectite 415
Mica Alteration Reactions in Jurassic Reservoir Sandstones from the Haltenbanken Area, Offshore Norway, by Sadoon Morad 584
Mica (see also individual minerals)
chemical analyses of biotite by electron microprobe 179, 187
chemical analyses of muscovite by electron microprobe 179
diagenetic alteration of biotite to illite, kaolinite, chlorite 584
diagenetic alteration of muscovite to kaolinite 584
formation of trioctahedral illite from weathered biotite 187
mass-balance calculations of alteration to kaolinite, illite,chlorite 584
weathering products, statistical treatment of elemental analyses of 179
Mineral Assemblages of Volcanic and Detrital Partings in Tertiary Coal Beds, Kenai Peninsula, Alaska, by L. M. Reinink-Smith 97
Mineralogical composition
bentonite diagenetic facies, Succor Creek, Oregon 561
dacitic tuffs, Durango, Mexico 426
dolomite, shales, Eocene 299
reservoir sandstones, from mass-balance calculations 584
soils, San Joaquin Valley, California 144
underclays 265
zeolitic tuffs, Succor Creek, Oregon 561
Mineralogy, Chemistry, and Diagenesis of Tuffs in the Sucker Creek Formation (Miocene), Eastern Oregon, by S. P. Altaner and R. E. Grim 561
Mineralogy, Geochemistry, and Origin of the Underclays of the Central Coal Basin, Asturias, Spain, by O. E. Alonso and Covadonga Brime 265
MINGELGRIN, U. (with FAINA TSVETKOV and N. LAHAV), Cross-linked Hydroxy-Al-Montmorillonite as a Stationary Phase in Liquid Chromatography 380
Modulated layer silicate
book review, *Hydrous Phyllosilicates (other than Micas)* 111
Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope, by H. Hartman, Garrison Sposito, Andrew Yang, S. Manne, S. A. C. Gould, and P. K. Hansma) 337

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Montmorillonite (see also, Bentonite, Smectite)
acid-washed, -anisole complexes, XRD, NMR, UV-VIS spectroscopy, catalytic activity 250
adsorption of hydroxy-Al polycations, to flocculate suspensions 493
adsorption, binding of surfactants, chlorophenols, benzo(a)pyrene 277, 287
AFM 337
basal oxygen surface, electrostatic potential of 527
basal spacings, changes with water content 485
CEC 426
-cetyl pyridinium complex, adsorption, binding of surfactants, chlorophenols, benzo(a)pyrene 277, 287
chemical composition 426
degree of order in layer stacking, changes with water content 485
diagenesis, Durango, Mexico 426
dissolution, kinetics of, in basic tiron solution 308
electrophoretic mobility, used to measure zeta potential 356
electrostatic potential of basal oxygen surface, used to determine nature of cation-substitution site 527
ethylene oxide-treated, basal spacings, IR, CEC 213
-hydroxy-Al adsorbed, suspensions of, zero point of charge 493
-hydroxy-Al intercalate, adsorption, binding of surfactants, chlorophenols 277, 287
-hydroxy-Al intercalate, use of competitive ion exchange in synthesis 257
-hydroxy-Al intercalate, XRD, NMR, surface area, thermal stability 257
hydroxy-Al-pillared, hydrophobicity, porosity, water adsorption 363
hydroxy-Al-pillared, surface charge, TGA 356
hydroxy-Al-pillared, synthesis, thermal stability 363
hydroxy-Al-pillared, zeta potential, from electrophoretic mobility measurements 356
IR, changes with water content 485
polymerization of ethylene glycol in interlayer of, from ethylene oxide 213
potentiometric titration, used to measure surface charge 356
reaction of hydroxyaluminum with, to form PILCs 109, 110
SEM 426
stacking order of layers, changes with water content 485
surface area, specific 308
surface charge, from potentiometric titration 356
surface imaging, oxygen-oxygen distances by AFM 337
suspensions, rheological properties at low electrolyte concentrations 57
suspensions, shear stress, viscosity, particle attraction at low electrolyte concentrations 57
suspensions, spectrophotometric absorbance 57
suspensions, spectrophotometric absorbance 57
XRD 308, 426
zeta potential 356
MOORE, J. N. (with J. R. WALKER and T. H. HAYES), Reaction Scheme for the Oxidation of As(III) to As(V) by Birnessite 549
MORAD, SADOON, Mica Alteration Reactions in Jurassic Reservoir Sandstones from the Haltenbanken Area, Offshore Norway 584
Mordenite
in zeolitic tuff, Succor Creek, Oregon, SEM 561
Morphological, Chemical, and Isotopic Evidence for an Early Diagenetic Evolution of Detrital Smectite in Marine Sediments, by Nobert Clauer, J. R. O'Neil, Chantal Bonnot-Courtois, and Thierry Holtzapffel 33
Morphology
clinoptilolite, in zeolitic tuff, Succor Creek, Oregon, SEM 561
diatom, in bentonite diagenetic facies, Succor Creek, Oregon, SEM 561
goethite, formed from akaganéite in alkaline solutions, by TEM 469
halloysite, control of dehydroxylation 477
halloysite, spherical, in bituminous coal, by TEM 501
hematite, formed from akaganéite in alkaline solutions, by TEM 469
hematite, Si-containing, by TEM 294
illite, in dolomite, by SEM 299
I/S in bentonite, Kinnekulle, Sweden, by TEM 241
kaolinite, by TEM 501
mordenite, in zeolitic tuff, Succor Creek, Oregon, SEM 561
palygorskite, in dolomite, by SEM 299
smectite, in detrital, marine sediments, by TEM 33
smectite, in humidity-controlled atmosphere 327
lepidocrocite, Al-substituted, by TEM 209
MORTLAND, M. M. (with J.-F. LEE, C. T. CHIOU, D. E. KILE, and S. A. BOYD), Adsorption of Benzene, Toluene, and Xylene by Two Tetramethylammonium-Smectites having Different Charges 113
Mössbauer spectroscopy
goethite, Al-substituted 196
magnetite, Al-substituted 196
nontronite, effect of oxidizing, reducing conditions 203
MOUNTASSIR, Z. (with F. FIGUERAS, Z. KLAPYTA, P. MASSIANI, D. TICHIT, and F. FAJULA), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257
MULLER, J.-P. (with PHILIPPE ILDEFONSE and GEORGES

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

CALAS), Paramagnetic Defect Centers in Hydrothermal Kaolinite from an Altered Tuff in the Nopal Uranium Deposit, Chihuahua, Mexico 600
MUMPTON, F. A., The Universal Recipe or How to Get Your Manuscript Accepted by Persnickety Editors 631
MURAD, E. (with UDO SCHWERTMANN), Influence of Aluminum on Iron Oxides, The: XIV. Al-Substituted Magnetite Synthesized at Ambient Temperatures 196
Muscovite
chemical analysis 179, 225, 351
chemical analysis, by AEM 225
chemical analysis, by electron microprobe 179
coexisting with pyrophyllite, TEM, chemical analysis by AEM 225
dehydroxylation, studied by far-IR 351
dissolution, implications for I/S-kaolinite stability relations 445
far-IR spectra, used to study dehydroxylation in 351
free energy of formation 445
/paragonite, in underclays, XRD 265
surface area, specific 437
TEM 225
weathering products, statistical treatment of elemental analyses of 179
weathering reactions to illite, I/S, smectite 77
weathered, TEM 77
Muscovite Dissolution at 25°C: Implications for Illite/Smectite-Kaolinite Stability Relations, by P. E. Rosenberg and J. A. Kittrick 445

N

Nature of Cation-Substitution Sites in Phyllosilicates, The, by W. F. Bleam 527
NEACŞU, GEORGHI (with VIRGIL IANOVICI and VASCILICA NEACŞU), Li-Bearing Stevensite from Moldova Noua, Romania 171
NEACŞU, VASILICA (with VIRGIL IANOVICI and GEORGHI NEACŞU), Li-Bearing Stevensite from Moldova Noua, Romania 171
Neutron activation analysis (NAA)
rare earth elements in smectite 33
Neutron diffraction
n-butylammonium vermiculite 90
New Data and a Revised Structural Model for Ferrihydrite: Reply, by R. A. Eggleton and R. W. Fitzpatrick 335
New Data and a Revised Structural Model for Ferrihydrite: Comment, by A. Manceau, J.-M. Combes, and G. Calas 331
N-methylformamide
-kaolinite intercalate, XRD 137
raw material for formation of kaolinite-polyacrylamide intercalate 137
NMR (see Nuclear magnetic resonance)
Noncrystalline
aluminosilicate material in dacitic tuffs, Durango, Mexico, EDAX analysis 426
Fe-Cr hydroxide, identification by IR 129
Fe-Cr hydroxide, synthesis 129
material, intermediate in weathering of plagioclase, K-feldspar to smectite, kaolinite, halloysite, AEM, HRTEM 77
oxides of silica, alumina, dissolution reactions, kinetics, in basic tiron solution 308
volcanic ash, dissolution reactions, kinetics, in basic tiron solution 308
Nontronite
adsorption of tris(2,2′-bipyridyl)ruthenium(II) on, effect of negative surface charge 623
CEC 623
color as function of oxidizing, reducing conditions 203
oxidized, reduced, Mössbauer spectra 203
reduction and reoxidation of 203
surface area 623
visible absorption spectroscopy, as function of oxidizing, reducing conditions 203
Novel Differential Thermal Analysis Method for Quantifying the Sorption Capacity of Smectite Clay, A, by Paul O'Brien and C. J. Williamson 322
Nuclear magnetic resonance (NMR)
anisole-clay, -pillared clay complexes 250
fatty acid-kaolinite intercalate 29
hydroxy-Al-montmorillonite intercalate 257
kaolinite 29, 137
kaolinite, API #9 137
kaolinite-polyacrylamide intercalate 137
K-laurate 29
Na-stearate 29
sepiolite, F-containing 63
Nuclear waste
glass, dissolution 537
glass, secondary birnessite, saponite, serpentine formed during dissolution, AEM, HRTEM, SAED 537

O

O'BRIEN, PAUL (with C. J. WILLIAMSON), Novel Differential Thermal Analysis Method for Quantifying the Sorption Capacity of Smectite Clay, A 322
Occurrence of Spherical Halloysite in Bituminous Coals of the Sydney Basin, Australia, by C. R. Ward and F. I. Roberts 501
O'NEIL, J. R. (with NOBERT CLAUER, CHANTAL BONNOT-COURTOIS, and THIERRY HOLTZAPFFEL), Morphological, Chemical, and Isotopic Evidence

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

for an Early Diagenetic Evolution of Detrital Smectite in Marine Sediments 33
Opal-CT
in bentonite diagenetic facies, Succor Creek, Oregon 561
SEM 561
Order-disorder
cation substitutions in beidellite, montmorillonite, from electrostatic potential maps 527
in I/S, variation during diagenesis 315
in I/S 241, 315, 449
in kaolinite-, hydrated kaolinite-organic intercalates, from XRD, IR measurements 160
montmorillonite, layers, changes with water content 485
smectite, illite layers in I/S, in bentonite, Kinnekulle, Sweden 241
Ordered and Disordered Organic Intercalates of 8.4-Å, Synthetically Hydrated Kaolinite, by P. M. Costanzo and R. F. Giese, Jr. 160
Organo clays (see also Clay-organic complexes)
hydroxy-Al-montmorillonite intercalate, adsorption, binding of surfactants, chlorophenols 277
Orientation of Hexanediamine in Synthetic Fluorhectorite, by William Hertl and R. F. Bartholomew 507
Oxidation
Mn(III) to Mn(V) by birnessite, reaction scheme 549
nontronite, color, Mössbauer spectra as function of 203
Oxygen
-oxygen distances on montmorillonite, illite surfaces by AFM 337

P

Palygorskite
book review, *Hydrous Phyllosilicates (other than Micas)* 111
chemical analysis 401
formation in Eocene dolomite, SEM, petrography, XRD 299
low-temperature alteration of, to smectite in alkaline solutions 401
smectite alteration products of, IR, XRD, TEM, CEC 401
Palygorskite in the Eocene Rocks of the Dammam Dome, Saudi Arabia, by M. N. Çağatay 299
Paper
preparation, from slurry of fluorhectorite 507
Paragonite
/muscovite, in underclays, XRD 265
Paramagnetic Defect Centers in Hydrothermal Kaolinite from an Altered Tuff in the Nopal Uranium Deposit, Chihuahua, Mexico, by J.-P. Muller, Philippe Ildefonse, and Georges Calas 600
Particle
aggregation states, kaolin, bentonite, role of Na, Ca concentrations 617
attraction in montmorillonite suspensions at low electrolyte concentrations 57
Particle size
effect of particle radius on flocculation of hectorite gels 151
goethite, Al-substituted 196
influence of clay content on hydraulic conductivity of soils from the San Joaquin Valley, California 144
magnetite, Al-substituted 196
soils, San Joaquin Valley, California 144
PEACOR, D. R. (with W.-T. JIANG and E. J. ESSENE), Transmission Electron Microscopic Study of Coexisting Pyrophyllite and Muscovite: Direct Evidence for the Metastability of Illite 225
PEACOR, D. R. (with J.-T. JIANG, R. J. MERRIMAN, and B. ROBERTS), Transmission and Analytical Electron Microscopic Study of Mixed-Layer Illite/Smectite Formed as an Apparent Replacement Product of Diagenetic Illite 449
Pesticides
phenyl, adsorption, separation of, on quasi-spherical hydroxy-Al-montmorillonite CLS 380
Petrography
dolomite, Eocene, palygorskite-containing 299
glauconitic sandstones 69
kaolinite, hydrothermal, in rhyolitic tuff 600
Phase equilibria
muscovite-pyrophyllite system 225
stability relations of halloysite with metahalloysite, metaliquid 477
Phlogopite
chemical composition 351
dehydroxylation, studied by far-IR 351
far-IR, used to study dehydroxylation in 351
Phosphate
esters, adsorption, separation of, on quasi-spherical hydroxy-Al-montmorillonite CLS 380
PILC (see Pillared interlayer complex)
Pillared interlayer complex (PILC)
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite, catalytic activity 250
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite, XRD, NMR, visible-ultraviolet spectroscopy 250
book review, *Pillared Clays* 223
hydroxy-Al-montmorillonite, acid-base potentiometric titration 356
hydroxy-Al-montmorillonite, electrophoretic measurements 356
hydroxy-Al-montmorillonite, hydrophobicity, porosity, water sorption 363

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

hydroxy-Al-montmorillonite, surface charge, zeta potential 356
hydroxy-Al-montmorillonite, synthesis, thermal stability 363
hydroxy-Al-montmorillonite, use of competitive ion exchange in synthesis 257
hydroxy-Al-montmorillonite, XRD, NMR, surface area, thermal stability 250
reaction of hydroxyaluminum cations with montmorillonite to form 109, 110
Plagioclase
weathered, HRTEM, ATEM 77
weathering reactions to noncrystalline material, smectite, halloysite 77
Point of zero charge (see also, Zeta potential)
montmorillonite, illite suspensions, effect of adsorption of hydroxy-Al polycations 493
Polar forces
nature of, in flocculation of hectorite gels 151
Polarized Single-Crystal Fourier-Transform Infrared Microscopy of Ouray Dickite and Keokuk Kaolinite, by C. T. Johnston, S. F. Agnew, and D. L. Bish 573
Pollution abatement
use of montmorillonite, hydroxy-Al-montmorillonite, cetyl pyridinium montmorillonite in adsorption, binding of surfactants, chlorophenols, benzo(a)pyrene 277, 287
use of tetramethylammonium-smectite as adsorbent of benzene from water 113
Polymerization
acrylamide, between layers of kaolinite 137
ethylene glycol in interlayer of homoionic montmorillonite, from ethylene oxide 213
Polytype
chlorite, nature of during diagenesis 315
chlorite, 1-layer triclinic, crystal structure refinement, unit-cell parameters, chemical analysis 216
PONCELOT, G., book review, *Pillared Clays,* edited by R. Burch 223
PONS, C.-H. (with J.-L. MARTIN DE VIDALES, ELADIO VILA, ANTONIO RUIZ-AMIL, and CRISTINA DE LA CALLE), Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions 513
Porosity
hydroxy-Al-montmorillonite PILCs 363
Potassium
-birnessite, synthesis, chemical analysis, XRD 549
-birnessite, oxidation of Mn(III) to Mn(V) by, reaction scheme 549
in micas, far-IR spectra as indicator of exchangeability 351
interlayer, relation with octahedral Al in glauconite, function of diagenesis 69
interstratification of vermiculite by treatment with bi-ionic K-Mg solution 513
Potentiometric titration
montmorillonite, hydroxy-Al-pillared montmorillonite 356
POTHS, HARALD (with C. J. YAPP), Infrared Spectral Evidence for a Minor Fe(III) Carbonate-bearing Component in Natural Goethite 442
PREMOLI, A. (with A. PUSINO, M. GENNARI, and C. GESSA), Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide 213
Preparation and Properties of Pillared Interstratified Illite/Smectite, by Johan Sterte 609
Preparation of a Kaolinite-Polyacrylamide Intercalation Compound, by Yoshiyuki Sugahara, Shigeo Satokawa, Kazuyuki Kuroda, and Chuzo Sato 137
Preparation of Stable Suspensions of Delaminated Kaolinite by Combined Dimethylsulfoxide-Ammonium Fluoride Treatment, by Noam Lahav 219
PROST, R. (with V. LAPERCHE) Far-Infrared Study of Potassium in Mica 351
PROUST, D. (with J. LECHELLE, A. LAJUDIE, and A. MEUNIER), Hydrothermal Reactivity of Mixed-Layer Kaolinite/Smectite: Experimental Transformation of High-Charge to Low-Charge Smectite 415
PUSINO, A. (with M. GENNARI, A. PREMOLI, and C. GESSA), Formation of Polyethylene Glycol on Montmorillonite by Sterilization with Ethylene Oxide 213
Pyridine
-hydrated kaolinite, -kaolinite intercalate, XRD, IR, basal spacing 160
Pyroclastic
material in dacitic tuff, diagenetic transformation to montmorillonite, clinoptilolite 426
Pyrophyllite
adsorption, desorption of trichloroethane, 1,2-dibromoethane on 14
book review, *Hydrous Phyllosilicates (other than Micas)* 111
electrostatic potential map of (001) surface, as related to tetrahedral sheet distortions 522
in underclays 265

Q

Quartz
surface area, specific 437

R

Racemic pairs
adsorption of racemic tris(2,2′-bipyridyl)ruthenium(II) on hectorite, smectite, nontronite, effect of negative surface charge 623

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

Radiation
natural, cause of paramagnetic defect centers in hydrothermal kaolinite in rhyolitic tuff 600
RAI, DHANPAT (with J. E. AMONETTE), Identification of Noncrystalline (Fe,Cr) $(OH)_3$ by Infrared Spectroscopy 129
Raman spectroscopy
hydrazine-kaolinite intercalate, OH-vibrational modes studied by 121
Rare earth elements
distribution in smectite in detrital marine sediments 33
in smectite, determined by NAA 33
Reaction Scheme for the Oxidation of As(III) to As(V) by Birnessite, by J. N. Moore, J. R. Walker, and T. H. Hayes 549
Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex: Comment, by R. C. Turner 109
Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex: Reply, by S. S. Singh and H. Kodama 110
Reactivity of Anisole on Clay and Pillared Clay Surfaces, by K. A. Carrado, Ryoichi Hayatsu, R. E. Botto, and R. E. Winans 250
Reduction
nontronite, color, Mössbauer spectra as function of 203
Reduction and Reoxidation of Nontronite: Extent of Reduction and Reaction Rates, by Peter Komadel, P. R. Lear, and J. W. Stucki 203
Reference clay, CMS
IMt-1, illite, adsorption of hydroxy-Al polycations to flocculate suspensions 493
IMt-1, illite, surface imaging, oxygen-oxygen distances by AFM 337
IMt-1, illite, suspensions, effect of adsorbed hydroxy-Al polycations on flocculation, zero point of charge 493
KGa-1, surface area, specific 437
KGa-1, XRD, Raman spectroscopy, FTIR 121
NG-1, nontronite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
NG-1, nontronite, CEC, surface area 623
NG-1, nontronite, color, Mössbauer spectra as function of oxidizing, reducing conditions 203
SAz-1, montmorillonite, adsorption of aromatic hydrocarbons on 113
SAz-1, montmorillonite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
SAz-1, montmorillonite, CEC, surface area 623
SHCa-1, hectorite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
SHCa-1, hectorite, CEC, surface area 623
SHCa-1, hectorite, contact angles, electrophoresis measurements on films of 151
SCa-2, montmorillonite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
SCa-2, montmorillonite, CEC, surface area 623
STx-1, montmorillonite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
STx-1, montmorillonite, CEC, surface area 623
STx-1, montmorillonite, DTG, effects of sample size, packing 556
SWa-1, nontronite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
SWa-1, nontronite, CEC, surface area 623
SWa-1, nontronite, color, Mössbauer spectra as function of oxidizing, reducing conditions 203
SWy-1, montmorillonite, adsorption-desorption of pollutants, flocculation 277
SWy-1, montmorillonite, adsorption of hydroxy-Al polycations to flocculate suspensions 493
SWy-1, montmorillonite, adsorption of tris(2,2′-bipyridyl)ruthenium(II) on 623
SWy-1, montmorillonite, CEC, surface area 623
SWy-1, montmorillonite, K-saturated, chemical analysis 343
SWy-1, montmorillonite, K-saturated, starting material in smectite-to-illite hydrothermal experiments 343
SWy-1, montmorillonite, surface imaging, oxygen-oxygen distances by AFM 337
SWy-1, montmorillonite, suspensions, effect of adsorbed hydroxy-Al polycations on flocculation, zero point of charge 493
Refinement of a One-Layer Triclinic Chlorite, by Hartmut Fuess and Werner Joswig 216
REININK-SMITH, L. M., Mineral Assemblages of Volcanic and Detrital Partings in Tertiary Coal Beds, Kenai Peninsula, Alaska 97
Relative humidity (RH)
wet-to-dry transition of smectite, in humidity-controlled TEM 327
Relevance of Different Intercalation Tests for Distinguishing Halloysite from Kaolinite in Soils, by G. J. Churchman 591
Reynolds, R. C., Jr.
distinguished member award 112
REYNOLDS, R. C., JR. (with D. R. VEBLEN, G. D. GUTHRIE, JR., and K. J. T. LIVI), High-Resolution Transmission Electron Microscopy and Electron Diffraction of Mixed-Layer Illite/Smectite: Experimental Results 1
RH (see Relative humidity)
Rheological Behavior of Na-Montmorillonite Suspensions at Low Electrolyte Concentrations, by J. S. Chen, J. H. Cushman, and P. F. Low 57
Rheology
montmorillonite suspensions at low electrolyte concentrations 57

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

montmorillonite suspensions, function of particle attraction 57
shear stress of montmorillonite suspensions at low electrolyte concentrations 57
viscosity of montmorillonite suspensions at low electrolyte concentrations 57
ROBERT, MICHEL (with JAN ŚRODOŃ, CRISTINE ANDREOLI, and FRANÇOISE ELSASS), Direct High-Resolution Transmission Electron Microscopic Measurements of Expandability of Mixed-layer Illite/Smectite in a Bentonite Rock 373
ROBERTS, B. (with W.-T. JIANG, D. R. PEACOR, and R. J. MERRIMAN), Transmission and Analytical Electron Microscopic Study of Mixed-Layer Illite/Smectite Formed as an Apparent Replacement Product of Diagenetic Illite 449
ROBERTS, F. I. (with C. R. WARD), Occurrence of Spherical Halloysite in Bituminous Coals of the Sydney Basin, Australia 501
Role of Water in the Smectite-to-Illite Reaction, by Gene Whitney 343
ROSENBERG, P. E. (with J. A. KITTRICK), Muscovite Dissolution at 25°C: Implications for Illite/Smectite-Kaolinite Stability Relations 445
RUIZ-AMIL, ANTONIO (with J.-L. MARTIN DE VIDALES, ELADIO VILA, CHRISTINA DE LA CALLE, and C.-H. PONS), Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions 513
RUIZ-HITZKY, EDUARDO (with JULIO SANTAREN, and JESUS SANZ), Structural Fluorine in Sepiolite 63

S

SAED (see Selected-area electron diffraction)
SALUJA, P. P. S. (with K. V. TICHNOR), Determination of Surface Areas of Mineral Powders by Adsorption Calorimetry 437
Sandstone
reservoir, diagenetic alteration of mica to kaolinite, illite, chlorite 584
reservoir, diagenetically altered 584
reservoir, mineralogical composition, from mass-balance calculations 584
SANTAREN, JULIO (with JESUS SANZ and EDUARDO RUIZ-HITZKY), Structural Fluorine in Sepiolite 63
SANZ, JESUS (with JULIO SANTAREN and EDUARDO RUIZ-HITZKY), Structural Fluorine in Sepiolite 63
Saponite
IR 401
secondary product formed during dissolution of nuclear-waste glass, HRTEM, SAED, AEM 537
SATOKAWA, SHIGEO (with YOSHIYUKI SUGAHARA, KAZUYUKI KURODA, and CHUZO SATO), Preparation of a Kaolinite-Polyacrylamide Intercalation Compound 137
SAWHNEY, B. L. (with M. P. N. GENT), Hydrophobicity of Clay Surfaces: Sorption of 1,2-Dibromoethane and Trichloroethane 14
Scanning electron microscopy (SEM)
beidellite, Na-, synthetic 409
bentonite aggregates 617
biotite, diagenetically altered 584
biotite, weathered 187
carnotite, coexisting with hydrothermal kaolinite, weeksite in rhyolitic tuff 600
chlorite, diagenetic alteration product of biotite 584
chlorite, in coal partings 97
clinoptilolite in rhyolitic tuff, Succor Creek, Oregon 561
crandellite, in coal partings 97
diatom, Succor Creek, Oregon 561
feldspars, in dacitic tuffs, Durango, Mexico 426
glass, nuclear-waste, secondary products formed during dissolution 537
halloysite, on kaolinite 600
halloysite, tubular 77
hydroxy-Al-montmorillonite CLS, quasi-spherical 380
illite, diagenetic alteration product of biotite 584
illite, in coal partings 97
illite, in dolomite 299
kaolin aggregates 617
kaolinite, diagenetic alteration product of muscovite, biotite 584
kaolinite, hydrothermal, in rhyolitic tuff 600
kaolinite, in coal partings 97
montmorillonite, in dacitic tuffs, Durango, Mexico 426
montmorillonite, in rhyolitic tuff, Succor Creek, Oregon 561
mordenite, in rhyolitic tuff, Succor Creek, Oregon 561
muscovite, diagenetically altered 584
palygorskite, in Eocene dolomite 299
sandstone, reservoir, diagenetically altered 584
smectite, in coal partings 97
weeksite, coexisting with hydrothermal kaolinite, carnotite in rhyolitic tuff 600
zeolites, in rhyolitic tuff, Succor Creek, Oregon 561
SCHILLING, M. R., Effects of Sample Size and Packing in the Thermogravimetric Analysis of Calcium Montmorillonite STx-1 556
SCHNEIDER, W. (with R. M. CORNELL and R. GIOVANOLI), Effect of Cysteine and Manganese on the Crystallization of Noncrystalline Iron(III) Hydroxide at pH 8 21
SCHWERTMANN, UDO (with EMILIA WOLSKZ), Influence of Aluminum on Iron Oxides, The: XV. Al-for-Fe Substitution in Synthetic Lepidocrocite 209
SCHWERTMANN, UDO (with E. MURAD), Influence of Aluminum on Iron Oxides, The: XIV. Al-Substi-

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

tuted Magnetite Synthesized at Ambient Temperatures 196
Secondary Phase Formation during Nuclear Waste-Glass Dissolution by T. A. Abrajano, J. K. Bates, A. B. Woodland, J. P. Bradley, and W. L. Bourcier 537
Selected-area electron diffraction (SAED)
I/S, type of ordering 1
SEM (see Scanning electron microscopy)
Sepiolite
book review, *Hydrous Phyllosilicates (other than Micas)* 111
CEC 308
dissolution 63, 308
dissolution, kinetics of, in basic tiron solution 308
F-containing, chemical analysis, XRD, NMR, LMMS, dissolution 63
surface area, specific 308
XRD 63, 308
Serpentine (see also, individual minerals)
book review, *Hydrous Phyllosilicates (other than Micas)* 111
secondary product formed during dissolution of nuclear-waste glass, HRTEM, SAED, AEM 537
Shear stress
montmorillonite suspensions, at low electrolyte concentrations 57
SIDHESWARAN, O. (with A. N. BHAT and P. GANGULI), Intercalation of Salts of Fatty Acids into Kaolinite 29
Silicon
-containing hematite from Si-containing ferrihydrite, IR, thermal treatment 294
content in solution, inhibitor of akaganéite dissolution 469
SINGER, A. (with P. M. HUANG), Effects of Humic Acid on the Crystallization of Aluminum Hydroxides 47
SINGH, S. S. (with H. KODAMA), Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex: Reply 110
SITTERTZ-BHATKAR, H. (with R. K. VEMPATI, R. H. LOEPPERT, and R. C. BURGHARDT), Infrared Vibrations of Hematite Formed from Aqueous- and Dry-Thermal Incubation of Si-Containing Ferrihydrite 294
SMALLEY, M. V. (with L. F. BRAGANZA, R. J. CRAWFORD, and R. K. THOMAS), Swelling of n-Butylammonium Vermiculite in Water 90
Smectite (see also, Bentonite, Montmorillonite)
adsorption, desorption of trichloroethane, dibromoethane 14
adsorption of methyl salicylate, DTA method of quantification 322
adsorption of tris(2,2'-bipyridyl)ruthenium(II) on, effect of negative surface charge 623
air-dried, XRD 327
alteration products of palygorskite in alkaline solutions, XRD, IR, CEC, TEM 401
book review, *Hydrous Phyllosilicates (other than Micas)* 111
CEC 171, 401, 623
DTG, STx-1, effects of sample size, packing on 556
formation from palygorskite in low-temperature, alkaline hydrothermal solutions 401
from weathered feldspar, muscovite, HRTEM, AEM 77
frozen, XRD 327
HRTEM 1, 77
/illite-kaolinite stability relations, implications of muscovite dissolution 445
/illite, chemical analysis by electron microprobe 1
/illite, electron diffraction, type of ordering 1
/illite, Kinnekulle, Sweden, XRD, TEM, chemical analysis, diagentic formation in bentonite from smectite 241
/illite hydroxy-Al pillared, chemical analysis, surface area, TGA, XRD 609
/illite hydroxy-Al pillared, synthesis, thermal, hydrothermal stability 609
/illite, HRTEM, type of ordering 1
/illite, replacement product of diagenetic illite, AEM, electron diffraction, TEM, XRD, chemical analysis 449
in detrital marine sediments, diagenesis 33
in detrital marine sediments, TEM, chemical analysis, isotopic composition 33
in volcanic, detrital coal partings, XRD, SEM 97
/kaolinite interstratification, change of high- to low-charge smectite layers in, by hydrothermal treatment 415
/kaolinite interstratification, XRD, CEC, electron microprobe analyses, layer charge, hydrothermal treatment 415
K-saturated, SWy-1, starting material in smectite-to-illite hydrothermal experiments 343
layers, proportion in I/S, by HRTEM 1
Li-containing, XRD, IR, chemical analysis, CEC, genesis 171
Li-containing, interstratification of hydrous, anhydrous layers 171
methyl salicylate adsorbed, DTA 322
methyl salicylate adsorbed, enthalpy of freezing by DTA methods 322
SEM 97
surface area 623
SWy-1, K-saturated, chemical analysis 343
TEM 1, 77, 401
tetramethylammonium-, effect of high and low layer charge on adsorption of aromatic hydrocarbons 113
wet-to-dry transition of, in humidity-controlled TEM 327

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

wet, XRD 327
XRD 171, 327, 401
Smectite-to-illite reaction
role of water in, hydrothermal experiments 343
Soil
formation of trioctahedral illite in, from weathered biotite 187
influence of clay content on hydraulic conductivity of soils, San Joaquin Valley, California 144
profile over granite gneiss, statistical treatment of elemental analyses of mica weathering products 179
San Joaquin Valley, California, particle size, mineralogical composition, hydraulic conductivity 144
Soil clay
intercalation tests to distinguish halloysite from kaolinite in 591
Solid solution
Al for Fe in goethite, magnetite, effect on XRD, Mössbauer spectra, magnetic properties 196
Al for Fe in lepidocrocite, effect on XRD, TEM, IR 209
Cr in noncrystalline goethite material, identification by IR 129
goethite, natural, IR, FTIR evidence for Fe(II) carbonate in 442
Si in ferrihydrite, hematite 294
Source clays, CMS (see Reference clay, CMS)
Sphere
quasi-spherical hydroxy-Al-montmorillonite CLS, adsorption, separation of mono-, disubstituted benzene, phosphate esters, phenyl ureas 380
quasi-spherical hydroxy-Al-montmorillonite CLS, as stationary phase in HPLC 380
spherical halloysite, in bituminous coal, EDX, TEM 501
Spray drying
preparation of quasi-spherical hydroxy-Al-montmorillonite CLS 380
SPOSITO, GARRISON (with H. HARTMAN, ANDREW YANG, S. MANNE, S. A. C. GOULD, and P. K. HANSMA), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
SRINIVASAN, K. R. (with H. S. FOLGER), Use of Inorgano-Organo-Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Adsorption of Benzo(a)Pyrene and Chlorophenols from Aqueous Solutions 287
SRINIVASAN, K. R. (with H. S. FOLGER), Use of Inorgano-Organo-Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Structural Aspects 277
ŚRODOŃ, JAN (with CRISTINE ANDREOLI, FRANÇOISE ELSASS, and MICHEL ROBERT), Direct High-Resolution Transmission Electron Microscopic Measurements of Expandability of Mixed-layer Illite/Smectite in a Bentonite Rock 373
Statistics
discriminant analysis of chemical analyses of underclays 265
statistical treatment of elemental analyses of weathering products of micas 179
STAWÍNSKI, JANUSZ (with JACEK WIERZCHOS and M. T. GARCIA-GONZALEZ), Influence of Calcium and Sodium Concentration on the Microstructure of Bentonite and Kaolin 617
STERTE, JOHAN, Preparation and Properties of Pillared Interstratified Illite/Smectite 609
Stevensite
Li-containing, interstratification of hydrous, anhydrous layers 171
Li-containing, XRD, IR, CEC, chemical analysis, genesis 171
STONE, D. A. (with C. T. JOHNSTON), Influence of Hydrazine on the Vibrational Modes of Kaolinite 121
STRICKLER, M. E. (with R. E. FERRELL, JR.), Fe-Substitution for Al in Glauconite with Increasing Diagenesis in the First Wilcox Sandstone (Lower Eocene), Livingston Parish, Louisiana 69
Structural Fluorine in Sepiolite, by Julio Santaren, Jesus Sanz, and Eduardo Ruiz-Hitzky 63
Structural Variations in Chlorite and Illite in a Diagenetic Sequence from the Imperial Valley, California, by J. R. Walker and G. R. Thompson 315
Study of Some Physiochemical Properties of Pillared Montmorillonites: Acid-Base Potentiometric Titrations and Electrophoretic Measurements, by M. J. Avena, Raúl Cabrol, and C. P. De Pauli 356
SUGAHARA, YOSHIYUKI (with SHIGEO SATOKAWA, KAZUYUKI KURODA, and CHUZO SATO), Preparation of a Kaolinite-Polyacrylamide Intercalation Compound 137
Surface
basal oxygen, talc, pyrophyllite, electrostatic potential of, related to tetrahedral sheet distortion 522
imaging, illite, montmorillonite, by AFM 337
(001) of hexacelsian, electrostatic potential map 522
Surface area
aluminas, by adsorption calorimetry 437
alumina sol 308
basalt, by adsorption calorimetry 437
bentonite, Wyoming 113
calcite, by adsorption calorimetry 437
chlorite 308, 437
epidote, by adsorption calorimetry 437
gabbro, by adsorption calorimetry 437
goethite, by adsorption calorimetry 437
granite, by adsorption calorimetry 437
gypsum, by adsorption calorimetry 437

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

hematite, by adsorption calorimetry 437
hectorite 623
hydroxy-Al-montmorillonite intercalate 257, 363
illite, by adsorption calorimetry 437
illite/smectite, hydroxy-Al pillared 609
kaolinite 308
montmorillonite 308
muscovite, by adsorption calorimetry 437
nontronite 623
quartz, by adsorption calorimetry 437
sepiolite 308
silica gel 308
silica glass, ground 308
smectite 113, 308, 623
smectite, SAz-1 113, 623
volcanic ash 308
Surface charge
montmorillonite, hydroxy-Al-pillared montmorillonite, from potentiometric titration measurements 356
negative, effect of, on adsorption of tris(2,2′-bipyridyl)ruthenium (II) on smectite, hectorite, nontronite 623
Surface condensation
water, on hydroxy-Al-montmorillonite PILCs 363
Surface free energy
dispersive, nondispersive components, for kaolinite 53
kaolinite, effect of dodecylammonium chloride on 53
Surface potential
ammonium fluoride-DMSO-treated kaolinite 219
Surfactant
adsorption, binding to montmorillonite, hydroxy-Al-montmorillonite, cetyl pyridinium montmorillonite 277
Swelling
osmotic, of n-butylammonium vermiculite, dependence on temperature 90
vermiculite, n-butylammonium, in water, nonconformity with DLVO theory 90
Swelling of n-Butylammonium Vermiculite in Water, by L. F. Braganza, R. J. Crawford, M. V. Smalley, and R. K. Thomas 90
Synthesis
beidellite, Na-, from gel in alkaline solutions 409
birnessite, K-, from potassium permanganate 549
Fe-Cr hydroxide, noncrystalline 129
fluorhectorite, from glass 507
goethite, Al-substituted 196
hematite, Si-containing, from Si-containing ferrihydrite 294
hydroxy-Al-montmorillonite intercalate, use of competitive ion exchange in 247
hydroxy-Al-montmorillonite PILCs, highly porous, hydrophilic 363
kaolinite-polyacrylamide intercalate, by displacement of N-methylformamide by acrylamide 137
lepidocrocite, Al-substituted 209
magnetite, Al-substituted 196
Synthesis of Highly Microporous and Hydrophilic Alumina-Pillared Montmorillonite: Water-Sorption Properties, by P. B. Malla and S. Komarneni 363

T

Talc
book review, *Hydrous Phyllosilicates (other than Micas)* 111
electrostatic potential map of (001) surface, as related to tetrahedral sheet distortions 522
TAZAKI, KAZUO (with W. S. FYFE, K. FUKUSHIMA, and A. FUKAMI), Wet-to-Dry Transition of Smectite as Revealed by Humidity-Controlled Electron Microscopy 327
TEM (see Transmission electron microscopy)
Tetrahedral
sheet distortion, related to electrostatic potential of basal oxygen surface of talc, pyrophyllite 522
Tetramethylammonium
-smectite, high-charge, low-charge, effect of on adsorption of aromatic hydrocarbons 113
Texts
on technical writing 631
TGA (see Thermogravimetric analysis)
Thermal analysis (see Thermogravimetric analysis, Differential thermal analysis)
Thermal Stability of Halloysite by High-Pressure Differential Thermal Analysis, by S. L. Johnson, Stephen Guggenheim, and A. F. Koster van Groos 477
Thermal treatment
beidellite, Na-, synthetic, TGA 409
halloysite, HP-DTA 477
hematite, Si-containing 294
hydroxy-Al-montmorillonite intercalate 257
illite/smectite hydroxy-Al pillared, TGA 609
kaolinite, DSC 29
kaolinite-K-laurate intercalate, DSC 29
kaolinite-K-stearate intercalate, DSC 29
kaolinite-polyacrylamide intercalate 137
K-laurate, DSC 29
K-stearate, DSC 29
montmorillonite, hydroxy-Al-pillared 356, 363
montmorillonite, hydroxy-Al-pillared, TGA 356
smectite, Li-containing, DTA 171
Thermodynamic stability
illite, from HRTEM and AEM studies of coexisting muscovite-pyrophyllite 225
Thermogravimetric analysis (TGA)
beidellite, Na-, synthetic 409

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

DTG, montmorillonite, STx-1, effects of sample size, packing on 556
illite/smectite hydroxy-Al pillared 609
montmorillonite, hydroxy-Al-pillared 356
smectite, Li-containing 171

THOMAS, R. K. (with L. F. BRAGANZA, R. J. CRAWFORD, and M. V. SMALLEY), Swelling of n-Butylammonium Vermiculite in Water 90

THOMPSON, G. R. (with J. R. WALKER), Structural Variations in Chlorite and Illite in a Diagenetic Sequence from the Imperial Valley, California 315

TICHIT, D. (with F. FIGUERAS, Z. KLAPYTA, P. MASSIANI, Z. MOUNTASSIR, and F. FAJULA), Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species 257

TICHNOR, K. V. (with P. P. S. SALUJA), Determination of Surface Areas of Mineral Powders by Adsorption Calorimetry 437

Tiron solution, basic
kinetics of dissolution in, alumina sol 308
kinetics of dissolution in, chlorite sol 308
kinetics of dissolution in, kaolinite sol 308
kinetics of dissolution in, montmorillonite 308
kinetics of dissolution in, sepiolite sol 308
kinetics of dissolution in, silica gel sol 308
kinetics of dissolution in, silica glass, ground 308
kinetics of dissolution in, volcanic ash 308

Toluene
adsorption on high-charge, low-charge tetramethylammonium-smectite 113

Transmission and Analytical Electron Microscopic Study of Mixed-Layer Illite/Smectite Formed as an Apparent Replacement Product of Diagenetic Illite, by W.-T. Jiang, D. R. Peacor, R. J. Merriman, and B. Roberts 449

Transmission Electron Microscopic Study of Coexisting Pyrophyllite and Muscovite: Direct Evidence for the Metastability of Illite, by W.-T. Jiang, E. J. Essene, and D. R. Peacor 225

Transmission electron microscopy (TEM)
akaganéite 469
aluminum hydroxide crystallization products, effects of humic acid 47
bentonite 617
goethite, crystallized in presence of Mn, cysteine 21
goethite, formed from akaganéite in alkaline solution 469
halloysite 501, 591
halloysite, spherical 501
hausmannite, crystallized in presence of Mn, cysteine 21
hematite, crystallized in presence of Mn, cysteine 21
hematite, formed from akaganéite in alkaline solution 469
hematite, Si-containing 294
humidity-controlled, of wet-to-dry transition of smectite 327
illite, diagenetic 449
I/S in bentonite, Kinnekulle, Sweden 241
I/S, replacement product of diagenetic illite 449
iron oxides, crystallized in presence of Mn, cysteine 21
kaolinite 501, 591, 617
lepidocrocite, Al-substituted 209
manganite, crystallized in presence of Mn, cysteine 21
muscovite coexisting with pyrophyllite 225
pyrophyllite coexisting with muscovite 225
smectite 33, 327, 401
smectite, alteration products of palygorskite in alkaline solutions 401
smectite, in detrital marine sediments 33
smectite, wet, air-dried, frozen 327

Treatment of Microanalyses of Intimately Mixed Products of Mica Weathering, by A. W. Fordham 179

Trichloroethane
adsorption, desorption on pyrophyllite, illite, kaolinite, smectite 14

Tris(2,2′-bipyridyl)ruthenium(II)
racemic, entiomeric, adsorption by hectorite, nontronite, smectite, effect of negative surface charge 623

TSVETKOV, FAINA (with U. MINGELGRIN and N. LAHAV), Cross-linked Hydroxy-Al-Montmorillonite as a Stationary Phase in Liquid Chromatography 380

Tuff
carnotite in, SEM 600
dacitic, diagenetic transformation to montmorillonite, clinoptilolite 426
defect centers in hydrothermal kaolinite in, from EPR data 600
halloysite in, SEM 600
kaolinite in, SEM 600
montmorillonite diagenesis in, Succor Creek, Oregon 561
opal-CT formation in, Succor Creek, Oregon 561
rhyolitic, defect centers in hydrothermal kaolinite in 600
rhyolitic, diagenesis of clinoptilolite, montmorillonite, opal-CT in 561
rhyolitic, chemical analysis, SEM, XRD 561
weeksite in, SEM 600
zeolitic alteration of, Succor Creek, Oregon 561

TURNER, R. C., Reactions of Polynuclear Hydroxyaluminum Cations with Montmorillonite and the Formation of a 28-Å Pillared Complex: Comment 109

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

U

Ultraviolet-visible spectroscopy (UV-VIS)
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite complexes 250
Underclay
mineralogical composition, discriminant analysis of chemical analyses, diagenesis of 265
muscovite/paragonite in 265
Unit-cell
dimensions, Al-containing magnetite 196
dimensions, beidellite, Na-, synthetic 409
dimensions, clinoptilolite, in altered rhyolitic tuff 561
dimensions, lepidocrocite, Al-substituted 209
dimensions, montmorillonite, in altered rhyolitic tuff 561
parameters, chlorite, 1-layer triclinic 216
parameters, synthetic Na-beidellite 409
Universal Recipe, The, or How to Get Your Manuscript Accepted by Persnickety Editors, by F. A. Mumpton 631
Uranium
carnotite coexisting with weeksite, hydrothermal kaolinite in rhyolitic tuff 600
-induced paramagnetic defects in kaolinite 600
-titanium oxyhydroxide inclusions in phyllosilicate matrix, formed during dissolution of nuclear-waste glass 537
weeksite, coexisting with carnotite, hydrothermal kaolinite in rhyolitic tuff 600
Use of Competitive Ion Exchange for Intercalation of Montmorillonite with Hydroxy-Aluminum Species, by F. Figueras, Z. Klapyta, P. Massiani, Z. Mountassir, D. Tichit, and F. Fajula) 257
Use of Inorgano-Organo Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Adsorption of Benzo(a)Pyrene and Chlorophenols from Aqueous Solutions, by K. R. Srinivasan and H. S. Folger 287
Use of Inorgano-Organo Clays in the Removal of Priority Pollutants from Industrial Wastewaters: Structural Aspects, by K. R. Srinivasan and H. S. Folger 277
UV-VIS (see Ultraviolet-visible spectroscopy)

V

VAN OSS, C. J. (with P. M. COSTANZO), DLVO and Non-DLVO Interactions in Hectorite 151
Vapor pressure
adsorbed water on montmorillonite, effect on basal spacings, IR, degree of order in layer stacking 485
VEBLEN, D. R. (with G. D. GUTHRIE, JR., L. J. T. LIVI, and R. C. REYNOLDS, JR.), High-Resolution Transmission Electron Microscopy and Electron Diffraction of Mixed-Layer Illite/Smectite: Experimental Results 1
VEMPATI, R. K. (with R. H. LOEPPERT, H. SITTERTZ-BHATKAR, and R. C. BURGHARDT), Infrared Vibrations of Hematite Formed from Aqueous- and Dry-Thermal Incubation of Si-Containing Ferrihydrite 294
Vermiculite
book review, *Hydrous Phyllosilicates (other than Micas)* 111
chemical analysis by electron microprobe 179
interstratification of, by treatment with bi-ionic K-Mg solution 513
n-butylammonium, osmotic swelling in water, dependence on temperature 90
n-butylammonium, neutron diffraction 90
10Å/14Å interstratification, formation, XRD 513
VILA, ELADIO (with J.-L. MARTIN DE VIDALES, ANTONIO RUIZ-AMIL, CRISTINA DE LA CALLE, and C.-H. PONS), Interstratification in Malawi Vermiculite: Effect of Bi-ionic K-Mg Solutions 513
VILLEMURE, GILLES, Effect of Negative Surface Charge-Densities of Smectite Clays on the Adsorption Isotherms of Racemic and Enantiomeric Tris(2,2'-bipyridyl)ruthenium(II) Chloride 623
Viscosity
montmorillonite suspensions, at low electrolyte concentrations 57
Visible absorption spectroscopy
nontronite, reduced, oxidized 203
Volcanic ash (see also Tuff)
altered, in coal partings, SEM, XRD, chemical analysis 97
CEC, specific surface area, XRD 308
dissolution reactions, kinetics of dissolution 308
in coal partings, alteration to crandellite, kaolinite, illite, smectite 97

W

WALKER, J. R. (with J. N. MOORE and T. H. HAYES), Reaction Scheme for the Oxidation of As(III) to As(V) by Birnessite 549
WALKER, J. R. (with G. R. THOMPSON), Structural Variations in Chlorite and Illite in a Diagenetic Sequence from the Imperial Valley, California 315
WARD, C. R. (with F. I. ROBERTS), Occurrence of Spherical Halloysite in Bituminous Coals of the Sydney Basin, Australia 501
Wastewater treatment (see Pollution abatement)
WATANABE, TAKASHI (with ATSUYUKI INOUE, NORIHIKO KOHYAMA, and A. M. BRUSEWITZ), Characterization of Illitization of Smectite in Bentonite Beds at Kinnekulle, Sweden 241
Water
abundance of, in smectite-to-illite reaction, hydrothermal experiments 343

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

adsorption, desorption on montmorillonite, effect on basal spacings, IR, degree of order in layer stacking 485
effect on FTIR spectra of fluorhectorite-hexanediamine 507
-montmorillonite system, hysteresis in properties, function of water vapor pressure 485
movement, influence of clay content of soils on hydraulic conductivity 144
role of solute transport in smectite-to-illite reaction, hydrothermal experiments 343
use of tetramethylammonium-smectite to remove benzene from 113
Weathering
formation of trioctahedral illite from biotite in soil 187
plagioclase, K-feldspar, muscovite, AEM, HRTEM studies 77
plagioclase, K-feldspar, muscovite, formation of halloysite, kaolinite, smectite from 77
plagioclase, K-feldspar, muscovite, role of Fe in 77
plagioclase, K-feldspar, muscovite, role of noncrystalline intermediate in 77
products of mica, statistical treatment of elemental analyses of 179, 187
simulated, of nuclear-waste glass, production of secondary phyllosilicate phases 537
Wet-to-Dry Transition of Smectite as Revealed by Humidity-Controlled Electron Microscopy, by Kazuo Tazaki, W. S. Fyfe, K. Fukushima, and A. Fukami 327
WHITNEY, GENE, Role of Water in the Smectite-to-Illite Reaction 343
WHITTIG, L. D. (with MENACHEM GAL and B. A. FABER), Influence of Clay on Water Movement in Coarse-textured Soils 144
WIERZCHOS, JACEK (with JANUSZ STAWIŃSKI and M. T. GARCIA-GONZALEZ) Influence of Calcium and Sodium Concentration on the Microstructure of Bentonite and Kaolin 617
WILLIAMSON, C. J. (with PAUL O'BRIEN), Novel Differential Thermal Analysis Method for Quantifying the Sorption Capacity of Smectite Clay, A 322
WINANS, R. E. (with K. A. CARRADO, RYOICHI HAYATSU, and R. E. BOTTO), Reactivity of Anisole on Clay and Pillared Clay Surfaces 250
WOLSKA, EMILIA (with UDO SCHWERTMANN), Influence of Aluminum on Iron Oxides, The: XV. Al-for-Fe Substitution in Synthetic Lepidocrocite 209
WOODLAND, A. B. (with I. A. ABRAJANO, J. K. BATES, J. P. BRADLEY, and W. L. BOURCIER), Secondary Phase Formation during Nuclear Waste-Glass Dissolution 537
Writing
technical manuscripts, texts dealing with 631
technical manuscripts, use of "universal recipe" 631

X

X-ray absorption edge spectroscopy
ferrihydrite 331, 335
X-ray diffraction
single crystal refinement of structure of 1-layer triclinic chlorite 216
X-ray fluorescence analysis (XRF)
bentonite diagenetic facies, Succor Creek, Oregon 561
zeolitically altered rhyolitic tuff, Succor Creek, Oregon 561
X-ray powder diffraction (XRD)
alumina sol 308
aluminum hydroxide crystallization products 47
anisole-bentonite, -fluorhectorite, -acid-washed montmorillonite complexes 250
beidellite, Na-, synthetic 409
bentonite 561, 617
bentonite, Succor Creek, Oregon 561
biotite, weathered biotite 187
birnessite, K- 549
birnessite, secondary phase formed during dissolution of nuclear-waste glass 537
book review, *X-ray Diffraction and the Identification of Clay Minerals* 448
chlorite 97, 308, 315
chlorite, in coal partings 97
clinoptilolite, Succor Creek, Oregon 561
crandellite, in coal partings 97
detrital marine sediments 33
ferrihydrite 331
glauconite, in sandstones 69
goethite, crystallized from noncrystalline iron hydroxide in presence of Mn and cysteine 21
hausmannite, crystallized from noncrystalline iron hydroxide in presence of Mn and cysteine 21
hectorite, Hector, California 171
hematite, crystallized from noncrystalline iron hydroxide in presence of Mn and cysteine 21
hydrazine-kaolinite intercalate 121
hydroxy-Al-montmorillonite intercalate 257, 363
illite 97, 187, 315
illite, from weathered biotite 187
illite, in coal partings 97
I/S hydroxy-Al pillared 609
I/S, in bentonite, Kinnekulle, Sweden 241
I/S, replacement product of diagenetic illite 449
kaolinite 97, 121, 137, 160, 308, 617
kaolinite, API #9 137
kaolinite, in coal partings 97
kaolinite, KGa-1 121, 160
kaolinite-, hydrated kaolinite-organic intercalates 160

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press

kaolinite-Na-palmitate intercalate 29
kaolinite/smectite interstratification 415
kaolinite/smectite interstratification, hydrothermally treated 415
manganite, crystallized from noncrystalline iron hydroxide in presence of Mn and cysteine 21
montmorillonite 308
muscovite/paragonite in underclay 265
opal-CT, Succor Creek, Oregon 561
palygorskite, in Eocene dolomite 299
sepiolite 63, 308
sepiolite, F-containing 63
silica gel 308
silica glass, ground 308
small angle, hydroxy-Al-montmorillonite CLS 380
smectite 97, 171, 327, 401
smectite, air-dried 327
smectite, alteration products of palygorskite in low-temperature alkaline solutions 401
smectite, frozen 327
smectite, in coal partings 97
smectite, Li-containing 171
smectite, wet 327
underclays 265
vermiculite 10Å/14Å interstratification 513
volcanic glass 308
XRD (see X-ray powder diffraction)
o-Xylene
adsorption on high-charge, low-charge tetramethylammonium-smectite 113

Y

YAMADA, MASAHARU (with HISATO HAYASHI), Kinetics of Dissolution of Noncrystalline Oxides and Crystalline Clay Minerals in a Basic Tiron Solution 308
YANG, ANDREW (with H. HARTMAN, GARRISON SPOSITO, S. MANNE, S. A. C. GOULD, and P. K. HANSMA), Molecular-Scale Imaging of Clay Mineral Surfaces with the Atomic Force Microscope 337
YAPP, C. J. (with HARALD POTHS), Infrared Spectral Evidence for a Minor Fe(III) Carbonate-bearing Component in Natural Goethite 442

Z

Zeolite
announcement, Zeolites '91, 3rd International Conference on the Occurrence, Properties, and Utilization of Natural Zeolites 560
clinoptilolite, diagenetic formation in dacitic tuffs, Durango, Mexico 426
clinoptilolite, in altered rhyolitic tuff, Succor Creek, Oregon, SEM, chemical analysis, XRD, unit-cell dimensions 561
clinoptilolite, in detrital marine sediments 33
mordenite, in altered rhyolitic tuff, Succor Creek, Oregon, SEM 561
Zeta potential (see also Point of zero charge)
hydroxy-Al-pillared montmorillonite, from electrophoretic measurements 356
hydroxy-Al-montmorillonite, surfactant-adsorbed hydroxy-Al-montmorillonite 277
montmorillonite, from electrophoretic measurements 356
montmorillonite, surfactant-adsorbed montmorillonite 277
ZHENG, Z. Z. (with M. H. FU and P. F. LOW), Changes in the Properties of a Montmorillonite-Water System during the Adsorption and Desorption of Water: Hysteresis 485

https://doi.org/10.1346/CCMN.1990.0380611 Published online by Cambridge University Press