EDINBURGH JOURNAL OF BOTANY 73 (3): 377–397 (2016)
© Trustees of the Royal Botanic Garden Edinburgh (2016)
doi: 10.1017/S0960428616000226

GENERAL INDEX TO VOLUME 73 (2016)

Note: main entries are **emboldened**; *signifies the page range of keywords; pages with illustrations (Fig.), maps, reviews (Rev.) and appendices (App.) are indicated, tables are not annotated separately.

Abies
  cilicica (Antoine & Kotschy) Carrière, 125, 128, 130
Abutilon
  pedunculare Kunth, 109
  piurense Ulbr., 109
Acacia, 16, 103
  aroma Gillies ex Hook. & Arn., 103–105, 111
  macracantha Willd., 105, 111
  nilotica, 16
  pachyceras, 18
Acalypha, 103, 114
  diversifolia Jacq., 50
  villosa Jacq., 50
Acanthaceae, 106
Acantholimon, 6, 15, 19–20
Acanthophyllum, 6, 15, 19–20
Acaulospora Gerdemann & Trappe, 226
Acaulosporaceae, 226
Accepted names
  of *Retrophyllum*, 257 App.
Acer, 19
Achillea
  conferta, 13
  fragrantissima, 11
Acmopyle
  pancheri Pilg., 207
Actinidiaceae, 47, 77
Adelia
  barbinervis Schltdl. & Cham., 50
Adenocalymma
  inundatum Mart. ex DC., 48, 63, 66
Adinandra
  meratusensis Sugau, 139
Adoxaceae, 153–155, 372 Rev.
Aegilops
  speltoides, 15
Aegiphila
  monstrosa Moldenke, 51, 69–70, 74–76
Aeluropus
  lagopoides, 11
Aeschynomene
  weberbaueri Ulbr., 109
Africa
  Donella in, 303, 323–332
Afrocarpus, 173
Afrotropic ecozone, 6 Map
Agarista
  subcordata (Dunal) Judd, 108
Agathis Salisb., 193, 198
Aizoon
  hispanicum, 18
Alchornea
  latifolia Sw., 50, 69
Algeria, 265–275
Allamanda
  weberbaueri Markg., 106
Alliaceae, 11
Allium, 18
Allophylus
  camptostachys Radlk., 58, 75
  cominia (L.) Sw., 58, 74
  psilospermus Radlk., 58
Alpine region
  of Iraq, 15
Alseis
  peruviana Standl., 116
Altingiaceae, 372 Rev.
Amaranthaceae, 20–21, 106
  subfam. Chenopodioideae, 8
Amaryllidaceae, 11, 115
Ameiva
  nodam Koch, Venegas, Rödder, Flecks & Böhme, 115
Amentotaxus pilg., 175
Amphilophium
  crucigerum (L.) L.G.Lohmann, 48
Amphisbaena
  pericensis Noble, 115
Amyris
  belizensis Lundell, 58
Anabasis
  articulata, 10

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Anacardiaceae, 47, 70–71, 73–74, 102
Anastatica, 17
Anatolia, 125–131*
Ancestry, and reproductive timing, 345–370*
Andes, 95–123, 143–152
Andira
  inermis (W.Wright) Kunth ex DC., 52
Anemone
  coronaria, 15
Angiosperms (Sapotaceae), 297–339*
Annona
  reticulata L., 47
  scleroderma Saff., 47, 62, 65
Annonaceae, 47, 62, 65, 67, 74, 77
Aona, L.Y.S., 157–170
Apiaceae, 1, 6, 8, 11, 125–131*
Apocynaceae, 47, 62–63, 65–66, 70–71, 74, 101–102, 106, 341
Apocynum
  hendersonii Hook.f., 341–342
  pictum Schrenk, **342**
Ara
  macao cyanoptera, 40
Arabian Peninsula, 2
Araliaceae, 47, 65, 67, 73
Araptus
  impensus (Wood), 226
Araucaria Juss., 173, 177, 216
  biramulata J.Buchholz, 177
  cookii R.Br., 177
  humboldtensis J.Buchholz, 207
  laubenfelsii Corbasson, 207
  montana Brongn. & Gris., 207
  muelleri (Carrière) Brongn. & Gris., 207
Ardisia
  nigrescens Oerst., 56
  paschalis Donn.Sm., 56
Arecaceae, 43, 48, 60, 70
Argent, G.C.G., 139–142
Armatocereus, 103, 105
  arduus F.Ritter, 106
  laetus (Kunth) Backeb. ex A.W.Hill, 106
  oligogonus Rauh & Backeb., 106
  rauhii Backeb., 103–104, 105, 111, 116
    subsp. *balsasensis* (F.Ritter) Ostolaza, 106, 115
    subsp. *rauhii*, 106, 115
Arnaldoa
  macbrideana Ferreyra, 107
  weberbaueri (Muschl.) Ferreyra, 107
Arnebia
  cornuta, 18
Arrojadoa
  penicillata (Gürke) Britton & Rose, 162–164, 166
  rhodantha (Gürke) Britton & Rose, 162, 165
Artemisia, 3
  herba-alba, 11, 13, 19
  inculta, 18
Asparagaceae, 11
Asphodeline, 18
Aspidosperma
  desmanthum Benth. ex Müll.Arg., 47, 73
  megalocarpon Müll.Arg., 47, 71, 69, 73–76
  polyneuron Müll.Arg., 103
Asteraceae, 1, 8, 11, 15, 19
Asteriscus
  pygmaeus, 11
Astragalus, 6, 11, 15, 19–20
  annulatus, 11
  dactylocarpus, 14
  mossulensis, 14
  tribuloides, 11, 18
Ateles
  geoffroyi, 40
Attalea
  cohune Mart., 48
Augusta
  rivalis (Benth.) J.H.Kirkbr., 57
Austrogambeya Aubrév. & Pellegr., 297–339*
  bangweolensis (R.E.Fr.) Aubrév. & Pellegr., 323
  guereliana Aubrév., 310
Austrotaxus
  spicata Compton, 207
Aytaç, Z., 125–131

Bacaba Municipal Park, Nova Xavantina-MT, 85 Map
Baccharis
  grandicapitulata Hieron. var. *subdentata* Hieron., 107
Bactris, 71–72
  mexicana Mart., 48
Baden, H.M., 39–81
Bahia, Brazil, 157–170 [160 Map]
Balanophoraceae, 48
Banisteriopsis
  parvifolia (Nied.) B.Gates, 109

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Barnadesia
hutchisoniana Ferreyra, 107
Basionym
of *Retrophyllum minus*, 241–257 App.
Bassia
eriophora, 18
muricata, 18
Bauhinia, 103
dipetala Hemsl., 52
Bayly, W.D.R., 39–81
Beauprea Brongn. & Gris., 172
balansae Brongn. & Gris., 183
Begonia, 143–152
sect. *Eupetalum* (Lindl.) A.DC., 143–152*
sect. *Knesebeckia* (Klotzsch) A.DC., 143–152*
acerifolia Kunth, 143–145
arrogans Irmsch., 144
chrysantha Tebbitt, 143–152*
erythrocarpa A.DC., 143–152*
heliantha Tebbitt, 143–148 [**145**, 146 Fig.], 150 Map
incarnata Link & Otto, 144
leathermaniae O'Reilly & Kareg., 144
ludwigii Irmsch., 144
pearcei Hook.f., 143–152*
serotina A.DC., 143–152*
tiramosa Irmsch., 144
urubambensis Tebbitt, 143–145, 148–151 [**148**, 149 Fig., 150 Map]
velata L.B.Sm. & B.G.Schub., 144
wollnyi Herzog, 144
Begoniaceae, 143–152
Belize, 39–81 [44 Map]
Bellevalia, 14, 18
Bentham, George, 341–344*
Bernardia
dodecandra (Sessé ex Cav.) Govaerts, 50
Bernoullia
flammea Oliv., 53
Bienertia
cycloptera, 11
Bignonia
potosina (K.Schum. & Loes.) L.G.Lohmann, 48, 62, 66, 71–72
Bignoniaceae, 48, 63, 66, 71, 77, 101–102, 106
Biodiversity hotspots
in Middle East, 4
Biogeography
of flora of Iraq, 1–24*
Biomes
semiarid *Caatinga*, 157–170
Bocconia
frutescens L., 55
Bolivia, 143–152*
Book reviews
Atlas of the Aegean Flora (A. Strid), 371–373
Spot-characters for the Identification of Malesian Seed Plants: a Guide (M.M.J. van Balgooy, Y.W. Low & K.M.Wong), 263–264
Boraginaceae, 8, 11, 102, 106, 265–275*
tribe Cynoglosseae, 265–275
Borneo, 139
Bougainvillea
peruviana Bonpl., 105
Brasilicereus
phaeacanthus (Gürke) Backeb., 162–164, 166
Brasiliopuntia
brasiliensis (Willd.) A.Berger, 162, 165
Brassica
juncea (L.) Czern., 48, 62
Brassicaceae, 1, 6, 8, 11, 15, 19, 48, 62
Bray–Curtis index, 162–164
Brazil
north-eastern, 157–170 [160 Map]
vegetation succession in, 83–93 [85 Map]
Bridgewater, S.G.M., 39–81
Bromeliaceae, 115
Brosimum
alicastrum Sw., 54, 68–70, 73–74
guianense (Aubl.) Huber, 54, 63
Browningia, 103
altissima (F.Ritter) Buxb., 102–106, 111, 115
chlorocarpa (Kunth) W.T.Marshall, 106
pilleifera (F.Ritter) Hutchison, 103–106, 111, 115–116
Buddleja, 103, 114
Bunchosia
bonplandiana A.Juss., 109
lindeniana A.Juss., 53
Bursera
simaruba (L.) Sarg., 48
Burseraceae, 48, 65, 67, 70–71, 74

Caatinga biome, 157–170
Cactaceae, 101–107, 111, 114, 157–170
subfam. Opuntioideae, 167

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Caesalpinia, 103, 114
celendiniana G.P.Lewis & C.E.Hughes, 109, 111
pluviosa DC.
var. *maraniona* G.P.Lewis & C.E.Hughes, 109, 116
Cakile
arabica, 18
Calamagrostis
anthoxanthoides (Munro ex Hook.f.) Regel, **343**
Caliciopsis Peck, 207
podocarpi Huguenin, 207
Calliandra
houstoniana (Mill.) Standl., 52
mollissima (Willd.) Benth., 109
Calligonum
comosum, 9
Calonje, M.A., 345–370
Calophyllaceae, 49
Calophyllum
brasiliense Cambess., 49, 67, 72–73
vitiense Turrill, 193
Calotropis
procera, 16
Calymmanthium, 111
fertile F.Ritter, 106
substerile F.Ritter, 106
Calyptranthes
lindeniana O.Berg, 55
Campanulaceae, 11
Cannabaceae, 49, 63–65, 67, 74
Capparaceae, 49, 62, 64, 101–102, 107, 372 Rev.
Capparidastrum
quiriguense (Standl.) Cornejo & Iltis, 49, 64, 62
sprucei (Eichler) Hutch., 107
Caprifoliaceae, 49, 77, 372 Rev.
Capsicum
annuum L., 59
Carex
stenophylla, 13
Carica
aprica V.M.Badillo, 107
Caricaceae, 107
Caroxylon, 16
Caryophyllaceae, 8, 11, 19
Casearia
commersoniana Cambess., 58
corymbosa Kunth, 58, 72
tremula (Griseb.) Griseb. ex C.Wright, 58
Cassia
italica, 16
Cassipourea
guianensis Aubl., 57
Castilla
elastica Sessé, 54
Casuarina
rumphiana Miq., 198
Cecropia, 65
polystachya Trécul, 225
Cedrela, 65, 69, 71
kuelapensis T.D.Penn. & Daza, 110
molinensis T.D.Penn. & Reynel, 110
odorata L., 54, 76
Ceiba
insignis (Kunth) P.E.Gibbs & Semir, 105
pentandra (L.) Gaertn., 43, 53, 60, 73
Celastraceae, 49, 69, 71–72, 77, 107
Celtis
schippii Standl., 49, 63–65, 67, 74
Centaurea, 6, 11, 18
behen, 19
Central Asia, 341–344*
Centres of diversity
of Cactaceae, 158
Cephalotaxales, 174
Ceratozamia
robusta Miq., 347, 353–354, 369 App.
Cercis
siliquastrum, 20
Cereus
jamacaru DC., 162–165
Cerradão, 83–93*
Cerrado sensu stricto, 83–93*
Cestrum
nocturnum L., 59
weberbaueri Francey, 102, 110
Chamaedorea
ernesti-augusti H.Wendl., 48, 66
tepejilote Liebm., 48
Chance, R., 39–81
Chenopodiaceae, 20–21
Chicas, S., 39–81
Chikmawati, T., 277–289
China, 25–37
Xinjiang Province, 341–344
Chiococca
alba (L.) Hitchc., 57

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Chionanthus
oblanceolatus (B.L.Rob.) P.S.Green, 55, 71–72
Chiquibul Forest Reserve and National Park (CFRNP), Belize, 39–81 [44 Map]
Chirita, 25
Chrozophora
tinctoria, 19
Chrysobalanaceae, 49
Chrysophyllum, 297–339*
sect. *Aneuchrysophyllum*, 298, 300
sect. *Chrysophyllum*, 298
sect. *Donella* (Pierre ex Baill.) Engl., 298, 301, 325
sect. *Prieurella*, 298
sect. *Ragala*, 298
sect. *Villocuspis*, 298
acuminatum Roxb., 314
ambrense (Aubrév.) G.E.Schatz & L.Gaut., 304
analalavense (Aubrév.) G.E.Schatz & L.Gaut., 305
azaguieanum Miege, 298
bancanum Miq., 314
bangweolense R.E.Fr., 323
belemba De Wild., 328
buchholzii Engl., 326
cacondense Greves, 323
cainito L., 298, 300
capuronii G.E.Schatz & L.Gaut., 307
claessensii De Wild., 329
delphinense (Aubrév.) G.E.Schatz & L.Gaut., 308
dioicum Koord. & Valeton, 314
ealaense De Wild., 331
ellipticum A.Chev., 331
fenerivense (Aubrév.) G.E.Schatz & L.Gaut., 309
gracile A.Chev., 326
guereliana (Aubrév.) G.E.Schatz & L.Gaut., 310
klainei Engl., 331
lanceolatum (Blume) A.DC., 313, 315
var. *stellatocarpon* P.Royen, 314
lanceolatum Casar., 315
letestuanum A.Chev., 328
masoalensis (Aubrév.) G.E.Schatz & L.Gaut., 316
mortehanii De Wild., 326
ogoouense A.Chev., 324–326
ogowense A.Chev., 324–326
oliviforme L., 300
pentagonocarpum Engl. & K.Krause, 328
pentagonum Hance, 314
perrieri (Lecomte) G.E.Schatz & L.Gaut., 318
pruniforme Pierre ex Engl., 326, 328
roxburghii G.Don, 314
var. *papuanum* C.T.White, 314
sumatranum Miq., 314
ubangiense (De Wild.) D.J.Harris, 328
ubangiense (De Wild.) Govaerts, 328
viridifolium J.M.Wood & Franks, 330
welwitschii Engl., 330
Cinnamomum
triplinerve (Ruiz & Pav.) Kosterm., 225
Circular statistics, 345–370*
Cissus
biformifolia Standl., 60
Clavija
myrmeciocarpa Stahl, 110
Cleidion
castaneifolium Müll.Arg., 50, 71–72
Cleistocactus
plagiostoma (Vaupel) D.R.Hunt, 106
tenuiserpens Rauh & Backeb., 106
Cleome, 372 Rev.
amblyocarpa, 18
Clidemia
petiolaris (Schltdl. & Cham.) Schltdl. ex Triana, 53
strigillosa (Sw.) DC., 53, 63
Climate
of Middle East, 3–4
Cloezia
aquarum (Guillaumin) J.W.Dawson, 215
Cloud forest, 291–296*
Clugston, J.A.R., 345–370
Clusia, 105, 107
massoniana Lundell, 49
minor L., 49
rigida M.Gustaffson, 107, 115
Clusiaceae, 49, 62, 65, 67, 74, 107
Cnidoscolus, 101, 103, 105
basiacanthus (Pax & K.Hoffm.) J.F.Macbr., 111
cajamarcensis Fern.Casas & J.M.Pizarro
var. *cajamarcensis*, 108
var. *crenatus* Fern.Casas & J.M.Pizarro, 108

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

diacanthus (Pax & K.Hoffm.) J.F.Macbr., 104
hypoleucus (Pax) Pax, 108, 111
liesneri Fern.Casas & J.M.Pizarro, 108
multilobus (Pax) I.M.Johnst., 50
Coccoloba, 74
acapulcensis Standl., 56, 74
belizensis Standl., 56, 69–70, 73–74
diversifolia Jacq., 56, 62, 64, 69–70, 74
Cojoba, 77
arborea (L.) Britton & Rose, 52
graciliflora (S.F.Blake) Britton & Rose, 52
Colicodendron
scabridum (Kunth) Seem., 104, 105
Colour profiles, 171–261*
Combretaceae, 49, 65, 67, 70–71, 74
Combretum
fruticosum (Loefl.) Stuntz, 49
laxum Jacq., 49, 69–72, 74
Commelinaceae, 50
Compositae, 101–102, 105, 107–108, 114, 341
Compsoneura
mexicana (Hemsl.) Janovec, 55, 62, 64–65, 67, 74
Conde, D.A., 39–81
Conservation
assessments in *Donella*, 305–332
in Belize, 39–81*
of Cactaceae, 158
of *Donella*, 297–339*
of *Freziera*, 294
identifying priority areas in Peru, 95–123
of *Primulina*, 30, 33
and reproductive phenology, 345–370
of *Retrophyllum*, 193, 198, 207, 216, 226, 230–231
of *Syzygium*, 277–289
Contendas do Sincorá National Forest (CSNF), 157–170 [160 Map]
Convolvulaceae, 8, 50
Cordia, 101, 103
iguaguana Melch. ex I.M.Johnst., 103, 106
saccellia Gottschling & J.S.Mill., 105
varronifolia I.M.Johnst., 106
Cornulaca, 18
monacantha, 17
Cornutia
pyramidata L., 51
Coryneliales, 226
Costaceae, 50
Costus
pictus D.Don, 50
Cotoneaster
racemiflora, 19
Coursetia
cajamarcana Lavin, 109
maraniona Lavin, 109
Cousinia, 6, 15, 20
stenocephala, 11, 19
Coussapoa
oligocephala Donn.Sm., 60
Crataegus, 19
aronia, 19
Cressa
cretica, 11
Crossopetalum
eucymosum (Loes. & Pittier) Lundell, 49
Crotalaria
cajanifolia Kunth, 52
Croton, 101, 103, 105, 108
adipatus Kunth, 108, 115
billbergianus Müll.Arg., 50
niveus Jacq., 51, 62, 64
rubiginosus Croizat, 108
schiedeanus Schltdl., 51
thurifer Kunth, 103, 105
Cryosophila
stauracantha (Heynh.) R.Evans, 48, 69–73
Cryptotermes
domesticus (Haviland), 193
Cupania
belizensis Standl., 58, 73
Cuphea
appendiculata Benth., 53
Curatella
americana, 90
Curculionidae, 347
Cyathostegia
mathewsii (Benth.) Schery, 105
Cycadales, 345–370*
Cymbopetalum
mayanum Lundell, 47, 65, 67, 74–76
Cynanchum
calycinum (Schltr.) Morillo, 102, 106
Cynoglossum, 265–275 [266–267 Figs]
alpinum (Brand) Riedl, 266–267
brandii Sutorý, 265–266 [266 Fig.], 268–272 [**271**]
columnae Biv., 269
β virescens Bornm., 269

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

creticum Mill., 269
dioscoridis Vill., 267–269 [267 Fig.], 273
var. *maroccanum* (Brand) Maire, 272
var. *nebrodense* (Guss.) Ball, 272–273
maghrebicum Sutorý, 265, 267–269 [267 Fig.], **272**
maroccanum Sennen, 272
montanum L., 265–275* [266 Fig.]
subsp. *extraeuropaeum* auct. non Brand, 269
subsp. *extraeuropaeum* Brand, 265–266, 268–273
subsp. *linnaeanum* Brand, 265
subsp. *montanum*, 265
var. *alpinum* Brand, 266–267, 273
var. *asiaticum* Brand, 268–269, 271, 273
var. *latifolium* Brand, 268, 273
var. *maroccanum* Brand, 268, 272
var. *parvifolium* (Koch) Brand, 268, 273
subvar. *natolicum* (Bornm.) Brand, 268–271
natolicum (Bornm.) Sutorý, 265–266 [266 Fig.], **268–**269, 271–272
nebrodense auct. non Guss., 271
nebrodense Guss., 267–269 [267 Fig.], 272–273
var. *natolicum* Bornm., 268
nebrodense sensu Battandier non Guss., 272
officinalis auct. non L., 272
teheranicum Riedl, 271
troodi Lindb., 270
Cynophalla
flexuosa (L.) J.Presl, 103, 105
Cyperaceae, 8, 11
Cyperus, 20
conglomeratus, 9

Dacrycarpus (Endl.) de Laub., 198
imbricatus
var. *patulus*, 187
Dacrydium, 216, 243 App., 251 App.
araucarioides Brongn. & Gris., 215
guillauminii J.Buchholz, 215–216
Dalbergia
glabra (Mill.) Standl., 52, 71–72
Dalechampia
hutchinsoniana G.L.Webster, 108
weberbaueri Pax & K.Hoffm., 108
Daphne
acuminata, 15
Decussocarpus de Laub., 171–261*
sect. *Afrocarpus* (J.Buchholz & N.E.Gray) de Laub., 172
sect. *Dammaroides* (Bennett) de Laub., 172
sect. *Decussocarpus*, 172, 183
araucoensis (E.W.Berry) D.R.Greenw., 173
comptonii (J.Buchholz) de Laub., 172, 199, 206, 211
maslinensis D.T.Blackburn, 173
minor (Carrière) de Laub., 172, 206, 208, 211, 251 App., 254 App.
piresii Silba, 172, 180, 227
rospigliosii (Pilg.) de Laub., 172, 216
vitiensis (Seem.) de Laub., 172, 176, 187, 194
Deherainia
smaragdina (Planch. ex Linden) Decne., 56
Delpydora, 298
Dendropanax
arboreus (L.) Decne. & Planch., 47, 65, 67–69, 72–73
Deserts
in Iraq, 9–12
Middle Eastern, 2–3
Desmoncus
orthacanthos Mart., 48
Deyeuxia
anthoxanthoides Munro ex Hook.f., 341, 343
Dialium
guianense (Aubl.) Sandwith, 52, 65–66, 74
Dianthus
anatolicus, 20
Dichapetalaceae, 50
Dichapetalum
donnell-smithii Engl., 50, 73
Dilleniaceae, 50, 63
Dioecy, 345–370*
Dionysia, 6
Dioon Lindl., 360
Dioscorea
bartlettii C.V.Morton, 50
Dioscoreaceae, 50
Diplopterys
leiocarpa (A.Juss.) W.R.Anderson & C.Davis, 109, 116
populifolia (Nied.) W.R.Anderson & C.Davis, 109
Diplycosia Blume, 139–142*
kalimantanensis P.Wilkie & Argent, 139–142 [**140**, 141 Fig.]
pseudorufescens Sleumer, 139–140
Dipsacaceae, 11, 372 Rev.

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Dipsacales, 372 Rev.
Distribution patterns
of Cactaceae, 157–170
Ditaxis
dioica Kunth, 108
katharinae Pax, 108
Diversity
of woody plants in Peru, 95–123*
Doliocarpus
dentatus (Aubl.) Standl., 50
multiflorus Standl., 50, 63
Donella Pierre ex Baill., 297–339 [**301**]
ambrensis Aubrév., 297, 302, **304**–305 [304 Map]
analalavensis Aubrév., 299, 302, **305**–308 [306 Map], 310
bangweolensis (R.E.Fr.) Mackinder, 301, 303, **323**–324 [323 Map]
capuronii (G.E.Schatz & L.Gaut.) Mackinder & L.Gaut., 303–304 [304 Map], **307**–308
delphinensis Aubrév., 297, 299, 302, 304 Map, 307–310 [**308**], 320
dubardii Pierre, 331
fenerivensis Aubrév., 302, **309**–310 [310 Map]
griffoniana Pierre ex Pellegr., 324
guereliana (Aubrév.) Mackinder, 297, 303, **310**–311 [310 Map]
humbertii Capuron ex Mackinder & L.Gaut., 297, 299, 302, 310–313 [310 Map, **311**, 312 Fig.]
lanceolata (Blume) Aubrév., 297, 300–302, **313**–316 [314 Map]
var. *malagassica* Aubrév., 314
le-testuana (A.Chev.) A.Chev. ex Pellegr., 328
masoalensis Aubrév., 302, **316**–317 [317 Map]
ogoouensis (A.Chev.) Aubrév. & Pellegr., 299, 303, 323–325 [323 Map, **324**]
parvifolia Lecomte, 326
pentagonocarpa (Engl. & K.Krause) Aubrév. & Pellegr., 328
perrieri Lecomte, 299, 301, 303, 308, 311, **318**–320 [318 Map]
var. *pubescens* Aubrév., 318, 320
var. *sambiranensis* Lecomte, 318, 320
pruniformis (Pierre ex Engl.) Aubrév. & Pellegr., 299, 301, 303, **326**–327 [326 Map], 329–330, 332
ranirisonii L.Gaut. & Mackinder, 297, 299, 302, 317 Map, **320**–323 [321–322 Figs]
roxburghii (G.Don) Pierre ex Lecomte
var. *tonkinensis* Lecomte, 314
sambiranensis (Lecomte) Aubrév., 318
ubanguiensis (De Wild.) Aubrév., 299, 303, **328**–329 [328 Map]
viridifolia (J.M.Wood & Franks) Aubrév. & Pellegr., 303, 327–328 [328 Map], **330**
welwitschii (Engl.) Pierre ex Engl., 297, 299, 303, **330**–332 [331 Map]
Dorstenia
lindeniana Bureau, 54
Dry Andean valleys, 95–123* [97 Map]
Dryopteris, 128
Drypetes
brownii Standl., 57
Ducula
goliath (Gray), 207
Duman, H., 125–131

Echinops
viscosus, 19
Ecological succession, 83–93*
Ecoregions
in Iraq, 14 Map
Ecosystems, semiarid, 157–170
Ecozones, 6 Map
Ecuador, 291–296
Elaeocarpaceae, 50
Emmotum
nitens (Benth.) Miers, 83, 86–89, 91
Encephalartos Lehm., 360
Endemism, 157–170*
in *Begonia*, 143, 147–148, 151
in *Donella*, 297, 299, 301, 305–309, 311, 316, 319, 325
in Indian *Phyllanthus*, 133
in Iraq, 1, 8, 11, 16–21
in Marañón valley, Peru, 95–123* [98 Map, 112–113 Maps]
in Turkey, 125, 128
Environmental factors, 157–170*
Epitype, 171–261*
Erblichia
odorata Seem., 56
Ericaceae, 108, 139–142*
Ericales, 291–296*
Eriotheca
discolor (Kunth) A.Robyns, 103, 105

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

gracilipes (K.Schum.) A.Robyns, 83, 86–89, 91
peruviana A.Robyns, 102, 110
ruizii (K.Schum.) A.Robyns, 116
Erythrina
folkersii Krukoff & Moldenke, 52
Erythroxylaceae, 108
Erythroxylum, 103, 108
dillonii Plowman ex Jara, 108
Esenbeckia
cornuta Engl., 110
Espostoa, 101, 103, 105, 114
blossfeldiorum (Werderm.) Buxb., 106, 111, 116
calva F.Ritter, 106
hylaea F.Ritter, 106
lanata (Kunth) Britton & Rose, 104
lanianuligera F.Ritter, 106
mirabilis F.Ritter, 103–104, 106, 111, 116
ritteri Buining, 106
superba F.Ritter, 106
utcubambensis G.J.Charles, 107
Espostoopsis
dybowskii (Rol.-Goss.) Buxb., 162, 165–167
Eugenia, 103
curvipilosa McVaugh, 102, 110
Euphorbiaceae, 8, 50, 62, 64, 70–71, 73, 77, 101–102, 105, 108–109, 114, 134
Exostema
corymbosum (Ruiz & Pav.) Spreng., 110
Exsiccatae
of *Donella*, 332–337
of *Retrophyllum*, 258–261 App.

Fabaceae, 1, 8, 11, 15, 19, 51, 180
Falcatifolium, 185
taxoides (Brongn. & Gris.) de Laub., 185, 206–207
Farsetia
aegyptiaca, 10
Ferreyranthus, 103, 105, 114
fruticosus (Muschl.) H.Rob., 107
gentryi H.Rob., 107
rugosus (Ferreyra) H.Rob. & Brettell, 107
vernonioides (Muschl.) H.Rob. & Brettell, 107
Ficus
americana Aubl., 54
apollinaris Dugand, 54
colubrinae Standl., 54
insipida Willd., 54
paraensis (Miq.) Miq., 55
tonduzii Standl., 55
Fiji (island), 171–261*
Floras
of the Middle East, 1–24 [**5**]
Floristic affinity, 39–81*
Floristic inventories
in Marañón valley, Peru, 95–123* [98 Map]
Floristic surveys, in Brazil, 157–170
Floristics, 1–24*
Forchhammeria
trifoliata Radlk., 49
Forests
Amazonian, 83–93
on Mesoamerican karstic limestone, 39–81
Seasonally Dry Tropical (SDTFs), 95–123* [97 Map]
Forpus
xanthops Salvin, 115
Forsteronia
myriantha Donn.Sm., 47
Forsthofer, M., 83–93
Forsyth, Sir Douglas, 341
Fraxinus
rotundifolia, 19
Freziera Willd., 291–296*
canescens Bonpl., 294
echinata A.L.Weitzman, 294
grandiflora D.Santam., D.A.Neill & Lagom., 291–296 [**292**, 293 Fig.]
reticulata Humb. & Bonpl., 292, 294–295
Fridericia
chica (Bonpl.) L.G.Lohmann, 48

Gambeya Pierre, 297–339*
africana Pierre, 300
azaguieanum, 299
beguei (Aubrév. & Pellegr.) Aubrév. & Pellegr., 299–300
boiviniana Pierre, 300
boukokensis Aubrév. & Pellegr., 299–300
gigantea (A.Chev.) Aubrév. & Pellegr., 299–300
gorungosana (Engl.) Liben, 300
korupensis Ewango & Kenfack, 300
lacourtiana (De Wild.) Aubrév. & Pellegr., 299–300
lungi (De Wild.) Aubrév. & Pellegr., 300
murense (Engl.) Liben, 299–300

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

perpulchra (Mildbr. ex Hutch. & Dalziel) Aubrév. & Pellegr., 299–300
prunifolia (Baker) Aubrév. & Pellegr., 300
subnuda Pierre, 299–300
taiensis (Aubrév. & Pellegr.) Aubrév. & Pellegr., 300
Garcinia
intermedia (Pittier) Hammel, 49, 62, 65, 67, 74
Garg, A., 133–138
Gautier, L., 297–339
Gaya
weberbaueri Ulbr., 110
Genera Plantarum (Bentham & Hooker), 342
Gentianaceae, 51
Geoffroea
spinosa Jacq., 116
Geraniaceae, 11
Gesneriaceae, 25–37*
Ghazanfar, S.A., 1–24
Gironniera
celtidifolia Gaudich., 193
Gladiolus
segetum, 14
Glomeraceae, 226
Glomus Tul. & C.Tul., 226
Goa, India, 133–138*
Gochnatia
vernonioides Kunth, 107, 111
Gossypium
raimondii Ulbr., 102, 110
Gouania
polygama (Jacq.) Urb., 57, 63, 66
Gramineae, 341
Griffith, M.P., 345–370
Guangdong, China, 25–37*
Guapira, 110
graciliflora (Mart. ex Schmidt) Lundell, 86–89, 91
Guarea, 66
glabra Vahl
subsp. *rovirosae* (C.DC.) T.D.Penn., 54
subsp. *tuerckheimii* (C.DC.) T.D.Penn., 54, 65, 66, 74
grandifolia DC., 54, 65, 67, 74
Guazuma
ulmifolia Lam., 53
Guettarda
combsii Urb., 57, 69
deamii Standl., 57
Gulubia Becc., 198
Gundelia, 15, 18
tournefortii, 19
Gymnarrhena
micrantha, 11
Gymnopodium
floribundum Rolfe, 56, 62, 66

Halocnemum, 20
strobilaceum, 11
Haloxylon
ammodendron, 9, 17
Hamamelidaceae, 372 Rev.
Hamelia
calycosa Donn.Sm., 57
Hammada
salicornica, 9, 16–18
Hampea
stipitata S.Watson, 53, 75
trilobata Standl., 53, 75
Handroanthus
bilbergii (Bureau & K.Schum.) S.O.Grose, 116
chrysantha (Jacq.) S.O.Grose, 105
Harris, D.J., 39–81, 297–339
He, J.-Y., 25–37
Heisteria
media S.F.Blake, 55, 69–74
Helicocarpus
americanus L., 225
Heliotropium, 17
ramosissimum, 10
Helosis
cayennensis (Sw.) Spreng.
var. *mexicana* (Liebm.) B.Hansen, 48
Henderson, George, 341–344*
Henriettella
fascicularis (Sw.) C.Wright, 54
Heteropterys
andina Amorim, 109
obovata (Small.) Cuatrec. & Croat, 53, 62, 64, 66
tiinae W.R.Anderson, 109, 111
Hippocratea
volubilis L., 49, 72
Hiraea
reclinata Jacq., 53, 72
Hirtella
americana L., 49
Holocalyx
balansae Micheli, 180

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Hololachna
shawiana Hook.f., 341, 343
Homalium
kanaliense Briq., 215
Hooker, Joseph, 341–344*
Hordeum
bulbosum, 15
Hotspots, 157–170*
HUAMANTUPA, I., 95–123
Huancabamba depression, Peru, 95–123*
Hume, Allan Octavian, 341–344
HUSBY, C.E., 345–370
Hylocereus
microcladus Backeb., 102, 107
peruvianus Backeb., 107
setaceus (Salm-Dyck) R.Bauer., 162, 165
Hypericum, 15

Ifloga
spicata, 11
ImageJ, 171–261*
Incaspiza
laeta Salvin, 115
ortizi Zimmer, 115
watkinsi Chapman, 115
Indonesia, 139–142*, 277
Inga, 65, 77
nobilis Willd.*, 52, 63–64
sapindoides Willd., 52, 76
vera Willd., 52
Inula
salsoloides (Turcz.) Ostenf., **343**
Inventory, of Mesoamerican woody taxa, 39–81
Iphiona
radiata Benth., 341–343
Ipomoea
philomega (Vell.) House, 50
Irano-Turanian regional centre, 1, 18–19
Iraq, 7 Map
flora of, 1–24*
physiographic districts, 10 Map, 12
phytogeographic divisions, 17 Map
Iresine
weberbaueri Suess., 106
Iridaceae, 11
Isolectotype
of *Viburnum beccarii*, 153–155*
IUCN conservation categories
for *Begonia*, 143–152*
in Belize, 43, 75–76
for *Diplycosia*, 140, 142
for *Donella*, 297–339*
for *Freziera*, 294
for *Phyllanthus*, 135
for *Prangos*, 128, 130
for *Primulina*, 30, 33
for *Retrophyllum*, 193, 198, 207, 216, 226, 230–231
for *Syzygium*, 277–289
see also Conservation
Ixiolirion, 18

Jaccard index, 162
Jacquinia
mucronata Roem. & Schult., 103, 105
Jatropha
humboldtiana McVaugh, 108, 115
weberbaueri Pax & K.Hoffm., 108, 111, 115
Johnstonia, 111
axilliflora (M.C.Johnst.) Tortosa, 102, 110
Juniperus
oxycedrus L., 19, 128

Kalimantan, Indonesia, 139–142*
Karnataka, India, 133–138*
Karstic terrain, in Belize, 39–81* [44 Map]
KENICER, G.J., 345–370
Key Biodiversity Areas
in Iraq, 1, 21
Keys
to *Donella*, 302–303
to *Prangos* spp., 130
to *Retrophyllum*, 185–186
Klainedoxa
cuprea Tiegh., 328

La Selva Maya, 39–81* [44 Map]
Labiatae, 51
Lacistema
aggregatum (P.J.Bergius) Rusby, 51, 65
Lacistemataceae, 51, 65
Ladenbergia
magnifolia (Ruiz & Pav.) Klotzsch, 225
Laetia
thamnia L., 58
Lagarostrobos Quinn, 175
LAGOMARSINO, L.P., 291–296
Lahore to Yārkand (Henderson & Hume), 341–344

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Lahore, 341–344
Lamiaceae, 11, 15, 51, 70, 74
Lamium
  striatum, 20
Lantana, 103
Lasiocereus, 111
  fulvus F.Ritter, 107
  rupicola F.Ritter, 107
Lasiurus
  scindicus, 17
Lauraceae, 51, 62–65, 70, 74, 77
Lectotypes, 171–261*, 341–344*5
Lectotypification
  of *Cynoglossum*, 265–27
  of *Phyllanthus talbotii*, 133–138
  of *Viburnum beccarii*, 153–155*
Leguminosae, 51, 64–67, 69–71, 74, 77, 101–102, 105, 109, 111, 114
  subfam. Caesalpinioideae, 52
  subfam. Mimosoideae, 52, 62–63
  subfam. Papilionoideae, 52, 62
Leopardus
  pardalis, 40
Lepidothamnus Phil., 175
Leucaena
  trichodes (Jacq.) Benth., 104
Lianas, 297, 301, 331–332
Libidibia
  glabrata Kunth, 116
Licaria
  capitata (Schltdl. & Cham.) Kosterm., 51
  misantlae (Brandegee) Kosterm., 51
  peckii (I.M.Johnst.) Kosterm., 51
Liliaceae, 8, 11
Lima, V.V.F., 157–170
Limestone flora, of China, 25
Limestone forest, in Belize, 39–81*
Linaceae, 11
Lippia
  tayacajana Moldenke, 110
Liquidambar, 372 Rev.
Little, D.P., 345–370
Loasaceae, 109
Loganiaceae, 52
Lonchocarpus
  castilloi Standl., 52
Lonicera
  acuminata, 19
  arborea, 15, 19
Loranthaceae, 53
Loxanthocereus
  sulcifer Rauh & Backeb., 107
Lycianthes
  hypoleuca Standl., 59, 73
Lysiloma
  auritum (Schltdl.) Benth., 52, 62, 64
Lythraceae, 53

Machaerium
  kegelii Meisn., 52
  riparium Brandegee, 52, 62, 66
  seemannii Benth. ex Seem., 52
Mackinder, B., 297–339
Macrozamia Miq., 360
Madagascar
  Donella in, 297, 299, 301–324 [304, 306, 310, 314, 317–318 Maps]
Malesia, 171–261*
Malpighiaceae, 53, 62, 64, 66, 101–102, 109
Malvaceae, 8, 53, 62, 64–65, 69–70, 77, 101–102, 105, 109–110, 114
Malvaviscus
  arboreus Cav., 53
Manilkara
  bidentata (A.DC.) A.Chev., 116
  zapota (L.) P.Royen, 59, 68–70, 73–74
Manoao Molloy, 175
  colensoi, 185
Maraniona, 111
  lavinii C.E.Hughes, G.P.Lewis, Daza & Reynel, 109
Marañón valley, Peru, 95–123 [97–98 Maps]
Marcelo-Peña, J.L., 95–123
Marcgraviaceae, 53
Marimon, B.S., 83–93
Marimon-Junior, B.H., 83–93
Marsdenia
  laxiflora Donn.Sm., 47, 62, 66
  oligantha K.Schum., 106
Martinella
  obovata (Kunth) Bureau & K.Schum., 48
Matayba
  apetala Radlk., 58
Mato Grosso State, Brazil, 83–93 [85 Map]
Matthews, A.C., 39–81
Matucana, 115
Maya forest, in Belize, 39–81* [44 Map]
Maytenus
  durifolia Briq., 107
McDaniel, T., 1–24

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Medeiros, M.B., 157–170
Medicago
laciniatus, 11
Mediterranean, Eastern, 265–275
Mediterranean-Saharan regional transition zone, 19–20
Melaleuca
brongniartii F.Muell., 215
Melanopareia
maranonica Chapman, 115
Melastomataceae, 53–54, 63, 65, 77
Meliaceae, 54, 63–67, 71, 74, 77, 102, 110
Melocactus
concinnus Buining & Brederoo, 162–164
inconcinnus Buining & Brederoo, 162, 165
Memecylaceae, 54
Mentzelia
heterosepala Weigend & E.Rodr., 109
Meratus mountains, 139
Mesechites
acuminatus (Ruiz & Pav.) Müll.Arg., 106
Mesoamerica, 39–81* [44 Map]
Metamorphic substrate, in Belize, 39–81
Miconia
impetiolaris (Sw.) D.Don ex DC., 54
Microcycas
calocoma (Miq.) A.DC., 347, 353–354, 369 App.
Micropholis
angolensis Pierre, 331
Middle East, 1–24* [2 Fig.]
Mill, R.R., 171–261
Mimosa, 101, 103, 105
ctenodes Barneby, 109, 111
incarum Barneby, 109, 116
jaenensis Särkinen, Marcelo-Peña & C.E.Hughes, 109, 111
lamolina C.E.Hughes & G.P.Lewis, 102, 109
pectinatipinna Burkart, 109
polycarpa Kunth
var. *polycarpa*, 109
var. *redundans* Barneby, 109
Mimusops
ubanguiensis De Wild., 328
Minuartia, 20
Moltkia
angustifolia, 14
Monactis
rhombifolia Sagást. & Dillon, 102, 107
Monographic revision
of *Retrophyllum*, 171–261
Moraceae, 54, 62–63, 70, 72–74, 77
Morandi, P.S., 83–93
Morinda
panamensis Seem., 57
Morocco, 265–275
Mosannona
depressa (Baill.) Chatrou, 47
Mountain-forest
in Iraq, 15
Mountains, Middle Eastern, 3
Mouriri
exilis Gleason, 54, 65
Muscari
longipes, 14
Myriocarpa
longipes Liebm., 60
obovata Donn.Sm., 60, 69–70, 73
Myristicaceae, 55, 62, 64–65, 67, 74
Myroxylon
balsamum (L.) Harms, 52
Myrsinaceae, 55
Myrtaceae, 55, 77, 110, 277–289*
Myrtus
communis, 20

Nageia Gaertn., 171–261
sect. *Afrocarpus* (J.Buchholz & N.E.Gray) de Laub., 172
sect. *Nageia*, 172
sect. *Polypodiopsis* (C.E.Bertr.) de Laub., 172, 183
comptonii (J.Buchholz) de Laub., 172, 199
minor Carrière, 171–172, 177, 182, 206, 208–209, 241–257 App.
piresii (Silba) de Laub., 172, 185, 221, 227
rospigliosii (Pilg.) de Laub., 172, 217
vitiensis (Seem.) O.Kuntze, 172, 187
vitiensis sensu Takeuchi, 194
wallichiana (C.Presl) Kuntze, 171–172, 176, 193
Nageiaceae, 174
Nectandra
colorata Lundell, 51
coriacea (Sw.) Griseb., 51, 63–64, 69–70, 74
martinicensis Mez, 51, 62, 64
nitida Mez, 51
salicifolia (Kunth) Nees, 51, 73
Neea, 103
psychotrioides Donn.Sm., 55, 69, 71, 74
Neill, D.A., 291–296

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Neocallitropsis
pancheri (Carrière) de Laub., 215–216
Nepeta, 6
orientalis, 20
Netravali Wildlife Sanctuary, 133–138*
Neurada, 17
procumbens, 11
New Caledonia, 171–261*
New combinations
in *Cynoglossum*, 265–275*
in *Retrophyllum*, 171–261*
New Guinea, 171–261*
New names
in *Cynoglossum*, 265–275*
New species
of *Begonia*, 143–152
in Belize, 45–46, 62–66
of *Diplycosia*, 139–142*
of *Donella*, 297–339*
of *Freziera*, 291–296
of *Prangos*, 125–131*
of *Primulina*, 25–37*
of *Syzygium*, 277–289*
Nicotiana
setchelli Goodsp., 110
Noaea
mucronata, 19
Nothofagus Blume, 207
Nyctaginaceae, 55, 71, 74, 102, 110
Nycterisition
lanceolatum Blume, 313

Ochnaceae, 55, 77
Ocotea
cernua (Nees) Mez, 51, 65
Odontadenia
macrantha (Roem. & Schult.) Markgr., 47, 63
Ognorhynchus
icterotis (Massena & Souanc), 226
Olacaceae, 55, 70–71, 74
Oleaceae, 55, 71, 77, 110
Oliveira, E.A. de, 83–93
Onobrychis, 19–20
Orchidaceae, 8, 11
Oreopanax
guatemalensis (Lem. ex Bosse) Decne. & Planch., 47
Ornithogalum
ulophyllum, 14
Osmunda
regalis, 194
Otoba
parvifolia (Markr.) A.H.Gentry, 225
Ouratea
lucens (Kunth) Engl., 55

Pagiantha
thurstonii (Horne ex Baker) A.C.Sm., 193
Palaearctic ecozone, 6 Map
Palaeotropics, 297–339*
Palicourea
domingensis (Jacq.) DC., 57
padifolia (Roem. & Schult.) C.M.Taylor & Lorence, 57
tetragona (Donn.Sm.) C.M.Taylor & Lorence, 57
Pan, B., 25–37
Pancheria Brongn. & Gris., 254 App.
communis Baker f., 215
Panicum
turgidum, 9, 16
Panthera
onca, 40
Papagianni, M.G., 371–373 Rev.
Papaveraceae, 8, 11, 55
Pappobolus, 103, 105, 114
amoenus Panero
var. *amoenus*, 107
hutchisonii (H.Rob.) Panero, 107
mathewsii (Hochr.) Panero
var. *mathewsii*, 107
var. *viridifolius* Panero, 107
sagasteguii (H.Rob.) Panero, 108
youngiorum Panero, 108
Papuasia, 171–261*
Parasitaxus
usta (Vieill.) de Laub., 256 App.
Parathesis
donnell-smithii Mez, 57
rufa Lundell, 57, 62, 64
Parinari
insularum A.Gray, 193
Parkinsonia
peruviana C.E.Hughes, Daza & Hawkins, 105, 109
praecox (Ruiz & Pav. ex Hook.) Hawkins, 103–105, 111
Paronychia
arabica, 18

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Passifloraceae, 56
Passos, F.B., 83–93
Paullinia
costaricensis Radlk., 58, 69–70, 74
costata Schltdl. & Cham., 58
pinnata L., 58, 73
Peganum
harmala, 11
Peixoto, M.R., 157–170
Pennil, C., 39–81
Pentaphylacaceae, 56, 291–296*
Peperomia, 115
hoffmannii C.DC., 56, 63
obtusifolia (L.) A.Dietr., 56
Pereskia
aureiflora F.Ritter, 162–164, 166–167
bahiensis Gürke, 162–165
horrida (Kunth) DC., 107
Peru, 95–123 [97–98 Maps], 143–152*
Perymenium
celendinianum B.L.Turner, 108
Phenograms, 345–370*
Phenology, 345–370*
Phlomis, 6, 18–19
bruguieri, 11
kurdica, 19
Photinia
microcarpa Standl., 57, 69
Phragmites, 20
Phyllanthaceae, 56, 62–63, 133–138*
Phyllanthus L., 133–138*
subgen. *Eriococcus* (Hassk.) Croizat & Metcalf, 133
amarus Schumach. & Thonn., 56, 62
niruri L., 56, 63
talbotii Sedgw., 133–138 [**134**, 135–136 Figs]
Phyllodactylus
delsolari Venegas, Townsend, Koch & Böhme, 115
interandinus Dixon & Huey, 115
johnwrighti Dixon & Huey, 115
thompsoni Venegas, Townsend, Koch & Böhme, 115
Phylogenetics, 345–370
Physiography, of Iraq, 10 Map, 12
Phytochoria, in Iraq, 1, 16–21
Phytogeography
divisions of Iraq, 17 Map
in Mesoamerica, 45–46 [46 Map], 70
Phytosociology, of transition zone plants, 87–89
Picramnia
antidesma Sw., 59
Pilea
ecboliophylla Donn.Sm., 60, 62, 64
Pilosocereus
catingicola (Gürke) Byles&G.D.Rowley, 162–164, 166–167
gounellei (F.A.C.Weber) Byles & G.D.Rowley, 162, 165, 167
pentaedrophorus (Labour.) Byles & G.D.Rowley
subsp. *robustus* Zappi, 162, 165–166
Pimenta
dioica (L.) Merr., 43, 55, 60
Pinus
brutia
var. *eldarica*, 15, 19
nigra J.F.Arnold
subsp. *nigra*, 125, 128
var. *caramanica* (Loudon) Rehder, 125, 128
Piper, 103
amalago L., 56, 69–70, 74–75
jacquemontianum Kunth, 56
psilorhachis C.DC., 56, 71–72
sanctum (Miq.) Schltdl. ex C.DC., 56, 62, 64
yucatanense C.DC., 56, 65, 75
Piperaceae, 56, 62–65, 70–71, 74, 102
Piptadenia
weberbaueri Harms, 102, 109
Piptocoma
discolor (Kunth) Pruski, 225
Pistacia, 14
atlantica, 15, 19
khinjuk, 15, 19
Pithecellobium
excelsum (Kunth) Benth., 105
Plantaginaceae, 11, 372 Rev.
Plantago
ciliata, 10
ovata, 11
Platanus
orientalis, 19
Platymiscium, 77
yucatanum Standl., 52, 62
Platypus
sectus Wood, 226
Pleradenophora
tuerckheimiana (Pax & K.Hoffm.) A.L.Melo & Esser, 43, 51, 60, 68–73
Plumbaginaceae, 11, 15

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Poa
bulbosa, 13, 15, 18–19
Poaceae, 1, 8, 11, 15, 19
Podocarpaceae, 171–261
Podocarpus L'Hér. ex Pers., 171–261
sect. *Afrocarpus* J.Buchholz, 172
sect. *Nageia* (Gaertn.) Endl., 172
sect. *Polypodiopsis* C.E.Bertr., 171–261*
blumei Endl., 172
comptonii J.Buchholz, 172, 177–179, 199, 206, 215, 242 App.
filicifolius N.E.Gray, 171–173, 176, 190, 193–194
longefoliolatus Pilg., 252 App.
minor (Carrière) Parl., 171, 177–179, 206, 208, 215–216, 243App., 250–252 App., 254 App., 256–257 App.
var. *palustris* J.Buchholz, 208
montanus sensu Knuth, 217
nana Parl., 250 App., 252 App.
nubigenus, 207
oleifolius D.Don, 225
palustris J.Buchholz, 172, 177–179, 207–208, 210–211, 216, 256–257 App.
rospigliosii Pilg., 172–173, 179, 216, 226
sylvestris J.Buchholz, 177, 207, 252 App.
ustus, 256 App.
vitiensis Seem., 171–172, 175–176, 183, 186–187, 191, 193
vitiensis sensu Wasscher, 194
Polyalthia
myristica I.M.Turner, 139
Polygonaceae, 8, 11, 56, 62, 64, 66, 70, 73–74, 102, 110
Polypodiopsis Carrière, 171, 183
muelleri Carrière, 171, 183
Polypodiopsis E.B.Copel., 183
Populus, 20
Posoqueria
latifolia (Rudge) Schult., 57
Potentilla, 20
Pourouma
bicolor Mart.
subsp. *scobina* (Benoist) C.C.Berg & Heusden, 60, 63
Pouteria, 297–298
amygdalina (Standl.) Baehni, 59, 73, 75–76
campechiana (Kunth) Baehni, 59
durlandii (Standl.) Baehni, 59, 65, 68, 71–73, 75
reticulata (Engl.) Eyma, 59, 69, 73, 75
sapota (Jacq.) H.E.Moore & Stearn, 59, 63
Pradosia
argentea (Kunth) T.D.Penn., 102, 110
Praecereus
euchlorus (F.A.C.Weber ex K.Schum.) N.P.Taylor
subsp. *jaenensis* (Rauh ex Backeb.) Ostolaza, 104–105, 107, 111
Prangos Lindl., 125–131*
sect. *Intactarum* Kuzmina, 126
abieticola Aytaç & H.Duman, 125–131 [**126**, 127–128 Figs, 128 Map]
ferulacea (L.) Lindl., 125–126, 128–130 [128 Map]
heyniae H.Duman & M.F.Watson, 125–126, 128–130 [128 Map]
Primulaceae, 55–56, 62, 64, 110
Primulina, 25–37* [26 Fig.]
alutacea F.Wen, B.Pan & B.M.Wang, 25–37 [**30**, 31–32 Figs, 33 Map]
danxiaensis (W.B.Liao, S.S.Lin & R.J.Shen) W.B.Liao & K.F.Chung, 25–26 [26 Fig.]
eburnea, 36
jiangyongensis X.L.Yu & Ming Li, 26–27 [26 Fig.], 34–36
leprosa (Yan Liu & W.B.Xu) W.B.Xu & K.F.Chung, 25–26 [26 Fig.]
lutea (Yan Liu & Y.G.Wei) Mich.Möller & A.Weber, 25–26 [26 Fig.], 36
pteropoda (W.T.Wang) Yan Liu, 25–27 [26 Fig.], 30, 33–36
tabacum Hance, 25
versicolor F.Wen, B.Pan & B.M.Wang, 25–37 [**27**, 28–29 Figs, 33 Map]
Prosopis
farcta, 18
Proteaceae, 172, 183
Protected areas
in Brazil, 157–170*
Protium, 65, 69–70, 72
copal (Schltdl. & Cham.) Engl., 48, 65, 67, 71–72
multiramiflorum Lundell, 49, 69, 71–74
schippii Lundell, 49, 65, 67, 74
Prumnopitys
montana (Humb. & Bonpl. ex Willd.) de Laub., 219, 225
Pseudabutilon
nigropunctulatum (Ulbr.) R.E.Fr., 110

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Pseudobombax
cajamarcanus Fern.Alonso, 110
ellipticum (Kunth) Dugand, 53, 62, 64
Pseudolmedia
glabrata (Liebm.) C.C.Berg, 55, 62
spuria (Sw.) Griseb., 55, 68–70, 72–74
Psittacanthus
pinicola Kuijt, 53
Psychotria
costivenia Griseb., 57
limonensis K.Krause, 57
mexiae Standl., 58
poeppigiana Müll.Arg., 58
pubescens Sw., 58
quinqueradiata Pol., 58
Psylliostachys
spicata, 18
Puglisi, C., 263–264 Rev.
Putranjivaceae, 57

Quantitative analysis
of flora of Iraq, 1–24
Quararibea
funebris (La Llave) Vischer, 53, 65
Quercus, 15, 19
aegilops, 15, 19
boissieri, 19
brantii, 3, 15, 19
infectoria, 15, 19
libani, 15, 19

Randia
matudae Lorence & Dwyer, 58, 75
retroflexa Lorence & M.Nee, 58, 75
Ranjan, V., 153–155
Ranunculaceae, 8, 11
Ranunculus
asiaticus, 13, 19
Rapid Botanical Surveys (RBS), 99–100
Raspaculo watershed, Belize, 39, 42, 65–75
Rauhia, 115
Rauhocereus
riosaniensis Backeb.
subsp. *jaenensis* (Rauh ex Backeb.) Ostolaza, 105, 107, 111
subsp. *riosaniensis*, 107
Reaumuria
songarica [*soongorica*] (Pallas) Maxim., **343**
Recircumscription
of *Donella*, 297–339
Reinstatement
of *Donella*, 297–339
Reis, S.M., 83–93
Reproductive timing, and ancestry, 345–370*
Reserva Rio Guajalito, 291–296*
Retrophyllum C.N.Page, 171–261 [**183**]
australe R.S.Hill & Merrifield, 173
comptonii (J.Buchholz) C.N.Page, 172, 174, 177–179, 186, 188–189 [188 Fig.], **199–**207 [201 Map], 209–211, 215–216, 242 App.
filicifolium (N.E.Gray) R.R.Mill, 171, 174, 176–177, 186, 188–189 [188 Fig.], **193–**199 [195 Fig., 197 Map], 219
minus (Carrière) C.N.Page, 171–172, 174, 177–179, 182, 186, 188–190 [188 Fig.], 206–216 [**208**, 212 Map], 241–257 App.
piresii (Silba) C.N.Page, 171–172, 174, 180, 186, 217, 221, 225, **227–**231 [228 Fig., 230 Map]
rospigliosii (Pilg.) C.N.Page, 171–175, 179–180, 185, 188 Fig., 191, **216–**229 [218 Fig., 222 Map, 228 Fig.], 231
vitiense (Seem.) C.N.Page, 171–172, 174–176, 183–184, **186–**194 [188 Fig., 191 Map], 198, 207, 209, 219
vitiense sensu Li, 194
vulcanense M.Pole, 173, 190
Revisions
of *Donella*, 297–339
of *Retrophyllum*, 171–261
Rhamnaceae, 57, 63, 66, 102, 110–111
Rhanterium, 17
epapposum, 10, 18
Rhazya
stricta, 18
Rhizophoraceae, 57, 77
Rhododendron
alborugosum argent & J.Dransf., 139
Ribeiro-Silva, S., 157–170
Rinorea
hummelii Sprague, 60, 69–70, 72–74
Rivers, Middle Eastern, 3
Rogiera
stenosiphon (Hemsl.) Borhidi, 58
Rosaceae, 8, 11, 57, 77
Roupala
montana Aubl., 86–89, 91
Ruagea
insignis (C.DC.) T.D.Penn., 225

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Rubiaceae, 8, 11, 57, 77, 101, 110
Ruprechtia
albida Pendry, 110
aperta Pendry, 103, 105, 110–111
Rutaceae, 58, 65, 67, 70, 74, 102, 110
Ruyschia
enervia Lundell, 53

Sabal
mauritiiformis (H.Karst.) Griseb. & H.Wendl., 48, 72
Sageretia
elegans (Kunth) Brongn., 57, 63, 66
Saharo-Sindian regional zone, 1, 16–18
Salacca
dransfieldiana Mogea, 139
Salacia
belizensis Standl., 49
Salicaceae, 58
Salicornia, 20
Salsola, 16–17
Salvadora
persica, 16
Salvia, 6
compressa, 14
palestina, 14
syriaca, 19
Sambucus, 372 Rev.
Santamaría-Aguilar, D., 291–296
Sapindaceae, 58, 62, 64, 69–70, 74, 101–102, 110
Saponaria, 6
Sapotaceae, 59, 63, 65, 70–71, 73–74, 77, 110, 297–339
subfam. Chrysophylloideae, 297–339*
subfam. Sapotoideae, 297
subfam. Sarcospermatoideae, 297
Särkinen, T., 39–81, 95–123
Saurauia
yasicae Loes., 47
Saussurea
ovata Benth., 341, **343**
Savanna, *see Cerrado*
Schizolobium
parahyba (Vell.) S.F.Blake, 52, 65
Schnella
outimouta (Aubl.) Wunderlin, 52, 66, 72
Schoepfia
schreberi J.F.Gmel., 59, 69
Schoepfiaceae, 59
Schrebera
americana (Zahlbr.) Gilg, 110–111
Sclerolobium
paniculatum Vogel, 86
Scolytidae, 226
Scrophularia
desertii, 18
Scrophulariaceae, 8, 11
Seasonally Dry Tropical Forests (SDTFs), 95–123* [97 Map]
Sebastiania, 109
haploclada Briq., 109
Seetzenia
africana, 16
Seidlitzia
rosmarinus, 10
Semecarpus
vitiensis (A.Gray) Engl., 193
Semiarid *Caatinga* biome, 157–170
Senna, 101, 103
Serianthes Benth., 198
Serjania
atrolineata C.Wright, 58
Shaw, Robert Barkley, 341
Sideritis
libanotica, 20
Sideroxylon
foetidissimum Jacq.
subsp. *gaumeri* (Pittier) T.D.Penn., 59
obtusifolium (Humb. ex Roem. & Schult.) T.D.Penn., 103, 105
salicifolium (L.) Lam., 59
stevensonii (Standl.) Standl. & Steyerm., 59, 69, 75–76
Silene, 6
Simarouba
glauca DC., 59, 69
Simaroubaceae, 59
Simira
salvadorensis (Standl.) Steyerm., 58
Singh, R.Kr., 133–138
Siparuna
thecaphora (Poepp. & Endl.) A.DC., 59
Siparunaceae, 59
Sloanea
meianthera Donn.Sm., 50
Smithtonia R.S.Hill & M.Pole, 173–174, 191
Solanaceae, 8, 59, 101–102, 110
Solanum, 103
arcanum Peralta, 110
cordovense Sessé & Moc., 59

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

hutchisonii (J.F.Macbr.) Bohs, 110–111
South America, 95–123 [98 Map], 143–152, 171–261*
Speciation
and phenology, 345–370
Spigelia
humboldtiana Cham. & Schltdl., 52
Spondias
mombin L., 47, 68–74
Srivastava, S.C., 153–155
Stachys, 6
Stachytarpheta
weberbaueri Moldenke, 110
Staphylea
occidentalis Sw., 60, 72
Staphyleaceae, 60, 77
Stephanocereus
leucostele (Gürke) A.Berger, 162–167
Steppe
in Iraq, 12–15
Stevenson, D.W., 345–370
Stigmaphyllon
lindenianum A.Juss., 53
peruvianum Nied., 109
Stillingia
parviflora Sanchez Vega, Sagastegui & Huft, 109
Stipa, 18
capensis, 11, 18
Stipagrostis, 17
Stizophyllum
riparium (Kunth) Sandwith, 48
Suaeda, 17, 20
aegyptiaca, 16, 18
Sumatra, 277–289*
Sutorý, K., 265–275
Swietenia
macrophylla King, 54, 65, 75–76
Synonomy
of *Retrophyllum*, 257 App.
Syzygium R.Br. ex Gaertn., 198, 277–289*
abatakum Widodo, 277–280 [**278**, 279 Fig.]
angustovatum Widodo, 280
angustovatum Widodo & Chikmawati, 277, **280–**281 [281 Fig.]
astronioides (C.B.Rob.) Merr., 287
bengkulense Widodo, 277, **282–**283 [283 Fig.]
blumei (Steud.) Merr. & L.M.Perry, 285, 287
comosum Widodo, 277, **282**, 284–285 [284 Fig.]
confusum (Blume) Bakh.f.
jambos (L.) Alston, 282, 285
ketambense Widodo, 277, **285–**287 [286 Fig.]
korthalsii Widodo, 280
longipetiolatum Widodo, 277, **287–**288
pyrifolium (Blume) DC., 278, 280
salictoides (Ridl.) I.M.Turner, 285
tahanense (Ridl.) I.M.Turner, 287–288
tassellum Widodo, 277, 282
vrieseanum (Miq.) Amshoff, 285

Tabebuia
rosea (Bertol.) A.DC., 48
Tabernaemontana, 65, 72, 74
amygdalifolia Jacq., 47
donnell-smithii Rose, 47, 69–70, 74
morphosp. ‘Yellow IB Apocynaceae’, 66
Tachigali
vulgaris L.F.Gomes da Silva & H.C.Lima, 83–93*
Tacinga
funalis Britton & Rose, 162–164, 166
inamoena (K.Schum.)N.P.Taylor & Stuppy, 162, 165
palmadora (Britton & Rose) N.P.Taylor & Stuppy, 157–170*
Tamaricaceae, 341
Tamarix, 10, 20
Tanaecium
caudiculatum (Standl.) L.G.Lohmann, 48
pyramidatum (Rich.) L.G.Lohmann, 48
Tapirus
bairdii, 40
Taurus mountains, 125
Taxa
of Iraq, 8–9 [9 Fig.]
of Middle East, **5**
Taxaceae, 175
Taxonomy
of *Donella*, 297–339*
of *Primulina*, 25–37*
Tebbitt, M.C., 143–152
Tecoma
rosifolia Kunth, 106, 115
Terminalia
amazonia (J.F.Gmel.) Exell, 49, 65, 67–70, 73–74
valverdeae A.H.Gentry, 116
Ternstroemia
tepezapote Schltdl. & Cham., 56, 69

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Tetracera
volubilis L., 50
Tetraena, 17
coccinea, 10
Tetramerium
peruvianum (Lindau) T.F.Daniel, 106, 111
Tetrapterys
schiedeana Schltdl. & Cham., 53
Tetrasida
chachapoyensis (Baker f.) Fryxell & Fuertes, 103, 105, 110–111, 115
serrulata Fryxell & Fuertes, 110
weberbaueri (Ulbr.) Fryxell & Fuertes, 110
Teucrium
oliverianum, 10
polium, 19
Thamnophthorus
impensus Wood, 226
Theaceae, 291–296*
Thevetia
ahouai (L.) A.DC., 47
Thinouia
tomocarpa Standl., 58
Thouinia
paucidentata Radlk., 59, 62, 64
Threatened species, in Belize, 39–81*
Thymus, 6
Tomazello, M., 95–123
Torreya
bogotensis Linden ex C.Koch, 187, 191, 217
Tournefortia, 103
ternifolia Kunth, 106
Transition zone, *cerrado*–Amazonian forest, 83–93
Trichilia
erythrocarpa Lundell, 54, 69, 71, 73–75
havanensis Jacq., 54
martiana C.DC., 54, 63–64
minutiflora Standl., 54, 69, 73–75
moschata Sw., 54, 74
pallida Sw., 54
Trichospermum
grewiifolium (A.Rich.) Kosterm., 53
Tripogandra
grandiflora (Donn.Sm.) Woodson, 50
Tripospora
venezuelensis E.Müll., 226
Trophis
mexicana (Liebm.) Bureau, 55
racemosa (L.) Urb., 55
Turkey, 125–131*
Turkistan, 341
Turner, I.M., 341–344
Turnera
aromatica Arbo, 56
Tynanthus
guatemalensis Donn.Sm., 48, 69, 72
Typha, 20
Typification
of *Nageia minor* Carrière, 241–257 App.
see also Lectotypification

Urera
simplex Wedd., 60
Urticaceae, 11, 60, 62–65, 70, 73, 77, 102
Urvillea
peruviana Ferrucci, 110

Valeriana
scandens L., 49
Valerianaceae, 372 Rev.
Vallesia
glabra (Cav.) Link, 104
Valleys, dry Andean, 95–123
Vandrot, H., 39–81
Vegetation
of Iraq, 13 Map
of Middle East, 1–24*
succession in Brazil, 83–93
Verbascum, 6
Verbenaceae, 101–102, 110
Verbesina, 101, 103, 105, 114
andina Sagást., 108
auriculigera S.F.Blake, 108
cajamarcensis Sagást., 108
capituliparva, 108
chachapoyensis Sagást. & Quipuscoa, 108
hexantha Sagást., 108
lopez-mirandae Sagást., 108
ochroleucotricha Sagást., 108
pentalobifolia Sagást., 108
plowmanii Sagást., 102, 108
Veronicaceae, 372 Rev.
Viburnum, 372 Rev.
beccarii Gamble, 153–**155*** [154 Fig.]
Violaceae, 11, 60, 70, 73–74
Virola
calophylla Warb., 225
koschnyi Warb., 55, 62, 64

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press

Vitaceae, 11, 60
Vitex
gaumeri Greenm., 51, 68, 73, 75–76
Vitis
tiliifolia Humb. & Bonpl. ex Schult., 60
Voyria
parasitica (Schltdl. & Cham.) Ruyters & Maas, 51

Wallraff test, 348
WANG, B.-M., 25–37
WEN, F., 25–37
Western Ghats, 133–138
WIDODO, P., 277–289
WILKIE, P., 139–142
Willungia R.S.Hill & M.Pole, 173–174, 191
maslinensis (D.T.Blackburn) R.S.Hill & M.Pole ex R.R.Mill & R.S.Hill, 173
Wimmeria
bartlettii Lundell, 49
Witheringia
solanacea L'Hér., 59
Woody plant diversity, 95–123*
Woody taxa, of Mesoamerican forest, 39–81

Xanthostemon
aurantiacus Schltr., 215
XAVIER VALADÃO, M.B., 83–93
Xinjiang, China, 341–344*
Xyleborus
rameus Schedl, 193

Yarkand, 341–344

Zamia L., 345–370*
acuminata Oerst. ex Dyer, 347, 349–356, 359, 366 App., 369 App.
angustifolia Jacq., 347, 349–356, 361, 366 App., 369 App.
erosa O.F.Cook & G.N.Collins, 347, 349–356, 366 App., 369 App.
fairchildiana L.D.Gómez, 346
integrifolia L.f., 347–357, 360–361, 366 App., 369 App.
lecointei Ducke, 347–359, 367 App., 370 App.
manicata Linden ex Regel, 347, 349–356, 361, 367 App., 370 App.
muricata Willd., 347, 349–356, 361, 367 App., 370 App.
neurophyllidia D.W.Stev., 346–347, 349–356, 368 App., 370 App.
pumila L., 347–348, 349–361, 368 App., 370 App.
pygmaea Sims, 347–348, 349–357, 359, 368 App., 370 App.
roezlii Linden, 347, 349–356, 359, 361, 369 App., 370 App.
skinneri Warsz., 346
Zamiaceae, 345–370
Zanthoxylum, 65, 67, 75, 103
acuminatum (Sw.) Sw., 58, 69–70, 74–75
rigidum Humb. & Bonpl. ex Willd., 105
Zilla, 17
Ziziphus
nummularia, 10, 18
Zuelania
guidonia (Sw.) Britton & Millsp., 58

https://doi.org/10.1017/S0960428616000226 Published online by Cambridge University Press