Index

This index should be cited as:
IPCC, 2018: Index. In: *Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty* [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, USA, pp. 601-616.

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

Note: [*] indicates the term also appears in the Glossary. Italicized page numbers denote tables, figures and boxed material. Bold page numbers indicate main discussion of topics. Supplementary Material is listed by section number, for example, 1.SM.3, 2.SM.1.3.4.

1.5°C pathways*, 12–17, 51, 59–64, **93–174**, 265–271, *278, 320,* 1.SM.4, 1.SM.6
assumptions, 95, 98, 109–112
carbon dioxide removal (CDR)* in, 17, 21, 95, 96, 118–125, 180, *277*, 316
classification of, 99–100, *100*, 113–114
CO_2 emissions, 1.SM.6
definition, 51, 53, 59–61
demand-side mitigation and, 97, 460–461
emissions and, 5, 6, 12, *13, 14–15,* 18, 51, 95–96, 112, 1.SM.6
emissions, benchmark indicators for sectoral changes in, 4.SM.1
emissions evolution in, 115–118, *117, 119*
feasibility*, 18–19, 52, 56, ***71–72***, 380–386
four categories of, 59–61, *62, 63*
future emissions in, 96, 104–107
impediments to, 93, 95, 110
implications of, 265–271
investments and economics, 16, 95–96, *150–151*, 152–155, *264–265*
key characteristics, 112–114, *129*
knowledge gaps, *388–390*
mitigation and adaptation options*, 110–112, 316–317
mitigation measures, *14–15,* 19–21, 51–52, 110–112
model pathways, 12, *14–15*, *278*
multiple strategies for, 157, *469*
near-term action, implications of, 126–129, *128*
one-in-two to two-in-three chance (of reaching limit) in, 60, *63*, 113
overview of, 108–129, *129*
pathway archetypes, 99–100, *100*, 112–113, *113*
pathways remaining below 1.5°C, *100*, 113–114, *160*
pathways temporarily exceeding 1.5°C, *100*, 113–114, *160*
policies, 112, 148–150
remaining carbon budget*, 12, 96, 104–107, *108*
scenarios, 98–100, *100*
strengthening the global response, 18–23, 70–75, **313–443**
sustainable development and, 19–23, *20–21*, 98, 156–157, *156*, 448–449, 463–472, *465*
sustainable development pathways, *64*, 448–449, **466–472**, *469*, 479–480
synergies and trade-offs, 18–21, *20–21*, 316, *391*
system/sector transitions, *14–15*, 15–16, **323–349**
time frame for mitigation, 95–96
transformations, 129–148, 322–323, 466
transitions, speed and scale of, 320, *320*, 322–323
See also Pathways

1.5°C warmer worlds*, 4–6, 274–281
commonalities in, *277*
definition, 53
energy supply and demand in (FAQ), 161, *162*
equity and, 54–55, 451–453
impacts in, 7–10, 177–179, 319
importance of adaptation in (FAQ), 396–397, *397*
key questions, *274–277*
knowledge base for, 52, 53–56
poverty, equality, and equity implications, 451–453
projected climatic changes, 7–10, 186–188, *188, 189*
projected risks and impacts, 7–10, *11*, 51, **175–311**
risks, *vs*. 2°C worlds, 5, 7–9, *11*, 177–181, *277*
storyline of this report, 77–78, 78
storylines of, *277*
sustainable development and, 18–23, 55–56, 447
temperature in, *283*
time frame for mitigation, *277, 278*
variation in, 177, *277, 278*
watershed management in, *356*
See also Global warming of 1.5°C

2030
emissions gap, *358*
emissions levels in, 18, 95, 114

2030 Agenda for Sustainable Development*, *56, 73*, 469, 477
See also Sustainable Development Goals

A

Acceptability of policy or system change*, 22, 368–369

Adaptability. *See* Adaptive capacity

Adaptation*, 5, 10
bottom-up approaches, 317, 368
community-based, 315, **330**, 384, 458
definition, 51, 70, 396
ecosystem-based, 386, 457–458
FAQ on, 396–397, *397*
feasibility, 380, *381*, 385
finance, 21–22, 379, 456
implementing, 51, 315, 383–386
importance of, 396–397, *397*
infrastructure investments, 21
integration with mitigation and sustainable development, 75–76, 448, **467**
knowledge gaps, *388–391*
levels of, 51
local participation, 456
maladaptation, 19, 386, 396
in Mekong River basin, *239–240*
place-specific, 447, 458
potential for, *247–250*
rate of temperature change and, 178
risk reduction and, 5, 10
sea level rise and, 10, 457
socio-economic challenges to, *110*
specific sectors, 10
sustainable development and, 19, 447, **456–459**
synergies, 18–19, *391*, 447, 475
synergies with mitigation, 386–387, 475, 4.SM.4.5.1, 4.SM.5.2
transformational, 5, 315, 322–323, 384, 397, 456–457

Adaptation behaviour*, *See* Human behaviour

Adaptation limits*, 10, 70, *454–456*
examples of, *455*
hard limits, 70, *455*
residual risks and, *454–455*
for Small Island Developing States, *235*
soft limits, 70, *455*

Adaptation options*, 10, 19, 316–317, 319, 336–337
in agriculture, 70, 315, 457
cost-effectiveness, 316
education and learning, 337, 456
enabling conditions*, 4.SM.2
energy system transitions, 4.SM.4.3.1
feasibility, *381*, 384–386, 385, 4.SM.4.3.1-4.SM.4.3.5
industrial system transitions, 4.SM.4.3.4
land and ecosystem transitions, 4.SM.4.3.2
overarching, 336–337, *338, 385, 389,* 4.SM.4.3.5
supporting transitions, 336–337, *338*
sustainable development and, 457–458
synergies, 18, 19
urban, 10, 70, 263, *340–341*, 384–386, *385*
urban and infrastructure transitions, 4.SM.4.3.3

Adaptation pathways*, *64*, 70, 396, **458–459**
place-specific, 458

Adaptive capacity*,
enhancing, 316, 319, 456–457
factors affecting, 69
limits to, 10
sustainable development and, 447

Adaptive governance. *See* Governance

Aerosols*, 12, 65, 118, *120*, 267–268
aerosol cooling, 96, 267–268
knowledge gaps, 157
precursors, 98, 102–103, 118, 157
radiative forcing, 102–103
See also Black carbon

Afforestation*, 17, 21, 96, 121, 266, *270*, 316, **343**
co-benefits, 316
constraints, 316
FAQ, 394, *395*
incentivization of, 147
land requirements, 125, *126*, 265, 266, *269, 270,* 316
trade-offs, *269*

AFOLU. *See* Agriculture, forestry and other land-use

Africa
Fybnos and succulent Karoo biomes, 260, *261*
Limpopo Watercourse Commission, *356*
Sahel, 180, 236, 259, *261*, 262–263
Southern Africa, 260, *261*
tipping points*, 262–263, *264*
West Africa and the Sahel, 259, *261, 264*
West African monsoon, 262–263, *264*

Agreement*. *See* Confidence; Evidence; Likelihood

Agriculture
adaptation options*, 70, 315, 457
agroforestry, 328, 384

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

climate-smart agriculture*, 457, 467
conservation agriculture*, 267, **327**, 384, *459*
crop yields/productivity, 9, *11*, 145, *145*, 147, 179, 236–237, 252, 259, 263, *264*, 267, 316, 327, 452, 3.SM.3.3.5
emissions, 12, *14*, 95, 96, 116–118, 147, *147*, 157, 265, 315–316
energy crops, 16, 97
intensification of, 266–267, 327
irrigation, 201, 215, 267, *267*, 315, **328**, 384, 466
land for, 16, 97, 112, *146*, **327–329**
livelihoods, 55, 315, 447
mitigation potential, 316
peri-urban, 316
risk reduction, 456
technological innovation and, 329, *370*
tipping points*, 263, *264*
transformational adaptation in, 384
transitions, 315–316
water-energy-food (WEF) nexus, 386–387
Agriculture, forestry and other land-use (AFOLU), 144–148, 463
CDR and, 17, 121, 144–145
drivers of changes in, 145–146
emissions, *14–15,* 114, 118, 268
mitigation options*, 462–463
policy assumptions, 145–146
projections for, 17
Agroforestry, 328, 384
Air pollution/quality*, 157, 241, *250, 267,* 316, 464
Albedo*, 70, 267
Algae, as bioenergy source, 111–112
Alpine regions, 259, *261*
Amazon, *340*
tropical forest, 221, 263, *340*
Ammonia (NH_3) emissions, 96
Anomalies*
global mean surface temperature, 183, *210*
soil moisture*, 198, *199*, 200
Antarctic ice sheet, 7, 178, *208–209*, 257, 258, 271, 282
Antarctic sea ice, 206, 225
Anthropocene*, 52, 53, ***54***, 75
as boundary concept for 1.5°C warmer worlds, *54*
geological dimension of, *54*
Anthropogenic emissions*, 5, 95
recent trends, 1.SM.7
Appliances, energy-efficient, 316, 331, 460, 461
Aquaculture, 8, 9, 237–238
hypoxia and, 224
production, 237–238
risks for, *228*
AR5. *See* IPCC Fifth Assessment Report (AR5)
Arctic region, 258–259, *338–339*, 452, 3.SM.3.3.5
adaptation in, *339*
economic effects of climate change, *339*
ecosystems, 9, *11*, 53, 220
as hotspot, 258, *261*, 262, 270, 338
indigenous peoples, 9, *339*
land regions, 259, *261*
risks for, 9, 53, 251, *252*, 253, 452
tipping points*, 262, *264*
warming in, 4
See also Arctic sea ice
Arctic sea ice, 8, **205–206**, *209*, 254
beyond end of century, 270
fisheries and, 224–225
as hotspot and tipping point, 258, *261*, 262, 270
projected changes, 205, *212*, 254
sea-ice free summers, 8, 178, 205, 206, 254
temperature overshoot and, 8, 178, 206
Asian monsoon, 262, *264*
Assessment frameworks, 75–76
climate models and simulations, 76
confidence, uncertainty, and risk, 77
cost-benefit analysis*, 76
detection and attribution, 76
knowledge sources and evidence, 75–76
methodologies, 76
risk assessment*, **183–186**
Atlantic Meridional Overturning Circulation (AMOC), 205, 223, 257
Atlantic Multi-Decadal Oscillation (AMO), 201
Atmosphere-ocean general circulation model (AOGCM). *See* Climate models
Attribution. *See* Detection and attribution
Avoided impacts, 18, 68, 183, **253–265**, 447
aggregated avoided impacts, 253–258
hotspots, 258–260, *261*
poverty and inequality implications, 452–453, *453*
Reasons for Concern, 253–259
reduced risks, 452–453, *453, 455*
regional tipping points, 262–263, *264*
sustainable development
implications, 452–453, *453*

B

Baseline period. *See* Reference period
Batteries, 325
Behavioural change. *See* Human behaviour
Beijing, peak car use, *376*
Bhutan, national goals, *387*
Bio-based feedstocks, 315, 335–336, *335*
Bio-technologies, 319
Biochar*, 121, *268, 270,* **345**
Biodiversity*, 8, 256–257
adaptation limits*, *455*
Aichi targets, 266
CDR and, 265, 266, *269*
impacts and risks at 1.5°C *vs.* 2°C, 8, 179, 256–257
management, 10
Bioenergy*, 12, 17, 97, 111–112, *124*, 131, **324–325**
carbon intensity of, 324–325
crops, 147
emissions increase with, 96
IAMs/modelling, *124*, 2.SM.1.2.4
land use for, 19, *146*, 147, 265, *269*, 343
risks of implementing, 125
sugarcane for bioethanol in Brazil, *371*
trade-offs, 97
water use and, 464–466
Bioenergy with carbon dioxide capture and storage (BECCS)*, 17, 121, *268–270*, 316, **342–343**, 394, 395
in IAMs, *124*
land requirements, 125, *126*, 180, 265–266
net zero emissions and, 135
pathways with, *14–15*, 17, 96, 180
risks, 125, *268–270*
uncertainties, 158
Bioethanol, *371*
Biofuel*, *269,* **324–325**
Biomass*, *131, 132–133, 138, 269,* 324
Biome shifts, 216, *217, 247, 250,* 256–257
Fybnos and succulent Karoo biomes, 260, *261*
Bivalve molluscs, 180, 227, 228, 237, 238, *248*, 3.SM.3.2.5, 3.SM.3.2.11
Black carbon (BC)*, 12, *13*, 96, 118, *120*, 316, **341–342**
main characteristics of, *342*
reducing emissions of, 341–342
warming impact, *66*
Blue carbon*, 330, 462
Bolivian Altiplano, 458
Boreal forests, 8, 263, *264*
Bottom-up approaches, 317, *368*
Brazil
bioethanol in, *371*
National Adaptation Plan, *340*
Buen Vivir, 480
Buildings, 15–16, *139*, 140–142, 316
building codes, 332, *339*, 377
decarbonization of energy supply, 316
decarbonization of investments, 378
electrification, 141
energy efficiency and, 332, 339, 377, 460
energy supply/use in, *139*, 140–142, *141*, **331**
heating and cooling demand, 141–142, 331
long-lived infrastructure, 142
low-emission, 317, 460
technological innovations, *370*
transitions, speed and scale of, *320*
Burden sharing*, 380, 470

C

Cancun Agreement, 79, 353
Car use
peak car use, *376*
pricing policies and use reductions, *366*
Carbon budget*, 12, 96, 104–107
in 1.5°C pathways, 113–114
remaining carbon budget*, 12, *24*, 96, 104–107, *108*
remaining carbon budget*, assessment methods, 104–107, 2.SM.1.1.2
total, *24*
uncertainties, 12, 96, 106, *108*
Carbon cycle*, 96, 103, 157
inertia, 107
oceans and, 257–258
terrestrial, 219, *220*
uncertainties, *347*
Carbon dioxide (CO_2)*
cumulative emissions, *6*, 12, *62, 67*, 96, *105*, 114, *123*, 126–127, *127*

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

emissions reductions, 18, 95, 96
net emissions, 12–17, *13, 14–15*, 114, 116, *119*
net zero emissions, 5, 12, *24*, 95, 107, 116
permafrost release of, 104
sector-specific emissions, *119*
time scales of warming due to, 64
Carbon dioxide capture and storage (CCS)*, *14*, 15, 97, 134–136, *136*, *268*, *277*, 315
deployment in 1.5°C and 2°C pathways, 134–136, *136*
direct air carbon dioxide capture and storage (DACCS)*, 17, 125
fossil fuels with CCS, 97, 135
in industry sector, 335, 336
in power sector, 326–327
uncertainties, 136
See also Bioenergy with carbon dioxide capture and storage (BECCS)
Carbon dioxide capture and utilisation (CCU)*, 15, *335*, 336
Carbon dioxide capture, utilisation and storage (CCUS). *See* Carbon dioxide capture and utilisation (CCU)
Carbon dioxide removal (CDR)*, 17, 70, 118–125, ***268–270*, 342–346**, 4.SM.4.2.5
in 1.5°C pathways*, 17, 21, 95, 96, 111, 114, 118–125, *122*, 180, 265, *277*, 316
AFOLU sector, 17, 121
co-benefits, 121, 266
comparison of removal options, *270*
costs, *344*, 4.SM.3
cross-cutting issues, *347*
definition, *24*, 70
deployment at scale, 17, 70, 96, 114, 121–124, *122*, 180, 265–266, *269–270*, 343, 4.SM.3
deployment potential, *344*
design and implementation of, 21, 448
ethical aspects, *347*
FAQ on, 394, *395*
feasibility, 17, 121, *269*, 316, 343, *383*, 4.SM.4.2.5
governance and, 17, *347*
key messages, *270*
knowledge gaps, 158, *390*
land-based, *268–270*
land footprint of, 125, *126*, 180, 265–266, *269, 270*, 343
limitations of, 96
in model pathways, 12, *14–15*
net negative emissions, 96, 114, 118
ramp-up rates for, *119*, 123
reducing dependence on, 19, 149, 180, 277
risks of, 96, 114, 125, 265–266, *344*
role of, 17, 21, 96, 111, 114, 122–123
side effects, *344*, 4.SM.3
sustainability and, 21, 96, 114, 124–125
Sustainable Development Goals and, 448, 462
trade-offs, 21, 96, 462
types of measures employed, 17, 70, 96, 121, 125, 265, *268, 270*, 316, 342–346, 394
uncertainties, 96, 158, 343, *347*
Carbon intensity*, 97
of bioenergy*, 324–325
of electricity, 97, *130*
of final energy sectors, 129–130, *130*, 137–138, 139
of residual fuel mix, *130*
Carbon leakage, 149, 375
Carbon neutrality*, 14, 96
timing of, 12, 96
Carbon price*, 95, 152–153, *153*, 375–377
necessity and constraints, 375–377
policies on, 95, 317, 375–377, 460
uniform world carbon price, 375
Carbon sequestration*, *67*, 95, 112, 114, 121–124, 147, 266
marine, 17, 121, 125, 178, 227, *228*, 229, 3.SM.3.2.8
in peatlands, 221
permanence of, 125
soil carbon sequestration (SCS)*, 17, 121, 219, *268, 269, 270,* **345**
terrestrial, 112, 121, 125, 146–147, 219, 265, 316
tracking progress toward, *67*
See also Blue carbon; Carbon dioxide capture and storage
Carbon sink. *See* Carbon sequestration
Carbonate chemistry, 178, 222, 223
Caribbean region, 260, *339–340*
small island developing states and territories, *339–340*
China
peak car use in Beijing, *376*
technology and renewables pathways, 471
Circular economy, 335–336
Cities, 330–334
impacts and risks, 180, *182*
sea level rise, impacts, 231–232
transformation* in, *472–474*
See also Urban areas; and specific cities
Civil society, 23, 317
Clean Development Mechanism (CDM)*, 474
Climate change commitment*
constant composition commitment, 64
geophysical warming commitment, 64–66, *65*
warming commitment from past emissions, 64–66, *65*, 1.SM.5
zero emissions commitment, 64–65, *65*
Climate education, 22, 317, 456
Climate extreme (extreme weather or climate event)*, 4, *182*
in 1.5°C warmer worlds*, 7
human health and, 240–241
impacts, 7, 177–178, *182*, 240
observed changes in, 4, 7, 177, *210*, 223, 1.SM.1
precipitation extremes, 7, 178, *189*, 190–192, *197*
projected changes, 7, 177–178, *189*, 190–191, *192*
risks from, *11*, 181
temperature extremes, 7, 177, 187, *189*, 190–191, *192, 210*, 255
Climate feedbacks*, 5, 103
biophysical feedbacks, 266–267
Earth system feedbacks, 65, 103–104
land processes and, 268
Climate forcers. *See* Radiative forcing
Climate models*, 7, 76, 177, 183–184, *274*, 3.SM.1.1
Coupled Model Intercomparison Project (CMIP)*, *62*, 76
downscaling*, 76, 186, 194
FAIR, 99, 101, *102*, 103, *103*, 158
HAPPI, 76
integrated multimodel studies, 99
knowledge gaps, 272
MAGICC, 99, 101, *102*, 103, *103*, 127, *127*, 158
reduced-complexity, 2.SM.1.1.1
regional (RCM), 185
Climate monitoring, 317
Climate projections*
climate models and simulations, 76, 183–184
definition of, **184**
Climate-resilient development pathways (CRDPs)*, 22, 52, 73, 448–449, 450–451, *451*, **468–472**, 475–476
country and community strategies, 470–471
definition, *24, 64*
development trajectories and equity, 469–470
FAQ on, 479–480, 480
low-carbon development pathways, 471–472
regional and national factors, 22
sustainable development and, 22, 448–449
trajectories and decision-making in, *451, 480*
transformations, equity, and well-being in, 468–469, 472, *472–474*
urban transformations* in, *472–473*
in Vanuatu, *471*
Climate-resilient pathways*, *64*
Climate sensitivity*
equilibrium climate sensitivity*, 103, 104
transient climate response*, 96, 184–185
uncertainties, 12
See also Transient climate response to cumulative CO_2 emissions
Climate services*, 337, *338, 385*
Climate system*, 5, *208*
as a global commons, 353
assessment of changes in, 183, 186
observed changes in, 177
tipping points in, 262–263, 270
Climate target*, 98–99, *151*
policy assumptions and, 149
stringent, 112, 126
Climate variability*, *279–281*
Coal, 96–97, 132, *132–133, 138*, 461
Coastal communities, 9, 181, *182, 222, 453,* Table 3.SM.4
adaptation, 226, 233, 457
adaptation limits*, *455*
coastal protection, 225, 226, 227–228, 3.SM.3.2.9
flooding, *11*, 181, 231, *235*, *249*, 252, *252*, 3.SM.3.3.3
groundwater, 181
infrastructure risks, 181, 226, 231, *235*, *249*
livelihoods, 9, 222, 226, *249*, 447, 452
relocation of, 457
sea level rise and, 207, 225, 231–234, 243, *249*, 252, 457
tourism, 229, 253

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

Coastal ecosystems, 8, 181, 182, *226*, *249*, 330, Table 3.SM.4
blue carbon*, 330, 462
framework organisms in, 225–226, *248*
integrated coastal zone management, 226
protection services, 227–228, *228, 248*
restoration of, 330
saltwater intrusion, 8
sea level rise and, 207, 225, *249*
storms/storm surge, 223, *249*
stress management in, 330
Co-benefits*, 2, *67*, 157, 268, 316, 319, 323
of sustainable development*, 447
Common but Differentiated Responsibilities and Respective Capabilities (CBDR-RC)*, 318
Community-based adaptation, 315, **330**, *360*, 384, 458
Conference of the Parties (COP)*
COP 15, 378
COP 16 (Cancun), 353
COP 21, *66*, 79, 372
Confidence*, 77, 182
See also Evidence; Likelihood; Uncertainty
Conflict, 245
Conservation agriculture*, 267, **327,** 384, *459*
Consumption, 53, 56
resource-intensive, 95
responsible, 460
Cook stoves, 460
Cooperation, 23, 461
international, 22, 23, 95, *240*
regional, 353–354
Copenhagen Accord, 353
Coral reefs, 8, *11*, 179, *229–230*, 3.SM.3.2.3, 3.SM.3.2.10, 3.SM.3.3.9
adaptation limits*, *455*
bleaching and mortality, 70, *228*, *229*, 254
Great Barrier Reef (Australia), *228*, 251
heat stress, 226, *229*
impacts, 221
observed loss of, 8, 228–*229*
projected losses, 8, 179
projected risks, 53, 225–226, *228, 228–229, 248,* 251, 252, 254
protection for coastal areas, 228
storm damage, 222
Cost-benefit analysis*, 76, *150–151*
Cost-effectiveness*, *150–151*, 152–153, 316
Costs, 76
adaptation, 21–22, 316
economic damages from climate change, 243, *264–265*
energy sector transition, 374–375
marginal abatement costs, 16, 95, *150*
mitigation, 16, 22, 258, *264*, 316
regional economic benefits, 258
social cost of carbon (SCC)*, *150–151*, *265*, 375
See also Carbon price
Coupled Model Intercomparison Project (CMIP)*, *62*, 76
Covenant of Mayors initiative, 354, *355*
Crop yields, 9, *11*, 145, *145*, 147, 179, 236–237, *252*, 259, 263, 267, 327, 452, 3.SM.3.3.5
Cuba, risk management in, *339*
Cultural practices and resilience, *360*

D

Danube River Protection Convention, *356*
Decarbonization*
of electricity, 95
of energy sector, 95, 148, *277*, 316, 461
of industry sector, 140
of investments, 378
macro-level indicators, 129–130
rate of, 12, 468
transport sector, 333, 461
Decision-making, 321, 360, 365, 456, 462, *469*
adaptation, 459
information provision and, 367
participatory, 386, 459
problem-solving, 448–449
sustainable development goals and, *451*, *480*
Decoupling*, 56, 372, *376*, 461
Definitions, *24*
See also Glossary
Deforestation*, 263, *264*
emissions from, 146
of mangroves, 226, 251
rates of, 146
reducing emissions from (REDD+), 329–330
tipping points*, 263
Deltas and estuaries, 232–233
Demand and supply-side measures*, 97, 111, 161, 317
demand-side measures*, 97, 460–461
investments, 153–154
mitigation and, 97
supply-side measures*, 111
See also Energy supply and demand
Dengue fever, 9, 180, 241
Detection and attribution*, 76, 183, *210–212*
attribution methods, 3.SM.1.2
human influences on climate, 4, 51, 59, 81,82, 186–187, *210–212*, 282, 1.SM.2, 1.SM.6, 3.SM.2.1
of impacts, 69, 213
regional precipitation on land, 3.SM.2.2.1
regional temperature on land, 3.SM.2.2.1
sea level rise, 252
Developing countries
adaptation finance, 21
development trajectories, 469–470
international cooperation and, 23
Development pathways. *See* Climate-resilient development pathways; Pathways
Diet, human, 19, 180, 316, 462, Table 3.SM.12
Direct air carbon dioxide capture and storage (DACCS)*, 17, 125, 316, **346**, 394
Disaster risk management (DRM)*, 10, 316, **336**, 338, 385
in Jamaica, *339–340*
Disaster*
early warning systems*, *338, 339, 370*
preparedness, *339–340*
reduction, technological innovations and, *370*
Sendai Framework for Disaster Risk Reduction*, 70
See also Hazard
Discounting*, 152
Disease, 9, 452
dengue fever, 9, 180, 241
diarrhoea, 452
geographic range shifts of vectors, 9, 180, 241
malaria, 9, 180, 241
vector-borne, 9, 180
See also Human health
Displacement*. *See* Migration
Disruptive innovation*, 22, 111, 319, **323**
Double dividend*, 376
Downscaling*, 76, 186, 194, 204
Droughts*, *182*, 196–201, *211*, 215, *247, 250*, 255, 3.SM.3.1.1.2
hotspots, *199*, 200, 260
management responses/examples, *356*
in Mediterranean Basin and the Middle East, *200–201*
observed changes, 196, *211*
Palmer Drought Severity Index, 199, 215
precipitation minus evapotranspiration, 198–199, *198*, 255
projected, for 1.5°C warming, compared with 2°C, 7, 178, 196–201, *199, 211*, 215, *247, 250,* 255, 3.SM.3.1.1.2
regional changes, 198–200, *198, 199, 200–201*
Drylands, *459*

E

Early warning systems (EWS)*, *338, 339, 370*
Earth system
feedbacks, 65, 96, 103–104
inertia of, 64
Economic factors, 9, *150–151*, 152–155, *264–265*
access to finance, 21, 23, 155
circular economy, 335–336, 335
co-benefits ('double dividend'), 376
depreciation of assets, 375
'depression economics', 319
economic damages from climate change, 243, *264–265*
green economy, 470–471
incentives, 317, 366, 377
marginal abatement costs, 16, 95, *150*, 375
pricing instruments, 317
redistributive policies, 21
regional economic benefits, 258
See also Finance; Investments
Economic growth, 53, 180–181, *182*, 319
decoupling from emissions, 56, 372, *376*, 461
impacts on, 180–181, *182*
mitigation costs and, 258
regional economic benefits, 258
risks at 1.5°C, *vs.* 2°C, 9, 180–181, *182*
in SSPs, *110*, 149
Economic indicators/variables
discounting*, 152

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

economic diversification, 21, 71, 448
gross domestic product (GDP)*, 158, 243, 256, 258, *265, 373*
gross fixed capital formation (GFCF)*, 317, *373*
Economic sectors, 242–244, 256, 3.SM.3.5
energy systems, 243–244
global economic impacts, 256
impacts and risks, 180–181, 242–244, *250*, 256
tourism, 242–243
transportation, 244
Ecosystem(s)*, 179, *182*, 216–230, 250
adaptation options*, 384, *385*, 4.SM.4.3.2
Arctic, *9, 11, 53*, 220
coastal, 8, 181, *182*, 226, *249*, 330
drylands, *459*
feasibility of mitigation options, *382*
freshwater, 213–216, 221, *247*
impacts and risks at 1.5°C, *vs.* 2°C, 5, 8–9, *11*, 179, *182*, *250*, 453
impacts of temperature overshoot, *277*
knowledge gaps, *388*
large-scale shifts in, 69
mitigation and, 315, 4.SM.4.2.2
observed impacts, 253
ocean, 8–9, 179, 221–230, *248*
resilience, 70
restoration of, **329–330**, *459*
risks of severe impacts, 53
risks, regional and ecosystem-specific, 219–221
succession in, *69*
terrestrial, 8, *11*, 179, 216–221, *247*, 251, 3.SM.3.3.7
trade-offs, 19
transformations, 8
transitions, 315, 4.SM.4.2.2, 4.SM.4.3.2
Ecosystem-based adaptation, 386, 457–458
Ecosystem restoration, 16, 70, **329–330**, 384
Ecosystem services*, 17, 19, 179, *247*
carbon sinks, 69, 220, 221
impacts and risks at 1.5°C, *vs.* 2°C, 8, 9, 179, *247*, 256–257
irreversible impacts, 8
marine, 179, 221–230, *248*
mitigation and, 315
observed changes, 5
terrestrial, 221
Education (climate education), 22, 317, *385*, 456
Effective climate sensitivity. *See* Climate sensitivity
Effective radiative forcing. *See* Radiative forcing
El Niño-Southern Oscillation (ENSO)*, 58, 201, 257
deforestation and, 263
La Niña events, *235*
response in Guatemala, *356*
Electric vehicle (EV)*, 316, 332–333, *333*
costs of, 325
Electricity generation/use, 15, 97, *133–134, 135, 138,* 243–244, 326
carbon intensity* of, 97
decarbonization, 95
disruptions of, 326
enabling conditions, 387
energy storage, **325–326**
evolution of supply over time, 134, *135*
investments, 154
from renewables, 15, 96, 134, **324**
technological innovations, 370
Electrification, 15, 95, 97, 111, 134, 315, 316, 326
in industry sector, *335*, 336
in transport sector, 332–333, *333*, 460
Emission pathways*, 12–17, *13, 14–15, 137*, 184, *274–276*
in a prospective scenario, *276*
definition and categories, *24*, 59–61, *62*
See also Pathways
Emissions
1.5°C pathways*, *6*, 12–17, *13, 14–15*, 95, 112, 113–118, *113, 117*, 463
aggregate, *67–68*, 115
anthropogenic, recent trends, 1.SM.7
in archetype pathways, 112–113, *113*
benchmark values, 115, 4.SM.1
calculating, *66–68*
carbon budget* and, 96
CO_2 equivalent emission*, *67, 127*
cumulative CO_2, *6*, 12, *62, 67*, 96, 113, *123*, 1.SM.6
cumulative CO_2 and temperature, 96, 104, *105*, 126–127, *127*
cumulative emissions*, *6*, 12, *62, 67, 123*
at current rate, consequences of, 5
decoupling economic growth from, 56, 372, *376*, 461
emissions gap, 126, *358*
future emissions, commitment to, 66
global, in 2030, *6*, 12, *13*, 95
long-lived climate forcers, *66–68*, 116–118, *117*
measuring progress to net-zero emissions, *66–68*
Nationally Determined Contributions (NDCs)*, 56, 95, 126–129, *127, 128*, 149
negative emissions*, 17, 51, 70, 96, 114, 118
net-zero emissions, 12, 51, 95, 107, 116
net-zero, timing of, 95, *119*
non-CO_2, 12, *13*, 96, 105–107, 115–116, 147, 1.SM.6
past emissions, global warming and, 51, 64–65, *65*
peak, 95, 115, 129
peak, timing of, 115, 126–127, 129
reductions, *13*, 15, 18, 95, 463
reductions, behaviour change and, 317, *363*
reductions, near-term, 17, 96, 124, 126–129, *128*
reductions, rate of, 51
reductions, remaining carbon budget and, 96
reductions, technologies and, 369–370
reductions, timing of, 5, *6*, 18, 61, 95, 96, 107, 114, 116–118
sectoral pathways, *137*
short-lived climate forcers, 64, *66–68*, 118, *120*, 316
timescales and, 5, 61, 64–66
timing of, 95, *117, 119*
warming commitment from past emissions, 64–66, *65*, 1.SM.5
zero emissions commitment, 64–65, 65
Enabling conditions*, 18–19, 52, 148–150, 317–318, *338*, 352, 386, 474–475, 4.SM.2
adaptation options*, 4.SM.2
enabling behavioural and lifestyle changes, 362–369
enabling technological innovations, 369–372, *370*
FAQ, 392–393
international cooperation, 22, 23
knowledge gaps, *390–391*
Manizales, Colombia: enabling environment in, *361*
for mitigation implementation, 381–383
Energy efficiency*, 15, 96, 137, 140, 315, 316, **460–461**
appliances, 316, 331, 460, 461
behavioural responses and, 460–461
building codes, 332, *339*, 377
efficiency standards, 377, 378
food production systems, 315–316
improving, 377–378
in industry sector, 315, 335, *335*
mitigation options, 460–461
policies, 149, 153, 377–378
sustainable development goals (SDGs) and, 448
Energy sector, 15, 129–144, 243–244, 315, **324–327**
adaptation options*, 384, *385*
carbon dioxide capture and storage in, 326–327
carbon intensity, 129–130, *130*, 137–138, *138, 139*
decarbonization, 95, 148, *277*, 316, 461
decarbonization, macro-level indicators, 129–130
diversification of, 21, 448
electrification, 15, 95, 97, 111, 134, 315, 316, 326
emissions, 96, *137, 138*
end-use sectors, 136–144
energy security, 387
feasibility of mitigation options, *382*
final energy, 137, *138*
fuel switch, 460–461
hybrid systems, 326
infrastructure, 326, 384, *385*
investments, 16, 22, 95–96, 153, *155*, 372, *373–374*
knowledge gaps, *388*
low-carbon pathways, *462*, 464–466
low-carbon technologies, 15, 16, 96
mitigation options, 12, *14*, 460–461, 4.SM.4.2.1
renewable energy, 14, 15, 96, 111, 131, *132–133*, 316, **324**
solar energy, 96
synergies with Sustainable Development Goals, 19
transformation, 129–144, 316, 463
transitions in 1.5°C pathways*, 15, 96–97, 130, 315, 316, **324–327**, 374–375, 4.SM.4.2.1, 4.SM.4.3.1
transitions, speed and scale of, 320, *320*
water and, 326, 384, 464–466
water-energy-food (WEF) nexus, 386–387
Energy supply and demand, 15, 17, 96–97, 129–136, 316, 460–461, 466
in 1.5°C warmer worlds, 161, *162*, 316
access to energy, 464
air conditioning, 243
batteries, 325
bioenergy*, 12, 17, 96, 111–112, *124*, **324–325**
carbon intensity of, 129–130, *130*, 461
demand reductions, 95, 137
disruptions and vulnerabilities, 326
emissions pathways, 12, *14*, 15, 95
energy storage, 316, 325–326

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

evolution of primary energy contributions, 130–132, *131*, *132–134*
final energy demand, 137, *138*
fossil fuels, 96–97
grid flexibility resources (GFR), 325
low-demand scenarios, *110*, 111, 448
mitigation options, 460–461
primary energy supply, 96–97, 130–132, *131*, *132–133*
smart grids, 316
in SSPs, 109–110, *110*
sustainable development goals (SDGs) and, 447–448
synergies and trade-offs, 19, *20–21*, 448
transformations in, 129–136, *130–135*
urban, 331
See also Electricity generation/use

Enhanced weathering*, 17, 112, *268*, *269*, *270*, **345–346**, 462–463
costs, 316, 345
side effects, 345–346

Equality*, 448–449, 451–453
in 1.5°C warmer worlds*, 451–453
inequality, 456
inequality, reducing, 18–23, 445–538

Equilibrium climate sensitivity. *See* Climate sensitivity

Equity*, 18, 23, 51, **54–55**, 448–449, *456*, 469–470, 479
in 1.5°C warmer worlds*, 451–453
burden sharing*, 380, 470
climate-resilient development pathways*, 22, 448–449, 469–470
conditions for achieving, 474–475
disproportionate impacts and, 51
fairness* and, 449, 469, 479
gender equity*, 23
intergenerational equity*, 55
international equity, 55
justice and, 22, 55, *456*, 470
mitigation efforts and, 18, 55
national equity, 55, 470
policies and, 22, *456*
procedural equity*, 55, 73
research gaps, 475–476
responsibility–capacity–need assessment, 470
in social-ecological systems*, *338–341*
trade-offs, 19

Ethics*, 51, 52

European Union, Covenant of Mayors, 354, *355*

Evidence*, 451

Exposure*
factors influencing, 53
numbers of people exposed, 178, *246*, *453*
See also Hazard; Risk; Vulnerability

Extinction, 8, 179, 218, 256–257
commitment to, 218

Extratropical cyclone*, 203–204, *211*
See also Tropical cyclone

Extreme weather events*, *182*, 255
floods and droughts, 214–215, 255
frequency of, 223
heavy precipitation, 255
See also Climate extreme

Extremes. *See* Climate extreme; *and specific topics, e.g., precipitation*

F

Fairness*, 449, 469, 479
nation-level fair shares, 470

FAQs. *See* Frequently Asked Questions

Farmer managed natural regeneration (FMNR), *459*

Feasibility*, 18–19, 52, 56, ***71–72***, 380–386, *381*, 392–393, *393*
adaptation options*, *381*, 384–386, *385*, 4.SM.4.3.1-4.SM.4.3.5
assessment of, 71–72, 380, *381*, *382–383*, 4.SM.4.1
definition, 52
dimensions of, *71–72*, 380, *381*, *392*
enabling conditions*, 18–19, 52, 56
mitigation options*, 381, *381*, *382–383*, 4.SM.4.2.1-4.SM.4.2.5

Feedback. *See* Climate feedbacks

Fiji, freshwater resources, *368*

Finance, 21–22, 23, 148–149, 317, 361–362, 372–380, 474
access to, 21, 23, 155, 317, 456
adaptation financing, 21–22, 379, 456
challenges of, 372–375, *373–374*, 379
climate-friendly products, 378
de-risking, 317, 378–379
global and national systems for, 317–318, 380
Green Climate Fund, *74*, 379
green instruments, 378, 474
innovative, 315, 380
knowledge gaps, *391*
low-emission assets, 317
mobilization of, 19, 456
multilateral and national development banks, 317
new forms of, 374, 380, 474
policy instruments and, 317, 372–380
private sector, 21, 22
public-private partnerships, 317, 474
public sector, 21, 317
redirection of, 317, 374, 378
See also Investments

Financial institutions*, 361–362

Fires, 244, 259
forest fires, 8, *247*
tundra, 262

Fisheries, 8, 9, *11*, 237–238, *248*, 452
adaptation measures, 238
fin fish, 180, 226–227, 237–238, 3.SM.3.2.7, 3.SM.3.3.10, 3.SM.3.2.12, 3.SM.3.2.13
foodwebs and, 226–227, *248*
hypoxia and, 224
livelihoods, 452
management, 227
productivity change, 225, *249*, 258
projected impacts, 8, 9, *11*, 178, 222, *228*, *248*, 257
range shifts, 222, *248*
restoration of, 330
risks, 180, *228*, 237–238, 251, *252*, 257

Floods*, *11*, *182*, 201–203, *211*, 214–215, 3.SM.3.1.1.2
coastal, 181, 231, *235*, *249*, 252, *252*, 3.SM.3.3.3
damage from, 214, 215
Danube River Protection Convention, *356*
fluvial, 201–203, 214, *247*, 251–252, 252, 3.SM.3.3.4
management in Rotterdam, The Netherlands, *342*
numbers of people at risk, 452
observed changes, 201, *211*
Philippines, flood measures, *368*
projected changes, 179, 201–203, *202*, *211*, 214, 3.SM.3.1.1.2
risks, with 1.5°C warming, compared with 2°C, 7, 178, 179, 181, 201–203, *202*, 214–215, *247*, 251–252, *252*
sea level rise and, 8

Fluorinated gases, 118, *120*

Food, Table 3.SM.12
GHG-intensive foods, 97, 147
healthy diets and choices, 19, 97, 147, 180, 462
land use for, 97, *145*
plant-based proteins, 112
prices, 447, 462, 464
quality/nutrition, 327, Table 3.SM.12
water-energy-food (WEF) nexus, 386–387

Food demand
reducing, 464, 466
in SSPs, 110, *110*, *111*

Food production systems, 178, 236–240, *250*, *252*, **327–329**, *453*, 464, Table 3.SM.5
climate-smart food production, *239*
efficiency of, 315–316, 464
genome modification, 329
land use and, 327–329
mixed crop-livestock production, 315, **328**
projected impacts, 179–180, 236–240, *250*
technological innovations, 316, **329**
tipping points*, 263, *264*
See also Agriculture; Crop yields

Food security*, 180, *182*, 237, *238–240*, *250*
decline in, 53
enhancing, 315–316
food insecurity, 447
mitigation pathways and, 464
projected impacts, 179–180, *239*, *250*, Table 3.SM.5
risks to, *238–239*
strategies for improving, *239–240*

Food shortages, 9

Food wastage*, 316, **328–329**, 462

Forcing. *See* Radiative forcing

Forest fires, 8, *247*

Forests*, 220, 316, **329–330**
agroforestry, 328, 384
Amazon tropical forest, 221, 263, *340*
Australian rainforest, 254
boreal, 8, 263, *264*
as carbon sinks, *340*
CDR options and, 316
ecosystem restoration, 329–330
emissions, *14*
impacts, 220

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

land area for, 16, 97
land-use change, *146*
rainforests, 254, 263, *264*
REDD+, 329–330
responsible sourcing of products, 462
risks, 8, 220–221
tipping points*, 263, *264*
See also Afforestation; Deforestation; Reforestation

Fossil fuels*
in 1.5°C pathways*, *14–15*, 15, 96–97
combined with CCS, 97, 135
countries/economies dependent on, 448, 461, *462*
energy sector use, 15, 96–97, 131, *131, 132–133, 138*
greenhouse gas emissions, 53, 114
market preference, shifting, 317
reducing investments in, 378

Framing and context, 49–92
assessment and methodologies, 75–76
confidence, uncertainty and risk, 77
feasibility, *71–72*
framing asymmetries, 55
global response, 70–75
impacts, 69–70
knowledge base, 53–56, 75–76
sustainable development, *73–75*
transformation and transitions, 73
understanding 1.5°C, 56–64

Frequently Asked Questions (FAQs)
How Close are we to 1.5°C?, 81, 82
What are Carbon Dioxide Removal and Negative Emissions?, 394, *395*
What are the Connections between Sustainable Development and Limiting Global Warming to 1.5°C above Pre-Industrial Levels?, 477–478, *478*
What are the Impacts of 1.5°C and 2°C of Warming?, 282–283, *283*
What are the Pathways to Achieving Poverty Reduction and Reducing Inequalities while Reaching a 1.5°C World?, 479–480, *480*
What do Energy Supply and Demand have to do with Limiting Warming to 1.5°C?, 161, *162*
What Kind of Pathways Limit Warming to 1.5°C and are we on Track?, 159, *160*
What Transitions Could Enable Limiting Global Warming to 1.5°C?, 392–393, *393*
Why are we Talking about 1.5°C?, 78, *80*
Why is Adaptation Important in a 1.5°C-Warmer World?, 396–397, *397*

Freshwater systems, *182*, 213–216, 221, *247*
adaptation initiatives, *368*
extreme events, 214–215
freshwater stress, 181
knowledge gaps, 272
water temperature, 214
See also Water resources

Fuel switch, 460–461, *481–506*

Fybnos and succulent Karoo biomes, 260, *261*

G

Gender equity*, 23, 452

General circulation model (GCM). *See* Climate models

Genome modification techniques, 329

Geophysical relationships, 101–107
climate and Earth-system feedbacks, 103–104
geophysical uncertainties, 96, 101–104
knowledge gaps, 157–158
non-CO_2 climate forcers, 101–103, *103*

Geophysical warming commitment, 64–66, *65*

Glaciers*, 206

Global climate model (GCM). *See* Climate models

Global financial systems, 317–318

Globalisation, 319

Global mean surface temperature (GMST)*, 56–57, *57*, 177, 186, *274*
1.5°C rise, factors in, 4, *274*
anomalies*, 183, *210*
definition, *24*
measurement of, 12
observed, 4, 6, 186
past emissions and, 51

Global mean surface air temperature (GSAT)*, 12, 56

Global response, strengthening, 18–23, 70–75, **313–443**
1.5°C-consistent pathways, implications of, 320–321, 320, 448
accelerating the response, 319–320
adaptation options, 321, 336–337, *338*
change, far-reaching and rapid, 352–380, 392
change, historical rates of, 322
cooperation, 22, 23
enabling change, 21–22, 315–318
feasibility assessments, 380–386, *381*, *382–383*, 385
finance and investments, 317, 321, 361–362, **372–380**
governance and policies, 23, 71, 315, 316, 317, 321, **352–355**
implementation, 23, 70, 71, 315, 317, 319, 320–323, **352–380**
implementing adaptation, 383–386, *385*
implementing mitigation, 381–383
integration and enabling transformation, **380–387**
knowledge gaps, 318, 387, *388–391*
levels of ambition, raising, 315
monitoring and evaluation (M&E)*, 386
policy instruments and finance, 372–380
response options, 19–21, 70–71, 316–317
sustainable development and, 18, 22, 316, 321
synergies and trade-offs, 316, 386–387
system transitions, and rates of change, 322–323
systemic changes, 323–349
transformation and transitions, 70, 73, 315, **380–387**
transitions, speed and scale of, 317, 320, *320*

Global Temperature-change Potential (GTP), *66*–68

Global warming*, 4–6
commitment to continued warming, 64–66, *65*, 1.SM.5
current level of, 4, 51, 53, 76, 106, 177, 1.SM.1
definition, *24*, 51, 56
with emissions continuing at present rate, 4
geophysical warming commitment, 64–66, *65*
human experience of present-day, 53, 1.SM.1
human-induced, 4–5, 51, 53, *53, 54,* 59, 81, *82*, 186–187, 282, 1.SM.2, 1.SM.6
level in 2017, 51, 59, 81
maximum temperature reached, 5
observed, 4, 51, 53, *53*, 58–59, 189–190, 1.SM.1, 1.SM.2, 1.SM.3, 1.SM.6
past emissions and, 51, 64–65, *65*, 72
peak in, 5, 65, 96, 101, 177, *277, 278*
pre-industrial* reference period, 51, 56, 57–59, 184
projections, 4, 81, 82, 95, 187–188, *188*
reference periods, 56–59, 184
regional/seasonal variations in, 4, 59, *60*, 81
temperatures used for definition, 51, 106
timescales and persistence, 5
total warming, 59, 61
See also Global mean surface temperature; Temperature

Global warming of 1.5°C, 4–6, **56–64**, 187, *274*
1.5°C pathways*, 12–17, 51, **93–174**
already experienced in some regions and seasons, 4, 51, 59, 68, 81, 452
closeness to (FAQ), 81, 82
context of sustainable development and poverty eradication, 18–23
framing and context, 4–6, **49–92**
future emissions and, *6, 13*
impacts and risks, compared with 2°C, 5, 7–10, *11*, 51, **175–311**, *261*
not considered 'safe', 447, 455
projected climatic changes, 7–10, 186–188
projected timeline for reaching, 4, 95–96, Table 3.SM.7
Reasons for concern (RFCs)*, 10, *11*, 181
reference period, 56–59, 184
returning to, after overshoot, 5, 17, 61, 96
stabilization responses/scenarios, 147, 158, 182, 184–185
strengthening the global response, 18–23, 70–75, **313–443**
synergies and trade-offs, 19
temperature range for, 51, 187, *188, 275*
See also 1.5°C warmer worlds*

Global warming of 2°C, *100*
emissions and, 116
impacts and risks, compared with 1.5°C, 5, 7–10, *11*, **175–311**, *261*
OECD scenario for, *373*
Reasons for concern (RFCs)*, 10, *11*
regions with high risks, *247–250*
runoff and floods, 178, *211*

Global warming of 3°C, 18, *261*
rainforests and, 263

Global Warming Potentials (GWPs), *66–68*

Governance*, 19, 71, 316, 317, **352–355**
adaptive governance*, 315

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

challenges in 1.5°C pathways, 95
Covenant of Mayors initiative, 354, *355*
governance capacity*, 71
governance framework, 317, 359
inclusive, 475
international, 352–354, 474
knowledge gaps, *390*
linkages across sectors, 71
local and regional, 316, 354, *355*
multilevel governance*, 19, 23, 317, **352–355**, *355, 356*, 384, 386, 474–475
national, 316, 353, *361*
partnerships among actors, 23
sub-national, 354
water-energy-food (WEF) nexus, 386–387
See also Policies
Green bonds, 378
Green Climate Fund, *74*, 379
Green economy, 470–471
Green infrastructure*, 10, 316, 334, *334*, 384, *385*
investment in, 316
Greenhouse gas(es) (GHGs)*,
long-lived, 64–66, *66–68*, 116–118
short-lived, 64, *66–68*, 316
See also Carbon dioxide; Methane; Nitrous oxide; Ozone
Greenhouse gas emissions, *14–15*, 18
aggregate, 115
benchmark values, 115
cumulative emissions*, *6*, 12, 62
drivers of, 53
global, in 2030, 12, *13*
reductions in, *6*, 12, *13, 14–15, 95*
reporting of, *66*
timing of reductions, *6, 13, 95*
See also Emissions
Greenhouse gas removal*. *See* Carbon dioxide removal (CDR)
Greenland ice sheet, 7, 178, 206, *208–209*, 257, 271, 282
Gross domestic product (GDP)*, 158, 243, 256, 258, *265, 373*
Gross fixed capital formation (GFCF)*, 317, *373*
Gross world product (GWP), 256
Groundwater, 15, 3.SM.3.1.1.3
coastal, 181
Guatemala
Indigenous Table for Climate Change, *360*
Maya watershed meteorological forecasts, *360*
response to drought and El-Niño, *356*
Gulf Cooperative Council (GCC) countries, *462*

H

Happiness index (Bhutan), *387*
Hazard*, 68, 186–212, *210–212*
collocated and/or concomitant, 188
See also Disaster; Risk; Vulnerability
Health. *See* Human health
Heat-related morbidity and mortality, 9, *11*, 180, 240–241, *250*, 252, *252*, 263, *264*, 3.SM.3.3.1
Heat stress, 452
coral reefs, 226, *229*
Heatwaves*, 9, 263, *264*
in cities, 242
deadly, 263, *264*
extreme, 177
marine, 177
numbers of people exposed, 178
observed changes, 177
projected changes, 177–178
tipping points*, 263, *264*
Holocene*, 53
Holocene Thermal Maximum (HTM), *208*
Hotspots, *182*, 258–260, *261*
drought*, *199*, 200
precipitation, *193*, 194
temperature, 190–191, *193*
Human behaviour*, 362–369
adaptation behaviour*, *363*
adaptation options*, 457
behavioural change*, 19, 21, 22, 97, 315, 317, 461
behavioural change, enabling, 362–369
behavioural change, knowledge gaps, *390–391*
dietary choices, 19, 97, 147, 180, 316, 462
energy efficiency* and, 460–461
factors affecting, 364–365
habits, heuristics, and biases, 365, 461
knowledge and, 364
mitigation behaviour*, *362, 363*
motivation and, 364–365
rebound effect, 460
See also Values
Human health, 9, 178, *182*, 240–241, 250, *385*
adaptation limits*, *455*
air quality and, 241, *250*, 464, Table 3.SM.9
benefits of emissions reductions, 12
co-benefits, 157
cold-related mortality, 241
heat-related morbidity and mortality, 9, *11*, 180, 240–241, *250*, 252, *252*, 263, *264*, 3.SM.3.3.1
impacts and risks at 1.5°C, *vs.* 2°C, 9, 180, *182*, 240–241, *250*, 252, *453*
occupational health, 241, 250
population health, 337, *338, 385*, 457
risks, 180, 240–241, 252
temperature-related risks, Table 3.SM.8
tipping points*, 263, *264*
trade-offs, 19
urban areas, 180
vector-borne diseases, 9, 180, 241, Table 3.SM.10
Human-induced warming, 4, 51, 59, 81, *82*, 186–187, 188, 282, 1.SM.2, 1.SM.6
equal to observed warming, 51, 59
rate of, 66
Human population, 51, 319
current, 319
displacement/migrations of, 180, 181, **244–245**, 337, *338, 385*
growth of, 95, 319
in regions where 1.5°C already exceeded, 51
in SSPs, 109, *110*
Human rights*, 55, 450, 460, 469–470, 475
Human security*, 9
Hydrofluorocarbons (HFCs), 12, 96, 118, 341–342, *342*
radiative forcing from, 342
Hydrogen, 15, 315, 335, 336
Hydrological cycle*, 191–196
Hydropower, 201, 214, 243, 466

I

Ice sheets*
albedo and, 257
Antarctic ice sheet, 7, 178, *208–209*, 257, 258, 271, 282
Greenland ice sheet, 7, 178, 206, *208–209*, 257, 271, 282
marine ice sheet instability (MISI), 257, 258
sea level rise and, 7, 178, 206, *208*, 257, 271
thresholds, 257
time frame for loss of, 257
tipping points, 282
(Climate change) Impact assessment*, 76, 185–186
Impacts*, 7–10, 68–70, **175–311**
in 1.5°C and 2°C warmer worlds*, 7–10, 177–179, *182*, 319
in 1.5°C pathways, *vs.* overshoot pathways, 51, 61, *62*
attribution for, 69, 213
avoided, 18, 68, 183, **253–265**, 447, 452–453, *453*, 475
climate extremes and, 7, 177–178, *182*
coastal and low-lying areas, 231–234, Table 3.SM.4
definitions, *24*, 68
direct *vs.* indirect, 69
disproportionate, 11, 51, 447, 452
distribution of, 10, *11*, 18, 181, 255–256
drivers of, 69
economic sectors and services, 180–181, *182*, 242–244, *250*, 256
ecosystems, 178, 179, *182*
emission pathways* and, 51, 282
FAQ on, 282–283, *283*
food systems, 179–180, *182*, 236–240, *250*, Table 3.SM.5
global aggregate, 10, 11, 181, 182, 256–257
global and regional climate changes, 186–212, *210–212*
human health, 9, 180, *182*, 240–241, *250*, 252, *453*
impact assessment*, 76, 185–186
impact cascades, 69, 245, 452
irreversible, 5, 61, 177, 251, *252, 254*
knowledge gaps, 272–273
land use, 179–180
livelihoods, poverty, and migration, 244–245, 447
marine ecosystems, 8–9, 179, 221–230
non-linearity, 69–70
observed, 5, 53, **212–253**
ocean, 5, 8–9, 178, 179, 180, *182*, 221–230, *228*, *248–249*, 3.SM.3.2.1-3.SM.3.2.13
projected risks, 7–10, **212–253**
regional, 9, 68, 180–181, *182*, 189–196
sea level rise, 7–8, 181, *182*, 206–207, *212*

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

small islands and coastal areas, 181, *182*
summary of, 182–183, *182*, *247–250*, 251–253
terrestrial ecosystems, 8, *11*, 179, 216–221, *252*, Table 3.SM.2
time-integrated, 61, *62*
timescales of, 61, *62*
uncertainties*, 69
uncertainty propagation, 3.SM.1.3
urban areas, 241–242
water resources, 179, 3.SM.3.1.1.2-3.SM.3.1.1.4
Implementation. *See* Global response, strengthening
Inclusion/inclusive processes, 331, 333, 353, *381*, 449, 475
cultural considerations, 384
decision-making, 456
Incremental adaptation. *See* Adaptation
India, technology and renewables pathways, 471
Indigenous knowledge*, 22, 315, 337, *338, 339, 385*, 456, 480
community adaptation and, *360*
in Guatemala, *360*
Indigenous Table for Climate Change (Guatemala), *360*
in Pacific Islands and small island developing states, *360*
in Tanzania, *360*
Indigenous peoples, 23, 447
in Arctic, 9, *339*
cultural beliefs, 364
land tenure, 462
Maya (in Guatemala), *360*
risks and impacts, 9
Industry sector, 334–336, 4.SM.4.3.4
adaptation options*, *385*, 386
bio-based feedstocks, 335–336, *335*
carbon capture and storage (CCS), *335*, 336
changes in structure of, 375
decarbonization, 140
electrification and hydrogen, *335*, 336, 460
emissions, 15, 114, 140, 334
energy efficiency, 315, 335, *335*, 460
energy-intensive industry, 334
feasibility of mitigation options, *383*
final energy demand and use, 138–140, *139*
knowledge gaps, *389*
mitigation options*, *335*, 4.SM.4.2.4
substitution and circularity, 335, *335*, 460
technological innovations, *370*, 460
transitions in, 15, 334–336, 460, 4.SM.4.3.4
transitions, speed and scale of, 320, *320*
Inequality
in 1.5°C warmer world*, 447
adaptation pathways* and, 458–459
increased, 53, 319
persistent, 471
reducing, 18–23, 72, **445–538**, 456, 475
research gaps, 475–476
See also Equality
Information and communication technology (ICT)*, 316, 319
Information flow and sharing, 377–378, 456, 457
Infrastructure
adaptation options*, 384–386, *385*, 4.SM.4.3.3
climate-resilient, 386
coastal, 181, 226, 231, *235*, *249*
decommissioning of existing, 374
feasibility of mitigation options, *382*
floods and, 181
green infrastructure*, 10, 316, 334, *334*, 384, *385*
investments in, 21, 333, *373–374*, 374
knowledge gaps, *388–389*
lock-in of carbon-emitting, 18, 126
low-emission, 317, 374
mitigation options*, 4.SM.4.2.3
sea level rise and, 8, 231, *249*
transitions in, 15–16, 4.SM.4.3.3
urban, 331, 333
Insects, 254–255
phenology, 216, 218
pollination by, 216, 218, 255
range loss, 254–255, 256–257
species loss, 179, 218
Institutional capacity*, 19, 71, **359–362**
cooperative institutions and social safety nets, 362
enhancing, 359–362, 384
monitoring, reporting, and review, 361
policy design and implementation, 359–360
Institutions*, 359–362, 474–475
financial, 361–362
institutional capacities, 359–362
knowledge gaps, *390*
monitoring, reporting, and review, 361
reform: Manizales, Colombia, *361*
Integrated assessment*, 95
Integrated assessment models (IAMs)*, 99, 100–101, 108–109, 136–137
assumptions, 2.SM.1.2.2, 2.SM.1.2.3
bioenergy and BECCS deployment in, *124, 268*
CDR and, *268–269*
global economic impacts, 256
knowledge gaps, 158
land use and bioenergy modelling, 2.SM.1.2.4
multiple IAMs, 463–464
scope, use and limitations, 2.SM.1.2.1
Integrated assessment model (IAM) scenario database
configuration, 2.SM.1.3.1
data collected, 2.SM.1.3.4
modelling Framework Reference Cards, 2.SM.2 Part 2
overview of mitigation measures, 2.SM.1.2.6
overview of scenarios, 2.SM.1.3.2
overview of studies, 2.SM.1.3.3
scenario classification, 2.SM.1.4
summary of models, Table 2.SM.7
Interconnectivity, 52, *54*, 319
International agreements, 70, 317
International cooperation, 22, 23, 95
Mekong River Commission, *240*
International governance, 352–354, 474
Internet of Things (IoT)*, 331
Invasive species, 8, 9, 223
Investments, 21, 95–96, 149, 153–155, 316, 372–380
decarbonization*, 378
energy-related, 16, 95–96, 153, *155*
green investment, 474
incentives, 317
investment needs, *373–374*
knowledge gaps, 158
low-emission, 154, 317, 378
mitigation, 21, 95–96, 466
policy instruments and, 317
speed and scale of change, 321
upscaling of, 15, 317
world investment, 317, *373*
See also Finance
IPCC Fifth Assessment Report (AR5), 51, 81
IPCC Special Report on 1.5°C (SR1.5), 4, 74, 79
storyline, 77–78, *78*
timeline of, *80*
Iron fertilization. *See* Ocean fertilization
Irreversibility*, 5, 61, 177, 251, *252, 254*, 262, *277*
temperature overshoot and, 8, 61, 179
See also Tipping points
Italy, Province of Foggia, multilevel governance in, *355*

J

Jamaica, *339–340*
Justice*, 448–449, *456*, 469
distributive justice*, 55
justice-centered pathways, 470
procedural justice*, 55
social justice*, 22, 448–449
See also Equity; Ethics; Fairness; Human rights

K

Kampala, Uganda, Climate Change Action Strategy, *340*
Kigali Amendment, 118
Kiribati, adaptation in, *368*, 471
Knowledge gaps, 157–158, *388–391*
impacts and risks, 272–273
See also specific topics
Knowledge sources, 52, 53–56, 75–76
grey literature, 76, 451
indigenous knowledge*, 22, 315, 337, *338, 339, 385*, 456, 480
local knowledge*, 22, *339*, 457
scientific literature, 75, 451
Krill, 227, *228*, 3.SM.3.2.6
Kyoto Protocol*, *80*, 353
Kyoto GHG-emissions, *14*, 115–116, *117, 119*, 126

L

Land management, 17, 19, 180
carbon dioxide removal and, 121, 180
Land surface air temperature*, 56
Land use*, 144–148, 180, **327–329**
adaptation options*, 384, *385*, 4.SM.4.3.2

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

for agriculture and food, 16, 97, 112, *146*, **327–329**
carbon dioxide removal (CDR)* and, 125, *126*, 265–266, *268–270*, 343
climate-resilient, 333
feasibility of mitigation options, *382*
governance and, 17
intensification of, 16
knowledge gaps, *388*
mitigation options, 148, 265–266, *382*, 462–463, 4.SM.4.2.2
mitigation potential, 315
modelling, 2.SM.1.2.4
planning: Manizales, Columbia example, *361*
risks of carbon release, 221
sustainability of, 16, 97
synergies and trade-offs, 19, *20–21*
transitions in, 16, 17, 96, 97, 144–148, 315, **327–329**, 4.SM.4.3.2
urban, 316, 333
Land-use change (LUC)*, 112, *126*, 144–148, 179, 180
in agricultural sector, 98, 144–148
bioenergy production and, 69
biophysical feedbacks, 266–267
CDR and, *268–269*
overview of, *145*
pace of, 145, *146*
risks in mitigation pathways, 69, 97, 265–266
in SSPs, *145*
Large scale singular events, 10, *11*, 181, *254*, 257–258
Last Glacial Maximum (LGM), *208*
Lifestyles, 315
choices, 97, 180
consumption and, 53, 56, 95, 97
emissions reduction through, 317
lifestyle change, enabling, **362–369**
lifestyle change, knowledge gaps, *390–391*
low energy demand, 97
low resource use, 97
mitigation and adaptation behaviour, *362–363*
in SSPs, *110*
sustainable, *276*
See also Food; Human behaviour
Likelihood*, *77*, 182
Limpopo Watercourse Commission, *356*
Livelihoods*, 73, *182,* 244
agricultural, 55, 315, 447
coastal, 9, 222, 226, *249*, 447, 452, *455*
impacts and risks of 1.5°C warmer worlds*, 452
poverty and, 244
security, promoting, 456–457
Livestock, 9, 180, *264*, **327–328**
animal feed, 112
emissions, 147, 327
land use, 97
mixed crop-livestock production, 315, **328**
production, 237
in the tropics and subtropics, 263, *264*
Local communities, 23
Local knowledge*, 22, *339*, 457
Local participation, 456
Lock-in*, 18, 126, 129
London, U.K.
adaptation and disaster risk management, 458
car use/policies, *366*
Long-lived climate forcers (LLCF)*, *66–68*, 116–118, *117*
time scales, 64–66
Loss and Damage*, *454–456*
Low-carbon pathways, 471–472

M

Maharashtra, India, water resources, *368*
Maladaptive actions (Maladaptation)*, 19, 386, 396
Malaria, 9, 180, 241, 452
Mangroves, 225, 226, 228, *228, 248, 252*, 462, 3.SM.3.2.1, 3.SM.3.3.8
replanting, 330, 457
Manizales, Colombia, *361*
Marginal abatement costs, 16, 95, *150*, 375
Marine ecosystems. *See* Ocean ecosystems
Mayan K'iché population in Guatemala, *360*
Mediterranean region, 259, *261*
droughts, *200–201*
threatened systems, 254
Mekong River basin, *239–240*
Methane (CH_4)*, 268, 316, 341, *342*
AFOLU sector, 118, 147, *147*
agricultural, 96
emissions, *13*, 118, *120*
emissions, evolution of, 96
emissions reduction, 12, 95, 102, 157, 268, 316
mitigation potential, 118
release from permafrost*, 12, 104
release from wetlands, 12
zero emissions commitment (ZEC), 65
Migration*, 180, 181, 232, **244–245**, 337, *338, 385*
as adaptation, 457
(internal) displacement*, 245
sea level change* and, 232
Millennium Development Goals (MDGs)*, *74*, 450, 477
Mitigation*, 19–21, 70, **93–174**
in 1.5°C pathways*, 12–17, 51–52, 93–174, *465*
adaptation and, 19, 386–387, 4.SM.4.5.1
classification of, 99–100, *100*
costs, 16, 22, 258, *264*, 316
decisions after 2030, 56
definition, 70
demand-side measures*, 97
equity considerations, 55
feasibility, 15, 380, *381*
global response, strengthening, 19–21, 70–75, **313–443**
implementing, 381–383
integrated mitigation studies, 95
investments, 21, 95–96, 466
knowledge gaps, *388–391*
non-CO_2 mitigation, 95, 96, 105–106, 108, 115–116, *120*, 265, 268
risks and risk reduction, 5, 179, 448
socio-economic challenges to, *110*
sustainable development and, 12, 19–21, 97, 156–157, 447–448, **459–466**, *465*, *481–509*
synergies and trade-offs, 18–21, *20–21*, 72, 97, 157, 316, 386–387, *391*, 459–463, 465, 4.SM.4.5.1
synergies with adaptation, 386–387, 475, 4.SM.4.5.1, 4.SM.5.2
time frames for, *277, 278, 279–281*
See also 1.5°C pathways; Pathways
Mitigation behaviour. *See* Human behaviour
Mitigation options*, 19–21, 316–317, 319, 323, **324–347**, *463, 481–509*
1.5°C pathways*, *100*, 110–112, 316–317, *465*
CDR, 4.SM.4.2.5
emissions reduction with, 12, *13, 14–15*
enabling conditions, 381–383
energy supply and demand, 460–462, 4.SM.4.2.1
feasibility assessment, 381, *381, 382–383*, 4.SM.4.2.1-4.SM.4.2.5
industrial system, 4.SM.4.2.4
land-based, 16, 462–463, 4.SM.4.2.2
mitigation–SDG table, *481–509*
overview, 2.SM.1.2.6
SDGs and, 19–21, *20–21*, 448
synergies and trade-offs, 459–463, *463, 465*, 4.SM.4.5.1
urban and infrastructure, 4.SM.4.2.3
Mitigation pathways*, 93–174, 265–271
1.5°C pathways*, 12–17, *13, 14–15*, 60–61, 98, 101, *102*, 108–129, *110*, 2.SM.1.5
2°C pathways, 96, *100*, 101, *102*
adaptive mitigation pathway, 60–61
carbon dioxide removal (CDR) in, 118–125, 180
challenges, opportunities, and co-impacts, 147–157
emissions and, 12, *14–15*
four model pathways, 12, *14–15*, 61, *62*
geophysical characteristics, 101–104
groups/classification, 61, 62, 113–114, *113*
land-use change, 265–266
overview, 108–129, *129*
prospective, 60, *63*
scenarios in, 98–100, *100, 277, 279–281*
sustainable development and, 463–472, *465*, 2.SM.1.5
synergies and trade-offs, *465*
transformations, 129–157, 466
See also 1.5°C pathways; Pathways
Mitigation potential, 118, 315, *363*
Mitigation scenarios*. *See* Mitigation pathways
Models. *See* Climate models; Integrated assessment models (IAMs)
Monitoring and evaluation (M&E)*, 386
Monitoring, reporting, and review institutions, 361
Monsoon, 194, 262–263, *264*
Montreal Protocol, 118, 353
Mosquitoes, 241
Motivation*, 364–365
Mountain ecosystems, 254

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

N

Narratives*, 52, 109
Nationally Determined Contributions (NDCs)*, 56, 95, 126–129, *127, 128*, 149, 159, ***357–359***
adaptation and, *359*
consistency of, *357–359*
remaining carbon budget and, 113–114
uncertainties and, *358*
Natural gas, 97
NDCs. *See* Nationally Determined Contributions (NDCs)
Negative emissions*, 17, 51, 70, 118–121, 394, *395* 474
CDR, role in, 70, 114, 118
FAQ on, 394, *395*
See also Net-zero emissions; Net-zero CO_2 emissions
Net negative emissions*, 51, 96, 114, 116, 474
Net-zero emissions*, 5, *24*
Net-zero CO_2 emissions*, 12, 51, 95, 116
definition, *24*
measuring progress to, *66–68*
necessary to stabilize GMST, 116, 161
timing of, 5, 12, *13*, 61, 95, 107, 116, *119*
New York, United States, adaptation initiatives, *340*
Nitrogen fertilizer, 116
Nitrous oxide (N_2O)*, *13, 66*
agricultural, 96, 116–118, 147
bioenergy and, 12
emission increases, 96
emission reductions, 116–1118
Non-CO_2 climate forcers, 96, *120*, 341–342
geographical variation in, 103
reductions in, 95
uncertainties, 101–103, *103*, 106, *108*
Non-CO_2 emissions*, 12, *13*, 96, 106, 115–116, 265, 1.SM.6
agricultural, 147, *147*
reducing, 341
remaining carbon budget* and, 105–107, *108*
Non-governmental organizations, 22
Non-overshoot pathways. *See* Overshoot; Pathways
Nuclear energy, *14*, 15, **325**, 461
costs of, 325
role in primary energy supply, 130–131, 132, *132–133*
safety of, 325
water use and, 466

O

Ocean(s), 8–9, 178, *182*, 221–230, *248–249*, 3.SM.3.2, Table 3.SM.3
adaptation options, 225
biodiversity, 8
carbon sequestration, 17, 121, 178, 222, 227, *228, 248*, 257–258
carbon uptake, 17, 121, 178, 227, *228*, 229, 3.SM.3.2.8
circulation, 204–205, *212*, 223, *248*
foodwebs, 226–227, *228, 248*
heatwaves*, 177
hypoxia and dead zones, 179, 210, 224, *248*
impacts and risks at 1.5°C, *vs.* 2°C, 5, 8–9, 178, 179, 180, *182*, 221–230, *228, 248–249*, 3.SM.3.2.1-3.SM.3.2.13
irreversible impacts, 8
knowledge gaps, 272–273
productivity/fisheries, 8, 179, *249*
projected changes, 8–9
pteropods, 224, 226–227, 3.SM.3.2.4
Reasons for Concern, 3.SM.3., Table 3.SM.6
salinity, 209
Southern Ocean, 257–258
storms, 222–223, *249*
stratification, 222, 224, *248*
temperature, 8, 177, 204–205, *212*, 222, 223–224, *248*
thermal inertia/expansion of, 64–65, 107, 282
warming over, 4, 51
See also Coastal communities; Coral reefs; Fisheries; Sea level change
Ocean acidification (OA)*, 8, 209–210, *212*, 223–224, *248*, 282
pH*, *212*, 222, 223
reversal of, 5, *67*
risks from, 180, 223–224, 227
Ocean alkalinization, 17, 121, **345–346**
Ocean chemistry, 209–210, 223–224
carbonate chemistry, 178, 222, 223
Ocean ecosystems, *8–9, 179,* **221–230,** *248*
blue carbon*, 330, 462
critical thresholds, 179
ecosystem services, 227–229, *228*
foodwebs, 226–227, *228, 248*
framework organisms, 225–226, *248*
impacts, 8, 9, 178, 179, 221–230, *228, 248*
ocean circulation and, 223, *248*
species range shifts, 222, *248*
Ocean fertilization*, 346, 462–463
Organization for Economic Co-operation and Development (OECD), *373*
Overshoot*, 12, *14–15*, 18, 51, *100*, 179, 265
CDR and, 17, 95
definition, *24*
emission reductions and, *13, 14–15*, 18, 95, 116
impacts of, 60
irreversible impacts, 61, 179
low-OS *vs*. high-OS, *100*
magnitude and duration of, 179, 265
no or limited overshoot, 12–17, *13, 14–15*, 60–61, *62*
returning to 1.5°C after overshoot, 5, 17, 61, 96
risks of, 5, 177, 179, *277*
Ozone (O_3)*, 268
ozone-related mortality, 9, 180, 250
precursors, 98, 118, 241
tropospheric, 236

P

Pacific decadal variability (PDV), 201
Paris Agreement*, 4, 18, 77, 79, 353
aim and context, 54–55, *66*, 74, 77, 79, *359*
equity principle, 51, 54, 479
goal of adaptation, 359
goal of limiting warming, 51
time horizon for, 74
transparency framework, 361
Pathway archetypes, 99–100, *100*, 112–113, *113*, 147
cumulative CO_2 emissions, *123*
electricity generation, *135*
land-use change (LUC)*, *126, 145*
land use/footprint, 147
primary energy contributions, 130–131, *131*
Pathways, 12–17, 49–64, *62–64*, **93–174**
1.5°C pathways*, 12–17, *14–15*, 52, 59–64, **93–174,** *100, 160*, 265–271, *274–276*, *320*, 1.SM.4, 1.SM.6
2°C pathways, 96, *100*, 101, *102*
adaptation pathways*, *64*, 70, 396, **458–459**
assumptions, 95, 109–112
bioenergy with carbon dioxide capture and storage (BECCS)*, 17, 96
carbon dioxide removal (CDR)* in, 17, 21, 95, 96, 111, 118–125, 180, 265–266
classification of, 61, 62, 99–100, 100, 113–114, *113*
climate-resilient development pathways, 22, 52, *64*, 73, 448–449, 450–451, *451*, **468–472**, 475–476, 479–480, *480*
definitions of, 59–61, *63–64*
emissions in, 12–17, *13, 14–15, 24*, 95, 96
four categories/model pathways, 12, *14–15*, 59–61, *62, 63*, 265–271
geophysical characteristics, 101–104
implications beyond end of century, 270–271, *278*
net-zero CO_2 emissions*, 12, 61, *66–68*, 116
nexus approaches, 467
no or limited overshoot, 12–17, *13, 14–15*, 60–61, *62, 100*
non-CO_2 mitigation, 265, 268
overshoot pathways, 12, *14–15*, 18, *24*, 51, 60–61, *62, 100, 277*
overview, 108–129
portfolio of measures, 12, 15
prospective mitigation pathways, 60, *63*
Representative Concentration Pathways (RCPs)*, *62*
scenarios used, 98–100, *100*
sector and system transitions, *14–15*, 15–16
Shared Socio-economic Pathways (SSPs)*, *62–63*, 109–110, *110, 111*, 448, 467–468
sustainable development and, 18–23, 98–101 156–157, *156*, 463–466, *465*
Sustainable Development Pathways, *64*, 448–449, **466–472**, *469*, 479–480
temperature pathways, 59–61, *62, 63*
time frame for, 95–96
transformation pathways*, 70, 148–157
transformations, whole-system, 129–148
transitions, speed and scale of, 15, 320, *320*, 392
uncertainty, 60, 98
used in this report, 59–61, *62, 63*
See also 1.5°C pathways; Climate-resilient development pathways; Pathway archetypes; Scenarios

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

Peatlands, 221
Permafrost*, *182*, 262, 271
beyond end of century, 271
feedbacks, 103–104, 262
irreversible loss of carbon from, 262, *264*
remaining carbon budget and, 12
thawing, 8, 12, 104, 220, 259, 262
tipping points*, 262, *264*
pH*. *See* Ocean acidification
Phenology, 216–218
Philippines, flood measures, *368*
Phytoplankton, 224, 226
Policies*, 19, 21–22, 71, 148–150, 317, **372–380**
acceptability* of, 22, 368–369
assumptions in 1.5° pathways, 112, 149
car/transport pricing policies, *366*
carbon pricing, 95, 317, 375–377, 460
coordination and monitoring of, 449
design and implementation, 71, 321, 359–360, 460
enabling climate finance, 372–380
equity in, 22
innovation, 22
integrated policy packages, 379–380, 383
international agreements, 70, 317
internationally cooperative, 22, 23, 95
investment, 22
knowledge gaps, *391*
for low-emission transition, 372–375
mobilization and integration of, 150, 317
national, 316
promoting climate action, 366–368
redistributive, 21, 448
regulatory measures, 377–378
for residual risk and loss and damage, *456*
Sustainable Development Goals and, 448
technology, 95, 148, 370–371
See also Governance
Population. *See* Human population
Poverty*, 9, 53, 180, *182*, 244
in 1.5°C warmer worlds*, 447, 451–453
adaptation limits*, *455*
avoided impacts of 1.5°C *vs.* 2°C, 452–453
climate change influence on, 55, 282, 447, 450, 452
disproportionate impacts, 9, 51
energy poverty, 464
increase in, 180
livelihoods* and, 244
multidimensional, 55, 450, 457
Multidimensional Poverty Index, 55
numbers of people at risk, 447, 452
'poverty scenario' (SSP4), 452
projections for, 9, 10, 180
Poverty eradication*, 18–23, **55,** 72, **445–538**
conditions for achieving, 474–475
mitigation pathways and, 22
research gaps, 475–476
sustainable development and, 450
Power asymmetries, 449, 459, 462, *471*, 475
Prairie pothole ecosystems, 221, 254
Precipitation, *182*, 191–196
extremes, observed, 191–192, *197*
extremes, projected, *189, 197*, 214–215
extremes, Sub-Saharan Africa, *197*
heavy precipitation, 7, 177, 178, 194–196, *195, 211*, *255*
hotspots, *193*, 194
monsoon, 194, 262–263, *264*
observed changes, 177, 191–194, *211*
projected changes, 7, 178, 187–188, *188, 211*
regional, 191–196, *196*, 3.SM.2.3.1, 3.SM.2.3.2
runoff*, 201–203, *211*
See also Droughts; Floods
Precursors*, 64, *65*, 98, 102–103, 118
Pre-industrial*, *24*
reference period, 51, 56, 57–59, 81, 184
Procedural equity. *See* Equity
Pteropods, 224, 226–227, 3.SM.3.2.4
Public acceptability, 22, 317, 368–369

R

Radiative forcing*, 59, *66–67*, 188
aerosols*, 102–103
long-lived climate forcers (LLCF)*, 64–66, *66–68*, 116–118
natural forcings, 59, *66–67*
non-CO_2 forcers, 5, *6*, 95, 96, 101–103, *103*
recent trends, 1.SM.7
short-lived climate forcers (SLCF)*, 64, *66–68*, 118, *120*, 316
uncertainties in, 96, 101–104, *103*
Rainfall. *See* Precipitation
Reasons for concern (RFCs)*, 10, *11*, 181, *182*, 251–258, 3.SM.3.3.1-3.SM.3.3.7
RFC1 (Unique and threatened systems), 10, *11*, 181, 251, 253–255, *254*
RFC2 (Extreme weather events), 10, *11*, 181, 251–252, *254*, 255
RFC3 (Distribution of impacts), 10, *11*, 181, 251–253, *254*, 255–256
RFC4 (Global aggregate impacts), 10, *11*, 181, 251–254, *254*, 256–257
RFC5 (Large scale singular events), 10, *11*, 181, *254*, 257–258
Recycling, 335, 335, 460
Reducing Emissions from Deforestation and Forest Degradation (REDD+)*, *329–330*
Reference period*, 56–59, 81, 184
periods shorter than 30 years, 51
pre-industrial* temperatures, 51, 56, 57–59
30-year period used, 51, 56
Reforestation*, 17, 70, 121, 265, 266, *270*, 316, **343**, 394, *395*
constraints, 316
incentivization of, 147
trade-offs, *269*
Region(s)*, *187*
climate differences in, 177–178
cooperation and governance, 353–354
with high risks at 2°C, *247–250*
hotspots, 258–260, *261*
regions used in this report, *187*
tipping points, 262–263, *264*
warming of >1.5°C already experienced, 4, 51, 68, 81, 452
See also specific regions and countries
Regional climate change, 68, 177, 188–191
drought*, 198–200, *198, 199, 200–201*, 260
runoff*, 201–202, *202, 211*
temperatures on land, 188–191, *189, 192, 193, 196, 197*
See also Regional impacts; Regional precipitation; Regional temperatures
Regional impacts, 9, 68, 177–178, *182*
crop production, 9, 259, 263
economic growth, 9, 180–181
variation in, 450
Regional precipitation, 191–196, *196*
observed changes, 191–194, 3.SM.2.3.1
projected changes, *193*, 194–196, *195, 196* 3.SM.2.3.2
Sub-Saharan Africa, *197*
Regional temperatures, 59, *60*, 189–191, *196, 283*
observed changes, 189–190, *197*, 1.SM.1, 1.SM.3, 3.SM.2.2.1
projected changes, *189*, 190–191, *192, 193, 196, 197, 283,* 3.SM.2.2
Regulatory measures, 377–378
Remaining carbon budget*, 12, 96, **104–107,** 2.SM.1.1.2
1.5°C pathways*, 113–114
agricultural emissions and, 147
assessment of, 104–107, *108*
CO_2 and non-CO_2 contributions, 105–107, *108*
definition, *24*, 96
overshoot minimization and, 177
permafrost thawing and, 105, 107
uncertainties, 12, 96, *108*
Remedial measures, 70–71
Renewable energy, *14*, 15, 96, 111, 131, *132–133*, 316, **324**
acceptability of, 368–369
deployment and scaling up, 461, 464–466
feasibility of, 324
hybrid systems, 326
water demands for, 464
Representative Concentration Pathways (RCPs)*, *62*
Resilience*, 316, 456
climate-resilient land use, 333
cultural practices and, *360*
See also Climate-resilient development pathways (CRDPs); Vulnerability
Risk(s)*, 5, 7–10, 177–181, **186–253,** *210–212,* **247–250**
confidence and likelihood qualifiers, 77, 182
de-risking policies and investments, 317, 378–379
definition, *24*, 68
ecosystems*, 8–9, *11*
factors influencing, 5, *277*
with global warming of 1.5°C, compared with 2°C, 5, 7–10, *11*, 177–181, 186–253, *210–212*, *247–250*, 453
human health, 180, 182, *250*
interacting and cascading, 245, 452

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

key elements of, 251–253, *252*
multi-sector, *246*
multiple and compound, 10, 178, 181
to natural and human systems, 178, 179–181, **212–253**, *247–250*
Reasons for concern (RFCs)*, 10, *11*, 181
residual, *454–456*
social-ecological systems, *338–341*
summary of, *247–250*, 251–253
of temperature overshoot, 5, 177, 179
of unavoidable impacts, *455*
uncertainty, 77
urban areas, 183
to vulnerable populations, 53
Risk assessment*, 55, **183–186**
Risk management*, 336
adaptation* and, 5, 10
Sendai Framework*, 70
See also Disaster risk management
Risk sharing, 316, 336–337, *338, 385*
Rotterdam, The Netherlands, adaptation strategy, *341*
Runoff*, 178, 201–203, *211*
observed changes, 201, *211*
projected changes, 201–203, *202, 211*

S

Sahel, Africa, projected risks and impacts in, 180, 236, 259, *261*, 262–263
Scenarios*, 52, *62–64*, **98–100**, *276, 277, 279–281*
1.5°C- and 2°C scenarios, 98–100, *100*, 184
comparison of, *279–281*
database of, 99
definition of, *63*
emission scenarios*, 184, *276*
faster transition scenario, *131, 135*
inclusion of CDR in, *277*
OECD scenario for 2°C, *373*
primary energy supply in, *132–133*
socio-economic scenario*, *62–63*
SRES, *62*
used in this report, *63*
See also Narratives; Pathways
Scientific evidence, 52
Scientific institutions, 23, 317, 451
Sea ice*, *182*, 205–206, *212*, 224–225, *249*, 270
Antarctic, 206, 225
Arctic, 8, 178, 205–206, *209, 212*, 224, 254, 258, *261*, 262
beyond end of century, 270
irreversible changes, 257, 262
temperature overshoot and, 8
as tipping point, *261*, 262, 270
Sea level change*, 7–8, *182*, 206–207, *212*, 225, 231–234, *248, 249*
adaptation and, 10
beyond end of century, 271
coastal areas and, 207, 231–234, 243, *248, 249*, 252
commitment to continued rise, 7, 51, *67*, 207, 257, 271, 282
deltas and estuaries, 232–233
detection and attribution, 252
emissions and, 5, 7, 51
glaciers and, 206
global mean sea level rise, 178, 206–207, *212*
ice sheets* and, 7, 178, 206, *208*, 257, 271
impacts, 178, 181, *182*
migration due to, 232
multi-metre rise, 7, 178, 271
numbers of people at risk, 178, 231, 232, *234*, 256
past climate episodes and, 208
projected, for 1.5°C, *vs.* 2°C, 7–8, 178, 206–207, *207*, *212*, 231–234, *234*
regional, 178, 207, *234*
sea level rise, 7–8, *67*, 178, 206–207, 225, 231–234, *248, 249*, 252
small islands and, 7, 8, 232
time-integrated impacts, 61, 62
UNESCO World Heritage sites at risk, 243
Sea surface temperature (SST)*, 204, 223–224, *248*
in definition of 1.5°C, 51
Seagrasses, 225–226, *228*, 248, 3.SM.3.2.1
Seasonal warming, 4, 51, 59, *60*, 68
Sendai Framework for Disaster Risk Reduction*, 70
Sequestration. *See* Carbon sequestration
Shared Socio-economic Pathways (SSPs)*, *62–63*, 109–110, *110, 111*, 448, 467–468
land-use change and, 145
policy assumptions, 149
SDGs and, 321, 448, 467–468
Shipping, 333
Short-lived climate forcers (SLCF)*, 64, *66–68*, 118, *120*, 316, **341–342**
co-benefits of reducing, 342, *342*
emission reductions, *67*, 316, 341–342
knowledge gaps, *389*
main characteristics of, *342*
mitigation options*, 341
projected emissions, 96, 157
SDGs and, 157
Singapore, road pricing and car use, *366*
Sink*. *See* Carbon sequestration
Small Island Developing States (SIDS)*, 9, *234–235*, 255, 260, *261*
adaptation approaches, *339–340*
adaptation limits, *235, 455*
in Caribbean, *339–340*
climate hazards for, *234–235, 471*
climate-resilient development pathways* in, 471, *471*
disproportionate impacts/risks, 9, 53, 447
flooding, *235*
freshwater resources, 9, 213, *234, 235*
Kiribati, adaptation in, *368*, 471
livelihoods, 232, *235*
migration and, 181
multiple, compounded risks, 10, 178, 181, 260, *261*
Pacific Islands, indigenous knowledge in, *360*
risks, 9, 181, 232, 255
sea level rise and, 7, 8, 232, *234–235*
storm damage, *235*
tourism, 229
Vanuatu, planning for climate-resilient development, 449, *471*
Snow, *182*
Social cost of carbon (SCC)*, *150–151, 265,* 375
Social costs*, *67, 265*, 317, 365, 375
Social-ecological systems*, 338–341
Social learning*, 449, 475
Social safety nets, 362, *385*
Societal choices, 98, 99
Societal (social) transformation. *See* Transformation
Socio-economic drivers, 109–110, *110*
Socio-economic scenario*, *62–63*
Soil carbon sequestration (SCS)*. *See* Carbon sequestration
Soil erosion, 216
Soil moisture*, 190, 191, 196
anomalies, 198, *199*, 200
Solar energy, 96, 131, *131, 132–133*
water use and, 464–466
Solar radiation modification (SRM)*, 12–13, 70–71, **347–349**, *349–352*
carbon budget and, 351
in context of 1.5°C pathways*, *349–352*
feasibility, 347–349, *351–352*
governance, 347–348
impacts and ethical issues, 71, 317, 349, *351*
knowledge gaps, 390
overview/main characteristics, 348
risks of, 13, 347
social acceptability of, 349
sustainable development and, *351*
timing and magnitude, *349–351*
uncertainties and limitations, 12–13, 316–317
Southeast Asia, vulnerability and risks in, 259, *261*
Southern Ocean, role in global carbon cycle, 257–258
Special Report on 1.5°C. *See* IPCC Special Report on 1.5°C (SR1.5)
Species
interactions, phenology and, 216–218
invasive, 8, 9, 223
loss and extinction, 8, 179, 218
range loss/shifts, 8, 179, 218, 222, *247, 248*, 256–257
SSPs. *See* Shared Socio-economic Pathways (SSPs)
Stabilisation (of GHG or CO_2-equivalent concentration)*, 116, 122, 147, 158, 184–185
Stockholm, congestion charge and car use, *366*
Storms, 181, 222–223, *249*
extratropical, 203–204
storm surge, 223
tropical cyclones, 203–204, *211*
Stranded assets*, 18
Structured Expert Dialogue (SED), 79
Sub-national actors*, 23
Sub-Saharan Africa, changes in climate extremes, *197*
Sulphur dioxide (SO_2), 96, 118, *120*
Supply-side measures. *See* Demand and supply-side measures

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

Surface air temperature (SAT)
in definition of 1.5°C, 51, 56
global average temperature and, 56–57
Sustainable development (SD)*, 18–23, 72, *73–75*, **445–538**
and 1.5°C pathways*, 93, 97, 98, 156–157, 253, 450–451, 463–466, *465*
and 1.5°C warmer worlds*, 55–56, 447, 451–453
adaptation and, 19, 447, **456–459**
avoided impacts and, 452–453, *453*, 475
climate-resilient development pathways (CRDPs)* and, 22, 52, *64*, 448–449, 450–451, *451*, **468–472**, 475–476, 479–480
co-benefits, 447
conditions for achieving, 474–475
definition, *73*
equity and, 55–56, 448–449
integration with adaptation and mitigation, 75–76, 448, **467**
mitigation and, 12, 18, 19–21, 97, 156–157, *156*, 447–448, **459–466**, *481–509*
mitigation pathways and, 463–466, *465*
overview, 450, 475–476
pathways to 1.5°C, 466–472, *469*, 479–480
research gaps, 475–476
risks to, 253
in social-ecological systems*, *338–341*
synergies and trade-offs, 457–458, 459–463, *463*, 475
trajectories, *451*, 469–470, *480*
transformation* and, 22, 56, 73, 448, 456, 466
Sustainable Development Goals (SDGs)*, 18, 19–21, *73–75*, 156–157, *156*
adaptation options* and, 457–458
avoided impacts and, 18, 68, 183, **253–265**, 447, *453*, 475
CDR and, 448, 462
climate change and, 73, 74, *75*, 157, 158, 252
energy efficiency and, 448
equity and, 51
food security and nutrition, *238*
mitigation options and, 19–21, *20–21*, 448, **459–463**
mitigation pathways, interactions with, 2.SM.1.5
mitigation-SDG table, *481–509*
overview, 450
policy instruments and, 448
prioritizing, 447
risks from 1.5°C, *vs.* 2°C, 453
SDG Global Index Scores, *53*
SDG-interaction scores*, *481–509*
Shared Socio-economic Pathways* and, 321, 448, 467–468
synergies and trade-offs, 19–21, *21–22*, 319, 447, *463*, 475
system transitions and, 317
Sustainable Development Pathways, *64*, 448–449, **466–472**, *469*, 479–480
Synergies, 18–19, *20–21*, 72, *269*, 316, 477, 4.SM.4.5.1, 4.SM.5.2
adaptation and SDGs, 447
knowledge gaps, *391*
mitigation and SDGs, 19–21, 20–21, 157, 459–463, *463, 465*
mitigation and sustainable development, 459–463, *463*, 475
uneven distribution of, 466
Synfuels, 333
Systemic changes/transitions, *14–15*, 15–16, 21–22, 315, **323–349**, 449, 476
enabling, 315–318
rates of change, 322–323
See also Transitions

T

Tanzania, indigenous knowledge used in, *360*
Technology, 22
access to, 23
biotechnology/genome modification, 319, 329
deployment of, 72
disruptive, 22, 111, 319, 323
general purpose technologies (GPT)*, 369–370, 383
information and communication technology (ICT)*, 316, 319
innovation in, 19, 21, 22, 316, 369–370
innovation, enabling, 369–372
innovation, examples of, *370*
innovation, knowledge gaps, *391*
low-carbon, 15, 16, 96, 153, 331
new, 15, 22, 319
policies, 95, 148, 370–371
Power-2-X, 111
smart technology/IoT, 331
standards, 332, 378
Technology transfer*, 19, 23, 371–372, *371*, 449, 474
Temperature, *182*
carbon budget, emissions, and, 96
datasets, *53*, 56, 57, *58*, 59, 1.SM.1
fluctuations in, natural, 56, 59
global average, defined, 56–57, 81
global mean surface temperature (GMST)*, 56–57, *57*, 177, 186
heat-related morbidity and mortality, 9, *11*, 180, 240–241, *250*, 252, *252*, 263, *264*, 3.SM.3.3.1
heatwaves*, 9, 177–178, 263, *264*
land-sea contrast in warming, 8, 51, 59, 187, 190, 205
land surface air temperature*, 56
number of hot days, 190, *193*, 210
observed warming, *6*, 51, 53, *53, 58*, 106, 189–191, 1.SM.1, 1.SM.2, 1.SM.3, 1.SM.6
peak in, 5, 96, 101, 104, 177, *277*
peak, reducing after, 17, 18, *278*
projections, 4, 7, 177, 187–188, *188*, 190–191, *192, 193*
rate of change, *54*, 177, 178
regional variation in, 177, *283*
sea surface temperature (SST)*, 51, 204, 223–224, *248*
temperatures used in definition of 1.5°C, 51, 187, *188*
See also Global warming
Temperature extremes, 255, 263
hotspots (key risks), 190–191, *193*
and human health, 263, *264*
observed, *210*
probability ratio of, *192*
projected, 7, 177, *189*, 190–191, *192, 210*, 255
Sub-Saharan Africa, *197*
Temperature overshoot*. *See* Overshoot
Temperature threshold, *65*, 66
Terrestrial ecosystems, 8, 179, 216–221, *247*, *252*, 3.SM.3.3.7
biomass and carbon stocks, 219, *220*
biome shifts, 216, *217, 247, 250*
ecosystem function, 219
impacts and risks at 1.5°C, *vs.* 2°C, 8, *11*, 179, 216–221, *247*, 251, *252*, 3.SM.3.3.7, Table 3.SM.2
knowledge gaps, 272
phenology, 216–218
productivity, *220*
regional and ecosystem-specific risks, 219–221
respiration, 219
severe ecosystem changes, *217*
Thermohaline circulation. *See* Atlantic Meridional Overturning Circulation (AMOC)
Tipping points*, *182*, 262–263, *264*, 270, 282
identifying, 458
See also Irreversibility
Tourism, *11*, 178, 181, **242–243**, 253, 3.SM.3.3.2
coastal areas, 229, 253
observed impacts, 181
projected impacts, 181, 242–243, 253
risks, 181, 253
seasonal, 181, 243
Trade-offs, 18–19, 72, 73, *269*, 4.SM.4.5.1, 4.SM.5.2
example of, 477
knowledge gaps, *391*
mitigation options and sustainable development, 459–463, *465*
reconciling, 467
with SDGs, 19, 73
specific mitigation options, 97
uneven distribution of, 466
Transformation*, 22, 52, 70, 73, 112, 129–157, 315, 468–469
1.5°C pathways*, 95, 112–113, 129–148, 448, 472
1.5°C warmer worlds*, 73
challenges, opportunities, and co-impacts, 148–157
cities/urban areas, *472–474*
in climate-resilient development pathways, 468–469
context-specific, 469
energy system, 129–144, 463
FAQ on, 392–393, *393*
feasibility of, 52, 72
fundamental elements of, 73
implementing, *276*
societal (social) transformation*, 22, 52, 73, 448–449, 466
sustainable development and, 22, 448, 456
trade-offs, 73
upscaling and accelerating, 314
whole systems approach, 392
See also Transitions
Transformation pathways*. *See* Pathways

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press

Transformational adaptation. *See* Adaptation
Transient climate response*, 184–185
See also Climate sensitivity
Transient climate response to cumulative CO_2 emissions (TCRE)*, 96, 104, 106
Transition Movement, 480
Transition Towns (TTs), *473–474*
Transitions*, *14–15*, 15–16, 21–22, 73, 315–318, **323–349**, 4.SM.4.2.1-4.SM.4.2.5, 4.SM.4.3.1-4.SM.4.3.5
adaptation options* supporting, 321, 336–337, *338*
enabling, 19, 21–22, 315–318
in energy sector, 15, 96–97, 315, **324–327**, 374–375, 4.SM.4.2.1, 4.SM.4.3.1
equity* in, 22
FAQ on, 392–393, *393*
in land use, 16, 17, 96, 97, 315, **327–329**, 4.SM.4.3.2
policies supporting, 22
risks and ethics, 319
speed and scale of, 15, 314, 317, 320, 320, 322–323, 392, 394
sustainable development and, 22
synergies, 316, 4.SM.5.2
system/sector transitions, *14–15*, 15–16, 21–22, 96–97, 315–318, **323–349**
See also specific sectors
Transnational emission reduction initiatives (TERIs), 149
Transport sector, 244, 316, 332–333
biofuels, 325
car/transport pricing policies, *366*
decarbonization* of, 316, 461
demotorization, 316, *366, 376*
electric vehicle (EV)*, 316, 332–333, *333*
electrification of, 332–333, *333*, 460
emissions, 96, 114, 142–144, *143*
emissions reduction, *366*
final energy demand and use, *139*, 142–144, *143*, 332
impacts of weather and climate on, 244
international transport, 333
investments in, *373–374*
road safety for pedestrians, 461
road transport, 142–143, 461
strategies to reduce energy consumption, 142
sustainable transport, 332
technological innovations, *370*
transitions, 15–16, 316
transitions, speed and scale of, 320, *320*
urban environments, 316, **332**
Tropical cyclone*, 203–204, *211*
Cyclone Pam, 471
Tundra, 8, 179, 216, 220
tipping points*, 262, *264*

U

Uncertainty*, 69, **77**
of climate response to mitigation, 60, 63
geophysical, 96, 101–104
in mitigation pathways, 60, 63
propagation of, 3.SM.1.3
Unique and threatened systems, 10, *11*, 181, 251, 253–255, *254*
United Kingdom Overseas Territories (UKOT), *339*
United Nations Framework Convention on Climate Change (UNFCCC)*, 79, *80*, 353
adaptation financing, 21
Conference of the Parties (COP)*, 79
Green Climate Fund, *74*, 379
Uptake*. *See* Carbon sequestration
Urban areas, 180, 241–242, **330–334**
adaptation examples, *340–341*
adaptation options*, 10, 70, 263, 384–386, *385*, 4.SM.4.3.3
agriculture in, 316
demotorization, 316, *366, 376*
energy systems, 331
feasibility of adaptation options, 384–386, *385*
feasibility of mitigation options, *382*
global urbanization, *472*
governance, *473*
green infrastructure*, 10, 334, *334, 385*
heat island effect, 9, 180, 242
heat-related extreme events, 241–242
impacts and risks, 180, *182*, 183, 241–242
informal urban settlements, *473*
infrastructure, 331, 333
knowledge gaps, *388–389*
land use, 316, 333
low-carbon cities, 331
mitigation options*, 4.SM.4.2.3
numbers of people in, 330, *340*
peri-urban agriculture, 316
poverty and, 242
risks and risk reduction, 331, 456
sea level rise and, 231–232, 241
transformation* in, *472–474*
transformational adaptation, 386
Transition Towns (TTs), *473–474*
transitions, 15–16, 316, 330–334, 4.SM.4.2.3, 4.SM.4.3.3
transport, 316, 331, 332–333
urban planning, 148
water services, 316, 334
See also specific cities
Urban heat islands, 9, 180, 242

V

Values, 22, 71, 317, 364–365
re-examination of, 449, 469, 475
societal, 448, 476
value judgements, 55
Vanuatu, planning for climate-resilience, 449, *471*
Vector-borne disease, 9, 180, 241
Aedes mosquitoes, 241
Vulnerability*, 69, 447
disproportionate impacts and, 9, 51, 447
factors influencing, 53
international cooperation and, 23
multiple, interrelated climate risks, 10
new vulnerabilities, 10
redistributive policies and, 21
reducing, 19, 447, 457
risks and, 53, 452
sustainable development and, 447
systemic, 22, 447, 457

W

Warm Spell Duration Index (WSDI), 190
Water availability, 178, 213–214
Water cycle. *See* Hydrological cycle
Water management, 10
Water resources, 179, *182*, 213–216, 464–466
bottom-up initiatives, *368*
demand for, 464–466
groundwater, 181, 215, 3.SM.3.1.1.3
impacts and risks, 213–216, *247*
irrigation, 201, 215, 267, *267*, 315, **328**, 384, 466
projections, 179
regional, 179, *247*
in urban areas, 316, 334
water-energy-food (WEF) nexus, 386–387
water quality, 215–216, 3.SM.3.1.1.4
water temperature, 214
watershed management, *356*
See also Precipitation
Water scarcity, 179, 213, 452, *453*, 466
Water security, 464–466
Water stress, 9, 181, *247*, 452, 466
Well-being*, 18, 180
Bhutan's happiness index, *387*
place-specific adaptation and, 447
well-being for all, 469
Wetlands, 179, 225, 254, 330, Table 3.SM.2
management, 330
methane release from, 12
salinization of, 233
sea level rise and, 233
Wind energy, 96, 131, *131*, *132–133*

Z

Zero emissions commitment (ZEC), 64–65, *65*

https://doi.org/10.1017/9781009157940.012 Published online by Cambridge University Press