Index

— A —

action
  Euclidean, 40
  lattice, 42
  Wilson, 44, 419
Adler sum rule, 127
Altarelli-Parisi equation, 108, 167, 170, 195
  singlet, 110, 115
  solution, 116
angular ordering, 179, 183
anomalies, 281
anomalous dimension, 30, 114, 196
  higher-order, 196
  $j \gg 1$, 117
  $j \to 1$
    spacelike, 132
    timelike, 203
  leading-order, 115
  resummed, 203
antenna pattern, 179
α_S, 411
  running, 22, 24, 172, 413
  shrinking error, 412
  value, 424
asymptotic freedom, 4, 22, 26–27
average multiplicity, 217
  hadron, 200
  jet, 231
axial gauge, 11

— B —

backward evolution, 175
Bengtsson-Zerwas angle, 78, 163
β function
  QCD, 24
  QED, 24
BFKL equation, 137–139
binomial moments, 214
Bjorken scaling, 88
Bjorken sum rule, 149, 415
Bjorken x, 86
Bloch-Nordsieck theorem, 58
bottom quark
  decays, 333
    hadronic, 338
    semi-leptonic, 334
  fragmentation function, 200, 372
  hadroproduction, 357, 360
    cross section, 353
    differential cross section, 360
    transverse momentum distribution, 361
  in jets, 374
  mass, 1, 31, 357, 392
  weak isospin, 362
bottomonium, 375
branching
  algorithm, 173
  coherent, 178, 182
  phase space, 164
  spacelike, 165, 172
  timelike, 158, 168

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

Breit frame of reference, 211
Breit-Wigner distribution, 312

— C —

C-parameter, 72
Cabibbo angle, 288
Callan-Gross relation, 91, 97
charm quark
  decays, 333
    hadronic, 338
    semi-leptonic, 334
  fragmentation function, 200, 372
  hadroproduction, 357
  in jets, 374
  mass, 1, 357
  parton distribution, 93
  photoproduction, 359
charmonium, 375, 418
chiral symmetry, 15
Chudakov effect, 180
CKM matrix, 288
coefficient function, 107, 194
coherence effect, 180
coherent branching, 178, 182
colour algebra, 181
colour dipole, 139
colour factors, 6
  measurement, 77
condensate
  gluon, 417
  quark, 16
cone algorithm
  R, 247
  Sterman-Weinberg, 64
confinement, 4, 22, 380
coupling
  fermion, 284
  running, 22, 24, 413
covariant derivative
  electroweak, 271
  QCD, 6
covariant parton model, 94
CP violation, 288
  strong, 13
crossing, 89, 247, 257
custodial symmetry, 280

— D —

dead cone, 79
decays
  heavy quarks, 333
    hadronic, 338
    semi-leptonic, 334
  vector bosons, 290
deconfinement, 380
deep inelastic scattering, 86
  charged current, 92
  data, 122
  jet production, 211, 416
  kinematics, 86
  neutral current, 91
  neutrino, 87
  polarized, 147
  QCD corrections, 99, 107
  saturation, 147
  scaling violation, 415
  small x, 128
DGLAP equation, 108
digamma function, 145
dilogarithm, 67
dimensional regularization, 37, 57, 104, 308
dimensional transmutation, 47
direct photon production, 264, 423
down quark
  mass, 1, 16
Drell-Yan process, 301

— E —

e^+e^- cross section
  heavy quark, 62
  jets, 63, 230
  longitudinal, 209
  on Z pole, 55
  radiative corrections, 56
  total, 3, 53, 421
eikonal

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

factor, 257
formula, 178
electroweak interactions, 270
energy profiles of jets, 260
energy-energy correlation, 75
Euler constant, 38, 226, 325
event generators, 186, 191
event shapes, 71, 220, 422
evolution equation, 165, 195
exponentiation, 223

— F —

factorization, 104, 193, 239–240, 302, 309
classical model, 240
power corrections, 242
scale, 238–239, 351
scheme, 105
Fermi constant, 276, 287
fermion
couplings, 284
doubling problem, 44
families (generations), 281
Feynman gauge, 11
Feynman rules, 8
electroweak, 277, 286
QCD, 9
Feynman x, 310
field strength tensor, 5
fine structure constant, 287, 368
flavour excitation, 353
flavour symmetry, 15
forward evolution, 175
fragmentation function, 193, 195
asymmetric, 207
b and c quark, 200
current jet, 211
gluon, 200, 208, 219
longitudinal, 207
non-singlet, 196
photon, 268
power corrections, 200
scaling violation, 422
singlet, 196
small-x, 204
transverse, 207

— G —

Γ function, 38
gauge
axial, 11
Feynman, 11
fixing, 5, 8
invariance, 7
Landau, 11
light-cone, 11
parameter, 8
physical, 12
unitary, 274
Gell-Mann SU(3) matrices, 6
generating function, 213
gluon fragmentation, 215
jet rates, 230
quark fragmentation, 214
ghost field, 8
GLAP equation, 108, 167, 170, 195
singlet, 110, 115
solution, 116
gluino, 424
gluon
condensate, 417
mass, 8
momentum, 92
parton distribution, 92
scalar, 58, 73, 254
spin, 73, 77, 254, 329
gluon jet
compared to quark, 219, 263
fragmentation function, 219
Goldstone boson, 16, 293
Goldstone theorem, 16, 275
Gottfried sum rule, 128
Gross–Llewellyn Smith sum rule, 126, 415

— H —

hadronic tensor, 94

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

hadronization, 54, 157, 175, 184
'tube' model, 185, 210
cluster model, 188
corrections, 222, 422
independent fragmentation, 186
jet rates, 230
string model, 187
hadroproduction
direct photon, 264
heavy quark, 357
jets, 237, 246
experiment, 250
vector bosons, 301
handbag diagram, 96
heavy quark, 332
decays, 333
hadronic, 338
semi-leptonic, 334
spectator model, 338
effective theory, 18
fragmentation, 370
gluon emission, 78
in jets, 372
production, 423
higher order, 350
in e^+e^- annihilation, 62
lowest order, 347
symmetry, 17
helicity conservation, 162–163
Higgs boson, 272, 388
branching ratios, 391
decays, 278, 391
jet tagging, 407
mass
constraints, 389
experimental lower bound, 389
upper bound, 295
production
associated with $t\bar{t}$, 401
associated with W, Z, 401
at LHC, 397
at Tevatron, 399, 401
gluon-gluon fusion, 397
irreducible background, 404
mechanisms, 397
WW, ZZ fusion, 399
width, 278
Higgs field, 272
vacuum expectation value, 274, 276
Higgs mechanism, 272
Higgs potential, 273
higher twist, 123, 127, 415
hopping parameter, 45
hypercharge, weak, 271, 281

— I —

independent fragmentation, 186
infinite momentum frame, 88
infra-red cut-off, 171, 183
infra-red sensitivity, 193
irreducible background, 404
Isgur-Wise function, 19
isospin
strong, 15, 127
weak, 271, 281

— J —

Jacobian peak, 320
jet
deep inelastic scattering, 416
e^+e^-, 63
e^+e^- and ep compared, 212
e^+e^- and $p\bar{p}$ compared, 263
hadron-hadron scattering, 246
hadroproduction, 237, 246
angular distribution, 250, 252
experiment, 250
E_T distribution, 251
kinematics, 246
multijet, 255, 260
three-jet, 258
two-jet, 247
mass distribution, 224
merging, 261
production
in association with W, 327
in association with Z, 327
two-jet, 250
profiles, 260

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

rates, 228, 422
shapes, 220
width, 219
jet algorithm
cluster, 66
cone, 247
Snowmass accord, 260
JADE, 66, 416
k_T (Durham), 71
R, 247
Sterman-Weinberg, 64, 219
jet fragmentation, 193, 195
in deep inelastic scattering, 211
quark-gluon differences, 219
jet multiplicity, 231
in deep inelastic scattering, 234
leading-log approximation, 232
matching to fixed-order, 234
next-to-leading logs, 233

— K —

KLN theorem, 58
KNO scaling, 218

— L —

Lagrangian
electroweak, 271
Higgs, 276
QCD, 5
Λ parameter, 34
flavour dependence, 35
value, 424
Landau gauge, 11
large logarithms, 71, 129, 136, 138
large N limit, 142
lattice QCD, 39, 418
lattice simulations, 45
light-cone coordinates, 355
light-cone gauge, 11
Lipatov characteristic function, 145
Li_2 function, 67
local parton-hadron duality, 184
log matching, 226
luminosity
accelerator, 242
partonic, 243

— M —

Mandelstam variables, 89
Mellin transform, 114, 195
inverse, 116, 120
minimal subtraction scheme, 38
MLLA approximation, 205
moments
binomial, 214
fragmentation function, 195
multiplicity, 216
structure function, 114
Monte Carlo simulation, 166, 170, 173, 191
multijet production, 255, 260
multiplicity
average, 217
distribution, 216
width, 218
moments, 216

— N —

Nachtmann-Reiter angle, 78
narrow width approximation, 312, 343
neutral current, 91
neutrinos, number of, 291
non-relativistic QCD, 379, 419

— O —

optical theorem, 294

— P —

parallel transporter, 41
parton
branching, 158

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

cascade, 174
distribution, 92, 166
luminosity, 243
shower, 157, 174
wee, 98
parton model
covariant, 94
deep inelastic scattering, 86
in field theory, 93
naive, 86, 90
QCD improved, 98, 237
perturbative unitarity, 293
Peterson function, 370
phase space
branching, 164
multi-body, 343
three-body, 56
two-body, 278
physical gauge, 12
π^0 decay, 2
planar approximation, 142
plus prescription, 167
pointlike constituents, 88
polarization
in deep inelastic scattering, 147
in parton branching, 161–163, 174
in top decay, 341
in vector boson production, 295
in vector boson scattering, 292
sum, 101
pomeron, 130
positronium, 375
potential
Higgs, 273
QCD, 49, 418
power corrections, 123, 127, 200, 242, 412, 415, 417, 422
heavy quark mass, 338–339, 350
preconfinement, 188
pseudo-rapidity, 246
ψ function, 145

— Q —

quark
condensate, 16
masses, 14, 29
mixing matrix, 288
parton distributions, 92
properties, 1
sea, 92
spin, 91, 329
valence, 92
quark-gluon plasma, 380
quarkonium, 418
decays, 378, 420
potential, 377
production, 380
colour evaporation model, 381
colour singlet model, 381
spectrum, 375
wave function, 140
quenched approximation, 45
corrections to, 419

— R —

radiation function, 179
rapidity, 185, 246, 304
Regge theory, 130
renormalization
scale, 37, 60, 222, 227, 351, 411
scheme, 30, 36, 412
resolvable branching, 171, 174
resummation, 220, 228
event shapes, 223, 422
leading logarithms, 223
matching with fixed order, 226
next-to-leading logarithms, 225
thrust, 227
jet rates, 71, 228
small x
deep inelastic scattering, 138
jet fragmentation, 203
transverse momentum distribution, 324
ρ parameter, 278
running coupling constant, 22, 172, 413
running mass, 30

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

Rutherford scattering, 254

— S —

scalar gluon, 58, 73, 254
scale
  choice, 60
  dependence, 59, 222, 227, 351
scaling, 88, 304
scaling violation, 108, 193, 195
  deep inelastic scattering, 415
  fragmentation function, 422
semileptonic branching ratio
  charm, 338
shape variables, 71, 185, 220, 422
single effective subprocess
    approximation, 255, 258
singularities
  collinear, 57
  soft, 57
small x, 128
spacelike branching, 165, 172
spectator model, 334, 338
spherocity, 72
spin
  gluon, 73, 77, 254
  quark, 91, 329
splitting function, 108, 195
  higher order
    spacelike, 111
    timelike, 196
  lowest order, 101, 162, 168–169, 195
  polarized, 151
  unregularized, 160, 163
spontaneous symmetry breaking, 16,
    272, 276
strange quark
  mass, 1, 17
string tension, 49, 378
strong coupling constant, 411
  running, 22, 413
  value, 424
strong CP problem, 13
structure constants, 6
structure function, 87
  longitudinal, 91, 107
  neutrino scattering, 90
  parity violating, 91
  polarized, 148
SU(2)⊗U(1), 271
$SU(3)_c$, 1
$SU(3)_f$, 15
Sudakov form factor, 170, 172, 184,
    215, 225
sum rule, 109, 126
  Adler, 127
  Bjorken, 149, 415
  Ellis-Jaffe, 150
  Gottfried, 128
  Gross–Llewellyn Smith, 126, 415
  momentum, 109
  valence, 92
supersymmetry, 409, 424
symmetry
  approximate, 14
  chiral, 15
  custodial, 280
  exact, 12
  flavour, 15
  heavy quark, 17
  spontaneously broken, 16, 272

— T —

τ lepton, 416
θ_W, 275
three jet production, 255
thrust, 72, 185, 220
timelike branching, 158, 168
top quark
  decays, 340
    CKM-disfavoured, 342
    to charged Higgs, 345
    to Wb, 340
  mass, 1, 364
  production, 362
    at LHC, 368
    cross section, 353, 364
    single top, 370
  width, 341

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014

transverse mass, 246, 320, 349
trigger bias, 251
triple-gluon vertex, 76, 159
twist, 123, 415
two jet production, 247

— U —

unitarity triangle, 289
unitarity, perturbative, 293
unitary gauge, 274
up quark
  mass, 1, 16

— V —

valence quark, 92
vector bosons
  decay, 290
  pair production, 295
  production, 301, 303, 313
    QCD corrections, 307
  scattering, 291
virtual corrections, 56, 58, 65, 73, 103, 171, 266, 301, 307, 323, 351

— W —

W decay
  hadronic, 291
  width, 290
W mass, 275
  measurement, 319
W production
  cross sections, 313
  in association with jets, 327, 423
  pair production
    hadronic, 298
    in e^+e^-, 297
  rapidity asymmetry, 315
  transverse mass, 319
  transverse momentum distribution, 321
weak boson
  masses, 275
  pair production, 295
  scattering, 291
weak hypercharge, 271, 281
weak isospin, 271, 281
wee partons, 98
Weinberg angle, 275
Wilson action, 44, 419

— Y —

Yang's theorem, 381
Yukawa couplings, 283, 389

— Z —

Z decay
  hadronic, 291, 421
  invisible, 291
  to b and c, 421
  width, 290
Z mass, 275, 287
Z production
  cross sections, 313
  in association with jets, 327
  pair production
    hadronic, 298
    in e^+e^-, 298
  rapidity distribution, 315
  transverse momentum distribution, 321
ζ function, 59

Downloaded from https://www.cambridge.org/core. UNIVERSIDAD AUTONOMA METROPOLITANA, on 14 Nov 2026 at 22:00:32, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511628788.014