Part 6. Tables

6.1. Aetiology of Patients Permanently Implanted in the U.S.A. (As in October, 1977).

Aetiology	Los Angeles	San Francisco	Stanford	Utah	Totals
Otosclerosis	7				7
Ototoxicity	5	1	2		8
Meningitis	2				2
Congenital		1			1
Hereditary Adult SNHL		1		1	2
Unilateral Menière's with vestibular neurectomy				1	1
Unknown	8	2	1	2	13
	22	5*	3	4	34

* This total does not include two patients in whom electrodes were inserted acutely, for testing, but who were not subsequently given permanent implants.

6.2. Current Status of Use of Permanently Implanted Patients in the U.S.A. (As in October, 1977).

	Los Angeles	San Francisco	Stanford	Utah	Totals
Daily use for >2 hrs.	9	1			10
Daily use for <2 hrs.	2	1			3
Awaiting repair of implants	4				4
Awaiting external (take-home) packages	6		2	4	12
Implant removed and lost to evaluation		1			1
Died	1	2	1		4
	22	5*	3	4	34

* This total does not include two patients in whom electrodes were inserted acutely, for testing, but who were not subsequently given permanent implants.

https://doi.org/10.1017/S0022215100085042 Published online by Cambridge University Press

https://doi.org/10.1017/S0022215100085042 Published online by Cambridge University Press