Proceedings of the Design Society, Volume 5: ICED25
https://doi.org/10.1017/pds.2025.10050

Advancing systems engineering with artificial intelligence: a review on the future potential, challenges and pathways

Victor Vilhelm Poulsen [1,✉], **Matthias Guertler** [1], **Boris Eisenbart** [2] **and Nathalie Sick** [1]

[1] *University of Technology Sydney, Australia,* [2] *Swinburne University of Technology, Australia*

✉ victor.poulsen@uts.edu.au

ABSTRACT: Artificial Intelligence (AI) provides a unique opportunity to enhance and augment Model-Based / Systems Engineering (SE and MBSE). Through a systematic literature review, this paper explores current and potential uses of AI in SE across the V-model and analyses barriers of AI adoption in SE/MBSE. The results show that despite a significant potential of AI to enhance SE, several barriers exist, such as unavailability of data, trust and explainability issues, and technical limitations of AI systems. Based on the findings, this paper suggests future research directions, focussing on increasing the availability of high-quality datasets, integrating explainable AI techniques into SE, investigating Human-AI team dynamics, exploring MBSE roles for facilitating AI and how to address technical limitations of current AI models.

KEYWORDS: systems engineering (SE), artificial intelligence, digital / digitised engineering value chains, advanced systems engineering (ASE), AI4SE

1. Introduction

The products and services of tomorrow are becoming smarter, more autonomous and connected, which creates opportunities for new business models and innovations. However, the added complexity of these advanced systems calls for new approaches to enable more efficient development to ensure future competitiveness in bringing these increasingly complex products and services to market (Dumitrescu et al., 2021). A promising answer is Advanced Systems Engineering, particularly Artificial Intelligence (AI) augmented Systems Engineering (SE).

SE offers a structured approach to handling complex interdisciplinary design processes, offering numerous benefits such as early error detection and cost-reduction (Honour, 2013; INCOSE, 2023). However, broad adoption of SE practices in the industry has been slow outside avant-garde deployments such as Aerospace and Defence, despite SE being seen as a promising, if not necessary, response to manage the increasing developmental complexity (Dumitrescu et al., 2021). SE is traditionally document-based, with artefacts stored in documents such as requirements specifications and interface control documents; however, synchronising and maintaining the information in the documents is often a challenge (INCOSE, 2023).

Model-based systems engineering (MBSE) is an enhancement to traditional SE approaches by integrating the previously document-based information into an integrated MBSE model repository (INCOSE, 2023). Previous documents are views of this repository, ensuring changes in one view are reflected everywhere. Thus, MBSE improves the ability to manage and use the information, resulting in benefits over traditional SE, such as improved communications, the ability to manage complexity and improved product quality (INCOSE, 2023). MBSE also assists with traceability between artefacts from different stages of the developmental lifecycle and between subsystems and components (Carroll & Malins, 2016; Wilking et al., 2024). However, MBSE tends to be more

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

difficult to adopt than traditional SE approaches (Henderson et al., 2023), as it requires significant efforts to establish and maintain the relevant models within the integrated model repository (Wilking et al., 2020).

An emerging approach addressing this challenge is Advanced Systems Engineering (ASE), which focusses on using digitally driven technologies, such as AI, to enhance and streamline current SE and MBSE practices (Dumitrescu et al., 2021). ASE provides a way forward in a landscape where SE and MBSE are increasingly recognised as key to building competitive advantages in advanced systems, yet often being perceived as too complex and challenging to adopt, due to factors such as the additional expenses and expertise required for modelling (Dumitrescu et al., 2021). In parallel, AI is emerging as a disruptive force, particularly after the emergence of generative AI applications such as ChatGPT, which accelerated AI technology and uptake due to their performance and user-friendliness (Kanbach et al., 2024), unlocking unprecedented opportunities for analysing datasets, detecting patterns and other sophisticated analyses (Khaleel et al., 2023). In the extant literature on SE and AI, two different labels have emerged: SE4AI and AI4SE (T. McDermott et al., 2020). SE4AI focuses on applying SE approaches to manage the complexity associated with developing AI. AI4SE, which is the focal topic of this paper, focuses on applying AI, such as machine learning techniques or augmented intelligence, to support SE processes (T. McDermott et al., 2020). It is expected that ASE and AI4SE will offer new tools that simultaneously optimise system design and engineering while also balancing Human-Centred Design (HCD) by minimising workload and increasing situational awareness (Fouad et al., 2021). However, as outlined by McDermott et al. (2024), AI integration into SE is still in its infancy, with AI's impact on SE processes not yet being fully comprehended. Thus, this paper addresses the following research questions:

RQ1) In what way can AI technologies be utilised to enhance SE activities?
RQ2) What are the key barriers preventing the effective integration of AI into Systems Engineering practices?

To answer these questions, a systematic review of pertinent studies and theorisations in literature is conducted to identify current and emerging research on AI augmentation, its potential benefits, and associated barriers. The focus is on understanding gaps in adopting AI4SE . The paper is structured as follows. Section 2 outlines the methodology of the literature review. Section 3 presents findings related to RQ1, while Section 4 addresses results related to RQ2. Section 5 discusses the findings with emphasis on future research directions, and Section 6 concludes with a summary and discussion of limitations.

2. Methodology

To analyse current research and adoption barriers, this paper used a systematic literature review approach. Searches were performed in the two established bibliographic databases Scopus and Web of Science (WoS) as suggested by Paul & Criado (2020). The search strategy focuses on AI4SE. The search terms were kept broad to capture the two topics (AI and SE) in the broadest sense, using terms commonly recognised in literature. Therefore, we used the terms Systems Engineering, Artificial Intelligence and the abbreviation AI. Furthermore, we used a proximity operator to narrow the search results to papers that focus on both AI and SE, assuming the co-occurrence of the search terms within limited proximity indicates a stronger thematic relationship. A proximity of 15 words was chosen as this is the "default" proximity operator in Web of Science using the operator "NEAR" (Search Operators, 2023), and this was then mirrored in Scopus using the W/15 operator. Based on this, the following search strings were developed for Scopus and WoS.

WoS Core Collection: *TS=((AI OR "artificial intelligence") NEAR ("systems engineering"))*
Scopus (TITLE-ABS-KEY): *(ai OR "artificial intelligence") W/15 "systems engineering"*

The search was conducted, analysed and repeatedly updated over a 3 months period in September to November 2024. The following inclusion criteria were developed: Papers (1) should focus on AI integration or support for SE practices, (2) should be in English, and the (3) paper format should be journal articles, conference proceedings and book chapters. In total 284 papers were found in the search after merging the results and removing duplicates using the procedure developed by Lim et al. (2024). The papers were screened by reading the abstracts, emphasising identifying papers covering AI integration in SE processes. After screening the papers and applying the inclusion criteria, a total of 33

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

papers were selected for in-depth review. The selected publications were analysed and coded thematically following the approach outlined by Elo & Kyngäs (2008).

For the role of AI in enhancing SE, we used a deductive coding process, basing the codes on the V-model core activities of VDI2206: (1) *Requirements Elicitation*, (2) *System Architecture*, (3) *Implementation of System Elements*, (4) *System Integration and Verification* and (5) *Validation and Transition* (Graessler & Hentze, 2020). It also incorporates "*Modelling and Analysis*" and "*Requirements Management*" as additional activities due to their integral role across the various phases of the V-Model. For simplicity, "*Requirements Management*" was integrated in the *Requirements Elicitation* code. We started with a deductive approach using the abovementioned codes but combined it with inductive to refine the analysis framework iteratively. The VDI 2206 framework was chosen for its emphasis on modelling and its relevance to the cyber-physical systems domain, this is discussed in more detail by Graessler and Hentze (2020). The analysis of barriers for AI integration used an qualitative inductive thematic approach since it is suitable when there is not enough knowledge yet about the phenomenon (Elo & Kyngäs, 2008).

3. The role of AI in enhancing core activities of systems engineering

The following analysis provides an overview of how AI technologies can support and improve the core SE activities derived from the VDI2206. Figure 1 provides an overview of existing, emerging, and currently empty research areas of AI4RE, which are described in detail in the following. In general, current research seems to focus on early SE activities and *Modelling and Analysis*.




Figure 1. Examples of potential AI use cases in systems engineering activities

3.1. Requirements elicitation

Requirements elicitation forms the foundational activity of capturing and documenting stakeholder needs. It involves structuring and analysing requirements to develop "*a description of the system characteristics which are to be fulfilled*" (Graessler & Hentze, 2020, p. 319). We found that requirements elicitation is the third most frequently addressed core activity, with 22 out of 33 papers covering it.

AI offers strong potential in enhancing the elicitation and writing of requirements. Existing tools and techniques such as "RAPID" are designed to analyse requirements and derive UML diagrams, while "Circe" supports automated requirements analysis (Patel et al., 2024). Moving to LLMs, Crabb and Jones (2024) used OpenAI's GPT3.5 model, to develop requirements based on specific scenarios. More detailed sample prompts for tasks such as requirements generation, specification and analysis are also provided by Arora and Grundy (2023), who also provide SWOT analysis of LLM for requirements and find that LLM can bridge a gap in identifying 'unknown' requirements. Future possibilities highlighted by Bruneliere (2022) include the integration of AI and Machine Learning (ML) to support requirements writing by providing recommendations aligned with domain-specific standards and guidelines. Automated reasoning could also be applied to check the consistency of requirements during early design stages. Additionally, Natural Language Processing (NLP) tools can play a vital role in generating requirements from unstructured data in large documents (Patel et al., 2024), offering new possibilities for managing complex information.

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

AI can address the challenges of traceability and integration of requirements with subsequent phases of the V-model, a process that is often resource-intensive and prone to errors (Chami & Bruel, 2015). Going into more detail, Rudolph (2024) used a machine-executable V-model coupled with graph-based languages to link various models within core activities of the V-model. He suggests natural language requirements can be encoded using object-oriented programming languages such as Java or visual modelling languages like UML to develop ontologies, modelled with graph-based languages and linked to later phases of V-model using SysML. Another approach, suggested by Chami and Bruel (2015), involves incorporating Gaussian noise into modelling processes to represent uncertainties in requirements values and properties, thus enabling broader solution spaces and facilitating better alternatives compared to conventional SysML modelling techniques. Despite these advancements, challenges remain in encoding natural language requirements to enable integration into system-wide models and in capturing interdisciplinary information for use in AI algorithms (Chami & Bruel, 2015). Providing a different perspective than other articles, Barry and Doskey (2020) point out that AI can also facilitate sociotechnical modelling to understand stakeholders relationships and alignments. Early understanding of stakeholder alignment can reduce risk is useful as differences in beliefs and expectations are common causes of project failure (Barry & Doskey, 2020).

3.2. System architecture and design

The system architecture and design phase represent the core interdisciplinary effort in product engineering, where the overall cross-disciplinary solution structure, known as the system architecture, is established. This architecture is then decomposed into implementable units for subsequent design and implementation (Graessler & Hentze, 2020). System architecture is identified as the second most frequently occurring theme in the sampled literature, with 17 of 33 papers addressing it. Topics related to system architecture in modelling are further discussed in section 3.3.

AI can assist within the system architecture and design phase by automating processes and supporting interdisciplinary tasks. To automate SysML modelling and traceability, Bonner et al. (2023) developed a Polarion integrated tool for semi-automated creation and maintenance of trace links between requirements and MBSE, ensuring requirements are implemented correctly. Similarly, Cederbladh et al. (2024) proposed creating toolchains based on knowledge graph kernels to link various modules and tools, offering another approach to automating SysML modelling and traceability. Given logical architectures, various AI algorithms can be used to create physical architectures (Rudolph, 2024). In addition, Hsu et al. (2009) provided an example of how agent-based modelling using neural networks can be employed to understand emergent behaviour in systems and integrate this understanding into architectural models. While many studies focus on specific AI techniques or applications, Batista and Monsuez (2020) emphasised that many essential AI capabilities for creating AI assistants already exist, but integration into systems engineering processes remains underdeveloped. To accelerate this process, they promote modular and incremental implementation to reduce costs and time consumption.

3.3. Implementation of system elements

The implementation of system elements involves developing, dimensioning, designing, and detailing the specified system components (Graessler & Hentze, 2020, p. 319), and is addressed by 11 of the 33 papers. AI techniques have shown the potential to reduce the design effort required in this phase, particularly by automating complex and time-intensive tasks. Rudolph (2024) demonstrates the use of graph-based languages to develop an executable V-model, enabling the use of algorithms Particle Multiple Swarm Optimisation (PMSO), simulated annealing (SA), and A* algorithms to automate design tasks of packing, piping and wire routing under design constraints. This highlights how AI be used to automate the step between logical and physical architectures. Having a different focus, Aranburu et al. (2022) explore the usefulness of AI in parametric modelling, indicating that studies have shown some initial success in automatically reconstructing 3D models based on human modelling sequencing, although with poor quality and robustness due poor-quality training data. The data quality stems from poor modelling practices, leading to inefficient design sequences entering the training datasets. This indicates that although AI has the potential to assist with automated design based on architectures and can be used for parametric modelling, design teams should be encouraged to develop high-quality datasets, which then can undergo rigorous quality checks. In the long-term, Aranburu et al. (2022) envision significant advancements in AI-enabled CAD modelling support, such as autocompletion, auto creation

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

of primitives and relations from 2D sketches, and the use of ML algorithms trained on historical data to improve accuracy and reduce human intervention in the design phase.

3.4. System integration and verification

System integration involves step-by-step integration of systems into next product-hierarchy level, while also verifying that the system meets the relevant requirements (Graessler & Hentze, 2020). This phase is the second least addressed, with only 8 of the 33 papers discussing relevant themes. Bruneliere et al.(2022) discuss the AIDOaRt project's intent to develop an AI-enabled framework for continuous validation, with expected improvements in productivity and quality. They also propose using ML techniques to generate unit tests and identify high-quality test suites with high probability of detecting failures. Madni (2023) supports this by suggesting that ML, particularly reinforcement learning, may be used to enhance SE verification by enabling real-time updating of models to ensure correctness. To improve verification, Hsu et al. (2009) demonstrate that agent-based modelling can be used for the early identification of emergent behaviour in the developed system, providing a proactive approach to ensuring intended system behaviour.

3.5. Validation and transition

In the final phase of the V-model, the fully integrated system is validated against stakeholder needs and then handed over to a new entity such as a client. Validation of individual elements and subsystems may also take place (Graessler & Hentze, 2020). AI techniques can be used to enhance the validation and transition process; however, this phase is the least commonly discussed, with only 7 of the 33 papers discussing relevant themes. Machine learning (ML) can detect performance issues and system errors by analysing historical data and trace analysis (Bruneliere et al., 2022). Additionally, requirements validation can be supported using NLP techniques (Patel et al., 2024). In complex systems-of-systems, where unpredictable or emergent behaviours often arise, agent-based simulation techniques can identify both desirable and undesirable emergent behaviours early in the validation phase (Hsu et al., 2009). Highlighting that the potential use of AI driven analysis continues into the operational stage, Verma and Singhal (2024) discuss the potential of using AI driven predictive maintenance and analysing customer behaviour thereby closing the V-model by understating customer needs in the first phase.

3.6. Modelling and analysis

Graessler and Hentze (2020) define modelling and analysis as an overarching activity involving digital representations of the systems across various engineering disciplines. From the SE discipline, MBSE connects the different models on a system level, requiring active analysis and synthesis.

The reviewed literature suggests that AI has the potential to support MBSE efforts. A key benefit is reducing the learning curve for inexperienced users, making MBSE more accessible (Bader et al., 2024). To reduce the MBSE adoption barrier, Schräder et al. (2022) propose running physical modelling workshops that use sketches instead of digital modelling tools. These workshops prioritise technical discussions over formal modelling, enabling team members to participate without prior training. Using various algorithms sketches from such sessions can later be digitised into models like UML (Castellanos-Paes et al., 2022; Schräder et al., 2022). AI tools can also support modelling directly. Large language models (LLMs) can generate activity diagrams from requirements (Crabb & Jones, 2024), while NLP and ML techniques can automate or semi-automate the creation of SysML elements such as actors, use cases, associations, and blocks (Patel et al., 2024). Additionally, AI assistants being developed to enhance model quality by checking the consistency of design and models (Bruneliere et al., 2022). This highlights the potential of developing AI support for modelling, for example when designing system architectures based on textual requirements. On a broader system-of-systems level, agent-based modelling can be used to predict and analyse emergent behaviours in system-of-systems (Hsu et al., 2009). This highlights a strong potential of developing a wide range AI support for modelling, but also that current use cases are not sufficiently mature to use in production environments. Coupled with other technologies, e.g. graph-based models, and ontologies, (Orellana & Mandrick, 2019; Rudolph, 2024) AI also shows strong potential to assist with interoperability across the V-model phases. This highlights that organisations adopting MBSE but with siloed implementation are likely be a step ahead in utilising AI and other digital technologies to streamline and enhance the application of MBSE.

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

4. Barriers to Artificial Intelligence integration in systems engineering

This section outlines the barriers identified in the literature that impede integration of AI into SE. The analysis revealed three primary categories of barriers: 1) Data-related barriers, 2) Trust, explainability, and interpretability, and 3) Technical limitations of AI systems and algorithmic issues. These barriers are summarised in Table 1 and detailed below. Phase-specific barriers, such as siloed tools and lack of interoperability between AI and SE tools, further hinder integration. A deeper understanding of human-machine interaction is also crucial to enable the full utilisation of AI as a "colleague".

4.1. Data related barriers

AI relies on high-quality datasets. AI for SE faces several data-related barriers for training algorithms such as machine learning (ML) and neural networks remains insufficient (Schräder et al., 2022), and fine-tuning LLMs for SE activities (Bader et al., 2024; Du Plooy & Oosthuizen, 2023; Schräder et al., 2022). Aside from an actual lack of data, data often exist in industry but is not easily accessible to due to privacy concerns (Verma & Singhal, 2024), restricting researcher access to legacy data (Cederbladh et al., 2024). Another challenge is the need for but lacking access to labelled datasets (Bonner et al., 2023). While an overarching barrier, data availability also affects specific phases: for example, inconsistent data annotation, lack of labelled data, and dataset diversity in requirements elicitation, leading to potential incompatibility of business and sub-/system requirements (Norheim et al., 2024).

Fragmented and inconsistent data can lead to poor information sharing across the system lifecycle (Orellana & Mandrick, 2019; Verma & Singhal, 2024). Data often reside in siloed tools disrupting continuous data flows (Batista & Monsuez, 2020) required for generating SE models with specific language and taxonomy requirements (Cederbladh et al., 2024). Varying data quality creates further reliability and applicability problems, such as biases in datasets caused by training or adaptive learning over time (T. A. McDermott et al., 2021) transferring training between datasets (Bonner et al., 2023). Thus, researchers need to ensure better access to high-quality, interoperable datasets, and improvements in data sharing practices across the SE lifecycle and between academia and industry.

4.2. Trust, explainability and interpretability

For AI to be adopted by (systems) engineers, it must first gain their trust; however, AI currently engenders distrust (Madni, 2023). One of the primary reasons for this is that AI often operates as a "black box" producing outputs with limited explainability and interpretability (Verma & Singhal, 2024). This lack of transparency is especially concerning when AI is used to support decisions with potentially significant consequences, as the ability to understand and trust the outputs is critical. LLMs are particularly fraught with explainability issues due to their strong black-box nature and instability (Rudolph, 2024). Although techniques such as prompt engineering can reduce the problem, a key issue is their tendency to "hallucinate", generating incorrect or nonsensical text (Du Plooy & Oosthuizen, 2023). Despite these shortcomings, generative AI such as LLMs will likely play an important role in the future due to their user-friendliness, versatility, and remarkable power in generating outcomes quickly.

4.3. Technical limitations of AI systems and algorithmic issues

Although AI capabilities have progressed significantly, technical limitations and challenges remain. AI development interfaces primarily target data scientists, requiring skills not widely available in the SE community. AI applications often lack explainability, robustness, and protection from adversarial attacks (T. A. McDermott et al., 2021). AI systems also struggle to adapt to dynamic or unexpected contexts without human intervention, leading to ethical challenges, such as Uber's surge pricing during a siege in Sydney (Madni, 2023). These technical challenges highlight the need for further research to enhance AI reliability and adaptability in SE. Specific limitations in SE include generative AI's difficulty handling mathematical model components and producing interoperable outputs (Du Plooy & Oosthuizen, 2023). Crabb and Jones (2024) faced issues with LLMs outputting interoperable files without manual corrections, even with correct file types (XML) for Cameo Systems Modeler import. Memory issues also lead to context constraints, resulting in unreliable outputs when inputs become too complex or conversations too long (Bader et al., 2024). This underscores the importance of better utilizing existing AI technologies within their limitations while maturing current AI technologies.

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

5. Discussion

Our findings highlight the potential of using AI to augment SE, but also underscore its adoption barriers. Aside from individual research fields, our analysis revealed critical overarching issues (Table 1) to be discussed in the following. These should be addressed before or in parallel to field-specific topics and, therefore, drive future research endeavours.

Table 1. Overview of future research priorities

Data sharing and collaboration	Trustworthy and explainable AI	Human-AI teams	MBSE - AI Integration	Technical and Algorithmic
- Collaborate with industry for shared datasets - Address privacy issues e.g. use data obfuscation techniques - Improve data interoperability e.g. ontologies, knowledge graphs	- Integrate XAI in SE - Explore Human-AI to develop trust and accountability	- Investigate strengths/ limitations of AI in Human-AI teams - Define roles and boundaries - Unify concepts and terminology (HAT, AugI, HMT etc.) - Develop and integrate guidelines for privacy, ethics and accountability	- Identify "low-hanging fruits" for augmenting MBSE with AI - Investigate successful MBSE practices for AI integration - Develop best practices and guidelines	- Explore technology to improve LLM outputs e.g. RAG and Graph-Rag - Develop AI interoperability with SE/MBSE tools

5.1. Enhancing data sharing and collaboration

The availability and quality of training data remain significant challenge AI in SE. Collaboration between industry and academia could facilitate shared datasets through initiatives such as direct data sharing, co-creating new datasets, and labelling training data with the help of experts. However, privacy concerns remain a significant barrier. Techniques such as data obfuscation (Bonner et al., 2023) offer potential solutions. Norheim et al. (2024) call for the creation of public datasets for training, testing and benchmarking new AI models. Enhancing interoperability between tools and datasets across the SE lifecycle is crucial. Siloed tools and data hinder AI integration, necessitating solutions like knowledge-graphs and ontologies for seamless linkages. Future research should address privacy concerns by developing frameworks and techniques for confident data sharing. Additionally, research should focus on interoperability, including data structuring, linking technologies, and developing use cases to drive progress.

5.2. Developing trustworthy and explainable AI

The black-box nature of AI systems undermines trust and hinders adoption in SE. Developing trustworthy AI systems requires addressing three core elements: validity, explainability, and accountability (Alix et al., 2021). *Explainable AI (XAI)* suggests AI outputs need to be with human cognitive processes, such as humans using contrastive explanations, generating explanations based on analogical reasoning, selecting the arguments used in an explanation, performing poorly in manipulating probabilities, and putting explanations within a dialogue (Alix et al., 2021). To build trust and confidence in AI, future studies should prioritise research that integrates XAI techniques and considerations. Understanding the dynamics of human-AI interaction is critical, particularly how transparency and high-quality outputs can build user confidence in AI systems. Thus, success hinges on creating explainable and accountable AI systems, providing clear, actionable explanations to build user confidence (Bruneliere et al., 2022; Castellanos-Paes et al., 2022). SE4AI can provide valuable support by using SE principles to, for instance, ensure traceability from AI model input via processing to output.

5.3. Advancing human-AI team research

Instead of replacing humans, literature emphasises the development of AI support or Human-AI teams combing their complementary strengths (Madni, 2023). However, a better understanding of Human-AI teams is needed, such as resulting team strengths and limitations, team roles, required human oversight mechanisms (Fouad et al., 2021; Verma & Singhal, 2024). Trust in AI team members remains a critical factor (Alix et al., 2021). Team design requires specifying where AI is restricted while integrating ethics,

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

privacy, and risk considerations (Lawless et al., 2021), along with AI usability (Fouad et al., 2021). Thus, future research should continue investigating Human-AI team dynamics and team design along with general frameworks for ethical and privacy-conform AI (Verma & Singhal, 2024). This includes unifying the current spectrum of definitions and concepts (Bruni, 2024 Madni, 2023; Du Plooy & Oosthuizen, 2023).

5.4. Leveraging MBSE for AI integration

From the literature investigated in this review, it emerges that MBSE provides a foundation for AI integration, indicating that organisations using MBSE are better positioned to adopt AI as well. However, the literature offers limited insights into this dynamic. Future research is suggested to identify successful MBSE practices that enable AI integration, particularly to identify "low-hanging fruits" and develop best practices and guidelines for successful AI augmentation of MBSE.

5.5. Addressing technical and algorithmic limitations

AI systems face technical limitations such as hallucination, instability, and context limitations in LLM, which require improved algorithm design and improved use, such as better prompt engineering (Rudolph, 2024; Du Plooy & Oosthuizen, 2023). Research should focus on the adoption of techniques to improve performance of current AI such as Retrieval-augmented generation (RAG) and graph-RAG approaches to address limitations of LLMs (Edge et al., 2024). Furthermore, addressing the interoperability of AI outputs with SE modelling tools is essential to reduce manual pre-processing and corrections to streamline workflows(Bader et al., 2024)

6. Conclusion

This study identified several promising avenues for enhancing SE with AI support. Although research shows potential across all stages of the SE V-model, the outlooks are particularly promising in requirements engineering, systems architecture and modelling/MBSE. However, AI integration is currently hindered by barriers such as lack of training data, poor explainability and a need for more knowledge about Human-AI teams. Thus, future research is suggested to focus on how to overcome these barriers, for example, by collaborating with industry to co-create datasets, developing data and tool interoperability, and conducting further research into Human-AI teams related themes such as explainability, responsibility and roles.

This study contributes to SE and AI literature by increasing the understanding of current research findings and providing a catalogue of research directions to facilitate the integration of AI into SE practices. Thus, this study contributes valuable research priorities to the emerging research field of ASE. In the long run, this study also contributes to industry capabilities to build SE capabilities by augmenting it with AI. This study has some limitations, the first pertains to the search string, which focuses only on AI and SE in broad terms, introducing the risk of excluding relevant publications with a specialised focus. Another limitation relates to the research methodology and how the systematic literature review was conducted. To reduce bias and increase the reliability of results, a higher number of experts could have participated in the selection and coding of publications. Finally, the last limitation relates to the databases used. Although we used two established databases, it is possible that relevant papers were excluded if not indexed in one of the databases.

Acknowledgement

This research is supported by an Australian Government Research Training Program (RTP) Scholarship.

References

Alix, C., Lafond, D., Mattioli, J., Heer, J. D., Chattington, M., & Robic, P.-O. (2021). Empowering Adaptive Human Autonomy Collaboration with Artificial Intelligence. *2021 16th International Conference of System of Systems Engineering (SoSE)*, 126–131. https://doi.org/10.1109/SOSE52739.2021.9497497

Aranburu, A., Justel, D., Contero, M., & Camba, J. D. (2022). Geometric Variability in Parametric 3D Models: Implications for Engineering Design. *Procedia CIRP*, 109, 383–388. https://doi.org/10.1016/j.procir.2022.05.266

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

Arora, C., Grundy, J., & Abdelrazek, M. (2023). Advancing Requirements Engineering through Generative AI: Assessing the Role of LLMs (No. arXiv:2310.13976). *arXiv*. https://doi.org/10.48550/arXiv.2310.13976
Bader, E., Vereno, D., & Neureiter, C. (2024). Facilitating User-Centric Model-Based Systems Engineering Using Generative AI: *Proceedings of the 12th International Conference on Model-Based Software and Systems Engineering*, 371–377. https://doi.org/10.5220/0012623200003645
Barry, P. S., & Doskey, S. (2020). Utilizing Artificial Intelligence to Make Systems Engineering More Human. *In A Framework of Human Systems Engineering* (pp. 19–41). John Wiley & Sons, Ltd. https://doi.org/10.1002/9781119698821.ch3
Batista, L., & Monsuez, B. (2020). The conception of a large-scale Systems Engineering environment. *2020 AIAA/IEEE 39th Digital Avionics Systems Conference (DASC)*, 1–7. https://doi.org/10.1109/DASC50938.2020.9256709
Bonner, M., Zeller, M., Schulz, G., Beyer, D., & Olteanu, M. (2023). Automated Traceability between Requirements and Model-Based Design.
Bruneliere, H., Muttillo, V., Eramo, R., Berardinelli, L., Gómez, A., Bagnato, A., Sadovykh, A., & Cicchetti, A. (2022). AIDOaRt: AI-augmented Automation for DevOps, a model-based framework for continuous development in Cyber–Physical Systems. *Microprocessors and Microsystems*, 94, 104672. https://doi.org/10.1016/j.micpro.2022.104672
Carroll, E. R., & Malins, R. J. (2016). Systematic Literature Review: How is Model-Based Systems Engineering Justified?. *(Nos. SAND2016-2607, 1561164; pp. SAND2016-2607, 1561164)*. https://doi.org/10.2172/1561164
Castellanos-Paes, S., Hili, N., Albore, A., & Pérez-Sanagustín, M. (2022). Frontiers | BOARD-AI: A goal-aware modeling interface for systems engineering, combining machine learning and plan recognition. *Frontiers in Physics*. https://www.frontiersin.org/journals/physics/articles/10.3389/fphy.2022.944086/full
Cederbladh, J., Berardinelli, L., Bruneliere, H., Cicchetti, A., Dehghani, M., Di Sipio, C., Miranda, J., Rahimi, A., Rubei, R., & Suryadevara, J. (2024). Towards Automating Model-Based Systems Engineering in Industry—An Experience Report. *2024 IEEE International Systems Conference (SysCon)*, 1–8. https://doi.org/10.1109/SysCon61195.2024.10553610
Chami, M., & Bruel, J.-M. (2015). Towards an Integrated Conceptual Design Evaluation of Mechatronic Systems: The SysDICE Approach. *Procedia Computer Science*, 51, 650–659. https://doi.org/10.1016/j.procs.2015.05.180
Crabb, E. S., & Jones, M. T. (2024). Accelerating Model-Based Systems Engineering by Harnessing Generative AI. *2024 19th Annual System of Systems Engineering Conference (SoSE)*, 110–115. https://doi.org/10.1109/SOSE62659.2024.10620975
Du Plooy, C., & Oosthuizen, R. (2023). AI USEFULNESS IN SYSTEMS MODELLING AND SIMULATION: GPT-4 APPLICATION. *South African Journal of Industrial Engineering*, 34(3). https://doi.org/10.7166/34-3-2944
Dumitrescu, R., Albers, A., Riedel, O., Stark, R., & Gausemeier, J. (Eds.). (2021). Engineering in Germany—The status quo in business and science, a contribution to Advanced Systems Engineering. *Fraunhofer Institute for Mechatronics Systems Design IEM*.
Edge, D., Trinh, H., Cheng, N., Bradley, J., Chao, A., Mody, A., Truitt, S., & Larson, J. (2024). From Local to Global: A Graph RAG Approach to Query-Focused Summarization (No. arXiv:2404.16130). *arXiv*. https://doi.org/10.48550/arXiv.2404.16130
Elo, S., & Kyngäs, H. (2008). The qualitative content analysis process. *Journal of Advanced Nursing*, 62(1), 107–115. https://doi.org/10.1111/j.1365-2648.2007.04569.x
Fouad, H. Y., Raz, A. K., Llinas, J., Lawless, W. F., & Mittu, R. (2021). Finding the Path Toward Design of Synergistic Human-Centric Complex Systems. In W. F. Lawless, J. Llinas, D. A. Sofge, & R. Mittu (Eds.), *Engineering Artificially Intelligent Systems* (Vol. 13000, pp. 73–89). Springer International Publishing. https://doi.org/10.1007/978-3-030-89385-9_5
Graessler, I., & Hentze, J. (2020). The new V-Model of VDI 2206 and its validation. *At - Automatisierungstechnik*, 68(5), 312–324. https://doi.org/10.1515/auto-2020-0015
Henderson, K., McDermott, T., & Salado, A. (2023). MBSE adoption experiences in organizations: Lessons learned. *Systems Engineering, n/a(n/a)*. https://doi.org/10.1002/sys.21717
Honour, E. (2013). Systems engineering return on investment [PhD]. University of South Australia.
Hsu, J. C., Clymer, J. R., Garcia Jr., J., & Gonzalez, E. (2009). Agent-Based Modeling the Emergent Behavior of A System-of-Systems. *INCOSE International Symposium*, 19(1), 1581–1590. https://doi.org/10.1002/j.2334-5837.2009.tb01036.x
INCOSE (Ed.). (2023). INCOSE Systems Engineering Handbook (5th ed.). Wiley.
Kanbach, D. K., Heiduk, L., Blueher, G., Schreiter, M., & Lahmann, A. (2024). The GenAI is out of the bottle: Generative artificial intelligence from a business model innovation perspective. *Review of Managerial Science*, 18(4), 1189–1220. https://doi.org/10.1007/s11846-023-00696-z

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press

Khaleel, M., Ahmed, A. A., & Alsharif, A. (2023). Artificial Intelligence in Engineering. *Brilliance: Research of Artificial Intelligence*, 3(1), Article 1. https://doi.org/10.47709/brilliance.v3i1.2170

Lawless, W. F., Mittu, R., Sofge, D. A., Shortell, T., & McDermott, T. A. (2021). Introduction to "Systems Engineering and Artificial Intelligence" and the Chapters. In W. F. Lawless, R. Mittu, D. A. Sofge, T. Shortell, & T. A. McDermott (Eds.), *Systems Engineering and Artificial Intelligence* (pp. 1–22). Springer International Publishing. https://doi.org/10.1007/978-3-030-77283-3_1

Lim, W. M., Kumar, S., & Donthu, N. (2024). How to combine and clean bibliometric data and use bibliometric tools synergistically: Guidelines using metaverse research. *Journal of Business Research*, 182, 114760. https://doi.org/10.1016/j.jbusres.2024.114760

Madni, A. M. (2023). Augmented intelligence: A human productivity and performance amplifier in systems engineering and engineered human–machine systems. *In Systems Engineering for the Digital Age* (1st ed., pp. 375–391). John Wiley & Sons. https://onlinelibrary.wiley.com/doi/chapter-epub/10.1002/9781394203314.ch17?saml_referrer

McDermott, T. A., Blackburn, M. R., & Beling, P. A. (2021). Artificial Intelligence and Future of Systems Engineering. *In Systems Engineering and Artificial Intelligence* (pp. 47–59). Springer International Publishing. https://doi.org/10.1007/978-3-030-77283-3_3

McDermott, T., DeLaurentis, D., Beling, P., Blackburn, M., & Bone, M. (2020). AI4SE and SE4AI: A Research Roadmap. *INSIGHT*, 23(1), 8–14. https://doi.org/10.1002/inst.12278

McDermott, T., Pepe, K., & Clifford, M. (2024). The updated SERC AI and autonomy roadmap 2023. *INCOSE International Symposium*, 34(1), 1135–1148. https://doi.org/10.1002/iis2.13200

Norheim, J. J., Rebentisch, E., Xiao, D., Draeger, L., Kerbrat, A., & Weck, O. L. de. (2024). Challenges in applying large language models to requirements engineering tasks. *Design Science*, 10, e16. https://doi.org/10.1017/dsj.2024.8

Orellana, D., & Mandrick, W. (2019). The Ontology of Systems Engineering: Towards a Computational Digital Engineering Semantic Framework. *Procedia Computer Science*, 153, 268–276. https://doi.org/10.1016/j.procs.2019.05.079

Patel, A., Maheshwaran, Y., & Santhya, P. (2024). Easing Adoption of Model Based System Engineering With Application of Generative AI. *2024 IEEE Space, Aerospace and Defence Conference (SPACE)*, 871–874. https://doi.org/10.1109/SPACE63117.2024.10667868

Paul, J., & Criado, A. R. (2020). The art of writing literature review: What do we know and what do we need to know? *International Business Review*, 29(4), 101717. https://doi.org/10.1016/j.ibusrev.2020.101717

Rudolph, S. (2024). On Some Artificial Intelligence Methods in the V-Model of Model-Based Systems Engineering: *Proceedings of the 12th International Conference on Model-Based Software and Systems Engineering*, 386–393. https://doi.org/10.5220/0012639700003645

Schräder, E., Bernijazov, R., Foullois, M., Hillebrand, M., Kaiser, L., & Dumitrescu, R. (2022). Examples of AI-based Assistance Systems in context of Model-Based Systems Engineering. *2022 IEEE International Symposium on Systems Engineering (ISSE)*, 1–8. https://doi.org/10.1109/ISSE54508.2022.10005487

Search Operators. (2023). Web of Science. https://webofscience.help.clarivate.com/en-us/Content/search-operators.html

Verma, A., & Singhal, N. (2024). Integrating Artificial Intelligence for Adaptive Decision-Making in Complex System. In S. Das, S. Saha, C. A. Coello Coello, & J. C. Bansal (Eds.), *Advances in Data-Driven Computing and Intelligent Systems* (pp. 95–105). Springer Nature. https://doi.org/10.1007/978-981-99-9521-9_8

Wilking, F., Horber, D., Goetz, S., & Wartzack, S. (2024). Utilization of system models in model-based systems engineering: Definition, classes and research directions based on a systematic literature review. *Design Science*, 10. https://doi.org/10.1017/dsj.2024.3

Wilking, F., Schleich, B., & Wartzack, S. (2020). MBSE along the Value Chain – An Approach for the Compensation of additional Effort. 61–66. https://doi.org/10.1109/SoSE50414.2020.9130497

https://doi.org/10.1017/pds.2025.10050 Published online by Cambridge University Press