useful information essential for the safe and effective placement of the catheter.

- Except in emergencies, catheterization should be performed with full aseptic technique to include handwashing, sterile gloves, masks, hats, gowns, drapes and proper use of a suitable skin antiseptic.
- Catheters placed in less than sterile fashion should be replaced as soon as medically feasible.

As the use of central venous catheters has increased in recent years, so has the prevalence of their associated complications. By following these recommendations, the incidence of these complications and resulting sequelae should be substantially reduced. Users and institutions should review and monitor this clinical activity to assure that the process and outcomes are consistent with high quality patient safety standards.

The Name Game With *Pseudomonas*

There appear to be two major changes recently in the life of *Pseudomonas maltophilia*. First, this low pathogenicity "water bug" is becoming a more frequent colonizer (and perhaps pathogen) in many hospitals. Reasons for this increase (such as greater use of new cephalosporins, carbapenem-eating enzymes produced by this species or widely distributed contaminated common sources) are not clear. Second, the genus designation for *P maltophilia* has been changed to *Xanthomanas*.

In our institution we have cultured these strains from tap water and have assumed that occasional breaks in aseptic technique lead to colonization and that use of newer antibiotics selects out *Xanthomonas*. The next Centers for Disease Control (CDC) National Nosocomial Infection Study update should help determine whether or not sporadically reported increases in *Xanthomonas* represent a true national trend.

Membership Application Inquiry:

Mail to: Secretary
Society of Hospital
Epidemiologists of America
c/o Slack, Incorporated
6900 Grove Road
Thorofare, NJ 08086

NAME: _____
CURRENT POSITION: _____
ADDRESS: _____
_____
_____ ZIP _____

Doctoral Degree __ MD __ PhD
Date and University:
_____

Specify work in hospital epidemiology and related fields:
_____
_____

Dates in this position:
_____

Related work in the field:
_____

(✓) Check type of membership application:

__ Active Membership
(Calendar year dues $75)

__ Associate Membership
(Calendar year dues ($35)

Quality Connection

We have been impressed by the recent series of articles in *Infection Control and Hospital Epidemiology* edited by Hierholzer and Credé on Quality Assurance. Although many hospital epidemiologists no doubt have hoped that "QA" would go away quietly, it appears that it is here to stay. Moreover, if hospital epidemiology can mate successfully with quality assurance, the offspring hopefully will be greater hospital quality. Decubitus ulcers are a prime example of a problem area where the mating could yield great benefits. If epidemiologic techniques and control measures used successfully over the past four decades in hospital epidemiology can be brought to bear on this problem, perhaps we can prevent the decubiti and learn how to intervene at an earlier step in the development of nosocomial infections.

Brief items of interest for the SHEA Newsletter may be sent to Robert A. Weinstein, MD, Shea Newsletter Editor, Division of Infectious Diseases, Michael Reese Hospital, Lake Shore Drive at 31st St., Chicago, IL 60616. Copy must be typed, double-spaced and may not exceed five pages.

https://doi.org/10.1017/S0899823X00082921 Published online by Cambridge University Press